

## WordPress Installation

Droits : sous /var/www/wordpress

```
chapterf@chapterf-ThinkPad-T440:/var/www/wordpress$ ll
total 220
drwxr-xr-x  5 www-data www-data  4096 sept.  9 22:25 ./
drwxr-xr-x  4 root      root      4096 sept.  9 21:21 ../
-rw-r--r--  1 www-data www-data   235 sept.  9 21:56 .htaccess
-rw-r--r--  1 www-data www-data   420 déc.   1  2017 index.php
-rw-r--r--  1 www-data www-data 19935 janv.  1  2019 license.txt
-rw-r--r--  1 www-data www-data  9103 sept.  9 15:00 readme.html
-rw-r--r--  1 www-data www-data  6919 janv. 12  2019 wp-activate.php
drwxr-xr-x  9 www-data www-data  4096 sept.  9 15:00 wp-admin/
-rw-r--r--  1 www-data www-data   369 déc.   1  2017 wp-blog-header.php
-rw-r--r--  1 www-data www-data  2283 janv. 21  2019 wp-comments-post.php
-rw-r--r--  1 www-data www-data  4021 sept.  9 22:22 wp-config.php
-rw-r--r--  1 www-data www-data  3600 sept.  9 15:00 wp-config-sample.php
drwxr-xr-x  8 www-data www-data  4096 sept. 10 15:52 wp-content/
-rw-r--r--  1 www-data www-data  3847 janv.  9  2019 wp-cron.php
drwxr-xr-x 20 www-data www-data 12288 sept.  9 15:00 wp-includes/
-rw-r--r--  1 www-data www-data  2502 janv. 16  2019 wp-links-opml.php
-rw-r--r--  1 www-data www-data  3306 déc.   1  2017 wp-load.php
-rw-r--r--  1 www-data www-data 39551 juin  10 15:34 wp-login.php
-rw-r--r--  1 www-data www-data  8403 déc.   1  2017 wp-mail.php
-rw-r--r--  1 www-data www-data 18962 mars  28 20:04 wp-settings.php
-rw-r--r--  1 www-data www-data 31085 janv. 16  2019 wp-signup.php
-rw-r--r--  1 www-data www-data  4764 déc.   1  2017 wp-trackback.php
-rw-r--r--  1 www-data www-data  3068 août  17  2018 xmlrpc.php
```

MySQL : Database 'wordpress'

```
chapterf@chapterf-ThinkPad-T440:/var/www$ mysql -u fabrice -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 16
Server version: 5.7.27-0ubuntu0.18.04.1 (Ubuntu)

Copyright (c) 2000, 2019, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;
+-----+
| Database |
+-----+
| information_schema |
| Ventes_Chaussures |
| filmothèque |
| mysql |
| performance_schema |
| sys |
| wordpress |
+-----+
7 rows in set (0.00 sec)
```



## Test et contrôles :

```
chapterf@chapterf-ThinkPad-T440:/var/www$ nano /etc/hosts
chapterf@chapterf-ThinkPad-T440:/var/www$ ping wordpress
PING wordpress (127.0.0.1) 56(84) bytes of data.
64 bytes from localhost (127.0.0.1): icmp_seq=1 ttl=64 time=0.053 ms
64 bytes from localhost (127.0.0.1): icmp_seq=2 ttl=64 time=0.041 ms
64 bytes from localhost (127.0.0.1): icmp_seq=3 ttl=64 time=0.032 ms
^C
--- wordpress ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 2033ms
rtt min/avg/max/mdev = 0.032/0.042/0.053/0.008 ms
chapterf@chapterf-ThinkPad-T440:/var/www$ sudo service apache2 status
[sudo] Mot de passe de chapterf :
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/lib/systemd/system/apache2.service; enabled; vendor preset: enabled)
   Drop-In: /lib/systemd/system/apache2.service.d
            └─apache2-systemd.conf
   Active: active (running) since Wed 2019-09-11 14:03:43 CEST; 2h 22min ago
     Process: 9334 ExecStop=/usr/sbin/apachectl stop (code=exited, status=0/SUCCESS)
    Process: 11576 ExecReload=/usr/sbin/apachectl graceful (code=exited, status=0/SUCCESS)
    Process: 9339 ExecStart=/usr/sbin/apachectl start (code=exited, status=0/SUCCESS)
   Main PID: 9344 (apache2)
      Tasks: 7 (limit: 4915)
   CGroup: /system.slice/apache2.service
           └─ 9344 /usr/sbin/apache2 -k start
              11580 /usr/sbin/apache2 -k start
              11581 /usr/sbin/apache2 -k start
              11582 /usr/sbin/apache2 -k start
              11583 /usr/sbin/apache2 -k start
              11584 /usr/sbin/apache2 -k start
              12191 /usr/sbin/apache2 -k start

sept. 11 14:03:43 chapterf-ThinkPad-T440 systemd[1]: Starting The Apache HTTP Server...
sept. 11 14:03:43 chapterf-ThinkPad-T440 apachectl[9339]: AH00558: apache2: Could not reliably determine the server's fully qualified domain
sept. 11 14:03:43 chapterf-ThinkPad-T440 systemd[1]: Started The Apache HTTP Server.
sept. 11 15:45:08 chapterf-ThinkPad-T440 systemd[1]: Reloading The Apache HTTP Server.
sept. 11 15:45:08 chapterf-ThinkPad-T440 apachectl[11576]: AH00558: apache2: Could not reliably determine the server's fully qualified domain
sept. 11 15:45:08 chapterf-ThinkPad-T440 systemd[1]: Reloaded The Apache HTTP Server.
```

```
chapterf@chapterf-ThinkPad-T440:/var/www$ lin
linguist          linkicc          lintian-info      linux32           linux-boot-prober  linux-update-symlinks
link              lintian          lintian-lab-tool  linux64           linux-check-removal linux-version
chapterf@chapterf-ThinkPad-T440:/var/www$ wget http://wordpress
--2019-09-11 16:27:39-- http://wordpress/
Résolution de wordpress (wordpress)... 127.0.0.1
Connexion à wordpress (wordpress)|127.0.0.1|:80... connecté.
requête HTTP transmise, en attente de la réponse... 301 Moved Permanently
Emplacement : https://wordpress/ [suivant]
--2019-09-11 16:27:39-- https://wordpress/
Connexion à wordpress (wordpress)|127.0.0.1|:443... échec : Connexion refusée.
Résolution de wordpress (wordpress)... 127.0.0.1
Connexion à wordpress (wordpress)|127.0.0.1|:443... échec : Connexion refusée.
```

```
chapterf@chapterf-ThinkPad-T440:/var/www$ mysql -u fabrice -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 23
Server version: 5.7.27-0ubuntu0.18.04.1 (Ubuntu)

Copyright (c) 2000, 2019, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> use wordpress;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
```

```
mysql> select * from wp_
Display all 106 possibilities? (y or n)
wp_commentmeta          wp_options.autoload      wp_term_relationships.term_taxonomy_id
wp_commentmeta.comment_id wp_options.option_id      wp_term_taxonomy
wp_commentmeta.meta_id   wp_options.option_name     wp_term_taxonomy.count
wp_commentmeta.meta_key   wp_options.option_value    wp_term_taxonomy.description
wp_commentmeta.meta_value wp_postmeta                wp_term_taxonomy.parent
wp_comments              wp_postmeta.meta_id        wp_term_taxonomy.taxonomy
wp_comments.comment_agent wp_postmeta.meta_key        wp_term_taxonomy.term_id
wp_comments.comment_approved wp_postmeta.meta_value      wp_term_taxonomy.term_taxonomy_id
wp_comments.comment_author wp_postmeta.post_id         wp_termmeta
wp_comments.comment_author_email wp_posts                    wp_termmeta.meta_id
wp_comments.comment_author_IP wp_posts.comment_count      wp_termmeta.meta_key
wp_comments.comment_author_url wp_posts.comment_status     wp_termmeta.meta_value
wp_comments.comment_content wp_posts.guid               wp_termmeta.term_id
wp_comments.comment_date  wp_posts.ID                 wp_terms
wp_comments.comment_date_gmt wp_posts.menu_order         wp_terms.name
wp_comments.comment_ID    wp_posts.ping_status        wp_terms.slug
wp_comments.comment_karma wp_posts.pinged              wp_terms.term_group
wp_comments.comment_parent wp_posts.post_author         wp_terms.term_id
wp_comments.comment_post_ID wp_posts.post_content        wp_usermeta
wp_comments.comment_type  wp_posts.post_content_filtered wp_usermeta.meta_key
wp_comments.user_id       wp_posts.post_date          wp_usermeta.meta_value
wp_links                 wp_posts.post_date_gmt      wp_usermeta.umeta_id
wp_links.link_description wp_posts.post_excerpt        wp_usermeta.user_id
wp_links.link_id         wp_posts.post_mime_type     wp_users
wp_links.link_image      wp_posts.post_modified      wp_users.display_name
wp_links.link_name       wp_posts.post_modified_gmt  wp_users.ID
wp_links.link_notes      wp_posts.post_name          wp_users.user_activation_key
wp_links.link_owner      wp_posts.post_parent        wp_users.user_email
wp_links.link_rating     wp_posts.post_password      wp_users.user_login
wp_links.link_rel        wp_posts.post_status        wp_users.user_nicename
wp_links.link_rss        wp_posts.post_title         wp_users.user_pass
wp_links.link_target     wp_posts.post_type          wp_users.user_registered
wp_links.link_updated    wp_posts.to_ping            wp_users.user_status
wp_links.link_url        wp_term_relationships        wp_users.user_url
wp_links.link_visible    wp_term_relationships.object_id
wp_options               wp_term_relationships.term_order

mysql> select * from wp_options where
Display all 953 possibilities? (y or n)
mysql> select * from wp_options where option_name like '%wordpress%';
+-----+-----+-----+-----+
| option_id | option_name          | option_value | autoload |
+-----+-----+-----+-----+
|          142 | wordpress_api_key    | e787a6a835e8 | yes      |
+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

```
mysql> select * from wp_options where option_value like '%wordpress%';
+-----+-----+-----+-----+
| option_id | option_name          | option_value | autoload |
+-----+-----+-----+-----+
|          1 | siteurl              | http://wordpress | yes      |
+-----+-----+-----+-----+
|          2 | home                 | http://wordpress | yes      |
+-----+-----+-----+-----+
|          4 | blogdescription       | Un site utilisant WordPress | yes      |
+-----+-----+-----+-----+
```

```
mysql> select * from wp_options where option_name like '%site%';
+-----+-----+-----+-----+
| option_id | option_name          | option_value | autoload |
+-----+-----+-----+-----+
|          1 | siteurl              | http://wordpress | yes      |
+-----+-----+-----+-----+
|          2 | home                 | http://wordpress | yes      |
+-----+-----+-----+-----+
|          4 | blogdescription       | Un site utilisant WordPress | yes      |
+-----+-----+-----+-----+
```



```
mysql> select * from wp_options where option_name like 'site%';
+-----+-----+-----+-----+
| option_id | option_name | option_value | autoload |
+-----+-----+-----+-----+
|          88 | site_icon   | 0           | yes      |
|           1 | siteurl     | http://wordpress | yes      |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> ^DBye
```

```
chapierrf@chapierrf-ThinkPad-T440:/var/www$ ll
```

```
total 16
```

```
drwxr-xr-x  4 root      root      4096 sept.  9 21:21 ./
drwxr-xr-x 15 root      root      4096 sept.  3 11:28 ../
drwxr-xr-x  2 root      root      4096 sept.  9 10:39 html/
drwxr-xr-x  5 www-data www-data 4096 sept.  9 22:25 wordpress/
```

```
chapierrf@chapierrf-ThinkPad-T440:/var/www$ cd wordpress/
```

```
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ ll
```

```
total 220
```

```
drwxr-xr-x  5 www-data www-data 4096 sept.  9 22:25 ./
drwxr-xr-x  4 root      root      4096 sept.  9 21:21 ../
-rw-r--r--  1 www-data www-data  235 sept.  9 21:56 .htaccess
-rw-r--r--  1 www-data www-data  420 déc.  1 2017 index.php
-rw-r--r--  1 www-data www-data 19935 janv.  1 2019 license.txt
-rw-r--r--  1 www-data www-data  9103 sept.  9 15:00 readme.html
-rw-r--r--  1 www-data www-data  6919 janv. 12 2019 wp-activate.php
drwxr-xr-x  9 www-data www-data 4096 sept.  9 15:00 wp-admin/
-rw-r--r--  1 www-data www-data  369 déc.  1 2017 wp-blog-header.php
-rw-r--r--  1 www-data www-data  2283 janv. 21 2019 wp-comments-post.php
-rw-r--r--  1 www-data www-data  4021 sept.  9 22:22 wp-config.php
-rw-r--r--  1 www-data www-data  3600 sept.  9 15:00 wp-config-sample.php
drwxr-xr-x  8 www-data www-data 4096 sept. 11 15:11 wp-content/
-rw-r--r--  1 www-data www-data  3847 janv.  9 2019 wp-cron.php
drwxr-xr-x 20 www-data www-data 12288 sept.  9 15:00 wp-includes/
-rw-r--r--  1 www-data www-data  2502 janv. 16 2019 wp-links-opml.php
-rw-r--r--  1 www-data www-data  3306 déc.  1 2017 wp-load.php
-rw-r--r--  1 www-data www-data 39551 juin  10 15:34 wp-login.php
-rw-r--r--  1 www-data www-data  8403 déc.  1 2017 wp-mail.php
-rw-r--r--  1 www-data www-data 18962 mars  28 20:04 wp-settings.php
-rw-r--r--  1 www-data www-data 31085 janv. 16 2019 wp-signup.php
-rw-r--r--  1 www-data www-data  4764 déc.  1 2017 wp-trackback.php
-rw-r--r--  1 www-data www-data  3068 août  17 2018 xmlrpc.php
```

```
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ more .htaccess
```

```
# BEGIN WordPress
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteBase /
```

```
RewriteRule ^index\.php$ - [L]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule . /index.php [L]
```

```
</IfModule>
```

```
# END WordPress
```

```

chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ more /etc/apache2/
apache2.conf    conf-enabled/   magic           mods-enabled/   sites-available/
conf-available/ envvars         mods-available/ ports.conf       sites-enabled/
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ more /etc/apache2/sites-enabled/
000-default.conf wordpress.conf
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ more /etc/apache2/sites-enabled/wordpress.conf
<VirtualHost *:80>
    ServerName wordpress
    DocumentRoot /var/www/wordpress
    <Directory /var/www/wordpress>
        AllowOverride all
        Require all granted
    </Directory>
    ErrorLog /var/log/apache2/error.wordpress.log
    CustomLog /var/log/apache2/access.wordpress.log combined
</VirtualHost>
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ wget http://wordpress
--2019-09-11 16:30:31-- http://wordpress/
Résolution de wordpress (wordpress)... 127.0.0.1
Connexion à wordpress (wordpress)[127.0.0.1]:80... connecté.
requête HTTP transmise, en attente de la réponse... 301 Moved Permanently
Emplacement : https://wordpress/ [suivant]
--2019-09-11 16:30:31-- https://wordpress/
Connexion à wordpress (wordpress)[127.0.0.1]:443... échec : Connexion refusée.
Résolution de wordpress (wordpress)... 127.0.0.1
Connexion à wordpress (wordpress)[127.0.0.1]:443... échec : Connexion refusée.

```

```

chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ ll
total 220
drwxr-xr-x  5 www-data www-data 4096 sept.  9 22:25 ./
drwxr-xr-x  4 root     root    4096 sept.  9 21:21 ../
-rw-r--r--  1 www-data www-data  235 sept.  9 21:56 .htaccess
-rw-r--r--  1 www-data www-data  420 déc.   1 2017 index.php
-rw-r--r--  1 www-data www-data 19935 janv.  1 2019 license.txt
-rw-r--r--  1 www-data www-data  9103 sept.  9 15:00 readme.html
-rw-r--r--  1 www-data www-data  6919 janv. 12 2019 wp-activate.php
drwxr-xr-x  9 www-data www-data 4096 sept.  9 15:00 wp-admin/
-rw-r--r--  1 www-data www-data  369 déc.   1 2017 wp-blog-header.php
-rw-r--r--  1 www-data www-data  2283 janv. 21 2019 wp-comments-post.php
-rw-r--r--  1 www-data www-data  4021 sept.  9 22:22 wp-config.php
-rw-r--r--  1 www-data www-data  3600 sept.  9 15:00 wp-config-sample.php
drwxr-xr-x  8 www-data www-data 4096 sept. 11 15:11 wp-content/
-rw-r--r--  1 www-data www-data  3847 janv.  9 2019 wp-cron.php
drwxr-xr-x 20 www-data www-data 12288 sept.  9 15:00 wp-includes/
-rw-r--r--  1 www-data www-data  2502 janv. 16 2019 wp-links-opml.php
-rw-r--r--  1 www-data www-data  3306 déc.   1 2017 wp-load.php
-rw-r--r--  1 www-data www-data 39551 juin  10 15:34 wp-login.php
-rw-r--r--  1 www-data www-data  8403 déc.   1 2017 wp-mail.php
-rw-r--r--  1 www-data www-data 18962 mars  28 20:04 wp-settings.php
-rw-r--r--  1 www-data www-data 31085 janv. 16 2019 wp-signup.php
-rw-r--r--  1 www-data www-data  4764 déc.   1 2017 wp-trackback.php
-rw-r--r--  1 www-data www-data  3068 août  17 2018 xmlrpc.php
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ more index.php
<?php
/**
 * Front to the WordPress application. This file doesn't do anything, but loads
 * wp-blog-header.php which does and tells WordPress to load the theme.
 *
 * @package WordPress
 */

/**
 * Tells WordPress to load the WordPress theme and output it.
 *
 * @var bool
 */
define( 'WP_USE_THEMES', true );

/** Loads the WordPress Environment and Template */
require( dirname( __FILE__ ) . '/wp-blog-header.php' );
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ more wp-c
wp-comments-post.php wp-config.php          wp-config-sample.php wp-content/          wp-cron.php
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ more wp-config.php
more: impossible d'ouvrir wp-config.php: Permission non accordée

```

```
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ sudo more wp-config.php
<?php
/**
 * La configuration de base de votre installation WordPress.
 *
 * Ce fichier contient les réglages de configuration suivants : réglages MySQL,
 * préfixe de table, clés secrètes, langue utilisée, et ABSPATH.
 * Vous pouvez en savoir plus à leur sujet en allant sur
 * {@link http://codex.wordpress.org/fr:Modifier_wp-config.php Modifier
 * wp-config.php}. C'est votre hébergeur qui doit vous donner vos
 * codes MySQL.
 *
 * Ce fichier est utilisé par le script de création de wp-config.php pendant
 * le processus d'installation. Vous n'avez pas à utiliser le site web, vous
 * pouvez simplement renommer ce fichier en "wp-config.php" et remplir les
 * valeurs.
 *
 * @package WordPress
 */

// ** Réglages MySQL - Votre hébergeur doit vous fournir ces informations. ** //
/** Nom de la base de données de WordPress. */
define('WP_CACHE', true);
define('WPCACHEHOME', '/var/www/wordpress/wp-content/plugins/wp-super-cache/');
define('DB_NAME', 'wordpress');

/** Utilisateur de la base de données MySQL. */
define('DB_USER', 'WordPress');

/** Mot de passe de la base de données MySQL. */
define('DB_PASSWORD', 'Owaye!225002');

/** Adresse de l'hébergement MySQL. */
define('DB_HOST', 'localhost');

/** Jeu de caractères à utiliser par la base de données lors de la création des tables. */
define('DB_CHARSET', 'utf8mb4');

/** Type de collation de la base de données.
 * N'y touchez que si vous savez ce que vous faites.
 */
define('DB_COLLATE', '');
```

```

/**#@+
 * Clés uniques d'authentification et salage.
 *
 * Remplacez les valeurs par défaut par des phrases uniques !
 * Vous pouvez générer des phrases aléatoires en utilisant
 * {@link https://api.wordpress.org/secret-key/1.1/salt/ le service de clefs secrètes de WordPress.org}.
 * Vous pouvez modifier ces phrases à n'importe quel moment, afin d'invalider tous les cookies existants.
 * Cela forcera également tous les utilisateurs à se reconnecter.
 *
 * @since 2.6.0
 */
define( 'AUTH_KEY',          ',:=Kg1`qP3$0YmuN&BKMD xAFN7Hnkx>]u][D#Om]NNx,h6X-8fD Xgout`/+=@L-' );
define( 'SECURE_AUTH_KEY',  '-:bwG[~I4hZ=3l-@]Od^U/F*87,1W7^$ZEw=]OZW&WX43,}^:2<j}JMV}X+=BThS' );
define( 'LOGGED_IN_KEY',    '}dIG%>MI}r$+?^@0%o[ZF09%;eu>TsdVLB20Z]*K(kz);HA7D<0,(%{5#S u{oGD' );
define( 'NONCE_KEY',       '$#yb8WM1: pX<sC0}Ky}rHOCQ}l#T#L!(uL`XF _`q.Z-dXdEjJ^}fD%b*}e/dc`' );
define( 'AUTH_SALT',       'TkEN.oo0*~8-&Q0XgD{7n77|#m;f3h`#+U3b4#}ldo).00u%jkRfC{OPf5h?-3;a' );
define( 'SECURE_AUTH_SALT', 'og(lQeR+9)*PIo6zpI!Le!oBJ(*mF_UxYt}cHacb*@P)~D=wm$0dK4B3@j&~gcyl' );
define( 'LOGGED_IN_SALT',  'S>HWPx^*1^d,ts,ok(Y-AWX;t|>plw7hnFQq>$[Z(K@(^u)27#9s11H_~(kNI_r[' );
define( 'NONCE_SALT',      'nBD]YW=Obus)Q-VsnevGrtf700)=x@#dLYH2okxR/VHBn)GwJa)`;012<i@/}Zm!' );
/**@-*/

/**
 * Préfixe de base de données pour les tables de WordPress.
 *
 * Vous pouvez installer plusieurs WordPress sur une seule base de données
 * si vous leur donnez chacune un préfixe unique.
 * N'utilisez que des chiffres, des lettres non-accentuées, et des caractères soulignés !
 */
$table_prefix = 'wp_';

/**
 * Pour les développeurs : le mode déboguage de WordPress.
 *
 * En passant la valeur suivante à "true", vous activez l'affichage des
 * notifications d'erreurs pendant vos essais.
 * Il est fortement recommandé que les développeurs d'extensions et
 * de thèmes se servent de WP_DEBUG dans leur environnement de
 * développement.
 *
 * Pour plus d'information sur les autres constantes qui peuvent être utilisées
 * pour le déboguage, rendez-vous sur le Codex.
 *
 * @link https://codex.wordpress.org/Debugging_in_WordPress
 */
define('WP_DEBUG', false);

/* C'est tout, ne touchez pas à ce qui suit ! Bonne publication. */

```

```

/* C'est tout, ne touchez pas à ce qui suit ! Bonne publication. */

/** Chemin absolu vers le dossier de WordPress. */
if ( !defined('ABSPATH') )
    define('ABSPATH', dirname(__FILE__) . '/');

/** Réglage des variables de WordPress et de ses fichiers inclus. */
require_once(ABSPATH . 'wp-settings.php');

```



suppression de wp-force-ssl

```
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ cd wp-content/
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress/wp-content$ ll
total 44
drwxr-xr-x 8 www-data www-data 4096 sept. 11 15:11 ./
drwxr-xr-x 5 www-data www-data 4096 sept. 9 22:25 ../
-rw-r--r-- 1 www-data www-data 1129 sept. 9 22:22 advanced-cache.php
drwxr-xr-x 5 www-data www-data 4096 sept. 11 16:22 cache/
-rw-r--r-- 1 www-data www-data 28 janv. 8 2012 index.php
drwxr-xr-x 4 www-data www-data 4096 sept. 11 15:11 languages/
drwxr-xr-x 7 www-data www-data 4096 sept. 9 22:39 plugins/
drwxr-xr-x 5 www-data www-data 4096 sept. 9 23:42 themes/
drwxr-xr-x 2 www-data www-data 4096 sept. 11 15:11 upgrade/
drwxr-xr-x 3 www-data www-data 4096 sept. 9 21:56 uploads/
-rw----- 1 www-data www-data 3880 sept. 9 22:27 wp-cache-config.php
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress/wp-content$ cd plugins/
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress/wp-content/plugins$ ll
total 36
drwxr-xr-x 7 www-data www-data 4096 sept. 9 22:39 ./
drwxr-xr-x 8 www-data www-data 4096 sept. 11 15:11 ../
drwxr-xr-x 4 www-data www-data 4096 sept. 9 15:00 akismet/
drwxr-xr-x 8 www-data www-data 4096 sept. 9 22:39 cookie-law-info/
-rw-r--r-- 1 www-data www-data 2578 mars 18 18:19 hello.php
-rw-r--r-- 1 www-data www-data 28 juin 5 2014 index.php
drwxr-xr-x 12 www-data www-data 4096 sept. 9 22:30 polylang/
drwxr-xr-x 2 www-data www-data 4096 sept. 9 22:28 wp-force-ssl/
drwxr-xr-x 5 www-data www-data 4096 sept. 9 22:22 wp-super-cache/
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress/wp-content/plugins$ ls
akismet cookie-law-info hello.php index.php polylang wp-force-ssl wp-super-cache
```

```
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress/wp-content/plugins$ sudo rm -rf wp-force-ssl
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress/wp-content/plugins$ ls
akismet cookie-law-info hello.php index.php polylang wp-super-cache
```

```
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress/wp-content/plugins$ wget http://wordpress
--2019-09-11 16:34:43-- http://wordpress/
Résolution de wordpress (wordpress)... 127.0.0.1
Connexion à wordpress (wordpress)[127.0.0.1]:80... connecté.
requête HTTP transmise, en attente de la réponse... 200 OK
Taille : non indiqué [text/html]
index.html: Permission non accordée
```

Impossible d'écrire dans «index.html» (Permission non accordée).

```
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress/wp-content/plugins$ cd ..
```

```
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress/wp-content$ cd ..
```

```
chapierrf@chapierrf-ThinkPad-T440:/var/www/wordpress$ mysql -u fabrice -p
```

Enter password:

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 38

Server version: 5.7.27-0ubuntu0.18.04.1 (Ubuntu)

Copyright (c) 2000, 2019, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> show databases;
```

Database
information_schema
Ventes_Chaussures
filmotheque
mysql
performance_schema
sys
wordpress

7 rows in set (0.00 sec)

```
mysql> use wordpress
```

Reading table information for completion of table and column names  
You can turn off this feature to get a quicker startup with -A

Database changed

```
mysql> show tables;
```

Tables_in_wordpress
wp_commentmeta
wp_comments
wp_links
wp_options
wp_postmeta
wp_posts
wp_term_relationships
wp_term_taxonomy
wp_termmeta
wp_terms
wp_usermeta
wp_users

12 rows in set (0.00 sec)

```
mysql> describe wp_users;
```

Field	Type	Null	Key	Default	Extra
ID	bigint(20) unsigned	NO	PRI	NULL	auto_increment
user_login	varchar(60)	NO	MUL		
user_pass	varchar(255)	NO			
user_nicename	varchar(50)	NO	MUL		
user_email	varchar(100)	NO	MUL		
user_url	varchar(100)	NO			
user_registered	datetime	NO		0000-00-00 00:00:00	
user_activation_key	varchar(255)	NO			
user_status	int(11)	NO		0	
display_name	varchar(250)	NO			

10 rows in set (0.00 sec)

```
mysql> select * from wp_users;
```

ID	user_login	user_pass	user_nicename	user_email	user_url	user_registered	user_activation_key	user_status	display_name
1	Fabrice_Chapter	\$P\$B527SRzD2ds4o2HzuI4btE/8sEXEoL.	fabrice_chapter	fabrice.chapter03400@gmail.com		2019-09-09 19:56:12		0	Fabrice_Chapter

1 row in set (0.00 sec)