Symfony SF Chaustore v3

Date du brief: 04/11/2019 Date du rendu: 17/11/2019

Tags: PHP-SQL-GIT

Compétences visées : Créer une base de données, Développer des composants d'accès aux données, Développer la partie back-end d'une application Web

Livrables attendus

Un dépôt GitHub avec l'ensemble des fichiers nécessaires au bon fonctionnement du site (des commits devront être réalisés régulièrement afin de pouvoir suivre l'évolution du projet).

Une présentation du projet expliquant (de manière détaillée) votre démarche, le déroulement, les obstacles rencontrés, les solutions mises en place...

Énoncé du brief

Vous avez eu l'occasion, lors d'un précédent projet, de développer le back-office d'une boutique de chaussures "from scratch". Cette méthode peut parfois être fastidieuse, répétitive et n'apporter que peu de valeur ajoutée au projet.

Vous avez depuis découvert le framework Symfony et toutes les promesses qui vont avec ! Ce projet est l'occasion de voir en pratique ce que l'utilisation d'un tel outil peut vous apportez sur vos futurs projets.

Vous l'aurez compris vous allez devoir redévelopper l'interface d'administration de la boutique mais en utilisant SF.

Les objectifs restent les mêmes

A savoir:

- une interface simple, fonctionnelle et graphiquement épurée ;
- la possibilité de visualiser / ajouter / modifier / supprimer les catégories, les marques, les couleurs, les tailles, les produits et les stocks;
- lors de la suppression d'un élément, une confirmation sera demandée à l'utilisateur ;
- en option : l'accès à l'interface sera sécurisé ;
- en option : les pages d'erreur seront personnalisées.

Informations complémentaires

La base de données n'est plus fournie mais votre structure doit reprendre les mêmes éléments.

Vous devez utiliser Symfony Maker pour réaliser ce projet.

Vous ne devez utiliser aucun module / bundle supplémentaire (hors Symfony).

Ce projet est normalement à réaliser en 1 semaine mais compte-tenu des autres projets en cours nous vous laissons 2 semaines pour travailler dessus. Date de rendu : dimanche 17 novembre à 23h59.

Présentation du projet

expliquant (de manière détaillée) votre démarche, le déroulement, les obstacles rencontrés, les solutions mises en place...

Recherche d'informations sur

- a) Documentation Symfony: Databases and the Doctrine ORM
- b) le CRUD avec Symfony

Rem: Projet non terminé:

- Visualisation (CRUD) des stocks non réalisé
- « lors de la suppression d'un élément, une confirmation sera demandée à l'utilisateur » : non réalisé

Détails des tâches réalisées.

Création du projet chapierf@chapierf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets\$ symfony new SF-ChaustoreV3 --full Version 4.10.1 is available. Do you want to update now (execution will continue after whatever you decide) ? [Y/n]: n OK, I'll ask you again tomorrow. You can upgrade manually at any time using the `self:update` command * Creating a new Symfony project with Composer (running /usr/local/bin/composer create-project symfony/website-skeleton SF-ChaustoreV3) * Setting up the project under Git version control (running git init SF-ChaustoreV3)

Mise à jour de la base de données pour le projet

/home/chapierf/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3

```
Fichier Édition Affichage Rechercher Terminal Aide
   GNU nano 2.9.3
                                                                                                               env
   In all environments, the following files are loaded if they exist, the latter taking precedence over the former:
        Real environment variables win over .env files.
   DO NOT DEFINE PRODUCTION SECRETS IN THIS FILE NOR IN ANY OTHER COMMITTED FILES.
  Run "composer dump-env prod" to compile .env files for production use (requires symfony/flex >=1.2). https://symfony.com/doc/current/best_practices/configuration.html#infrastructure-related-configuration
  ##> symfony/framework-bundle ###
  PP_SECRET=0329bb8c774dd685a91c15c608090f0c
TRUSTED_PROXIES=127.0.0.0/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16
TRUSTED_HOSTS='^localhost|example\.com$'
  ##< symfony/framework-bundle ###
 ###> doctrine/doctrine-bundle ###
# Format described at https://www.doctrine-project.org/projects/doctrine-dbal/en/latest/reference/configuration.html#conn$
# For an SQLite database, use: "sqlite:///*kernel.project_dir*//var/data.db"
# For a PostgreSQL database, use: "postgresql://db_user:db_password@127.0.0.1:5432/db_name?serverVersion=11"
# IMPORTANT: You MUST configure your db driver and server version, either here or in config/packages/doctrine.yaml
DATABASE_URL=mysql://fabrice:
###< doctrine/doctrine-bundle ###
   For Gmail as a transport, use: "gmail://username:password@localhost"
For a generic SMTP server, use: "smtp://localhost:25?encryption=&auth_mode="
Delivery is disabled by default via "null://localhost"
 MAILER_URL=null://localhost
###< symfony/swiftmailer-bundle ###
                                                     ^W Chercher
^\ Remplacer
                                                                                                                                                                M-U Annuler
                           ^O Écrire
                                                                                                                                     ^C Pos. cur.
^G Aide
                                                                                ^K Couper
                                                                                                                Justifier
                                                                                                                                                                                           M-A Marquer
^X Quitter
                               Lire fich.
```

Mapping import & make entity Ficher Edition Africage Rechercher Terminal Adde chapter fightheter in the Market 1481-7 (Decements Projets, Stephan/Synfony-projets/SF-ChaustoreVSS php bin/console doctrine:napping:inport "ApplEntity" annotation --pathssrc/Entity - writing src/Entity/Fastpery.php - writing src/Entity/En

Rem : impossibilité de créer directement l'entité stock via cette procédure : création manuelle

```
Chapter@chapterf-ThinkPad-T440:-/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console doctrine:migrations:migrate

Application Migrations

MARNING! You are about to execute a database migration that could result in schema changes and data loss. Are you sure you wish to continue? (y/n)y

Migrating up to 20191116220747 from 0

** migrating 20191116220747

-> ALTER TABLE category CHANGE name name VARCHAR(63) NOT NULL
-> DROP INDEX name on product
-> DROP INDEX name on product
-> ALTER TABLE product CHANGE category_id category_id INT UNSIGNED DEFAULT NULL, CHANGE brand_id INT UNSIGNED DEFAULT NULL, CHANGE name name
-> VARCHAR(255) NOT NULL, CHANGE Lnage tnage VARCHAR(255) DEFAULT NULL, CHANGE price price NUMERIC(5, 2) DEFAULT '0.00' NOT NULL
-> ALTER TABLE stock DROP stock
-> ALTER TABLE stock DROP stock
-> ALTER TABLE stock RENAME INDEX size_product TO IDX_48365660498DA827
-> ALTER TABLE stock RENAME INDEX size_product TO IDX_4836566049BDA827
-> ALTER TABLE stock RENAME INDEX size_product TO IDX_4836566049BDA827
-> ALTER TABLE stock RENAME INDEX size_product TO IDX_4836566049BDA827
-> ALTER TABLE stock RENAME INDEX size_product TO IDX_4836566049BDA827
-> ALTER TABLE stock RENAME INDEX size_product TO IDX_4836566049BDA827
-> ALTER TABLE brand CHANGE name name VARCHAR(13) NOT NULL
-> ALTER TABLE stock RENAME INDEX size_product TO IDX_4836566049BDA827
-> ALTER TABLE brand CHANGE name name VARCHAR(3) NOT NULL
-> ALTER TABLE stock RENAME INDEX size_product TO IDX_4836566049BDA827
-> ALTER TABLE brand CHANGE name name VARCHAR(3) NOT NULL
-> ALTER TABLE stock RENAME name name vARCHAR(3) NOT NULL
-> ALTER TABLE stock RENAME name name vARCHAR(3) NOT NULL
-> ALTER TABLE stock RENAME name name vARCHAR(3) NOT NULL
-> ALTER TABLE stock RENAME name name vARCHAR(3) NOT NULL
-> ALTER TABLE stock RENAME name name vARCHAR(3) NOT NULL
-> ALTER TABLE stock RENAME NAME name name vARCHAR(3) NOT NULL
-> ALTER TABLE stock RENAME NAME name name vARCHAR(3) NOT NULL
-> ALTER TABLE stock RENAME NAME name name vARCHAR(3)
```

Création controller et template pour chaque entité : brand, category, color, product et size

```
chapterf@chapterf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:controller BrandController created: src/Controller/BrandController.php created: templates/brand/index.html.twig

Success!

Next: Open your new controller class and add some pages!
```

```
hapierf@chapierf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:controller CategoryController:
 created: src/Controller/CategoryController.php
created: templates/category/index.html.twig
Next: Open your new controller class and add some pages!
chapierf@chapierf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:controller ColorController
 created: src/Controller/ColorController.php
created: templates/color/index.html.twig
 Next: Open your new controller class and add some pages!
 hapierf@chapierf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:controller ProductController:
 created: src/Controller/ProductController.php
created: templates/product/index.html.twig
Next: Open your new controller class and add some pages!
chapierf@chapierf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:controller SizeController
 created: src/Controller/SizeController.php
created: templates/size/index.html.twig
 Next: Open your new controller class and add some pages!
Création form pour chaque entité : Brand, Category, Color, Product et Size
chapierf@chapierf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:form
 The name of the form class (e.g. GentleKangarooType):
 > BrandType
 > Brand
 created: src/Form/BrandType.php
 Next: Add fields to your form and start using it.
```

> BrandType The name of Entity or fully qualified model class name that the new form will be bound to (empty for none): > Brand Successi Next: Add fields to your form and start using it. Find the documentation at https://symfony.com/doc/current/forms.html chapterf@chapterf-ThinkPad-T440:-/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3\$ php bin/console make:form The name of the form class (e.g. GrumpyJellybeanType): > CategoryType The name of Entity or fully qualified model class name that the new form will be bound to (empty for none): > Category created: src/Form/CategoryType.php Successi Next: Add fields to your form and start using it. Find the documentation at https://symfony.com/doc/current/forms.html chapterf@chapterf-ThinkPad-T440:-/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3\$ php bin/console make:form The name of the form class (e.g. DeliciousPlzzaType): > ColorType The name of Entity or fully qualified model class name that the new form will be bound to (empty for none): > Color created: src/Form/ColorType.php Successi Next: Add fields to your form and start using it. Find the documentation at https://symfony.com/doc/current/forms.html

Make CRUD => error chapterf@chapterf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3\$ php bin/console make:crud The class name of the entity to create CRUD (e.g. AgreeableKangaroo): > Brand [ERROR] The file "src/Controller/BrandController.php" can't be generated because it already exists. chapterf@chapterf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3\$ php bin/console make:crud The class name of the entity to create CRUD (e.g. GrumpyElephant): > Brand [ERROR] The file "templates/brand/index.html.twig" can't be generated because it already exists.

Suppression de tous les controllers et templates créés précédemment. CRUD crée automatiquement les controllers et templates.

Rétiration de la procédure Make CRUD Brand, Category

```
chapterf@chapterf-ThinkPad-T440:-/bocuments/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:crud

The class name of the entity to create CRUD (e.g. VictoriousGnome):

> Brand

created: src/Controller/BrandController.php
created: src/Form/BrandType.php
created: templates/brand/ delete_form.html.twig
created: templates/brand/form.html.twig
created: templates/brand/edit.html.twig
created: templates/brand/index.html.twig
created: templates/brand/show.html.twig

Success!

Next: Check your new CRUD by going to /brand/
chapterf@chapterf-ThinkPad-T440:-/Bocuments/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:crud

The class name of the entity to create CRUD (e.g. FierceKangaroo):

> Category

created: src/Controller/CategoryController.php
created: src/Form/CategoryType.php
created: templates/category/_form.html.twig
created: templates/category/_form.html.twig
created: templates/category/_form.html.twig
created: templates/category/yindex.html.twig
created: templates/category/yindex.html.twig
created: templates/category/yshow.html.twig

Success!

Next: Check your new CRUD by going to /category/
```

Crud pour Color, Product et Size

```
chapierf@chapierf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:crud
 The class name of the entity to create CRUD (e.g. GrumpyElephant):
 > Color
 created: src/Controller/ColorController.php
 created: src/Form/ColorType.php
created: src/rorm/cotor/ype.pnp
created: templates/color/_delete_form.html.twig
created: templates/color/eform.html.twig
created: templates/color/edit.html.twig
created: templates/color/index.html.twig
created: templates/color/new.html.twig
created: templates/color/show.html.twig
Next: Check your new CRUD by going to /color/
chapierf@chapierf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:crud
 The class name of the entity to create CRUD (e.g. DeliciousPuppy):
 > Product
 created: src/Controller/ProductController.php
 created: src/Form/ProductType.php
created: templates/product/_delete_form.html.twig
created: templates/product/_form.html.twig
created: templates/product/edit.html.twig
 created: templates/product/index.html.twig
 created: templates/product/new.html.twig
created: templates/product/show.html.twig
 Next: Check your new CRUD by going to /product/
chapierf@chapierf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:crud
 > Size
 created: src/Controller/SizeController.php
 created: src/Form/SizeType.php
created: templates/size/_delete_form.html.twig
created: templates/size/_form.html.twig
created: templates/size/_edit.html.twig
 created: templates/size/index.html.twig
 created: templates/size/new.html.twig
 created: templates/size/show.html.twig
```

```
chapierf@chapierf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:crud

The class name of the entity to create CRUD (e.g. BraveElephant):
> Stock

[ERROR] Entity "Stock" doesn't exist; please enter an existing one or create a new one.
```

Make CRUD pour Stock impossible : entity n'existe pas.

Création d'une nouvelle entité pour le stock : « STOCK1 »

```
chapierf@chapierf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:entity
> Stock1
created: src/Entity/Stock1.php
created: src/Repository/Stock1Repository.php
 Entity generated! Now let's add some fields!
 You can always add more fields later manually or by re-running this command.
 > product id
 Field type (enter ? to see all types) [integer]:
> integer
 Can this field be null in the database (nullable) (yes/no) [no]:
> no
 updated: src/Entity/Stock1.php
 > size_id
 Field type (enter ? to see all types) [integer]:
> integer
 Can this field be null in the database (nullable) (yes/no) [no]:
 updated: src/Entity/Stock1.php
 > stock
 Field type (enter ? to see all types) [string]:
 > integer
 Can this field be null in the database (nullable) (yes/no) [no]:
 updated: src/Entity/Stock1.php
 Add another property? Enter the property name (or press <return> to stop adding fields):
```

Make migration + Doctrine:migration:migrate pour Stock1

```
Chapterfg-hapterf-ThinkPad-T448:-/Bocuments/Projets_Simplon/Symfony-projets/SF-ChaustoreV3S php bin/console make:migration

Successi

Next: Review the new migration "sec/Migrations/Neroloz20191117224632.php"
Then: But the migration with php bin/console doctrines/migrations/migrate

Review the new migration with php bin/console doctrines/migrations/migrate

Application Migration (Controller) Developments/Projets_Simplon/Symfony-projets/SF-ChaustoreV3S php bin/console doctrine:migrations:migrate

Application Migrations

AMBRINOI You are about to execute a database migration that could result in schema changes and data loss. Are you sure you wish to continue? (y/n)y

Migrating you to 20191117204032 from 20191110220747

*** Migrating you to 20191117204032 from 20191110220747

*** Migrating 20191117204032

*** CREATE TABLE stock: (id INT AUTO_INCREMENT NOT NULL, product_id INT NOT NULL, size_id INT NOT NULL, stock INT NOT NULL, PRIMARY KEY(id)) DEFAULT CHARACTER SET utf8mb4 COLLATE 'utf8mb4_unicode_ct' ENGINE = Innome

*** Migrated (took 351.6ms, used 14M memory)

*** Finished in 354.9ms

*** used 14M nemory

*** Finished in 354.9ms

*** used 14M nemory

*** I seq counter a counter of the cou
```

Make Crud pour Stock1 et test server pour résultats

```
chapterf@chapterf-ThinkPad-T440:~/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ php bin/console make:crud

The class name of the entity to create CRUD (e.g. DeliciousKangaroo):

> Stock1

created: src/Controller/StockIController.php
created: src/Form/StockIType.php
created: src/Form/StockIType.php
created: templates/stockI/_delete_form.html.twig
created: templates/stockI/_form.html.twig
created: templates/stockI/_form.html.twig
created: templates/stockI//new.html.twig
created: templates/stockI/new.html.twig

SuccessI

Next: Check your new CRUD by going to /stockI/
chapterf@chapterf-ThinkPad-T440:-/Documents/Projets_Simplon/Symfony-projets/SF-ChaustoreV3$ symfony server:start

[WARNING] run "symfony server:ca:install" first if you want to run the web server with TLS support, or use
"--no-tls" to avoid this warning

Nov 17 21:54:27 |DEBUG| PHP
Using PHP version 7.2.19 (from default version in $PATH)
Nov 17 21:54:28 |DEBUG| PHP
started

[OK] Web server listening on http://127.0.0.1:8000 (PHP CLI 7.2.19)
```

Brand	Category index	Color index	Size index	Product index		
Brand index						
1	Id Name actions 1 Baskets show edit 5 Bottes show edit 6 Brogue show edit 4 Escarpins show edit 2 Sandales et nu-pieds show edit Create new	Id Name actions 12 Beige show edit 1 Blanc show edit 25 Bleu clair show edit 8 Gris show edit 5 Jaune show edit 11 Marron show edit 9 Orange show edit 4 Rouge show edit 10 Violet show edit 11 Create new	Id Name actions 1 35 show edit 2 35 1/2 show edit 3 36 show edit 4 36 1/2 show edit 5 37 show edit 6 37 1/2 show edit 7 38 show edit 8 38 1/2 show edit 9 39 show edit 10 39 1/2 show edit 12 40 1/2 show edit 13 41 show edit show edit 14 41 1/2 show edit 15 42 show edit show edit 16 42 1/2 show edit 17 43 show edit edit 20 44 1/2 show edit 21 45 show edit 22 45 1/2 show edit 23 46 sho	Id Name 1 All Star Dainty Canvas Ox W Blanc Optical 2 Superstar W Blanc Noir 3 Wrmns Air Huarache Run White White 4 Gazelle W Rose Blanc 5 Wrms Classic Cortez Leather Blanc Rouge Bleu 6 Kaylin Alba Burgundy 7 Calla Rose Black 8 Petunia Noir 9 Benino Gold 10 W996 Light Cashmere 11 Gazelle W Gris Blanc 12 Inof Vaqueta Noir 13 Ipona Noir 14 Un Resiel Mara Black Leather 15 Suede Hyper Embelished Wn's Black White 16 Benino Black 17 Stan Smith Noir 18 Stan Smith Blanc Vert 19 Superstar Blanc Noir 20 Suede Classic+ Peacoat White 21 Chuck Taylor All Star Hi M Blanc Optical 22 Star Player Ev Canvas Ox M Marine Blanc 23 Classic Cortez Nylon Obsidian White 24 Satingh Brown 25 Southampton Bleu 26 Suttino Beige 7 Nastie Bruciato 28 Stall Brown 29 Rilmot 30 Test creation Converse Basket verte pour Homme Create new	99.99 F 119.99 F 99.99 F 85.00 F 99.95 F 29.90 F 39.00 F 70.00 F 89.99 F 89.00 F 39.00 F 39.00 F 89.99 F 90.00 F 39.00 H 61.00 H 69.99 H 80.00 H 69.99 H 80.00 H 79.00 H 109.00 H	actions show edit

Stock1

Stock1 index

Id Product_id Size_id Stock actions

no records found

Create new