
User Manual

General overview of Niryo's Conveyor Belt



Introduction


The Conveyor Belt can be used to move small objects in two directions with an adjustable speed to simulate a production line automation. It can be controlled using different programming methods and can be control by using the Control Box provided.

Pack Overview

Part	Quantity	Description
Conveyor Belt	x1	Niryo Conveyor Belt

Part	Quantity	Description
Ned2 connection cable	x1	Allows you to connect the Conveyor Belt to Ned2.
Ned connection cable	x1	Allows you to connect the Conveyor Belt to Ned or Niryo One.
IR Sensor	x1	Detects the presence of any obstacle in front of itself.
Objects to be handled	x6	Handable 3D squares and circles.
End stopper	x1	Stops objects at the end of the Conveyor Belt.
Slope	x1	Places a series of objects in a row and let them go to a defined position each time an object is picked at its end.
Magnetic mechanical connectors	x3	Mechanical links to connect Ned2 to the Conveyor Belt.
Vision Workspace landmarks	x4	Define a workspace for the Vision Set directly on the Conveyor Belt.
Control box	x1	This Control Box allows to control the speed and direction of the Conveyor Belt. It also provides a emergency solution to stop the conveyor.
Control box connection cable	x1	Allows you to connect the Conveyor Belt to its Control Box.
Power supply	x1	Power supply for the Control Box.

Technical specifications



Parameters	Value
Weight	4.4 kg
Max load	2 kg
Distance	700 mm
Maximum speed	70 mm/s
Dimension	712 × 225 × 60 mm
Direction of movement	Bidirectional
Power supply	12 V – 3 A
Control method	Robot: Niryo One, Ned , Ned2 NiryoStudio PyNiryo / Niryo Modbus / Conveyor control box

Intended use

Niryo's Conveyor Belt is for educational, and research and development purposes, including:

- learning robotics;
- research and development in robotics;
- simulation and prototyping of complete industrial scenarios such as “Pick & Place” (take an object to move it), “Pick & Pack” (take an object to insert it into a packaging).

The operations below do not comply with the uses set by Niryo. They include:

- Use as a children’s toy;
- use for industrial tasks;
- use that exceeds the stated specifications.

Any use of the Conveyor Belt and its ecosystem that does not comply with the uses initially intended by Niryo must be expressly authorized by Niryo.

Made with Docsie.io