Presentation

Fabrice

1.septembre.2020

Titre

Contenu textuel

Images

Image 2

All reveal.js configuration options can be set through variables. For example, themes can be used by setting the `theme` variable:

```
-V theme=moon
```

Or you can specify a custom stylesheet using the `--css` option.

To style beamer slides, you can specify a `theme`, `colortheme`, `fonttheme`, `innertheme`, and `outertheme`, using the `-V` option:

```
pandoc -t beamer habits.txt -V theme:Warsaw -o habits.pdf
```

Note that heading attributes will turn into slide attributes (on a `<div>` or `<section>`) in HTML slide formats, allowing you to style individual slides. In beamer, the only heading attribute that affects slides is the `allowframebreaks` class, which sets the `allowframebreaks` option, causing multiple slides to be created if the content overfills the frame. This is recommended especially for bibliographies:

```
# References {.allowframebreaks}
```

Speaker notes

Speaker notes are supported in reveal.js and PowerPoint (pptx) output. You can add notes to your Markdown document thus:

```
::: notes

This is my note.

- It can contain Markdown
- like this list

:::
```

To show the notes window in reveal.js, press `s` while viewing the presentation. Speaker notes in PowerPoint will be available, as usual, in handouts and presenter view.

Notes are not yet supported for other slide formats, but the notes will not appear on the slides themselves.

Image 3



contenu

- Voila

contenu

- Voila
- Voila

contenu

- Voila
- Voila
- Voila

titre1	tritre2	titre3
elem1	elem2	elem3
elem4	elem5	elem6