

⚠ Please do not reach out to reviewers directly; messaging them will not speed up your review.

Bad Example Tasks

Learn from these bad example tasks that demonstrate sub-optimal quality standards and various task types.

Anti-Examples: Tasks to Avoid

✗ Too Easy

File: `instruction.md`

MARKDOWN

 Copy

```
Write a function that reverses a string.
```

Problem: One-liner in most languages, agents solve instantly.

✗ Too Vague

File: `instruction.md`

MARKDOWN

 Copy

```
Build a web scraper.
```

Problem: No specific requirements, impossible to verify.

✗ Requires External Resources

File: `instruction.md`

MARKDOWN

 Copy

```
Query the Twitter API to get trending topics.
```

Problem: Requires API credentials, network access.

✗ Ambiguous Success Criteria

File: `instruction.md`

MARKDOWN

 Copy

```
Make this code better.
```

Problem: "Better" is subjective without specific metrics.

Task Inspiration

Looking for ideas? Consider tasks involving:

- **Concurrency bugs** — Race conditions, deadlocks
- **Algorithm implementation** — With specific constraints
- **Code refactoring** — With measurable improvement goals
- **Security vulnerabilities** — Find and fix issues
- **Performance optimization** — With benchmarks

Next Steps

- [Learn difficulty guidelines](#)
- [Start creating your task](#)

PREVIOUS

[Difficulty Guidelines](#)

NEXT

[Creating a Task](#)