

Broken Access Control

● View Basket



View another user's shopping basket.

Tutorial

Good for Demos



0/4

Broken Access Control

● Five-Star Feedback



Get rid of all 5-star customer feedback.



Q 0/4

Broken Authentication

● Password Strength



Log in with the administrator's user credentials
without previously changing them or applying SQL



Brute Force

Tutorial

With Coding Challenge



0/4

Broken Access Control

● Admin Section



Access the administration section of the store.

Good for Demos

With Coding Challenge



Lab: Password reset broken logic

APPRENTICE



LAB



Solved



This lab's password reset functionality is vulnerable. To solve the lab, reset Carlos's password then log in and access his "My account" page.

- Your credentials: `wiener:peter`
- Victim's username: `carlos`



ACCESS THE LAB

Lab: 2FA simple bypass

APPRENTICE

LAB ✓ Solved



This lab's two-factor authentication can be bypassed. You have already obtained a valid username and password, but do not have access to the user's 2FA verification code. To solve the lab, access Carlos's account page.

- Your credentials: `wiener:peter`
- Victim's credentials `carlos:montoya`

 ACCESS THE LAB

 Solution



 Community solutions



Lab: Username enumeration via different responses

APPRENTICE



LAB



Solved



This lab is vulnerable to username enumeration and password brute-force attacks. It has an account with a predictable username and password, which can be found in the following wordlists:

- Candidate usernames
- Candidate passwords

To solve the lab, enumerate a valid username, brute-force this user's password, then access their account page.



ACCESS THE LAB

Lab: Insecure direct object references

APPRENTICE



LAB



Solved



This lab stores user chat logs directly on the server's file system, and retrieves them using static URLs. Solve the lab by finding the password for the user `carlos`, and logging into their account.



ACCESS THE LAB



Solution



Community solutions



Lab: User ID controlled by request parameter with password disclosure

APPRENTICE



LAB



Solved



This lab has user account page that contains the current user's existing password, prefilled in a masked input.

To solve the lab, retrieve the administrator's password, then use it to delete the user `carlos`.

You can log in to your own account using the following credentials: `wiener:peter`



ACCESS THE LAB

Lab: User ID controlled by request parameter with data leakage in redirect

APPRENTICE



LAB



Solved



This lab contains an access control vulnerability where sensitive information is leaked in the body of a redirect response.

To solve the lab, obtain the API key for the user `carlos` and submit it as the solution.

You can log in to your own account using the following credentials: `wiener:peter`



ACCESS THE LAB

Lab: User ID controlled by request parameter, with unpredictable user IDs

APPRENTICE



LAB



Solved



This lab has a horizontal privilege escalation vulnerability on the user account page, but identifies users with GUIDs.

To solve the lab, find the GUID for `carlos`, then submit his API key as the solution.

You can log in to your own account using the following credentials: `wiener:peter`



ACCESS THE LAB

Lab: User ID controlled by request parameter

APPRENTICE



LAB



Solved



This lab has a horizontal privilege escalation vulnerability on the user account page.
To solve the lab, obtain the API key for the user `carlos` and submit it as the solution.
You can log in to your own account using the following credentials: `wiener:peter`



ACCESS THE LAB



Solution



Community solutions



Lab: User role can be modified in user profile

APPRENTICE



LAB



Solved



This lab has an admin panel at `/admin` . It's only accessible to logged-in users with a `roleid` of 2.
Solve the lab by accessing the admin panel and using it to delete the user `carlos` .
You can log in to your own account using the following credentials: `wiener:peter`



ACCESS THE LAB



Solution



Community solutions



Lab: User role controlled by request parameter

APPRENTICE

 LAB  Solved



This lab has an admin panel at `/admin`, which identifies administrators using a forgeable cookie.

Solve the lab by accessing the admin panel and using it to delete the user `carlos`.

You can log in to your own account using the following credentials: `wiener:peter`

 ACCESS THE LAB

 Solution



 Community solutions



Lab: Unprotected admin functionality with unpredictable URL

APPRENTICE



LAB



Solved



This lab has an unprotected admin panel. It's located at an unpredictable location, but the location is disclosed somewhere in the application.

Solve the lab by accessing the admin panel, and using it to delete the user `carlos`.



ACCESS THE LAB



Solution



Community solutions



Lab: Unprotected admin functionality

APPRENTICE

 LAB  Solved



This lab has an unprotected admin panel.

Solve the lab by deleting the user `carlos`.

 ACCESS THE LAB

 Solution



 Community solutions

