

Vulnerable Components

● Legacy Typosquatting



Inform the shop about a *typosquatting* trick it has been a victim of at least in v6.2.0-SNAPSHOT. (Mention the exact name of the culprit)



0/3

Vulnerable Components

● Vulnerable Library



Inform the shop about a vulnerable library it is using. (Mention the exact library name and version in your comment)



OSINT



0/3

Security Misconfiguration

● Error Handling



Provoke an error that is neither very gracefully nor consistently handled.

Prerequisite



0/4

Security Misconfiguration

● Deprecated Interface



Use a deprecated B2B interface that was not properly shut down.

Contraption

Prerequisite



0/4

Lab: Authentication bypass via information disclosure

APPRENTICE

LAB

Solved



This lab's administration interface has an authentication bypass vulnerability, but it is impractical to exploit without knowledge of a custom HTTP header used by the front-end.

To solve the lab, obtain the header name then use it to bypass the lab's authentication. Access the admin interface and delete the user `carlos`.

You can log in to your own account using the following credentials: `wiener:peter`



ACCESS THE LAB

Lab: Source code disclosure via backup files

APPRENTICE

LAB

Solved



This lab leaks its source code via backup files in a hidden directory. To solve the lab, identify and submit the database password, which is hard-coded in the leaked source code.



ACCESS THE LAB



Solution



Lab: Information disclosure on debug page

APPRENTICE

LAB

Solved



This lab contains a debug page that discloses sensitive information about the application. To solve the lab, obtain and submit the `SECRET_KEY` environment variable.



ACCESS THE LAB

💡 Solution



Lab: Information disclosure in error messages

APPRENTICE

 LAB

Solved



This lab's verbose error messages reveal that it is using a vulnerable version of a third-party framework. To solve the lab, obtain and submit the version number of this framework.

 ACCESS THE LAB

 Solution

