

Juice Shop:

Injection Login Admin ★★ Log in with the administrator's user account. Tutorial Good for Demos With Coding Challenge 0/5	Injection Login Jim ★★★ Log in with Jim's user account. Tutorial With Coding Challenge 0/3	Injection Login Bender ★★★ Log in with Bender's user account. Tutorial With Coding Challenge 0/4	Injection Database Schema ★★★ Exfiltrate the entire DB schema definition via SQL Injection. With Coding Challenge 0/5
Injection Christmas Special ★★★★★ Order the Christmas special offer of 2014. 0/5	Injection Ephemeral Accountant ★★★★★ Log in with the (non-existing) accountant <code>account4ni@juice-sh.op</code> without ever registering that user. 0/5	Injection NoSQL DoS ★★★★★ Let the server sleep for some time. (It has done more than enough hard work for you) (This challenge is <i>potentially harmful</i> on Docker) Danger Zone 0/4	Injection NoSQL Manipulation ★★★★★ Update multiple product reviews at the same time. With Coding Challenge 0/3
Injection User Credentials ★★★★★ Retrieve a list of all user credentials via SQL Injection. With Coding Challenge 0/5	Injection NoSQL Exfiltration ★★★★★ All your orders are belong to us! Even the ones which don't. (This challenge is <i>potentially harmful</i> on Docker) Danger Zone 0/4	Injection SSTi ★★★★★ Infect the server with juicy malware by abusing <i>where named nodes</i> . (This challenge is <i>potentially harmful</i> on Docker) Contraption Danger Zone Code Analysis 0/4	

Web Security Academy > SQL injection > Lab

Lab: SQL injection vulnerability allowing login bypass

APPRENTICE
LAB Solved

This lab contains a SQL injection vulnerability in the login function.

To solve the lab, perform a SQL injection attack that logs in to the application as the `administrator` user.

ACCESS THE LAB

Solution

Community solutions

Lab: Reflected XSS into HTML context with nothing encoded

APPRENTICE



LAB



Solved



This lab contains a simple reflected cross-site scripting vulnerability in the search functionality.

To solve the lab, perform a cross-site scripting attack that calls the `alert` function.



ACCESS THE LAB



Solution



Community solutions



Lab: Stored XSS into HTML context with nothing encoded

APPRENTICE



LAB



Solved



This lab contains a stored cross-site scripting vulnerability in the comment functionality.

To solve this lab, submit a comment that calls the `alert` function when the blog post is viewed.



ACCESS THE LAB



Solution



Community solutions



Lab: DOM XSS in `document.write` sink using source `location.search`

APPRENTICE

LAB  Solved



This lab contains a DOM-based cross-site scripting vulnerability in the search query tracking functionality. It uses the JavaScript `document.write` function, which writes data out to the page. The `document.write` function is called with data from `location.search`, which you can control using the website URL.

To solve this lab, perform a cross-site scripting attack that calls the `alert` function.

 ACCESS THE LAB

Lab: DOM XSS in `innerHTML` sink using source `location.search`

APPRENTICE

LAB  Solved



This lab contains a DOM-based cross-site scripting vulnerability in the search blog functionality. It uses an `innerHTML` assignment, which changes the HTML contents of a `div` element, using data from `location.search`.

To solve this lab, perform a cross-site scripting attack that calls the `alert` function.

 ACCESS THE LAB

Lab: DOM XSS in jQuery anchor href attribute sink using location.search source

APPRENTICE



LAB



Solved



This lab contains a DOM-based cross-site scripting vulnerability in the submit feedback page. It uses the jQuery library's `$` selector function to find an anchor element, and changes its `href` attribute using data from `location.search`.

To solve this lab, make the "back" link alert `document.cookie`.



ACCESS THE LAB

Lab: Reflected XSS into attribute with angle brackets HTML-encoded

APPRENTICE



LAB



Solved



This lab contains a reflected cross-site scripting vulnerability in the search blog functionality where angle brackets are HTML-encoded. To solve this lab, perform a cross-site scripting attack that injects an attribute and calls the `alert` function.



Hint



ACCESS THE LAB

Lab: Stored XSS into anchor href attribute with double quotes HTML-encoded

APPRENTICE



LAB



Solved



This lab contains a stored cross-site scripting vulnerability in the comment functionality. To solve this lab, submit a comment that calls the `alert` function when the comment author name is clicked.



ACCESS THE LAB

Lab: Reflected XSS into a JavaScript string with angle brackets HTML encoded

APPRENTICE



LAB



Solved



This lab contains a reflected cross-site scripting vulnerability in the search query tracking functionality where angle brackets are encoded. The reflection occurs inside a JavaScript string. To solve this lab, perform a cross-site scripting attack that breaks out of the JavaScript string and calls the `alert` function.



ACCESS THE LAB