

PANTA V20 UI System and Engineering Handoff

PANTA Product and Engineering

27 August 2026

Contents

1 Scope	1
2 New component inventory	1
3 Generic rendering rule	2
4 Interaction semantics	2
5 Epistemic content design	2
6 Lens implementation	2
7 Responsive behavior	2
8 Accessibility	3
9 Motion	3
10 Frontend files	3
11 Backend boundary	3
12 QA checklist	3

1 Scope

V20 is an additive extension of the V19.B design system. The universal shell, room geometry, semantic colours, typography, responsive rules and motion grammar remain intact. New venture objects use generic components and projection data.

2 New component inventory

Component	Data contract	Primary surfaces
Archetype card	<code>deal.archetype</code>	Deal Command
Lens selector	<code>deal.lenses</code> , context <code>active_lens_id</code>	Global top bar
Criticality decomposition	question/unknown <code>decision_axes</code>	Deal Command, Unknowns
Interaction card	Interaction + Participant	Sources
Utterance list and aperture	Utterance + Participant	Sources, Object Aperture
Discrepancy proposal	Discrepancy Candidate	Compiler Review
Derivation formula card	Derivation	Compiler Review, Object Aperture
Hypothesis proposal	Hypothesis	Compiler Review
Spine-change card	Spine Change Proposal	Compiler Review

Component	Data contract	Primary surfaces
Mission card	Agent Mission	Work, Unknowns, Object Aperture
Validation envelope	Validation Envelope	Foundations
Condition edge	Condition Edge	Foundations
Venture financing summary	Venture Financing	Scenario Lab
Cap-table table	Venture Financing cap-table arrays	Scenario Lab

3 Generic rendering rule

No component contains a case ID, company name, fixed claim ID, fixed economics or hardcoded question. All V20 components read the validated projection. The core-purity regression test scans frontend and server core code for fixture-specific facts.

4 Interaction semantics

- Clicking an Interaction or Utterance opens Object Aperture.
- Compiler proposal buttons write through the API adapter.
- Lens change requests a new server projection; it never mutates local facts.
- Mission Prepare and Run are separate controls.
- Human-contact and physical-test missions use refusal copy rather than a disabled-looking success path.
- All material state changes return a Registry update.

5 Epistemic content design

The UI must use distinct labels:

Object	Label
Statement occurrence	Observed speech act
Domain content	Asserted claim
Arithmetic	Deterministic derivation
AI explanation	AI hypothesis - not a derived fact
Firm decision	Institutional act
External attestation	Attested

No colour alone may carry this distinction.

6 Lens implementation

The server returns question order, ranking weights, required questions, controls and a facts hash. The UI displays the active Lens and facts-hash stability. A Lens selector is hidden at fund scale and on mobile where it would displace critical reading space.

7 Responsive behavior

- At 1440 px and above, full command-centre composition.
- At 1024-1439 px, rails collapse or overlay.
- Below 768 px, read/review-first mode.
- The four-axis grid becomes two columns, then a compact stack.
- Compiler Review moves from two columns to one.
- Venture financing summary moves from six columns to three, then two.
- Cap table and instrument details stack on mobile.

8 Accessibility

- Lens selector has a programmatic label.
- Proposal and mission controls remain native buttons.
- Object Aperture retains focus trapping and restoration.
- Utterance quotes are text, not image-only evidence.
- Effective and known-at dates remain visible in text.
- Status pills contain text labels.
- Reduced-motion mode removes semantic animation without hiding causal order.
- Mobile authority remains unavailable rather than inaccessible.

9 Motion

The existing Reveal, Bind, Ripple, Branch, Route, Attest and Settle verbs remain. New proposal objects use Reveal and Bind; they do not Ripple until admitted. Mission preparation uses Route. Human outreach never animates as completed in the packaged runtime.

10 Frontend files

File	V20 responsibility
<code>src/v20_extension.js</code>	Venture object rendering, Lens, proposals, missions and Object Aperture branches
<code>v20.css</code>	Additive component and responsive styles
<code>src/contracts.js</code>	Runtime validation of V20 projection references and epistemic rule
<code>src/api.js</code>	Lens, compiler-proposal and mission API methods
<code>src/projection_adapter.js</code>	Pure transition mapping contract 20.0.0
<code>src/selftest.js</code>	In-browser V20 checks

11 Backend boundary

The frontend never:

- computes authoritative economics;
- declares a contradiction resolved;
- upgrades an utterance-content claim to observed;
- creates authority records;
- creates execution packages;
- settles state;
- contacts a person or external service;
- falls back to fixtures in Connected mode.

12 QA checklist

- All three cases render through the same components.
- Lens changes question order and preserves facts hash.
- Every Utterance resolves to Participant and Interaction.
- Compiler proposal states survive refresh.
- Hypothesis propagation remains false before admission.
- Human Stop and blocked component render from transition data.
- No success appears before server acknowledgement.
- All target viewports pass without clipping.