

UI System & Engineering Handoff

Design rules, data contracts, API surface, ownership boundaries and acceptance criteria.

DOCUMENT | UI System & Engineering Handoff

RELEASE | V19.0.0

DATE | 27 August 2026

STATUS | Integration-ready safe demo and engineering handoff; production identity and external effects are not claimed.

1. Engineering premise

The frontend projects validated state. It does not compute financial truth, decide materiality, invent authority or generate institutional state.

sources / compiler -> validated frontend projection; admitted event + mapping + policy -> Transition Engine; server-gated authority and settlement -> canonical result projection.

2. Active code map

Path	Responsibility
01_PRODUCT_BUILD/app/src/store.js	UI state only: view, filters, focus, active run, selected changes.
engine.js	Actions and orchestration; all writes cross the adapter.
api.js	Connected/Mock/Offline adapters and granular API calls.
render.js	Region-keyed projection rendering and interaction binding.
contracts.js	Runtime boundary validation.
mock_api/server.py	Stateful synthetic reference implementation and regression harness.
fixtures/PROJECT-*	External demo data; never imported by Connected core.

3. Required frontend projection

Field	Purpose
context	Mode, action capability, actor, authority, projection/as-of/run identifiers.
fund	Situations, Morning Delta and available attention objects.
deal.question_spine	Decision-bearing questions.
deal.claims	Statements with locator, semantic identity and bears_on bindings.
deal.source_center	Inbox, sources, jobs/coverage and pipeline issues.
deal.cells	Workbook objects, formula, precedents and dependents.
deal.rooms	Foundations, Unknowns, Pipeline Review and Shadow IC.
deal.artifacts	Source and governed artifact versions.
events	Reviewable source arrivals.

4. API surface

Route family	Purpose
GET /bootstrap, /cases/{id}/projection	Case discovery and validated projection.
POST /cases/{id}/ingest; GET /jobs/{id}	Asynchronous source ingestion and progress.
GET /sources, /claims/{id}, /questions/{id}, /cells/{id}	Granular source and object inspection.

Route family	Purpose
GET /coverage, /bindings, /compiler-report	Compiler observability and grounding.
POST /notes, /claim-reviews, /open-deal, /ic-record	Human and institutional write paths.
POST /events/{id}/admit	Candidate run creation.
POST /runs/{id}/prepare, /authority/attest	Change selection and authority.
POST /execution-packages/{id}/send	Server-acknowledged simulated/real delivery.
POST /runs/{id}/settle	Invariant-gated canonical settlement.
GET /replay	Read-only as-of reconstruction.

5. Interaction implementation

- Render only changed shell regions; do not replace the application root on every state mutation.
- Capture and restore focus/scroll when a changed region is patched.
- Use explicit loading, empty, partial, unsupported, permission and failure states.
- Use one global `as_of_state_id`.
- Abort or ignore stale responses by request channel/run ID.
- Do not show optimistic success.

6. Design system

Token family	Rule
Typography	Operational text 14-16px; important metadata ≥ 12 px; compact labels ≥ 10 px.
Color	Cyan Current/live, violet Working/scenario, amber stale/threshold, red blocked/fail, gold authority.
Density	Dense command center, but progressive disclosure before type-size reduction.
Motion	Reveal, Bind, Ripple, Branch, Route, Attest, Settle; motion communicates state, not decoration.
Targets	Primary controls 40-44px; visible keyboard focus.
Responsive	Full shell ≥ 1440 ; overlay rails 1024-1439; drawers 768-1023; read/review < 768 .

7. Ownership boundaries

Owner	Produces	Must not produce
Fabri / compiler	Sources, claims, semantic identities, question bindings, cells, coverage, Current projection	Candidate consequences or authority.
Anto / runtime	Affected set, recomputation, dispositions, Human Stops, Candidate, transition output	Source interpretation or frontend display logic.
Policy/authority service	Materiality, admissible courses, authority records, execution/settlement invariants	Evidence extraction.

Owner	Produces	Must not produce
Frontend	Validated projection, inspection, explicit selections, accessible interactions	Causal, financial or institutional truth.

8. Acceptance checklist

- Connected core runs with fixture folders removed.
- A second case loads without frontend edits.
- All 44 Fabri audit findings are regression-tested.
- No source enters the projection before job completion.
- Claims are inspectable and reviewable.
- Authority and execution are impossible outside a valid run.
- Settlement is idempotent and state-coherent.
- No page clipping at target widths.
- Keyboard and reduced-motion paths pass.