L	AP	1D	S	7 E	ΞN			I									ME	EASUREMENT	SPECIFICATION	CHA	ART									;	SIZE	_	_	17/06/3 S	3	_		_	
's Nam NDOR		LO			RA DOI L SOUI			MPANY		ITEM DES	CRIPT	ΓΙΟΝ			53	WJF 84086	LSS	UPIMA MOCK	P.O. #						112097]	CO	LOR			A6	J			_	
Л		R107	7.1 TO	TAL BO	ODY LE	NGT	H FRO	OM HPS		POM		C106.1	NEC	K WIDTH	HPS TO	HPS:	SEAM	TO SEAM	POM		C.	107.1 F	RON	T NEC	K DROP	HPS T	O SEA	М	POM			E101	1.1 ACF	ROSS	SHOU	LDER:	S-FR	ONT	
					S 24					Size					S 6 1/4				Size						S 3 1/8				Size			_			S 13 3/4			_	_
					+1 - 1/2	2				Spec Tol					+-1/2				Spec Tol						+-1/4				Spec Tol						+-1/2			_	
LOR		ADIANT AVY	г							COLOR		I-RADIAI NAVY	NT						COLOR	Α	6J-RADI/ NAVY								COL	OR.	A6J-RADI NAVY	ANT							
/2 /8				Н		Ŧ				+ 1 1/2 + 1 3/8		П							+ 1 1/2 + 1 3/8										+ 1 1/2 + 1 3/8	3			\equiv	Ξ	Ξ	\Box			_
4						+				+ 1 1/4 1 1/8	-								+ 1 1/4 1 1/8		+								+ 1 1/4 1 1/8	4			+	+	+	\vdash		Н	_
										+ 1 + 7/8									+ 1 + 7/8										+ 1 + 7/8			\equiv	=	\mp	+	\blacksquare		\blacksquare	_
										+ 3/4 + 5/8									+ 3/4 + 5/8										+ 3/4 + 5/8			H		Ŧ	#	Ħ			_
										+ 1/2									+ 1/2										+ 1/2			〓		士		\Box			_
										+ 3/8 + 1/4	X								+ 3/8 + 1/4										+ 3/8 + 1/4		X	X		士	士	\Box			_
	Х	Х		Н						+ 1/8		Х	X						+ 1/8		x x	Х							+ 1/8 0		X			+	+	Н		\vdash	-
						Ŧ				- 1/8 - 1/4									- 1/8 - 1/4										- 1/8 - 1/4 - 3/8 - 1/2 - 5/8			Ħ	#	Ŧ	Ŧ	Ħ		П	_
										- 3/8									- 3/8										- 3/8			ᄅ		士	\pm	\Box		Ħ	_
										- 1/2 - 5/8									- 1/2 - 5/8										- 1/2 - 5/8					士	\pm	Ш			-
			-					+ +		- 3/4 - 7/8			-						- 3/4 - 7/8				-	-					- 3/4 - 7/8			\vdash	-	+	+	\vdash		\vdash	_
						1				- 1 - 1 1/8									- 1 - 1 1/8										- 1 - 1 1/8			H	_	#	4	H		\Box	_
										- 1 1/4									- 1 1/4										- 1 1/4										_
			-			+		+		- 1 3/8 - 1 1/2			+						- 1 3/8 - 1 1/2			+	+	+			1		- 1 3/8 - 1 1/2				_	+	+	\vdash		H	-
	H1	00.1B C	CHEST	-BUST	(TOPS	S) 1" E	BELO\	W ARMH	HOLE	POM		N102.1	A SLE		GTH-T		OULE	DER(LONG	POM		A1	06.2 N	ECK (OPEN	ING-MININ	MUN S	TRETO	Э					Comr	monte:					
					S					Size				· ·	S	,			Size						S								Com	iciilo.					ı
					16 7/8 +-1/2					Spec Tol					21 3/4 +3/4 -1/:	2			Spec Tol						23 1/2 100 -0														
OR		ADIANT AVY	Г							COLOR		I-RADIAI NAVY	NT						COLOR	Α	6J-RADI/ NAVY																		
2 8		+				Ŧ				+ 1 1/2 + 1 3/8		\Box				F			+ 1 1/2 + 1 3/8	Ė				\mp															
1		+	-	\vdash	_	+		+		+ 1 1/4 1 1/8		++	- -				<u> </u>		+ 1 1/4 1 1/8		+		-	+			<u> </u>		-										
		\perp				1				+ 1 + 7/8			#		4				+ 1 + 7/8			4							1										
						t				+ 3/4									+ 3/4																				
										+ 5/8 + 1/2									+ 5/8 + 1/2										-										
						-				+ 3/8 + 1/4		X							+ 3/8 + 1/4										1										
						1		\perp		+ 1/8			Х						+ 1/8		. V	V	_						1										
		ХХ								0 - 1/8	X								0 - 1/8		XX	X																	
	Х	+		H		+		+		- 1/4 - 3/8		++	-						- 1/4 - 3/8		+						-		1										
						ŀ				- 1/2 - 5/8			-	\blacksquare					- 1/2 - 5/8			-			+														
		1				t				- 3/4			1						- 3/4			1							1										
		\pm		Ш		t				- 7/8 - 1									- 7/8 - 1										1										
			-	\Box	-	+		+		- 1 1/8 - 1 1/4			-	+	+				- 1 1/8 - 1 1/4	H	+		+																
8						1				- 1 3/8 - 1 1/2									- 1 3/8 - 1 1/2										1										

L	AI	V	DS	5'	Ξ	N	D	A									М	EASUR	EMENT	SPECIF	FICATION	CHART											DATE	▝			17/06/2 M				_
CA's Nan VENDOR	ne:			DES P	ARRA	DONA	AYRE	OMPAN	NY	_	ITEM DES	CRIPTIO	1			W 53408		SUPIMA	MOCK	P	.O. #					1	12097]		COLOF	·			A6.	J			•
POM		R	107.1	TOTAL	BODY	/ LEN	GTH F	ROM H	IPS		POM	C1	06.1 NI	ECK WIDT	TH HPS	то нр	S SEA	M TO SE	AM	Р	ОМ		C10	7.1 FR	RONT N	NECK	DROP	HPS T	O SEAM			POM			E101	.1 AC	ROSS S	SHOUL	DERS-F	RONT	
Size Spec						M 1/2					Size Spec				6 1						ize pec					N 3 1						Size Spec						M 1 1/4			
Tol						- 1/2					Tol				+-1					T	ol					+-1					1	Tol						-1/2			
COLOR		RADIA NAVY									COLOR	A6J-RA NA								П	COLOR		RADIAN IAVY	NT								COLO	R A6	J-RAD NAV							
+ 1 1/2 + 1 3/8					Ŧ					Н	+ 1 1/2 + 1 3/8				Н					+	1 1/2 1 3/8											+ 1 1/2 + 1 3/8									H
+ 1 1/4 1 1/8											+ 1 1/4 1 1/8									1	1 1/4 1/8											+ 1 1/4 1 1/8									
+ 1 + 7/8									+	Н	+ 1 + 7/8		-		+					+	1 7/8								1			+ 1 + 7/8									\vdash
+ 3/4 + 5/8											+ 3/4 + 5/8									+	3/4 5/8											+ 3/4 + 5/8									
+ 1/2 + 3/8		Х	Х							H	+ 1/2	X								+	1/2 3/8											+ 1/2 + 3/8		X	Х						
+ 1/4 + 1/8	X								1		+ 3/8 + 1/4 + 1/8		(X		\blacksquare					+	1/4 1/8											+ 1/4 + 1/8	X								
0											0										0	Х	Х	Х								0									
- 1/8 - 1/4											- 1/8 - 1/4									-	1/8 1/4											- 1/8 - 1/4									
- 3/8 - 1/2									+		- 3/8 - 1/2				+					1 8	3/8 1/2								+			- 3/8 - 1/2									\vdash
- 5/8 - 3/4									-		- 5/8 - 3/4				+						5/8 3/4								\vdash			- 5/8 - 3/4									\blacksquare
- 7/8 - 1									1		- 7/8 - 1										7/8 1											- 7/8 - 1									Ħ
- 1 - 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4									1 8	1 1/8 1 1/4											- 1 - 1 1/8 - 1 1/4									
- 1 3/8											- 1 3/8] 8	1 3/8											- 1 3/8									
- 1 1/2										Ц	- 1 1/2										1 1/2											- 1 1/2									
POM	Н	100.1	В СНЕ	ST-BU			1" BEL	OW AR	MHOL	.E	POM	N1	02.1A	SLEEVE L	SLEE	VE)	HOUL	DER(LC	NG		ОМ		A10	6.2 NE	CK OP			MUN S	TRETCH	l						Com	ments:				
Size Spec						M 18					Size Spec				22 ·						ize pec					۸ 23															
Tol						1/2					Tol			1	+3/4	-1/2					ol					+10			ı		1										
COLOR		RADIA NAVY	ANT								COLOR	A6J-RA NA								П	COLOR		RADIAN IAVY	NT																	
+ 1 1/2 + 1 3/8					-						+ 1 1/2 + 1 3/8									+	1 1/2 1 3/8																				
+ 1 1/4 1 1/8											+ 1 1/4 1 1/8									+	1 1/4 1/8																				
+ 1											+ 1									+																					
+ 7/8 + 3/4											+ 7/8 + 3/4									+	7/8 3/4																				
+ 5/8 + 1/2									+		+ 5/8 + 1/2		-		+		+				5/8 1/2								+												
+ 3/8 + 1/4									-		+ 3/8 + 1/4		(X								3/8 1/4																				
+ 1/8		Х	Х								+ 1/8	Х	, A		\perp						1/8	V	V	V							1										
0 - 1/8	X										- 1/8										0 1/8	X	X .	X																	
- 1/4 - 3/8											- 1/4 - 3/8				+					- 8	1/4 3/8								1		-										
- 1/2 - 5/8			_						-		- 1/2 - 5/8		\perp							1 6	1/2 5/8																				
- 3/4									+	Ħ	- 3/4										3/4										1										
- 7/8 - 1			_				Ш		\perp	Ш	- 7/8 - 1										7/8 1										1										
- 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4									1 8	1 1/8 1 1/4																				
- 1 3/8 - 1 1/2				+			H		+	\mathbb{H}	- 1 3/8 - 1 1/2				+		+	\vdash	+		1 3/8 1 1/2				+				+		1										

L	AP	ID	S	7	ER	I	D,	A									М	EASUREMEN ⁻	SPECIFICATION	CHA	ART										DATE	E	_	17	7/06/20 L		_		_	
s Nam NDOR		LO			RRA DO			OMPAN	Y	STYLE #		PTION			5	WJF 34086		SUPIMA MOCK	P.O. #						112097]	C	OLOR	`			A6J				_	
И		R107	7.1 TO	TAL E	BODY L	.ENG	TH FF	ROM HF	'S	РОМ		C10	6.1 NE	CK WIDTH	HPS TO	O HPS	SEAM	M TO SEAM	POM		C1	07.1 F	RONT	NEC	K DROP H	IPS TO) SEA	М	F	POM			E101.1	ACRO	oss s	HOULD	DERS-F	FRON	١T	
					L 25					Size Spec					L 6 3/4				Size						L 3/8					Size						L 7/8			_	_
					+1 - 1					Tol					+-1/2				Spec Tol						-1/4				1	Spec Fol						-1/2				-
.OR		ADIANT AVY	г							COLO	R A	6J-RAE NAV							COLOR	Αθ	6J-RADIA NAVY									COLOR	A6J	J-RADIA NAVY	NT							
2							Ŧ			+ 1 1/2 + 1 3/8		Τ				Τ			+ 1 1/2 + 1 3/8									Ŧ		+ 1 1/2 + 1 3/8	E	\equiv	\pm	Ξ	Ε	\equiv	\equiv		Ŧ	
						+				+ 1 1/4 1 1/8						+			+ 1 1/4 1 1/8											+ 1 1/4 1/8	▙	+	+	+	⊢	\vdash	+		+	
						4				+ 1 + 7/8									+ 1 + 7/8										- 1	+ 1 + 7/8		\blacksquare	4	#	\vdash	\vdash	#		7	
										+ 3/4 + 5/8									+ 3/4 + 5/8										1	- 3/4 - 5/8		##	#	#	F		#		#	
										+ 1/2									+ 1/2											1/2			士	\pm	Ħ	Ħ	#	t	#	
		хх				1				+ 3/8 + 1/4)	K							+ 3/8 + 1/4											+ 3/8 + 1/4	E			_	上	世	士		\pm	
	Х					+				+ 1/8		Х	X						+ 1/8)	(X	Х							1 1	+ 1/8 0	X		X	+	\vdash	\vdash	+		+	
										- 1/8 - 1/4									- 1/8 - 1/4										1 6	1/8 1/4 3/8 1/2 5/8		\blacksquare	\equiv	#			#		7	-
										- 3/8									- 3/8										1	3/8			士	#	=	廿	#			
						1				- 1/2 - 5/8									- 1/2 - 5/8										1	1/2 5/8	L			士	士		士			L
			1							- 3/4 - 7/8									- 3/4 - 7/8			+								3/4 7/8		+	-	+	₩	++	+	-	4	_
						1				- 1 - 1 1/8									- 1 - 1 1/8											1 1 1/8			4	1	F	\vdash	#		4	_
										- 1 1/4									- 1 1/4											1 1/4			士		=	茸	#		#	
										- 1 3/8 - 1 1/2									- 1 3/8 - 1 1/2											1 3/8 1 1/2	L			\pm	\pm	Ш	士		\exists	-
	H1	00.1B C	CHEST	T-BUS	T (TOF	PS) 1"	BELC	OW ARI	MHOLE	РОМ		N10	2.1A SI	EEVE LE	NGTH-T SLEEVI		HOULI	DER(LONG	POM		A1	06.2 N	ECK O	PENI	NG-MINIM	UN ST	RETC	Н						Comme	ents:					
					L 19 3	(0.				Size					L 22 5/8				Size						L 3 1/2															ĺ
					+-1/					Spec Tol					+3/4 -1				Spec Tol						3 1/2 00 -0															
OR		ADIANT AVY	г							COLO	R A	6J-RAE NAV							COLOR	Αθ	SJ-RADIA NAVY																			
						\blacksquare				+ 1 1/2 + 1 3/8									+ 1 1/2 + 1 3/8																					
										+ 1 1/4 1 1/8									+ 1 1/4 1 1/8		++	-							1											
						\dashv	-			+ 1 + 7/8						+	\vdash		+ 1 + 7/8			-																		
										+ 3/4 + 5/8									+ 3/4 + 5/8																					
										+ 1/2									+ 1/2										1											
	X									+ 3/8 + 1/4		X	X	-			-		+ 3/8 + 1/4		+								-											
		ХХ								+ 1/8)	(+ 1/8		(X	v																		
										1/0									- 1/8		^	^																		
						\exists				- 1/4 - 3/8									- 1/4 - 3/8	Ŀ																				
						7	1			- 1/2 - 5/8									- 1/2 - 5/8		\Box								-											
						1				- 3/4									- 3/4										1											
						1				- 7/8 - 1									- 7/8 - 1			⇟																		
	\vdash		+			\dashv				- 1 1/8 - 1 1/4			+						- 1 1/8 - 1 1/4		+								-											
										- 1 3/8 - 1 1/2									- 1 3/8 - 1 1/2										1											

<u> </u>	V	I	D	S	E	N	D	A										ME	ASUREME	IT SPE	CIFICATION	CHAR'	Т										DATE			1	7/06/20 XL				_
ne:				RDES F	PARRA	DON.				-	ITEM DES	CRIPTIO	ON			50	WJF I 84086	_S SL	JPIMA MO	K	P.O. #					112	2097]	(COLOR				A6J				_
		R	107.1	тота	L BOD	Y LEN	NGTH F	ROM	HPS		РОМ	C	106.1	NECK \	WIDTH I	HPS TO	HPS S	EAM	TO SEAM		РОМ		C107	'.1 FR(ONT NI	ECK D	ROP	HPS T	O SEAM	И		POM			E101.1	ACRO	oss s	HOULE	DERS-F	FRONT	Г
ŀ						XL 5 1/2					Size Spec					XL 7					Size Spec					XL 3 5/8	3					Size Spec						L 5/8			_
t						1 - 1/2					Tol					+-1/2					Tol			_		+-1/4					1	Tol						1/2			_
,		RADIA IAVY									COLOR		RADIAN IAVY	NT							COLOR		RADIAN NAVY	г								COLOF		I-RADIA NAVY							
f	7	1		\mp	Ŧ				Ŧ		+ 1 1/2 + 1 3/8 + 1 1/4		Ŧ								+ 1 1/2 + 1 3/8 + 1 1/4	E						F			1 1	+ 1 1/2 + 1 3/8 + 1 1/4	Е			Ŧ		Ŧ		Ŧ	-
ŀ				1							1 1/8 + 1										1 1/8 + 1				Н	1						+ 1 1/4 1 1/8 + 1									-
											+ 7/8 + 3/4										+ 7/8 + 3/4										7 1	+ 7/8 + 3/4									-
											+ 5/8 + 1/2							1			+ 5/8 + 1/2										1 1	+ 5/8 + 1/2									
		Х	Χ								+ 3/8										+ 3/8										1 1	+ 3/8									
	X										+ 1/4 + 1/8	X	X	Х				1			+ 1/4 + 1/8											+ 1/4 + 1/8	X		X						
		-									0 - 1/8							+			0 - 1/8	X	XX	+							+ 1	0 - 1/8								+	
											- 1/4 - 3/8							-			- 1/4 - 3/8										┦	- 1/4 - 3/8									
											- 1/2 - 5/8										- 1/2				П						7 .	- 1/2									
											- 3/4 - 7/8										- 5/8 - 3/4 - 7/8										1	- 5/8 - 3/4 - 7/8									-
											- 1										- 1										┪┃	- 1									-
ŀ											- 1 1/8 - 1 1/4										- 1 1/8 - 1 1/4			-	Н				\vdash		1	- 1 1/8 - 1 1/4									
		\dashv		+	-			-			- 1 3/8 - 1 1/2		-		+	-					- 1 3/8 - 1 1/2				Н						┨╟	- 1 3/8 - 1 1/2			-					-	
	H	100.11	в сн	EST-BI	UST (1	TOPS)	1" BEL	LOW A	RMHOL	LE	POM	١	N102.1	A SLEE	VE LEN	GTH-T	OP SHO	ULDE	ER(LONG		POM		A106	.2 NEC	CK OPE	NING	-MINIM	IUN S	TRETC	Н						O					
L						XL					Size					XL	,				Size					XL										Comm	ents:				ı
ŀ						0 7/8 1/2					Spec Tol					23 -3/4 -1/	2				Spec Tol					23 1/ +100					-										
,		RADIA IAVY									COLOR		RADIAN IAVY	NT							COLOR		RADIAN NAVY	Г																	
t	T	T		1							+ 1 1/2				П						+ 1 1/2				П			T													
											+ 1 3/8 + 1 1/4										+ 1 3/8 + 1 1/4										1										
L		\dashv		+	+				-		1 1/8 + 1		-		++			+			1 1/8 + 1			-	Н				\vdash		+										
											+ 7/8 + 3/4										+ 7/8 + 3/4																				
L				1							+ 5/8 + 1/2										+ 5/8 + 1/2				П						1										
L				1							+ 3/8		1					1			+ 3/8				H	#					1										
ŀ				╅							+ 1/4 + 1/8										+ 1/4 + 1/8										1										
ľ	1	X	X								0 - 1/8		X	X				4			0 - 1/8	X	XX								-										
ļ	Х	1	1	4	+			_	+	\blacksquare	- 1/4 - 3/8	X	#		H	\perp	\Box	4		4	- 1/4 - 3/8				H	4	-				4										
F				1				1			- 1/2 - 5/8		1					1			- 1/2 - 5/8				H	#					1										
ŀ	\exists	1		\pm					\pm		- 3/4				Н		Ш				- 3/4				H						1										
ŀ	_	_		_	Ⅎ	$oldsymbol{ol}}}}}}}}}}}}}}}}}}$			\exists	$\pm \pm$	- 7/8 - 1						\perp				- 7/8 - 1	L		1							1										
	\neg					T					- 1 1/8										- 1 1/8										1										
ŀ	\dashv	+	- 1					- 1			- 1 1/4									- 1	- 1 1/4								1 1												

Δ	I	V	D	S	7	Ξ	N	D													1	MEAS	UREME	ENT SF	PECIFICAT	ION CH	HART												DAT SIZ	ZE				06/20 XXL	22			_
ne:			LOU	IRDE		RRA I				IPANY			ITEM DES	CRIP	TION				į	W 53408		SUPI	MA MC	CK	P.O. #							11209	7						COLO	OR				A6J				_
		F	R107.	.1 TC	TAL I	BODY	/ LEN	GTH	FRO	M HPS	6		POM		C10	6.1 NI	ECK V	VIDTH	HPS T	ОНР	S SE	AM TC	SEAM		POM			C10	7.1 FF	RONT	NECK	(DRO	PHPS	TO S	EAM		P	РОМ			E10	1.1 A	CROS	SS SH	OULD	ERS-F	RON	IT
							XL 26					7	Size Spec						7 1/4						Size Spec							XL 3/4						Size Spec						16 3				
							- 1/2						Tol						+-1/2						Tol							1/4					T	ГоІ						+-1				_
Α		RADI NAVY											COLOR	A6	J-RAI NA\	DIANT /Y									COL	OR		RADIAN IAVY	IT									COLO	R A6	6J-RAE NAV								
	1												+ 1 1/2 + 1 3/8 + 1 1/4	Ė		F				Ŧ	Ŧ		H		+ 1 1/2 + 1 3/8 + 1 1/4		\exists	1									+	+ 1 1/2 + 1 3/8 + 1 1/4							\mp	Ŧ	Ŧ	_
	1								F			4	1 1/8 + 1							+					1 1/8 + 1												1	1 1/4 1 1/8 1 1									+	_
													+ 7/8 + 3/4												+ 7/8 + 3/4				F								+	7/8 3/4										_
												7	+ 5/8 + 1/2												+ 5/8 + 1/2												+	+ 5/8 + 1/2									1	-
	Х	Χ	Х										+ 3/8 + 1/4	X	: X	X									+ 3/8 + 1/4												+	- 3/8 - 1/4		X								-
	^												+ 1/8		^	1				1					+ 1/8		V	V \	,									1/8	>	X ^	Х						1	
													- 1/8												- 1/8		X	X									-	1/8										
												1	- 1/4 - 3/8												- 1/4 - 3/8												-	1/4 3/8										-
													- 1/2 - 5/8												- 1/2 - 5/8 - 3/4												-	1/2 5/8 3/4										-
	+											-	- 3/4 - 7/8							+					- 3/4 - 7/8												-	3/4 7/8										-
													- 1 - 1 1/8												- 1 - 1 1/8													1 1 1/8										-
													- 1 1/4 - 1 3/8												- 1 1/4 - 1 3/8												-	1 1/4 1 3/8										-
													- 1 1/2												- 1 1/2													1 1/2										
	Н	100.1	1B CI	HEST	Γ-BUS	ST (TO	OPS)	1" BE	LOW	/ ARM	HOLE		POM		N10	2.1A	SLEE\	/E LEN	IGTH-	TOP S	SHOU	LDER	(LONG		POM			A106	6.2 NE	CK OF	PENIN	IG-MIN	IIMUN	STRE	тсн							Co	mmer	ate:				
							XL					1	Size						XXL						Size							XL										CO	IIIIIICI	ito.				ı
							3/8 1/2					1	Spec Tol						23 3/ +3/4 -1						Spec Tol							3 1/2 00 -0																
Α		RADI NAVY											COLOR	A6	J-RAI NA\	DIANT /Y									COL	OR		RADIAN	IT																			
	1								П				+ 1 1/2 + 1 3/8	Ė	T	T		П		T					+ 1 1/2 + 1 3/8				T																			
	\exists											1	+ 1 1/4												+ 1 1/4		1																					
												1	1 1/8 + 1												1 1/8 + 1																							
												-	+ 7/8 + 3/4												+ 7/8 + 3/4																							
	4					-					-	7	+ 5/8 + 1/2		+	+	-			-	-	+			+ 5/8 + 1/2		-	-	+					-														
												4	+ 3/8 + 1/4	X	-	-									+ 3/8 + 1/4		4																					
													+ 1/8			X									+ 1/8		~	X >	,																			
	Х		X										- 1/8												- 1/8		Х	^)																				
		X										_	- 1/4 - 3/8												- 1/4 - 3/8				\pm																			
				L	L	L	Ŀ	L	L			_	- 1/2 - 5/8		Ŀ					\pm					- 1/2 - 5/8				╁																			
	7	\exists				F			F			7	- 3/4 - 7/8		F				\blacksquare	7					- 3/4 - 7/8		7		1				\exists	\blacksquare														
	4			L	F	F			F	Н		7	- 1 - 1 1/8							1					- 1 - 1 1/8				\perp																			
	1					L			L				- 1 1/4												- 1 1/4				1																			
_	\dashv			\vdash	1		\vdash	\vdash		\vdash	-	-	- 1 3/8 - 1 1/2	1	+	+	1			+	+	+	+		- 1 3/8 - 1 1/2		-	-	+	+	\vdash		-	-	+	\vdash												