L	A	NE		S' I	=	V	D,	A											MEA	ASUREM	IENT S	PECIFICA	ATION C	HART																29/03/2 2XL BL	L	<u>—</u>	<u>—</u>	<u>—</u>		
A's Nam ENDOR	e:	RI	ENE	HUAMAN TEXT			NG C	OMPA	.NY		M DESC YLE#	RIPTI	NC					MBT 934	CF LS	MESH	POLO	P.O. #	¥						98070				<u> </u>													
OM		R10	07.1	TOTAL B	ODY	LENG	STH F	ROM H	HPS	PO	М	(	106.1 N	NECK	WIDT	H HPS	S TO I	HPS S	EAM	TO SEAI	М	РОМ			C1	07.1 F	RONT	NECI	K DROP	HPS TO	SEA!	И		PON	OM E101.1 ACROSS SHOULDERS-FRO					RONT						
e					2X 34					Siz							XL 3/4					Size							2XL 1/2					Size			_	_			2XL !1 1/4	_	_	_		
ec I					+1 -					Spe Tol	ec						-1/2					Spec Tol							-1/4					Spe Tol	С		_				+-1/2	_		_		٠
OLOR		RADIAN NAVY		GRH-GR HEATHE		BLA	-BLAC	СК		C	OLOR		RADIAN IAVY		RH-G IEATH		BLA	A-BLA	СК			cc	DLOR	A6J-R N	ADIA AVY		GRH-G HEATI		BLA-	BLACK				CC	DLOR		RADIA NAVY		GRH-C							
1 1/2 1 3/8		Ŧ								+ 1	1/2 3/8		T			Г			1			+ 1 1/+ 1 3/	8	T	Ŧ	+	T							+ 1 + 1	3/8		$\Box$		$\equiv$	Ŧ	Ŧ	F	F	F	F	
1/4 /8											1/4											+ 1 1/ 1 1/8	4											+ 1 1 1/3	1/4		H		_	#	$\perp$	$\blacksquare$	$\blacksquare$			-
			1							+ 1												+ 1												+ 1					#	丰	土	二			E	_
8 4										+ 7	/4											+ 7/8 + 3/4												+ 7/4	4					士		士			E	_
2			+	X	X					+ 5 + 1	/8 /2			X								+ 5/8 + 1/2												+ 5/	8 2		$\vdash$	$\vdash$	+	+	+	+	-	$\vdash$	$\vdash$	-
	X	X	Х			Х	Х	Х		+ 3	/8	X			Х	Х						+ 3/8 + 1/4				1	X		Х	X				+ 3/4	8		H	H	_	$\perp$	Ŧ	$\blacksquare$	$\blacksquare$	F	F	
	^		1			^				+ 1	/8	^	Х	(								+ 1/8						X		X				+ 1/	8					土	土	上				_
0			+			-				- 1/	0						X	Х	Х			- 1/8	0	Х	X	X								- 1/8	0				-	+	+	+			┝	_
			1							- 1/ - 3/	4											- 1/4 - 3/8												- 1/4 - 3/8			H			#	#	丰			E	_
										- 1/	2											- 1/2												- 1/2	2	Х	Х	Х	ХХ	< X	X	X	Х			_
			+				-	+		- 5/ - 3/	'8 '4			-	-	-			+			- 5/8 - 3/4		+		+								- 5/8 - 3/4	} 	┢	$\dashv$	H	+	+	+	╁	H	₩	H	_
										- 7/	8											- 7/8 - 1												- 7/8 - 1	3		H			$\perp$	1	$\perp$				_
3											1/8											- 1 1/8												- 1 1	/8					$\pm$		士			L	
1 3			-				-				1/4 3/8				-				-			- 1 1/4 - 1 3/8												- 1 1 - 1 3		lacksquare	$\dashv$		_	+	+	+	$\vdash$	$\vdash$	H	-
2											1/2											- 1 1/2												- 1 1												T
	Н	1100.1B	CHE	EST-BUST	T (TO	PS) 1	" BEL	OW AF	RMHOLE	РО	М	1	N102.1A	SLEE	VE LI	ENGT SLE	H-TO	P SHC	ULDE	R(LON	3	POM			A10	06.2 N	ECK O	PENI	NG-MINI	MUN ST	RETC	Н							Comm	ients:						
					2X 27 1					Siz Spe							XL 27					Size Spec																								j
					+-1					Tol	ec					+3/4	4 -1/2					Tol																								
LOR	-L6A 1	RADIAN NAVY	NT	GRH-GR HEATHE	AY ER	BLA	-BLAC	CK		c	OLOR	-L6A 1	RADIAN IAVY	T G	RH-G IEATH	RAY	BLA	A-BLA	СК			cc	LOR																							
1/2 3/8										+ 1	1/2 3/8											+ 1 1/+ 1 3/	8	$\Box$																						
/4	Н		$\pm$				_	_	$\pm \pm$	11	1/4 /8		_	1	+	+	H		$=$ $\dagger$		$\vdash$	+ 1 1/ 1 1/8		H	_	$\exists$	1	+		$\pm$																
			1						$\blacksquare$	+ 1											Н	+ 1			4	4																				
			#					1		+ 3	/4								_			+ 7/8 + 3/4																								
			+						++	+ 5 + 1	/2			-			H	H			Н	+ 5/8 + 1/2		$\vdash$		-							$\dashv$													
			7						$\Box$	+ 3	/8 /4			X				Х	Х		Н	+ 3/8 + 1/4		$\Box$	4	4							$\exists$													
			⇉							<b>-</b> 1	/8					Х	Х		^			+ 1/8																								
ס			+							- 1/	0	X	X						+			- 1/8	0																							
			1					1		- 1/ - 3/	4										Н	- 1/4 - 3/8			1																					
	Х	X	Х	хх	Х	Х	Х	Х		- 1/	2								_		$\Box$	- 1/2		H	#	#				1																
			+						++	- 5/ - 3/	4			-							$\vdash$	- 5/8 - 3/4		$\vdash$	+	-							$\dashv$													
			1			-	-		+	- 7/									-		Н	- 7/8 - 1																								
В			1								1/8								<b>-</b>			- 1 1/8			$\dashv$	$\dashv$																				
4 8			+				-	-			1/4 3/8		-					$\vdash$			$\vdash$	- 1 1/4 - 1 3/8		+	+	+							$\dashv$													
1/2			T								1/2				1	1	T					- 1 1/2			$\neg$			1																		

L	A	1D	S	E	N	ID	A	_							N	//EASUI	REMENT	SPEC	CIFICATION	CHAR <sup>*</sup>	Г									DATE SIZE			2	9/03/2 3X	L	_		_
CA's Nam VENDOR		RE		AMAN A			COMP	PANY	.=	ITEM DES	CRIPTIO	N		52793		LS ME	SH POL		P.O. #					ę	98070				С	OLOR				BL	A			_
POM Size Spec Tol		R107	7.1 TOT		3XL 34 1/2 -1 -1/2		FROM	1 HPS		POM Size Spec Tol	С	106.1 NE	1	PS TO HF 3XL 3 1/8 1/2	PS SEA	M TO S	SEAM		POM Size Spec Tol		C10	)7.1 FI	RONT	3) 4 3 +-1	(L 3/4	HPS T	O SEAM	PC Siz Sp To	ze iec			E101.	1 ACR	2	SHOUL 3XL 2 1/4 1/2	.DERS	-FRON	IT
COLOR		ADIANT AVY		H-GRAY ATHER	В	LA-BL	ACK			COLOR		ADIANT AVY	GRH-GRAY HEATHER	BLA-E	BLACK				COLOR		RADIAN NAVY	NT G	RH-GI HEATH	RAY	BLA-	BLACK		C	COLOR		RADIA NAVY	ANT	GRH-0 HEAT	BRAY HER	BLA	A-BLAC	ж	
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1 1/8 + 1 + 7/8 + 1/2 + 3/4 + 5/8 + 1/2 + 1/4 + 1/8 - 1/8 - 1/8 - 3/8 - 3/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/8	X	X X X	X	x ;	X		X			+ 1 1/2 + 1 3/8 + 1 1/4 + 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 1/8 0 - 1/8 - 1/8 - 1/8 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1/4 - 3/8 - 1/2 - 1/8 - 1/	X	X	x x x	X	XX				+ 1 1/2 + 1 3/8 + 1 1/8 + 1 1/8 + 1 1/8 + 1 1/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/2 + 1/8 - 1/8 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/	X	X	XXXX	( X	X	X	X X X		+ 1 1 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1	7/8 3/4 3/4 5/8 1/2 3/8 1/4 1/8 0 /8 /4 /8 /4 /8 /4 /8 /4 /8 /4 /8 /4 /8 /4 /8 /4 /8 /4 /8 /4 /8 /4 /8 /4 /8 /8 /8 /8 /8 /8 /8 /8 /8 /8 /8 /8 /8	X	X	X	XXX	X	X	X	X	
- 1 1/2 POM Size Spec	Н	00.1B C	CHEST-		3XL 29 1/2	•	ELOW A	ARMHO	LE	- 1 1/2 POM Size Spec	N	102.1A S	2	3XL 7 1/4	SHOUL	_DER(L	ONG	F	- 1 1/2 POM Size Spec		A10	6.2 NE	ECK OF	PENIN	G-MINI	MUN S	RETCH	- 1	1/2				Comm	ents:				
Tol  COLOR  + 1 1/2 + 1 3/8 + 1 1/8 + 1 1/8 + 1/8 + 3/4 + 5/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/2 + 3/8 + 1/2 - 1/8 - 1/2 - 3/8 - 1/2 - 3/8 - 1/2 - 1/8 - 1/14 - 3/8 - 1/2 - 3/4 - 7/8 - 1/14 - 1/12 - 1/18 - 1/14 - 1/18 - 1/18 - 1/18 - 1/18 - 1/18 - 1/18 - 1/18 - 1/18 - 1/18 - 1/18 - 1/18 - 1/18		XXXXX	HE	H-GRAY		LA-BL				Tol  COLOR  +1 1/2 +1 3/8 +1 1/8 +1 1/8 +1 1/8 +3/4 +5/8 +1/2 +3/8 +1/2 +3/8 -1/8 -1/8 -1/8 -1/4 -3/8 -1/2 -5/8 -3/4 -7/8 -1/8 -1/14 -1/8 -1/8 -1/8 -1/8 -1/8 -1/8 -1/8 -1/8	N	ADIANT	GRH-GRAY HEATHER	X	BLACK				Tol  COLOR  + 1 1/2 + 1 3/8 + 1 1/8 + 1 1/8 + 1 1/8 + 1/8 + 3/8 + 1/2 + 3/8 + 1/2 + 3/8 + 1/4 - 3/8 - 1/4 - 3/8 - 1/4 - 3/8 - 1/4 - 1/8 - 1/4 - 1/8 - 1/4 - 1/8 - 1/4 - 1/8 - 1/4 - 1/8 - 1/4 - 1/8 - 1/4 - 1/8 - 1/4 - 1/8 - 1/8 - 1/8 - 1/8 - 1/8 - 1/8 - 1/8																			

- 1 3/8 - 1 1/2

- 1 3/8 - 1 1/2 - 1 3/8 - 1 1/2

## 400   September   September	29/03/2022 4XL	4.		DATE	:						CHART	SPECIFICATION (	EASUREMENT:	ME							ID,	EN	S	<b>ID</b>	A	L
## 400   September   September	BLA	В		)LOR	СО		0	9807					S MESH POLO				RIPTION		_	MPANY				REN		
So	ACROSS SHOULDERS-FRONT	1.1 ACROSS	E101.		POM	SEAM	P HPS TO	CK DRO	FRONT N	C107.1		РОМ	TO SEAM	S SEAN	'S TO HP:	CK WIDTH HF	C106.1 NE(	РОМ		M HPS	NGTH FR	BODY L	1 TOTAL	R107		РОМ
COLOR ADPRIAGNATI  COLOR ADPRIAGNATION STREETCH  COLOR ADPRIAGNATION	4XL																									
NAVY	23 +-1/2																	Spec Tol								
130			ADIANT AVY	A6J-RA NA	COLOR					ADIANT VY	A6J-F	COLOR					A6J-RADIANT NAVY	COLOR						ADIANT AVY	A6J-F	COLOR
11/4   1   1   1   1   1   1   1   1   1			$\Rightarrow$	柙										1	#	$\Box$			$\blacksquare$		П		Ŧ	-	П	
1					+ 1 1/4							+ 1 1/4						+ 1 1/4								1 1/4
34					+ 1							+ 1			##	$\Rightarrow \Rightarrow$		+ 1								
10					+ 3/4							+ 3/4						+ 3/4								3/4
1/2   1/3   1/4			+		+ 1/2							+ 1/2			+			+ 1/2						X X		1/2
18				$\vdash$											$\vdash$			+ 3/8 + 1/4							X	
188					+ 1/8							+ 1/8				$\blacksquare$		+ 1/8				ш				1/8
38					- 1/8					хх		- 1/8						- 1/8								1/8
58			$\pm$	Ш	- 3/8						X	- 3/8			$\pm \pm$		X	- 3/8								3/8
7/8			X X	X	- 1/2 - 5/8							- 1/2 - 5/8			$\vdash$			- 1/2 - 5/8								1/2 5/8
1 1/8					- 3/4							- 3/4			##			- 3/4								3/4
11/4					- 1							- 1						- 1								
11/2   11			+		- 1 1/4							- 1 1/4			$\pm$			- 1 1/4								1 1/4
H100.1B CHEST-BUST (TOPS) 1° BELOW ARMHOLE   Size				$\vdash$	- 1 3/8 - 1 1/2							- 1 3/8 - 1 1/2			$\vdash$											
SLEEVE    SLEE													ER/LONG	HOUL	TH-TOP S	EEVE LENG	N102 1A SI									
Spec   31 1/2   1/2	Comments:	Comments				RETCH	NIMUN STE	NING-MI	ECK OP	A106.21			LINEONO	JITOOLL	EEVE)	SLE	14102.174 02		LE	V ARMHOL	) 1" BELC		HEST-BU	00.1B C	H1	
COLOR AGJ-RADIANT NAVY  1 1/2												Spec			7 1/2	2		Spec				31 1/				
11/2 1 3/8 1 11/2 1 13/8 1 1 11/4 1 1/8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1												Tol			4 -1/2	+3/		Tol				+-1/2				ol
1 3/8												COLOR					A6J-RADIANT NAVY	COLOR								COLOR
+11/4 1/8 -1 -1 -1/7/8 -1/8 -1/8 -1/8 -1/8 -1/8 -1/8 -1/8 -1															$\blacksquare$		$\Box$		$\blacksquare$		$\blacksquare$					
1										$\perp \downarrow$		+ 1 1/4			##	=		+ 1 1/4	$\blacksquare$			H		$\perp$		1 1/4
3/4												+ 1						+ 1								
1/2												+ 3/4			+			+ 3/4								3/4
3/8															$\vdash$											
1/8												+ 3/8			##			+ 3/8								3/8
1/8												+ 1/8						+ 1/8								1/8
1/4 - 1/4 - 1/4 - 1/4 - 1/4 - 1/4 - 1/4 - 1/4 - 1/4 - 1/4 - 1/4 - 1/4 - 1/4 - 1/4 - 1/4 - 1/2 - 1/2 - 1/2 - 1/2 - 1/2 - 1/2 - 1/2 - 1/2 - 1/2 - 1/2 - 1/2 - 1/2 - 1/4 - 1/2 - 1/4 - 1/2 - 1/2 - 1/4 - 1/2 - 1/4 - 1/2 - 1/4 -												- 1/8			++	+		- 1/8								
1/2 X X X X - 1/2 - 1/2 - 5/8 - 3/4 - 3/4 - 3/4 - 3/4												- 1/4			$\bot$			- 1/4	$\Box$			H				1/4
3/4 - 3/4 - 3/4 - 3/4												- 1/2			##	$\pm$		- 1/2	$\Box$					х х	Х	1/2
7/9												- 3/4		$\pm$	$\pm \pm$	$\pm +$		- 3/4	$\pm 1$			L				3/4
												- 7/8 - 1			+			- 7/8								7/8
-1 1/8																$\Rightarrow$	$\Rightarrow \Rightarrow$	- 1 1/8				Ħ				1 1/8
11/4 - 11/4 - 11/4 - 13/8 - 13												- 1 3/8			井	$\Rightarrow \Rightarrow$		- 1 3/8	$\Box$							1 3/8