CA's Nam		N		S'					L		ITEM DES	CRIPTIO	N.				I M IE		ASUREMENT	SPECIFICATION	CHAR	RT										DATE SIZE OLOR				17/03/2 S GR				- - -
VENDOR					EXTIL				PANY		STYLE #	CKIF TK				52	8777	01 10	2011 020	P.O. #		ļ			9	6801														
POM Size Spec			R107	.1 TOT		S 26 1/4	NGTH	FROM	M HPS		POM Size Spec	С	106.1 N	ECK V		PS TO S 5 5/8	HPS S	SEAM	TO SEAM	POM Size Spec		C10	7.1 FF	RONT N	NECK E		HPS 1	O SEA	AM	PC Siz Sp	ze			E101.	.1 ACF		SHOUL S 7 1/4	DERS-I	FRONT	
Tol		RH-G EATH				-1 -1/2					Tol	GRH HE/	I-GRAY			+-1/2				Tol	GF H	RH-GRA	Y		+-1/					То		GR HE	H-GR	AY ER			-1/2			
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1	X				Ŧ						+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1									+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1										+ 1	1 1/2 1 3/8 1 1/4 1/8									
+ 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4			X								+ 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4	X	X							+ 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4										+ 7 + 3 + 5 + 1 + 3	7/8 3/4 5/8									
+ 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2											+ 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2									+ 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2	X	X	X							+ 1 - 1 - 1		X	X	X						
- 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4											- 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4									- 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4										- 5 - 3 - 7 - 1 - 1	/8 /4 /8									
- 1 1/4 - 1 3/8 - 1 1/2 POM		H100	.1B C	HEST-E	BUST (TOPS) 1" BE	ELOW	ARMH	IOLE	- 1 1/4 - 1 3/8 - 1 1/2	N	102.1A	SLEE\	/E LENG	TH-TC	OP SHO	OULD	ER(LONG	- 1 1/4 - 1 3/8 - 1 1/2		A10	6.2 NE	CK OP	ENING	6-MINI	MUN S	TRET	СН	- 1	3/8 1/2				Come	nonta				
Size Spec Tol						S 19 1/4 +-1/2					Size Spec Tol					S 9 +-1/2)			Size Spec Tol															Comr	nents:				
COLOR		RH-G EATH									COLOR	GRH HEA	I-GRAY ATHER							COLOR																				
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4											+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4									+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4																				
+ 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8	X	X	X								+ 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8	X	X X							+ 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0																				
- 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8											- 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8									- 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8																				
- 1 1/4 - 1 3/8 - 1 1/2				H			+	F			- 1 1/4 - 1 3/8 - 1 1/2									- 1 1/4 - 1 3/8 - 1 1/2								Ė												

Δ	N	D	S	E	EN	D	A										MEA	ASURE	MENT S	SPECIFICAT	TION CH	HART											ZE		_		И			_	-
ime: R		LOU			RA DON L SOUR			ANY	_	ITEM DES	CRIPTIO	N			52	M JF 8777	CF ME	ESH PO	OLO	P.O. #						9680	11					COLO	OR			GI	RH				_
		R107.	1 TOT	AL BC	DDY LE	NGTH	FROM	HPS		РОМ	C1	06.1 N	ECK V	VIDTH H	HPS TO	HPS S	EAM 1	TO SEA	AM	POM			C10	7.1 FRO	NT NE	CK DR	OP HPS	TO SE	EAM		POM			E10	01.1 A0	CROSS	SHOU	JLDER	S-FRO	ONT	
L					M 27					Size					M 5 7/8					Size						M 3 3/8					Size						M 18				
					+1 -1/2					Spec Tol					+-1/2					Spec Tol						+-1/4					Spec Tol						+-1/2			_	
٦	GRH-G HEATI									COLOR		GRAY THER								COL	.OR		-GRA\								COI		GRH-G HEAT								
t				1						+ 1 1/2 + 1 3/8										+ 1 1/2 + 1 3/8											+ 1 1/	/8		E							
										+ 1 1/4 1 1/8										+ 1 1/4 1 1/8											+ 1 1/8				$\pm \pm$						
H	ХХ	X			-					+ 1 + 7/8			-							+ 1 + 7/8						-		-			+ 1 + 7/8				+					_	_
L										+ 3/4 + 5/8										+ 3/4 + 5/8											+ 3/4 + 5/8				1					F	
L										+ 1/2	X	X								+ 1/2											+ 1/2									_	
										+ 3/8 + 1/4		X								+ 3/8 + 1/4											+ 3/8 + 1/4				++					_	
H								-		+ 1/8		-								+ 1/8		X	X :	X							+ 1/8		X		\blacksquare					_	_
										- 1/8										- 1/8		^	^ /								- 1/8									Ξ	_
										- 1/4 - 3/8										- 1/4 - 3/8 - 1/2											- 1/4 - 3/8		Х	X	$\pm \pm$					_	
ŀ						-				- 1/2 - 5/8										- 1/2 - 5/8			-					-			- 1/2 - 5/8				\blacksquare					_	_
t										- 3/4										- 3/4											- 3/4				##					_	
										- 7/8 - 1										- 7/8 - 1								+			- 7/8 - 1				+					_	_
										- 1 1/8 - 1 1/4										- 1 1/8 - 1 1/4											- 1 1/3 - 1 1/4				\vdash					_	_
										- 1 3/8										- 1 3/8											- 1 3/	8			\Box					_	
ŀ									Н	- 1 1/2										- 1 1/2											- 1 1/	2									Ī
	H100	0.1B Cł	HEST-	BUST	(TOPS) 1" BE	ELOW A	ARMHOL	.E	POM	N1	02.1A	SLEE		GTH-TC LEEVE)		ULDE	R(LON	NG	POM			A106	6.2 NEC	OPEN	ING-M	INIMUN	STRE	TCH						Cor	nments					
					M 20 1/2					Size Spec					M 9 1/4					Size Spec																					
					+-1/2					Tol					+-1/2					Tol																					
	GRH-G HEATI									COLOR		GRAY THER								COL	.OR																				
E				\exists		F	Н	\blacksquare	Е	+ 1 1/2 + 1 3/8		\blacksquare				Н				+ 1 1/2 + 1 3/8			\mp																		
H					-		1			+ 1 1/4 1 1/8		+	+				1			+ 1 1/4 1 1/8								+													
										+ 1 + 7/8										+ 1 + 7/8																					
j									Ħ	+ 3/4										+ 3/4																					
l		\pm				L			\exists	+ 5/8 + 1/2	X	x x					1	\pm		+ 5/8 + 1/2					1	t															
ŀ	X	+	$\vdash \downarrow$		-		$+ \overline{+}$	+	+	+ 3/8 + 1/4			1			\vdash		$-\parallel$		+ 3/8 + 1/4			+				++	- -		+											
ı		X					Ш			+ 1/8		_					_			+ 1/8								_													
ŀ	X									0 - 1/8										- 1/8								+													
ŀ			H	\exists		+	H		\exists	- 1/4 - 3/8						H	1	-		- 1/4 - 3/8		4	-		Ŧ		\Box	\equiv		\blacksquare											
									Ħ	- 1/2										- 1/2																					
							H		Ы	- 5/8 - 3/4							_			- 5/8 - 3/4					1																
			\vdash			-	+	+	Н	- 7/8 - 1			-	$\vdash\vdash$		\vdash		+		- 7/8 - 1		-	-	+	- -				-	+											
									H	- 1 1/8 - 1 1/4										- 1 1/8 - 1 1/4																					
1	ᆂ					L	Ш			- 1 3/8		1								- 1 3/8																					
4			П							- 1 1/2										- 1 1/2									1												

1	VE)	37	Ξ	N	D,	A										MEAS	UREMEN	NT SPE	CIFICATION	CHAR	T										ATE			17/03/: L GR	-			_
:	L	OURE	DES PA				OMPANY	,	STYLE #		TION				528		F MES	H POLO		P.O. #					96	801					COL	JK			GK				_
	R1	07.1 T	OTAL			GTH FI	ROM HP	S	РОМ		C106	.1 NEC	K WID			HPS SE	AM TC	SEAM		POM		C10	7.1 FF	RONT N	ECK [ROP	HPS	ГО SEAM		POM			E101	1.1 ACR	ROSS	SHOU	LDERS-	-FRO	N
					L 3/4				Size Spec						L 1/8					Size Spec					3 1/	2				Size Spec						L 18 3/4			_
				+1	-1/2				Tol					+-	1/2					Tol					+-1/	4				Tol	4				-	+-1/2			-
GRI HE	H-GRA ATHEF	Y							COLOR	G F	RH-GF HEATH	RAY ER								COLOR	GF HI	RH-GRAY EATHER								COLO	OR	GRH-GR HEATH	RAY						
			Ŧ	E		П			+ 1 1/2 + 1 3/8 + 1 1/4	Ė				Ŧ				П		+ 1 1/2 + 1 3/8 + 1 1/4		H								+ 1 1/2 + 1 3/8 + 1 1/4	3	\mp	\equiv	Ŧ	+	Ŧ	Ħ		_
									1 1/8											1 1/8										1 1/8		\pm	〓	\pm		#	〓		-
									+ 1 + 7/8											+ 7/8										+ 7/8		士		丰		\pm	〓		
									+ 3/4 + 5/8											+ 3/4 + 5/8					_					+ 3/4 + 5/8		_					世		
	X								+ 1/2 + 3/8		X									+ 1/2 + 3/8										+ 1/2 + 3/8		\pm		\pm		\pm	$\perp \perp$		-
X		X							+ 1/4 + 1/8	X		Х								+ 1/4 + 1/8										+ 1/4 + 1/8		+	\vdash	+		+	\vdash		
									0 - 1/8											0 - 1/8	X	X	X							0 - 1/8			H	平		Ŧ	H		į
									- 1/4 - 3/8											- 1/4 - 3/8			1		4					- 1/4 - 3/8		#	X	#		#	Ħ	1	
									- 1/2 - 5/8											- 1/2 - 5/8										- 1/2 - 5/8		ХХ		#		工	Ħ		
									- 3/4											- 3/4										- 3/4		\pm		\pm		士	世		
									- 7/8 - 1		-									- 7/8 - 1					_					- 7/8 - 1		+	\vdash	\pm		+	\vdash	1	•
									- 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4										- 1 1/8 - 1 1/4			\blacksquare	-		-	\vdash		
									- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2					-					- 1 3/8 - 1 1/2		4	\blacksquare	_		\perp	\vdash	-	-
Н	100.1B	CHE	ST-BU	ST (TC	OPS)	1" BELO	OW ARM	IHOLE	РОМ		N102	.1A SL	EEVE I	ENGTI		SHOU	JLDER	(LONG		POM		A106	6.2 NE	CK OP	ENING	-MININ	MUN S	STRETCH						Comp	nonto				I
					L				Size						L					Size														Comm	nents:				
					3/4 -1/2				Spec Tol						1/2 1/2					Spec Tol									-										
	H-GRA ATHEF								COLOR		RH-GF HEATH									COLOR																			
H		+	Ŧ	F		Н			+ 1 1/2 + 1 3/8				+	Ŧ			+	\Box		+ 1 1/2 + 1 3/8		H	+			Ŧ	Ŧ												
									+ 1 1/4 1 1/8											+ 1 1/4 1 1/8																			
									+ 1 + 7/8											+ 1 + 7/8					4														
									+ 3/4 + 5/8											+ 3/4 + 5/8																			
									+ 1/2	X	X									+ 1/2																			
									+ 3/8 + 1/4			Х								+ 3/8 + 1/4																			
									+ 1/8 0											+ 1/8																			
	4					H			- 1/8 - 1/4			H								- 1/8 - 1/4																			
Х	_								- 3/8			H								- 3/8						#	1												
X	Х	X							- 1/2 - 5/8			Ш								- 1/2 - 5/8																			
									- 3/4 - 7/8											- 3/4 - 7/8			Ŀ				\pm												
									- 1 - 1 1/8			H	-						\exists	- 1 - 1 1/8					\exists	-	Ŧ		\exists										
	1	-							- 1 1/4 - 1 3/8			H								- 1 1/4 - 1 3/8			1		4	#	1												
\dashv		-	+	+	 				- 1 1/2		+	\vdash	+	+		-	+	1	-1	- 1 1/2			+		 -		+		-1										

L	A	N	D	S	E	N	D,	A									МІ	EASURE	MENT	SPECIFICATION	CHAR	T								\$	ATE	_	X	3/2022 (XL			_	
CA's Nam VENDOR			LOU	RDES F				OMPA	NY	STYLE #		PTION				M J 528777		MESH PO	DLO	P.O. #					96	801]	COI	LOR		G	RH				
РОМ		F	R107.	1 TOTA	L BOE	DY LEN	NGTH F	ROM H	HPS	POM		C106.1	NECK	WIDTH	HPS T	O HPS	SEAM	M TO SE	AM	POM		C107	.1 FR	ONT N	ECK [ROP	HPS T	O SEAM	РОМ		E10	1.1 AC	ROS	S SHO	ULDEF	RS-FR	ONT	
Size Spec						9 3/8				Size Spec					6 5/8					Size Spec					3 7/				Size Spec					20 1/4				
Tol					+	1 -1/2				Tol					+-1/2	2				Tol					+-1/	4			Tol					+-1/2				_
COLOR		RH-GR EATHI								COLO		GRH-GRA HEATHE								COLOR		RH-GRAY EATHER							COL	OR	GRH-GRAY HEATHER							
+ 1 1/2 + 1 3/8 + 1 1/4						Τ	П		H	+ 1 1/2 + 1 3/8 + 1 1/4		П								+ 1 1/2 + 1 3/8 + 1 1/4		H							+ 1 1/2 + 1 3/8 + 1 1/4	3		Ħ	I		Ŧ			Ŧ
1 1/8										1 1/8										1 1/8									1 1/8	•					\pm			\pm
+ 1 + 7/8										+ 1 + 7/8										+ 1 + 7/8									+ 1 + 7/8			Ħ	1		土		1	+
+ 3/4 + 5/8										+ 3/4 + 5/8										+ 3/4 + 5/8									+ 3/4 + 5/8			世			\pm			+
+ 1/2 + 3/8										+ 1/2 + 3/8		X	X							+ 1/2 + 3/8									+ 1/2 + 3/8			Ш	\pm		土			+
+ 1/4 + 1/8									+	+ 1/4 + 1/8		+								+ 1/4 + 1/8									+ 1/4 + 1/8			\vdash	+		+	+	-	+
0 - 1/8										0 - 1/8										0 - 1/8	X	X X							0 - 1/8			F			#			4
- 1/4 - 3/8										- 1/4 - 3/8		\Box								- 1/4 - 3/8									- 1/4						#			
- 1/2	X	Х	Х					1		- 1/2										- 1/2									- 3/8 - 1/2 - 5/8		x x x	Ħ			丰			
- 5/8 - 3/4										- 5/8 - 3/4										- 5/8 - 3/4									- 3/4			廿			士			+
- 7/8 - 1										- 7/8 - 1										- 7/8 - 1									- 7/8 - 1			\vdash	_		+	+		+
- 1 1/8 - 1 1/4										- 1 1/8 - 1 1/4										- 1 1/8 - 1 1/4									- 1 1/8 - 1 1/4			H			+			4
- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2		\blacksquare								- 1 3/8 - 1 1/2									- 1 3/8 - 1 1/2			_			#			#
POM		1100 1	1P.CL	JEST D	LICT /	TOREY	1" DEI	OW 41	RMHOLE	POM		N102.1	1A SLEI	VE LEI	NGTH-	TOP SH	HOULI	DER(LON	IG	POM		A106	2 NE(CK ODE	NINIC	MINUS	ALINI C	TRETCH	1 1/2									
Size		1100.	IB Cr	1531-0	031 (1013)	I DEL	LOW AI	KIVIHOLE	Size					SLEEV	(E)				Size		A106.	Z INEC	JK OF	INING	-WIININ	VIOIN 3	IREIGH				Com	ment	S:				
Spec Tol						24 1/4 +-1/2				Spec Tol					10 +-1/2	>				Spec Tol																		
COLOR	GR HE	RH-GR EATHI	RAY ER			1/2				COLO	R '	GRH-GRA	AY R		1 1/2	-				COLOR																		
+ 1 1/2					T	-	П	1		+ 1 1/2 + 1 3/8		П			_	T	T		T	+ 1 1/2				П	#	Ŧ	T											
+ 1 3/8 + 1 1/4										+ 1 1/4										+ 1 3/8 + 1 1/4																		
1 1/8 + 1										1 1/8 + 1										1 1/8 + 1																		
+ 7/8 + 3/4										+ 7/8 + 3/4		+								+ 7/8 + 3/4																		
+ 5/8 + 1/2										+ 5/8 + 1/2										+ 5/8 + 1/2																		
+ 3/8 + 1/4										+ 3/8 + 1/4		x x								+ 3/8 + 1/4																		
+ 1/8										+ 1/8			Х							+ 1/8																		
0 - 1/8		X								0 - 1/8 - 1/4										0 - 1/8 - 1/4																		
- 1/4 - 3/8	X		Х					-		- 1/4 - 3/8						_	-			- 1/4 - 3/8			-															
- 1/2 - 5/8								1		- 1/2 - 5/8		+		\Box						- 1/2 - 5/8																		
- 3/4								1		- 3/4 - 7/8		\Box								- 3/4 - 7/8																		
- 7/8 - 1										- 1		\pm	1		_					- 1																		
- 1 1/8 - 1 1/4					\pm			1		- 1 1/8 - 1 1/4			t				L			- 1 1/8 - 1 1/4			L															
- 1 3/8					Ŧ					- 1 3/8										- 1 3/8							1											