LANDS	END	A
--------------	------------	---

MEASUREMENT SPECIFICATION CHART

DATE 08/07/2021
SIZE S

COLOR M5L-Y56-G0V-DJD

CA's Nam VENDOR	e:		REN	NE HUA TE:	MAN A XTIL SO			OMP/	ANY	_	STYLE #	CRIPT	ION				4267		SUPIM	A POLO	J	P.O. #		<u> </u>				83322												
POM		R	107.1	TOTAL	BODY	LENC	GTH F	ROM	HPS		POM		C106.	1 NEC	K WID	TH HPS	5 то н	PS SE	AM TO) SEAM		POM		C107	.1 FR(N TNC	NECK	DROP HPS TO	O SEA	м	POM		E10	1.1 A	CROSS	SHOU	ULDERS-F	FRON ⁻	Т	
Size Spec						S 1/2				=	Size Spec						S 5/8					Size Spec						S 4			Size Spec					S 17			_	\exists
Tol						-1/2					Tol						2 -1/2					Tol					+1/4	-1/4			Tol				+1	1/2 -1/	2	T		
COLOR		-BALT		Y56-BI CARA			CLOU BLUE		DJD-DP WOODLAI		COLOR		L-BAL TEAL		Y56-BL CARA		G0V-0	LUE		DJD-DP OODLAN		COLOR		L-BALTIC TEAL		6-BUR ARAM		G0V-CLOUDY BLUE		JD-DP ODLAND	COLOR	M	5L-BALTIC TEAL		-BURNT RAMEL		V-CLOUD BLUE		DJD-DF OODLA	
+ 1 1/2 + 1 3/8 + 1 1/4											+ 1 1/2 + 1 3/8											+ 1 1/2 + 1 3/8 + 1 1/4									+ 1 1/2 + 1 3/8 + 1 1/4				\equiv		\blacksquare	Ŧ	\equiv	
+ 1 1/4 1 1/8 + 1											+ 1 1/4 1 1/8 + 1]	+ 1 1/4 1 1/8 + 1									+ 1 1/4 1 1/8 + 1				\pm			\pm	\pm	
+ 1 + 7/8 + 3/4	v	X	X			X					+ 7/8 + 3/4								1			+ 1 + 7/8 + 3/4									+ 7/8 + 3/4				#			#	\pm	
+ 5/8 + 1/2	^	^	^			^	X	v	X		+ 5/8 + 1/2											+ 5/8 + 1/2									+ 5/8 + 1/2				#			#		
+ 3/8 + 1/4							^	^	X	Y	+ 3/8 + 1/4			ļ	X	Х						+ 3/8 + 1/4									+ 3/8 + 1/4				#		#	#	\equiv	
+ 1/8									^	^	+ 1/8	~	Х	Х	X		Х	Х	X	X		+ 1/8	Х	X	_	X	X	X	v	X X	+ 1/8		X		#		#	丰	\perp	
- 1/8 - 1/4											- 1/8 - 1/4		^	^	^			^	^	^		- 1/8 - 1/4		^	^	^	^	XX	_	X X	- 1/8 - 1/4	Х		Х	ХХ	X		×	X	X
- 3/8 - 1/2				X	X						- 3/8 - 1/2											- 3/8 - 1/2									- 3/8 - 1/2				#	X	X >		\pm	_
- 5/8 - 3/4				_							- 5/8 - 3/4											- 5/8 - 3/4									- 5/8 - 3/4				#	^	#	#	\pm	
- 7/8 - 1											- 7/8 - 1											- 7/8 - 1									- 7/8 - 1				\mp		+	#	\blacksquare	4
- 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4									- 1 1/8 - 1 1/4				#		+	#	+	=
- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2			-					\perp			- 1 3/8 - 1 1/2									- 1 3/8 - 1 1/2				#		+	#	\blacksquare	
POM	ш	100.1	в си	ECT DI	ICT (T(DREL 4	I DEL	OW A	RMHOLE		POM		N102.	1A SL	EEVE L	ENGTI	H-TOP	SHOU	ULDER	(LONG		POM		A106	2 NEC	Y OB	ENIINI	IG-MINIMUN ST	DET	`LI										
Size	-	100.1	БСП	E31-BC		S	DEL	OWA	KIVIHOLE		Size						EVE) S				_	Size		A106.	Z INEC	K OF		S	IKEIC	,п				Cor	mments:					
Spec Tol						1/2					Spec Tol						1/4					Spec Tol						24 00 -0												
COLOR		-BALT		Y56-BI			CLOU		DJD-DF WOODLAI		COLOR		L-BAL TEAL		Y56-BL CARA		G0V-0	CLOU!		DJD-DP OODLAN	D	COLOR		L-BALTIC TEAL		6-BUR ARAM		GOV-CLOUDY BLUE		JD-DP ODLAND										
+ 1 1/2 + 1 3/8	П	1		\blacksquare				7	$\overline{}$		+ 1 1/2 + 1 3/8				Ŧ		П					+ 1 1/2 + 1 3/8								\Box										
+ 1 1/4 1 1/8											+ 1 1/4 1 1/8			1								+ 1 1/4 1 1/8																		
+ 1 + 7/8											+ 1 + 7/8											+ 1 + 7/8																		
+ 3/4 + 5/8											+ 3/4 + 5/8											+ 3/4 + 5/8																		
+ 1/2 + 3/8											+ 1/2 + 3/8				X							+ 1/2 + 3/8																		
+ 1/4 + 1/8				Х	Х			-			+ 1/4 + 1/8	X	Х	X	Х	Х						+ 1/4 + 1/8																		
0 - 1/8	X	Х	Χ	X			X	X		X	0 - 1/8						Х	Х	X	X		0 - 1/8	X	ХХ	Х	Х	X	X X X	Х	XX										
- 1/4 - 3/8		1		+		Х			хх		- 1/4 - 3/8		H	1	+			1	X			- 1/4 - 3/8			H															
- 1/2 - 5/8											- 1/2 - 5/8		Н									- 1/2 - 5/8			-															
- 3/4 - 7/8											- 3/4 - 7/8		Н									- 3/4 - 7/8																		
- 1 - 1 1/8		7	-					1			- 1 - 1 1/8		Н	1				+	\perp			- 1 - 1 1/8			H				1											
- 1 1/4 - 1 3/8										=	- 1 1/4 - 1 3/8		П	1								- 1 1/4 - 1 3/8			F															
- 1 1/2								$\neg \dagger$			- 1 1/2											- 1 1/2			1	t			t											•

LANDS	ENDA
--------------	------

MEASUREMENT SPECIFICATION CHART

DATE 08/07/2021
SIZE S
COLOR RUR-G3D

CA's Nam VENDOR	е:	F	RENN	NE HUA TE	MAN A			OMP/	ANY		STYLE #	CRIPT	ION				42679		UPIMA	POLO		P.O. #					8	3322													
POM		R1	107.1	TOTAL		/ LENG	GTH FI	ROM	HPS		POM		C106.	1 NEC	K WIDT		S TO HE	PS SE	АМ ТО	SEAM		POM		C107.	FRO	NT N	IECK [DROP HPS T	O SEA	М	POM			E10	1.1 A	CROS	S SHC	DULDER	S-FRO	NT	
Size Spec					28	1/2					Size Spec					6	5/8				\dashv	Size Spec					4				Size Spec						17				
Tol					+1	-1/2					Tol					+1/2	2 -1/2					Tol					+1/4 -	-1/4	1		Tol				1		+1/2 -1	1/2			
COLOR		R-RUS RED		G3D- CLIFF							COLOR	RU	JR-RU RED		G3D- CLIFF I							COLOR	RU	JR-RUST RED		D-SE FF BL						LOR		-RUST RED		BD-SE/ FF BLU					
+ 1 1/2 + 1 3/8											+ 1 1/2 + 1 3/8											+ 1 1/2 + 1 3/8									+11										
+ 1 1/4 1 1/8											+ 1 1/4 1 1/8											+ 1 1/4 1 1/8									+ 1 1,	/4									
+ 1											+ 1											+ 1									+ 1										
+ 7/8 + 3/4				-	+		+			Н	+ 7/8 + 3/4		Н			-				+	\dashv	+ 7/8 + 3/4		\vdash			+				+ 7/8 + 3/4					+	-				+
+ 5/8				,							+ 5/8				V V							+ 5/8									+ 5/8										
+ 1/2 + 3/8	Х	X	Х	Х	X						+ 1/2 + 3/8	X	Х	X	X X	X					-	+ 1/2 + 3/8									+ 1/2 + 3/8										
+ 1/4 + 1/8)	(_			+ 1/4 + 1/8											+ 1/4 + 1/8									+ 1/4 + 1/8										
0											0											0	X	хх	Х	Χ	Χ														
- 1/8 - 1/4								-			- 1/8 - 1/4											- 1/8 - 1/4									- 1/8 - 1/4		-								
- 3/8											- 3/8											- 3/8									- 3/8			Х							
- 1/2 - 5/8		_	-	-	-			-		\mathbf{H}	- 1/2 - 5/8										-	- 1/2 - 5/8					+				- 1/2 - 5/8		Х	X	Х	Х	X				+
- 3/4 - 7/8											- 3/4 - 7/8											- 3/4 - 7/8									- 3/4										
- 1											- 1											- 1									- 7/8 - 1										
- 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4									- 1 1/ - 1 1/										
- 1 3/8											- 1 3/8											- 1 3/8									- 1 3/	8									
- 1 1/2											- 1 1/2											- 1 1/2									- 1 1/	2									
РОМ	Н	100.1E	в сн	EST-Bl	JST (T	OPS) 1	I" BEL	OW A	RMHOLE	E	POM		N102	.1A SL	EEVE L		H-TOP EVE)	SHOU	ILDER	(LONG		POM		A106.2	NECH	K OPE	ENING	G-MINIMUN S	TRETO	Н					Cor	nment	he.				
Size						S					Size						S					Size					S								Coi	IIIIICIII	ъ.				
Spec Tol						1/2					Spec Tol						1/4					Spec Tol					+100														
COLOR		R-RUS RED		G3D- CLIFF	-SEA	1/2					COLOR		JR-RU RED		G3D-	SEA	1,2					COLOR	RL	JR-RUST RED		D-SE	Α	, ,													
+ 1 1/2	П	T		Т	_		Т	-			+ 1 1/2					Т	Т		_	1 1	-	+ 1 1/2		П					1												
+ 1 3/8 + 1 1/4								1			+ 1 3/8 + 1 1/4										\dashv	+ 1 3/8 + 1 1/4					4														
1 1/8											1 1/8											1 1/8																			
+ 1 + 7/8											+ 1 + 7/8								-		-	+ 1 + 7/8							-	-											
+ 3/4											+ 3/4											+ 3/4																			
+ 5/8 + 1/2				X)	(X						+ 5/8 + 1/2										\dashv	+ 5/8 + 1/2																			
+ 3/8											+ 3/8											+ 3/8																			
+ 1/4 + 1/8											+ 1/4 + 1/8		Х								-	+ 1/4 + 1/8																			
0											0	Χ		X	X X	_						0	X	X X	Χ	Χ	X														
- 1/8 - 1/4		\dashv	+		+	\vdash		\dashv			- 1/8 - 1/4		\vdash			X			+		\dashv	- 1/8 - 1/4					\dashv		+												
- 3/8 - 1/2	X	Х	X					-			- 3/8 - 1/2										\dashv	- 3/8 - 1/2					-														
- 5/8	^		^					\exists			- 5/8					L		╧				- 5/8																			
- 3/4 - 7/8				-						\vdash	- 3/4 - 7/8			-						$+ \top$	\dashv	- 3/4 - 7/8		++			-		1												
- 1			_					1			- 1											- 1																			
- 1 1/8 - 1 1/4				_		Н				\vdash	- 1 1/8 - 1 1/4		Н		_		\vdash		-	+	\dashv	- 1 1/8 - 1 1/4					-		+												
- 1 3/8											- 1 3/8		Ш									- 1 3/8																			
- 1 1/2						1		1		1 I	- 1 1/2		1 1				1					- 1 1/2		1 1																	

LANDS'	ENDA
--------	------

MEASUREMENT SPECIFICATION CHART

DATE 08/07/2021
SIZE M5L-RUR
COLOR M5L-RUR

CA's Nam VENDOR	e:	RI	ENNE	HUAM/ TEXT			IG CON	MPANY		STYLE #	CRIPTIC	ON			42	MT S 8064	S SUF	PIMA PO	DLO	P.O. #					8	3322													
POM		R10	07.1 TO	OTAL B			TH FRO	OM HPS		POM	С	106.1 N	NECK	(WIDTH H		HPS S	SEAM	TO SEA	ιM	РОМ		C107	.1 FR	ONT N		DROP H	PS TO	SEAM		POM		E1	01.1	ACRO		HOULDE	ERS-FI	RONT	
Size Spec					M 31					Size Spec					M 7					Size Spec					4 1				-	Size Spec	1		—		1:	8			
Tol					+1 -1					Tol				+1	/2 -1/2	2				Tol					+1/4					Tol			_		+1/2				
COLOR		BALTI	C R	UR-RU RED	ST					COLOR		BALTIC EAL	C F	RUR-RUST RED						COLOR	M	L-BALTIC TEAL	RI	UR-RU RED	ST					COLOR	М	I5L-BALTIC TEAL	R	UR-RU RED	JST				
+ 1 1/2 + 1 3/8	П	1				\blacksquare	_			+ 1 1/2 + 1 3/8						Н			1	+ 1 1/2 + 1 3/8										+ 1 1/2 + 1 3/8			Ŧ			干	Ŧ	口	
+ 1 3/8										+ 1 1/4										+ 1 3/8										+ 1 3/8			士			\pm	\pm	+	
1 1/8 + 1										1 1/8 + 1										1 1/8 + 1										1 1/8 + 1			1				4	\perp	
+ 7/8										+ 7/8										+ 7/8										+ 7/8		+	+			+	+	+	
+ 3/4	Х									+ 3/4										+ 3/4										+ 3/4			Ŧ				工	\Box	
+ 5/8 + 1/2		1	x x	X	X	-		1 1		+ 5/8 + 1/2										+ 5/8 + 1/2										+ 5/8 + 1/2			+			+	+	+	
+ 3/8										+ 3/8										+ 3/8										+ 3/8			\perp				工	\Box	
+ 1/4 + 1/8								1 1		+ 1/4 + 1/8)	(X)						+ 1/4 + 1/8										+ 1/4 + 1/8			+			+	+	+	
0		Х								0		Х								0	X	X X								0			Ī						
- 1/8 - 1/4										- 1/8 - 1/4	Х									- 1/8 - 1/4			Х	Х	Х					- 1/8 - 1/4			Ŧ			=	干	\Box	
- 1/4										- 1/4	^	>	X							- 1/4					- 1					- 3/8		X	+			-+	+	+	
- 1/2 - 5/8										- 1/2 - 5/8										- 1/2 - 5/8										- 1/2 - 5/8	Х	(X	X	X	Х		1		
- 5/8 - 3/4							_			- 5/8 - 3/4			+							- 5/8 - 3/4										- 5/8 - 3/4			+			+	+	+	
- 7/8										- 7/8										- 7/8										- 7/8			工					\perp	
- 1 - 1 1/8								+		- 1 - 1 1/8			-							- 1 - 1 1/8										- 1 - 1 1/8			+			+	+	+	
- 1 1/4										- 1 1/4										- 1 1/4										- 1 1/4			ᆂ				土		
- 1 3/8 - 1 1/2							_			- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2			+			_	+	+	
POM	Н	100.1B	CHES	T-BUS	T (TO	PS) 1"	BELOV	V ARMH	IOLE	POM	N	l102.1A	SLE	EVE LENG			DULDE	R(LON	IG	POM		A106.	2 NEC	CK OPE	ENING	S-MINIM	JN ST	RETCH											
Size					· M					Size				SL	EEVE))				Size					M								С	ommer	nts:				
Spec					22	2				Spec					1 1/8					Spec					24	1											_		
Tol					+1/2 -	-1/2				Tol				+1	/2 -1/2	2				Tol					+100	0- (
COLOR		BALTI EAL	C R	UR-RU RED						COLOR		BALTIC	C F	RUR-RUST RED						COLOR	M	SL-BALTIC TEAL	RI	JR-RU: RED															
+ 1 1/2										+ 1 1/2										+ 1 1/2																			
+ 1 3/8 + 1 1/4		\dashv	-	+	1	-+	_	++		+ 1 3/8 + 1 1/4		_	-	++	+		-	_		+ 1 3/8 + 1 1/4			-				+		+										
1 1/8										1 1/8							4			1 1/8			1																
+ 1 + 7/8						-		1 1		+ 1 + 7/8										+ 1 + 7/8							1												
+ 3/4										+ 3/4										+ 3/4																			
+ 5/8 + 1/2		+		+ -		_	_	++	_	+ 5/8 + 1/2		_			-					+ 5/8 + 1/2							+		+										
+ 3/8										+ 3/8										+ 3/8																			
+ 1/4 + 1/8								\perp		+ 1/4 + 1/8										+ 1/4 + 1/8			_		_		1												
+ 1/8	X									+ 1/8		Х								+ 1/8	X	X X	X	X	Х														
- 1/8										- 1/8										- 1/8																			
- 1/4 - 3/8		_	-			_		+ +	_	- 1/4 - 3/8	Х)	X >	(X X			-			- 1/4 - 3/8			-				+		+										
- 1/2		X :	ХХ	Х	X					- 1/2										- 1/2																			
- 5/8 - 3/4				+				+		- 5/8 - 3/4		_		+		+				- 5/8 - 3/4									+										
- 3/4 - 7/8				+				++		- 3/4										- 7/8							+		+1										
- 1 - 1 1/8										- 1 - 1 1/8		_			1					- 1 - 1 1/8									\Box										
- 1 1/8 - 1 1/4		\dashv	-	+			_	++	+	- 1 1/8 - 1 1/4		-	-		+		+			- 1 1/8 - 1 1/4			-				+		+										
- 1 3/8										- 1 3/8										- 1 3/8																			