	ND	S	E			人											MEA	SURE	MENT S	PECIFICATION	CHAF	RT									S	SIZE		_)1/202 M	2	_	_
me R	REN	E HUAN TE	MAN AI			СОМІ	PANY	-	ITEM	I DESC LE #	RIPTIO	N			52	M SS 29151	CMFR	T FRS	ST MSH	PCKT P.O. #						93612	2				COL	OR				U3I			
		. =																																					
	R107.	1 TOTA	L BOL	M	NGIF	FROM	M HPS	•	POM Size		C	106.1 NE	CK W	IDTH H	PS TC) HPS S	SEAM T	O SE	AM	POM Size		C1	107.1 F	RONT		M	PHPS	108	:AM	POM Size			E10	1.1 A	CROS	M M		=RS-F	-RC
				8 1/2 1 -1/2					Spec						7 1/2 +-1/2					Spec Tol						1/4				Spec Tol				_		17 1/ +-1/2		_	_
₹	A6J-RADIANT NAVY	U3I-C			RH-G				cc	DLOR		ADIANT AVY		-CRISP EACH		RH-GR				COLOR	A6J	I-RADIA NAVY	ANT	U3I-CI PEA			H-GRA ATHEI			COL	.or		ADIANT AVY		I-CRIS		GRH-0		
					_	_			+11	/2										+ 1 1/2					1				_	+ 1 1/		_	_	<u> </u>	_	4	—	—	4
ı					Ł				+13	8/8					+					+ 1 1/2 + 1 3/8 + 1 1/4		H						+		+ 1 3/	8	#	#	F	=	\dashv	#	#	‡
ı									1 1/8											1 1/8		Н								1 1/8		#	_	F	=	#	#	#	7
ı	X				F				+ 7/8											+ 7/8 + 3/4										+ 7/8 + 3/4		#	1	F	=	4	#	#	4
ı	X X								+ 5/8				X				_			+ 5/8 + 1/2		Н								+ 5/8 + 1/2		#		F	=	#	#	#	7
ı					X				+ 3/8			X	^	X 2	K					+ 3/8 + 1/4										+ 3/8 + 1/4		#		X	#	#	Х		#
ı				Ļ		Х			+ 1/8			X								+ 1/8		Ш								+ 1/8		士		X	Х	Х		X	•
ł				X					- 1/8	0	Х									0 - 1/8		X		X	X		X	X		- 1/8		X	X X			\pm	\pm	+	+
ŀ		H :	x x	+					- 1/4 - 3/8					+		X	X			- 1/4 - 3/8	X		Х			X				- 1/4 - 3/8		+	+	\vdash	\dashv	+	+	+	+
ı		Х							- 1/2 - 5/8						Х					- 1/2 - 5/8										- 1/2 - 5/8		4	1	\blacksquare	4	4	7	7	7
ı									- 3/4 - 7/8											- 3/4 - 7/8										- 3/4 - 7/8		#			#	#	#	#	#
ı									- 1											- 1										- 1		\pm				\pm	士	士	#
ł				+					- 1 1/ - 1 1/	/4					-			-		- 1 1/8 - 1 1/4			-					-		- 1 1/8 - 1 1/4	1	+	-	\vdash	+	+	+	+	+
									- 1 3/ - 1 1/											- 1 3/8 - 1 1/2			-							- 1 3/8 - 1 1/2		4		\blacksquare	=	7	7	Ŧ	7
	H100.1B CI	HEST-B	UST (1	OPS) 1" B	ELOW	ARMI	HOLE	POM		N	102.1A S	SLEEV		STH-T		DULDE	R(LOI	NG	POM		A1	06.2 N	ECK O	PENIN	IG-MI	NIMUN	STRE	тсн					Co	mment	to:			
				М					Size						M	,				Size						М								Col	IIIIEIII	s.			
ł				1 3/4 1/2					Spec Tol						10 1/2 +-1/2					Spec Tol						24 ·1/2													
2	A6J-RADIANT NAVY	U3I-C	RISP		RH-G HEATH				cc	DLOR		ADIANT AVY		-CRISP EACH		RH-GR				COLOR	A6J	I-RADIA NAVY	ANT	U3I-CI PEA			H-GRA ATHEI												
ı				H					+ 1 1									T		+ 1 1/2								ł											
									+13+11											+ 1 3/8 + 1 1/4																			

+ 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/8 - 1 3/8 - 1 1/2

+ 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/ + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/8 - 1/8 - 3/8 - 3/4 - 7/8 - 3/4 - 7/8 - 1 1/8 - 1 1/8 - 1 3/4 - 1 3/8 - 1 1/2

L	AI	VI.	X	37	E	N	D,	A									1	MEASURI	EMENT	SPEC	CIFICATION	CHAR	tΤ								S	ATE SIZE	- 2	21/01/2 L				_
CA's Nam VENDOR		R	ENE	HUAM TEX				OMPAN	Υ	STYLE #	SCRIPT	TION				M 52915		MFRT FR	ST MSI		T P.O. #						93612]	COL	.OR		U3	il .			_
POM Size		R1	07.1	TOTAL	. BOD	Y LEN	GTH FF	ROM HF	PS	POM Size		C106.1	NECK	WIDTH	H HPS		S SEA	AM TO SE	AM		POM Size		C10)7.1 F	RONT		C DROF	PHPS	TO SEAM	POM Size		E101	.1 ACR	oss	SHOU	DERS	-FRON	NT
Spec Tol						1/2				Spec Tol					77	7/8				1	Spec Tol					4	1/2			Size Spec Tol					8 1/4 1/2			
COLOR		RADIAI NAVY	NT	U3I-CI PEA	RISP	GR	H-GRA			COLOF		J-RADIAI NAVY	NT I	J3I-CRI PEACI	SP	GRH-	GRAY THER	,			COLOR		-RADIAN NAVY	ΝT	U3I-CR PEAC	RISP	GRH	I-GRA		COLO	.or	A6J-RADIANT NAVY	U3I-C PEA	RISP	GF	H-GRA		
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1 1/8 + 1 + 7/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 1/4 - 1 1/8 - 1 1/4 - 1 1/8 - 1 1/4 - 1 1/8 - 1 1/4	X		X	X	X	X		X		+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1	X		X	X X	X	X	XXXX	(C	NG		+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1 1/8 + 1 + 7/8 + 1/2 + 3/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 3/8 - 1/2 - 3/8 - 1/2 - 3/8 - 1/2 - 1/8 - 1/8 - 1/8 - 1/9 - 1/8 - 1/9 - 1/8 - 1/9 -	X		X	X	X	X	X		+ 1 1/2 + 1 3/8 + 1 1/4 + 1 1/8 + 1 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 3/4 - 7/8 - 3/4 - 7/8 - 1 1/4 - 1 1/8 - 1 1/2 - 1 1/8 - 1 1/4 - 1 1/8 - 1 1/8 - 1 1/2 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/2 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/2 - 1 1/8 - 1 1/8	3 4 4	X X X	X	(X	X	X	X	
POM Size	Н	100.1B	CHE	SI-BU		L	1- BELC	OW ARI	MHOLE	POM Size					SLEE	VE)					POM Size		A10	6.2 N	ECK O		L	IMUN	STRETCH				Comm	nents:				
Spec Tol						3/4 -1/2				Spec Tol					10 C +-1						Spec Tol						25 1/2			_								
COLOR		RADIAI NAVY	NT	U3I-CI PEA			H-GRA			COLOF		J-RADIAI NAVY	NT I	J3I-CRI PEACI		GRH- HEA	GRAY THER	<i>,</i>		Ш	COLOR		-RADIAN NAVY	NT	U3I-CR PEAC			I-GRA										
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1 1/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 7/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 1/8 - 1/8	x	X	X	XX X	X	X	X	X		+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 1/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/4 - 5/8 - 1/2 - 5/8 - 1/2 - 1/8 - 1 1/4 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/4 - 1 1/8 - 1 1/4 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8	X	X))	(X	X	X	XXX				+ 1 1/2 + 1 3/8 + 1 1/8 + 1 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/2 + 1/8 - 1/8 - 1/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1 - 1/2 - 5/8 - 1 - 1/2 - 1/3 - 1/2 - 1/3 - 1/2 - 1/3 - 1/	X	X	X	XXXX	X	X	X	X									

ame	AND REN	E HI	UAMA	N ALE	JOS							RIPTION	Į				M SS CN		REMENT	PCKT	I CHAI	RT									\$	ATE SIZE LOR	<u>—</u>	<u>=</u>	>	1/2022 KL J3I	<u>=</u>	<u>=</u>	<u> </u>
OR			TEX	TIL SC	OURC	ING C	OMPA	NY		STYLE	#					529	151			P.O. #						93612													
																																							۲
	R107.	1 TC	OTAL E	BODY	LENG	GTH F	ROM F	HPS		POM		C1	06.1 NE	CK WII	OTH HP	S TO F	IPS SEA	мтоз	EAM	РОМ		С	107.1 I	RONT	NEC	(DRO	P HPS TO	O SEAM		РО	M		E10)1.1 A	CROSS	SHOU	ULDER	S-FR	:0
				Х						Size						XL				Size						XL				Siz						XL		_	_
				+1	1/2 -1/2					Spec Tol						1/4 -1/2				Spec Tol						5/8 -1/4				Spe						19 1/4 +-1/2		—	-
	40104044		01.00	00	0.0		4)/					401.04	DIANT	1101	00100	0.01	1.0041/				4.0		A N.I.T.		0100	0.01	LODAY					4015					2011.01	241/	Ī
2	A6J-RADIANT NAVY		3I-CR PEAC			H-GRA				COL	OR	A6J-RA NA			CRISP ACH		H-GRAY ATHER			COLOF	A6.	J-RADI NAVY		U3I-CF PEAG			H-GRAY ATHER			С	OLOR		RADIANT AVY		I-CRISF EACH		RH-GR		l
			T	Г		Т				+ 1 1/2			\mathbf{T}		<u> </u>	Н		1 1		+ 1 1/2		Т			Т	Н			\top	+ 1	1/2		$\overline{}$	₩	Т	+	一	\dashv	ł
ı										+ 1 3/8										+ 1 3/8 + 1 1/4											3/8 1/4		+	\blacksquare		4	+-	\square	F
										1 1/8										1 1/8										1 1	/8								ţ
						Х		+	+	+ 1 + 7/8			+							+ 1 + 7/8										+ 1 + 7			-	+		+	+-	\vdash	ł
					Х		Х			+ 3/4										+ 3/4										+ 3	/4			\blacksquare		工	\perp		ļ
		Х								+ 5/8 + 1/2		Х								+ 5/8 + 1/2										+ 5. + 1.			+	+		+	+	\vdash	t
	X		Х	Х						+ 3/8 + 1/4)	X							+ 3/8 + 1/4	X	Х	Х				x x			+ 3		Х	X	Ш		\perp	(X	Х	Į
	X								+1	+ 1/4										+ 1/4 + 1/8	×	X	X			Х	XX			+ 1.		X	×	+		X	. X	X	t
	X									0					Х Х					0				V						1	0				V	\downarrow			Į
									+	- 1/8 - 1/4				Х			хх			- 1/8 - 1/4				X	X					- 1/ - 1/	4		_	Х	X	X	+	\vdash	t
										- 3/8 - 1/2						Х				- 3/8 - 1/2										- 3/ - 1/			_	\blacksquare		\perp	-		Ŧ
										- 5/8										- 5/8										- 5/	/8			\pm		\pm	\pm		t
								_	+	- 3/4 - 7/8			-							- 3/4 - 7/8										- 3/ - 7/			-	+		+	+'		ł
										- 1										- 1										- 1						工			t
								+	+	- 1 1/8 - 1 1/4										- 1 1/8 - 1 1/4											1/8 1/4		+	+		+	+-'		ł
										- 1 3/8										- 1 3/8											3/8			\blacksquare		ユ	#		Į
										- 1 1/2										- 1 1/2										- 1	1/2					ط			Ė
	H100.1B CH	HEST	T-BUS	T (TC)PS) 1	I" BEL	OW AF	RMHO	DLE	POM		N1	02.1A S	LEEVE		H-TOF	SHOUL	DER(L	ONG	POM		A1	106.2 N	ECK O	PENIN	NG-MIN	IIMUN ST	retch						Co	nments				
				Х						Size						XL				Size						XL								COI	IIIIIGIIIG				
				25	3/4					Spec Tol						11 -1/2				Spec Tol						26 -1/2													
					.,_					101						1				101						1													
2	A6J-RADIANT NAVY		3I-CR PEAC			H-GRA				COL	OR	A6J-RA NA			CRISP ACH		H-GRAY ATHER			COLOF	A6-	J-RADI NAVY		U3I-CF PEAG			H-GRAY ATHER												
į			Т					T		+ 1 1/2		T								+ 1 1/2					T														
			-					+	++	+ 1 3/8 + 1 1/4			+			\vdash	+			+ 1 3/8 + 1 1/4		+							+										
									\blacksquare	1 1/8 + 1										1 1/8 + 1																			
Ī		E	\perp							+ 7/8										+ 7/8																			
						\blacksquare				+ 3/4 + 5/8										+ 3/4 + 5/8																			
		X	\pm					\pm	+	+ 1/2										+ 1/2					\pm														
			X	Х						+ 3/8 + 1/4				Х	X		Х			+ 3/8 + 1/4				T															

0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

x x x x x x x x x x

LANDS	END
--------------	------------

MEASUREMENT SPECIFICATION CHART

DATE 21/01/2022
SIZE XXL

A	A's Nam	e:		REN	E HUA				COM	MPANY			ITEM DES	CRIPT	ION				529	M SS	SCMF	RT FR	ST MS	SH PCKT P.O. #						93	8612					COL	LOR _				U3I				
13 13 14 15 15 15 15 15 15 15	LNDOR					LATIL	300	I CHI	JOON	AINT			OI ILE#						J2:	,101				F.O.#						93	7012														
1	ОМ		ı	R107.	1 TOT	AL BO	DY LE	ENGTI	H FRC	M HPS	3		РОМ		C106	.1 NE	CK WII	OTH HF	S TO	HPS :	SEAM	TO SE	AM	POM		(C107.1	FRO	NT NE	ECK D	ROP H	PS TO) SEAM		РО	M		E10	01.1 /	ACROS	SS SH	IOULDE	RS-FI	RONT	
Part	ize											1																											_						
NAVY PECH HEATHER NAVY PECH HEATHER	ol																																1						_	_			_	_	
Martin M	COLOR												COLOR											COLO	or A										С	OLOR									
MINISTREE BORGET (TOPS) ** BEATHER *** ***PRINCE*** ***PRINCE** ***PRIN	1 1/2					T	+	T	Т								Т	\top				1										Π							Ħ	\Box	=	Ŧ	Ŧ		耳
MODI BLOREST BUST (TOPS) 1 SELOW ARRIANCE MODI BLOREST BUST (TOPS) 1 SELOW ARRIANCE MODI BLOREST BUST (TO	1 1/4												+ 1 1/4											+ 1 1/4											+ 1	1/4			#	\blacksquare	二	\pm	#	\perp	
MARTINE TOURS PELCON ANAHOLE Martine Mart	1						1		+				+ 1											+ 1											+ 1				\pm	Ħ	\equiv	#	\pm	Ħ	盽
	3/4							X	X			_	+ 3/4											+ 3/4											+ 3	/4			士	\pm		\pm	\pm	\pm	世
A								Х				-	+ 5/8 + 1/2				Х							+ 5/8 + 1/2										+	+ 5	/8 /2			1	\blacksquare		+	+		\vdash
No. 18 CHEST SUST (TOPS) SELOW ARMOLE SUST (TOPS) SUST (TOPS) SELOW ARMOLE SUST (TOPS) SUST (T	3/8												+ 3/8		V	V	_	Х						+ 3/8							V V				+ 3	/8			=	=	\equiv	#	#	=	
	1/8												+ 1/8	X	^	^								+ 1/8							^ ^					/8			士			土	ᆂ		ш
A						X :	X	+	+															_	,					Х					- 1/				X	+	\rightarrow		X	+	₩
No.18 CHEST-BUST (TOPS) 1* BELOWARMHOLE NO.18 CHEST-BUST (TOPS) 1* B	/4												- 1/4						_	Х	Х			- 1/4			Х								- 1/	4	Х	V V			X	#	1	F	
MI	/2	Х	Х	Х									- 1/2						^					- 1/2											- 1/	2		^ ^	\pm			\pm	\pm		
10												-																						+					+	+		+	+	\vdash	\vdash
10													- 7/8 - 1																							/8			\perp	\blacksquare	\blacksquare	4	1	\blacksquare	\blacksquare
MI H100.18 CHEST-BUST (TOPS) 1" BELOW ARMHOLE Mile	1/8																							- 1 1/8															士	\blacksquare	二	丰	\pm	\perp	
M H100.1B CHEST-BUST (TOPS) 1' BELOW ARMHOLE XXL												_																											士	\pm		士	\pm	\pm	世
Mile	1/2												- 1 1/2											- 1 1/2											- 1	1/2			┷						
Spec 11 1/4 Spec 127 3/4 Spec	DM	H	H100.	1B CH	HEST-E	BUST ((TOP	S) 1" E	BELOV	V ARMI	HOLE		POM		N102	.1A SI	EEVE				OULD	ER(LC	NG	РОМ		A	106.2	NEC	K OPE	NING	-MINIM	UN ST	RETCH						Co	ommer	nts:				
+1/2 COLOR ASJ-RADIANT USI-CRISP GRH-GRAY NAVY USI-CRISP GRH-GRAY PEACH HEATHER COLOR ASJ-RADIANT USI-CRISP GRH-GRAY NAVY PEACH HEATHER 11/2 11/2 11/3 13/8 1								1																																					
NAVY PEACH HEATHER 11/2																																	,												
11/2 13/8 11/4 11/4 11/4 11/4 11/4 11/4 11/4 11	OLOR						, (GRH-C	GRAY				COLOR	A6J-	-RADI	IANT			GF	RH-GF	RAY			COLO	or A			U3	I-CRIS	SP I	GRH-G	RAY													
138	1.1/2		14710			7.011		11271	TIEIX				. 1 1/2		14/14/1			7.011				-		. 1.1/2		10.00			LAOIT		TIE/(II	ILIX													
1/8	1 3/8												+ 1 3/8											+ 1 3/8																					
7/8	1/8												1 1/8											1 1/8																					
3/4						_	-	_	+			-																						+											
1/2 1/3 1/4	3/4												+ 3/4											+ 3/4																					
1/4	1/2												+ 1/2						X					+ 1/2																					
1/8						+	+	+	+										-	Х	Х																								
1/8	1/8					_							+ 1/8											+ 1/8		v v	V		V	V	V V														
1/2					X	X	X						- 1/8			X								- 1/8	,	X X	X	X	X	X	X X	X													
1/2		X	X	X	H	$-\mathbb{F}$	-		X	\blacksquare		-		X	X	\square	X	Х	H		H	\exists					\Box		\exists			+		+											
1/8	/2		Ĺ				Ť					1	- 1/2											- 1/2										\Box											
1/8	3/4											_	- 3/4											- 3/4																					
11/8 -11/8 -11/4 -1/4 -					H	Ŧ	Ŧ	F	+	$+\Box$		-	- 7/8 - 1		\vdash	\Box	\exists	F	1		H	$-\mathbb{T}$					$+$ \Box	\exists	Ŧ	$-\Gamma$		+		$+ \exists$											
13/8	1 1/8					1	_	1	1			4					4	1	1								Ш		_	4		1		\Box											
	1 1/4 1 3/8						\$									Н											\Box							\Box											