L	A	NI	D	S	E		V	D,	A												MEAS	URE	MENT	SPEC	IFICATION	CHAR	T									S	ATE _	_	_	_	15/12/ S	3	_		_	
CA's Nam VENDOR			RENE					NG C	OMP	ANY		_	STYLE #	CRIPT	ION				W 41145		X SUF	PIMA \	/NCK		T P.O. #						95	5239		]		COL	.OR			_	BL	Α.				
POM		R	107.1	тот	AL B	) YDC	LENG	TH F	ROM	HPS			РОМ		C106	.1 NE	CK WIDTH	HPS	ТО НР	S SE	AM TO	SEA	M		POM		С	107.1	FRON	IT NE	CK E	DROP HPS T	O SEAM		РОМ			ı	E101.	1 ACI	ROSS	SHOL	JLDERS	S-FRO	DNT	
Size Spec						26 +1 -1	;						Size Spec					8 +-1							Size Spec						7 1/2 +-1/-	2			Size Spec			=	$\equiv$	$\equiv$		S 5 1/4 +-1/2	$\equiv$			_
COLOR		P-DEE A NA\			I-HO PINK	т		-BLAC	CK	WHI-	-WHIT	ΓE	COLOR		P-DE A NA		HPI-HO PINK	т	BLA-E	BLACE	< W	'HI-W	HITE		COLOR		IP-DEI EA NA			-HOT INK		BLA-BLACK	WHI-WHITE	Ē	COL	.OR	04P-I SEA				-HOT INK		LA-BLA	СК	WHI-V	NHIT
+ 1 1/2 + 1 3/8 + 1 1/4										1	1		+ 1 1/2 + 1 3/8 + 1 1/4												+ 1 1/2 + 1 3/8 + 1 1/4										+ 1 1/2 + 1 3/8 + 1 1/4	3		=	#	Ŧ	Ŧ		$\exists$			Ŧ
1 1/8 + 1 + 7/8 + 3/4 + 5/8	X	X	X							X	X	X	1 1/8 + 1 + 7/8 + 3/4 + 5/8												1 1/8 + 1 + 7/8 + 3/4 + 5/8										1 1/8 + 1 + 7/8 + 3/4 + 5/8			#	#	#	#					‡
+ 1/2 + 3/8 + 1/4 + 1/8				X	X	X							+ 1/2 + 3/8 + 1/4 + 1/8	X	X	X	X	X	X :	X	X				+ 1/2 + 3/8 + 1/4 + 1/8				х	X	X	X	X	<	+ 1/2 + 3/8 + 1/4 + 1/8				<u> </u>	<u> </u>	$\pm$					<u> </u>
0 - 1/8 - 1/4 - 3/8 - 1/2							X	X	X				0 - 1/8 - 1/4 - 3/8 - 1/2									X	X		0 - 1/8 - 1/4 - 3/8 - 1/2	X	X	X				X			0 - 1/8 - 1/4 - 3/8 - 1/2		X	X	X	x :	x x	X		X	X :	X
- 5/8 - 3/4 - 7/8 - 1													- 5/8 - 3/4 - 7/8 - 1												· 5/8 · 3/4 · 7/8 · 1										- 5/8 - 3/4 - 7/8 - 1				#	#	#					‡ ‡
- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2													- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2												· 1 1/8 · 1 1/4 · 1 3/8 · 1 1/2										- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2						<u>+</u>					
РОМ	H	1100.1	в сн	EST-I	BUST	(TOI	PS) 1	BEL	OW A	ARMH	IOLE		РОМ		N102	.1A S	LEEVE LEN	NGTH SLEE		SHOU	ILDER	(LON	G		РОМ		A	106.21	NECK	OPE	NING	G-MINIMUN S	TRETCH							Com	ments:					
Size Spec Tol						20 +-1	)						Size Spec Tol					7 1/ +-1/	/2						Size Spec Tol						23 1/ +100	/2														
COLOR		P-DEE A NA\			i-Ho Pink	г	BLA	-BLAC	CK	WHI-	-WHIT	ΓE	COLOR		P-DE A NA		HPI-HO PINK	Т	BLA-E	BLACE	< W	'HI-W	HITE		COLOR		IP-DEI EA NA			-HOT INK	-	BLA-BLACK	WHI-WHITE	Ε												
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8													+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8												+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8																					
+ 1 + 7/8 + 3/4 + 5/8 + 1/2													+ 1 + 7/8 + 3/4 + 5/8 + 1/2												+ 1 + 7/8 + 3/4 + 5/8 + 1/2																					
+ 3/8 + 1/4 + 1/8 0										X			+ 3/8 + 1/4 + 1/8	X	X	X	X	X				X	X		+ 3/8 + 1/4 + 1/8 0	X	X	X	X	X	X	X X X	X X X	<												
· 1/8 · 1/4 · 3/8 · 1/2 · 5/8	X	X	X	X	X	X	X	X	X		X	X	- 1/8 - 1/4 - 3/8 - 1/2 - 5/8						X	X )	X				- 1/8 - 1/4 - 3/8 - 1/2 - 5/8																					
· 3/4 · 7/8 · 1 · 1 1/8													- 3/4 - 7/8 - 1 - 1 1/8												- 3/4 - 7/8 - 1 - 1 1/8																					
- 1 1/4 - 1 3/8 - 1 1/2								$\exists$					- 1 1/4 - 1 3/8 - 1 1/2												· 1 1/4 · 1 3/8 · 1 1/2																					

LAN	DS' ENDA
CA's Name:	RENE HUAMAN ALEJOS
VENDOR	TEXTIL SOURCING COMP

MEASUREMENT SPECIFICATION CHART

15/12/2021 DATE SIZE

A's Nam			ENIEL	- IIIAM	ANI AI	E 100					TEMPE	COLO	TION					I W/D	DI V C	LIDIM	\ \/NICI	TOURT											(	COLOF	١			Bl	LA				
NDOR			RENE H				CING C	COMP.	ANY		STYLE #		HON				41	1453	INLA S	OF IIVI/	, VINCI	P.O. #						9	5239														
OM		R1	07.1 T	OTAL	BOD	/ LEN	IGTH F	ROM	HPS		РОМ		C106	.1 NE	CK WII	OTH HE	s to	HPS:	SEAM	TO SE	AM	POM			C107.	1 FRC	NT N	ECK [	DROP HE	PS TO	SEAM		РОМ			E101.	.1 AC	ROSS	SHO	JLDER:	S-FRC	DNT	
ze						M					Size						М					Size						М				_	Size						М				
ec I						5/8 -1/2					Spec						3 1/4 1/2					Spec						7 5/ +-1/					Spec Tol						15 7/8 +-1/2				
					+1	- 1/2					Tol					-	1/2					Tol						+-1/	4				TOI			$\overline{}$			+-1/2				
OLOR		P-DEEI A NAV		HPI-F PIN		BL	A-BLA	CK	WHI-	WHITE	COLOR		4P-DE EA NA			-HOT INK	BL	A-BL/	ACK	WHI-	WHITE	COI	LOR		DEEP NAVY		PI-HO PINK		BLA-BL/	ACK	WHI-WHIT	E	COLOR		4P-DEE			I-HOT PINK	В	LA-BLA	CK	WHI	WHITE
1/2		T		T	Т				Т	T	+ 1 1/2		Т		Т	Т						+ 1 1/2		T									+ 1 1/2			$\equiv$	$\equiv$	工				I	T
3/8 1/4					-				-		+ 1 3/8 + 1 1/4		-									+ 1 3/8		-									+ 1 3/8 + 1 1/4		+	_	+	+	-				+
8											1 1/8											1 1/8											1 1/8 + 1		$\blacksquare$		4	#					
/8											+ 1 + 7/8											+ 1 + 7/8											+ 7/8		$\pm$		$\pm$	$\pm$					
4 8											+ 3/4 + 5/8				-							+ 3/4 + 5/8						_					+ 3/4 + 5/8		$\vdash$		$\dashv$	4					
2		Х							Х		+ 1/2				Х	х х						+ 1/2											+ 1/2			Х	士	士					
'8 '4	Х		X							X X	+ 3/8 + 1/4	X	X	Х		-		X	X		>	+ 3/8 + 1/4										_	+ 3/8 + 1/4	X	X	-	Х	X	X				
/8								Χ			+ 1/8						Χ					+ 1/8											+ 1/8			二	<b>コ</b>	二				_	Х
0 8						X	X	-			0 - 1/8					_				X	X	- 1/8	0	Х	X X	Х	Х	Х	X X	Х	XX	X	0 - 1/8		-	$\rightarrow$	+	+	+	X		Х	)
4				Х	X						- 1/4											- 1/4											- 1/4			ightharpoonup	#	$\pm$	Х		Χ		
/8 /2			,	X							- 3/8 - 1/2						1					- 3/8 - 1/2						-					- 3/8 - 1/2		+		-	_	-				
8 4											- 5/8 - 3/4											- 5/8 - 3/4											- 5/8 - 3/4		$\blacksquare$	$\dashv$	4	$\perp$					
/8											- 7/8											- 7/8											- 7/8		+		士	$\pm$					
1/8			-		-						- 1 - 1 1/8					_	+					- 1 - 1 1/8						-			$\vdash$		- 1 - 1 1/8		+	$\rightarrow$	+	+	-	+		-	
1/4											- 1 1/4											- 1 1/4											- 1 1/4			ightharpoonup		工					
3/8 1/2											- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2				$\pm$	$\pm$					
М	Н	100.1E	3 CHES	ST-BU	ST (T	OPS)	1" BEL	LOW A	ARMH	OLE	POM		N102	.1A SI	.EEVE	LENG	TH-TC	P SH	OULD	ER(LC	NG	POM			A106.2	NEC	K OPE	ENING	G-MINIMU	JN ST	RETCH						0						
е						M					Size					JLI	M					Size						М									Com	ments	;				
ec						1/4					Spec Tol						7 3/4 1/2					Spec Tol						23 1 +100															
					-	1/2					101					-	1/2					101						+100	J-U														
OLOR		P-DEEI		HPI-F PIN		BL	A-BLA	ск	WHI-	WHITE	COLOR		4P-DE EA NA			-HOT INK	BL	A-BLA	ACK	WHI-	WHITE	COI	LOR		DEEP NAVY		PI-HO <sup>*</sup> PINK		BLA-BL/	ACK	WHI-WHIT	E											
1/2 3/8		Ŧ		1							+ 1 1/2 + 1 3/8		1		Ŧ	Ŧ						+ 1 1/2		Ŧ																			
1 1/4								_			+ 1 1/4											+ 1 1/4																					
/8 		+					$\vdash$	$\dashv$	+		1 1/8 + 1			$\vdash$	+		1		$\vdash$			1 1/8 + 1		+	+							$\dashv$											
7/8 8/4											+ 7/8 + 3/4											+ 7/8 + 3/4																					
5/8											+ 5/8											+ 5/8																					
1/2 3/8											+ 1/2 + 3/8											+ 1/2 + 3/8																					
1/4											+ 1/4											+ 1/4																					
1/8 0							Х	X			+ 1/8 0		X	Х	Х	_				V	X >	+ 1/8		Y	X X	V	V	V	v v	V	X X	<b>Y</b>											
/8						Х					- 1/8	X				Х				^	Α ,	- 1/8	Ĭ	^	X X				X		XX												
/4 8/8	-	+	X	Х	X	<u> </u>	$\vdash$	$\dashv$	Х	X	- 1/4 - 3/8		+	H		Х	X	Х	X	-		- 1/4 - 3/8		+	+			-			$\vdash$	_											
/2	Х			X						X	- 1/2						Ĺ					- 1/2																					
/8 /4		+	+	+	-	1	$\vdash$	$\dashv$	+		- 5/8 - 3/4		-	$\vdash$	+		1					- 5/8 - 3/4		+				-				$\dashv$											
/8											- 7/8 - 1											- 7/8																					
1/8		_		$\pm$	$\pm$				$\pm$		- 1 1/8		$\pm$		_							- 1 - 1 1/8			$\pm$																		
1/4 3/8		4						4	1		- 1 1/4 - 1 3/8				1							- 1 1/4 - 1 3/8		1				1				4											
1 1/2			1	+	+	<del>                                     </del>		f	_	+	- 1 1/2		1			+	1					- 1 1/2						t				1											

L	4	11	DS	57	Ξ	N	D	A	8								М	EASURE	MEN <sup>-</sup>	Γ SPECIFICAT	TION CH	ART											DATE		_		15/12	2/202 <sup>.</sup> L	1			
CA's Name VENDOR				HUAM	AN AL	EJOS				-	STYLE #	CRIPTIO	N			WR 411453	RLX	SUPIMA	VNC	CTSHRT P.O. #						g	95239				]	C	COLOR	·			Ві	iLA				
POM Size		R1	107.1 7	ΓΟΤΑL	BODY	/ LENG	GTH F	ROM	I HPS		POM Size	C1	06.1 NE	CK WIDTH	HPS T		SEAM	I TO SE	AM	POM Size			C107.	1 FRO	N TNC	IECK L		HPS TO	) SEAM			POM Size			E101	1.1 AC	ROSS	S SHC	DULDE	RS-FR	ONT	
Spec Tol						1/4 -1/2					Spec Tol				8 1/2 +-1/2			1		Spec Tol						7 7 +-1						Spec Tol		_	_	_		16 5/ +-1/2			ı	_
COLOR		-DEEI		HPI-H PIN		BLA	\-BLA	СК	WHI-V	VHITE	COLOR	04P- SEA	DEEP	HPI-HO PINK	Т	BLA-BL/	ACK	WHI-V	WHITE	COL	.OR	04P-E SEA N			PI-HO PINK		BLA-	BLACK	WHI-V	WHITE		COLOR		04P-DE			I-HOT PINK		BLA-BI	_ACK	WHI-	WHITE
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8											+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8									+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8												+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8	E				$\equiv$					Ŧ
+ 1 + 7/8 + 3/4 + 5/8 + 1/2	X		X						X	X X	+ 1 + 7/8 + 3/4 + 5/8 + 1/2	X								+ 1 + 7/8 + 3/4 + 5/8 + 1/2												+ 1 + 7/8 + 3/4 + 5/8 + 1/2		X			#		x x			
+ 3/8 + 1/4 + 1/8 0				X	X						+ 3/8 + 1/4 + 1/8		X X	X	Х	X	X		X >	+ 3/8 + 1/4 + 1/8		X	( X	X	X	X	X	X X	X	X X		+ 3/8 + 1/4 + 1/8 0	X		X	Х	x :	Х		X	X	X >
- 1/8 - 1/4 - 3/8 - 1/2 - 5/8						X	X	X			- 1/8 - 1/4 - 3/8 - 1/2 - 5/8									- 1/8 - 1/4 - 3/8 - 1/2 - 5/8												- 1/8 - 1/4 - 3/8 - 1/2 - 5/8		<u>+</u>			#					#
- 3/4 - 7/8 - 1 - 1 1/8											- 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4									- 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4												- 3/4 - 7/8 - 1 - 1 1/8					#					
- 1 1/4 - 1 3/8 - 1 1/2											- 1 1/4 - 1 3/8 - 1 1/2		20.44.0		IOT.	TOD 011				- 1 1/4 - 1 3/8 - 1 1/2												- 1 1/4 - 1 3/8 - 1 1/2	E									
POM Size	H	100.1E	3 CHE	ST-BU		OPS) 1	1" BEL	_OW /	ARMH	DLE	POM Size	N1	02.1A S	LEEVE LEN	NGTH- SLEE\ L	VE)	HOULI	DER(LO	NG	POM Size			A106.2	2 NEC	KOP	ENING		MUN ST	RETCH							Com	ments	S:				
Spec Tol						23 ·1/2					Spec Tol				8 +-1/:					Spec Tol						23 · +10																
COLOR		-DEEI		HPI-H PIN		BLA	A-BLA	СК	WHI-V	VHITE	COLOR	04P- SEA	DEEP NAVY	HPI-HO PINK	т	BLA-BL/	ACK	WHI-V	WHITE			04P-E SEA N			PI-HO PINK		BLA-	BLACK	WHI-\	WHITE												
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1											+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1									+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1																						
+ 7/8 + 3/4 + 5/8 + 1/2 + 3/8				X							+ 7/8 + 3/4 + 5/8 + 1/2 + 3/8				X	X X	X			+ 7/8 + 3/4 + 5/8 + 1/2 + 3/8																						
+ 1/4 + 1/8 0 - 1/8	X		X	X	X				X	X	+ 1/4 + 1/8 0 - 1/8	Х	X	X X		^ ^	^			+ 1/4 + 1/8 - 1/8		X	X X	X	Х	Х	Х	X X	X	X X												
- 1/4 - 3/8 - 1/2 - 5/8 - 3/4		X				Х	Х	X			- 1/4 - 3/8 - 1/2 - 5/8 - 3/4							X	X	- 1/4 - 3/8 - 1/2 - 5/8 - 3/4																						

- 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

	W	DS	3	E	N	D	A											MEASUF	REMENT	SPE	ECIFICATION (	CHAR	Т									S	SIZE	<u> </u>	_	15	XL		<u> </u>	<u> </u>	-
Name DOR	:	RENE		MAN A			COM	IPANY	,	_	STYLE #	RIPTIC	N			V 4114		X SUPIN	A VNCK	(TSF	HRT P.O. #					9523	9					COL	LOR				BLA				-
		R107.1	тот	L BOI	Y LE	NGTH	FRO	M HP	S		POM	С	106.1 NE	CK WI	ртн н	PS TO H	PS SE	AM TO S	EAM		РОМ		C1	07.1 F	RONT NEC	K DRO	OP HPS T	O SEA	AM		РОМ			E1	101.1	ACRC	oss s	HOUL	DERS-I	FRONT	Г
;					XL 7 5/8						Size Spec					XL 8 5/8				7	Size Spec					XL 8					Size Spec				_	_		XL 17			
				+	1 -1/2						Tol					+-1/2		1		1	Tol					1/4					Tol			_	$\equiv$	_	+-	-1/2	_	$\overline{-}$	_
LOR	04P-DE SEA NA			-HOT NK	В	LA-BL	ACK	WH	II-WHIT	≣	COLOR		-DEEP NAVY		I-HOT INK	BLA-	BLAC	( WHI	-WHITE	:	COLOR		IP-DEE EA NAV		HPI-HOT PINK	BL	A-BLACK	WI	HI-WH	ITE	COL	OR		P-DEEP A NAVY		HPI-HC PINK		BLA	A-BLACI	( WI	HI-WI
/2 3/8	$\equiv$		1		Ė		E	E			+ 1 1/2 + 1 3/8	П	$\perp$	H							+ 1 1/2 + 1 3/8		Н								+ 1 1/2	8		$\equiv$	Ŧ	E	E		Ŧ	Ŧ	Ε
/4											+ 1 1/4 1 1/8									1	+ 1 1/4 1 1/8										+ 1 1/4 1 1/8				ᆂ	丰		Ш	$\pm$	土	上
			X	X						_	+ 1 + 7/8									1	+ 1 + 7/8										+ 1 + 7/8			_	$\pm$	士		$\Box$	$\pm$	$\pm$	$\pm$
		X	+	)		+	$\vdash$			-	+ 3/4 + 5/8				-	++	-				+ 3/4 + 5/8					-		-			+ 3/4 + 5/8			+	+	$+\!-$	<del>                                     </del>	$\vdash$	+	+	+
	X	~				X	_		.,	1	+ 1/2										+ 1/2										+ 1/2				$\pm$	#	F	Х			丰
	X				X		X	X	X	K	+ 3/8 + 1/4							X	ХХ		+ 3/8 + 1/4										+ 3/8 + 1/4				士	$\pm$	Ħ	Н	X	-	士
			4			+	-			-	+ 1/8	Х	X	Y	+	+				-	+ 1/8	Y	X		X X X			X	X	X	+ 1/8			+	X	+	X	$\blacksquare$	$\rightarrow$	+	+
											- 1/8	^									- 1/8				X X		X				- 1/8					X	_	$\Box$	_	士	=
		$\vdash$	+	-	+	+	$\vdash$			-	- 1/4 - 3/8	-			X X		X )	(			- 1/4 - 3/8				+	Х	X	+			- 1/4 - 3/8			X X	+	+	<del>                                     </del>	$\vdash$	+	X	X
			1							1	- 1/2					Х					- 1/2										- 1/2		Х	=	士	$\perp$			#	$\pm$	丰
			$\dashv$	_	+	+	+			1	- 5/8 - 3/4				+	+					- 5/8 - 3/4				+++			+			- 5/8 - 3/4			+	+	+	$\vdash$	+	+	+	+
			4							4	- 7/8 - 1										- 7/8										- 7/8 - 1				1	1			=		Ŧ
										1	- 1 1/8										- 1 1/8										- 1 1/8				$\pm$	$\pm$	$\vdash$	$\Box$	士	$\pm$	$\pm$
			_		-					4	- 1 1/4 - 1 3/8										- 1 1/4 - 1 3/8										- 1 1/4 - 1 3/8					1	<u> </u>		$\rightarrow$	1	$\vdash$
										1	- 1 1/2										- 1 1/2										- 1 1/2									士	$\pm$
	H100.	1B CHE	ST-E	UST (	TOPS	) 1" BE	ELOW	/ ARM	IHOLE		POM	N	102.1A S	LEEVE		TH-TOP .EEVE)	SHOU	LDER(L	ONG		POM		A10	06.2 NE	ECK OPEN	NG-M	NIMUN S	TRET	СН							Comme					
					XL					1	Size					XL					Size					XL									C	Ullille	IIIS.				
					24 1/2					4	Spec Tol					8 1/8 +-1/2				1	Spec Tol					3 1/2 100-0				_[											
LOR	04P-DE	ΈΡ	HPI	-нот		LA-BL			II-WHIT		COLOR	04P	-DEEP	HPI	I-HOT		BLAC		-WHITE		COLOR	04	IP-DEE	P	HPI-HOT		A-BLACK		HI-WH												

POM	Н	100.1	в сн	EST-	BUS	т (то	PS) 1	1" BEI	LOW	ARMI	HOLE		POM		N102	.1A S	LEEV		NGTI SLEI		P SH	DULE	ER(L	.ONG		POM		Α	106.2	NEC	K OP	ENIN	G-MI	NIMU	N ST	RETC	Н	
Size						X	L						Size						Х	ίL						Size						Х						
Spec						24	4						Spec						8 '	1/8						Spec						23	1/2					
Tol						+-1	/2						Tol						+-	1/2						Spec Tol						+10	0-0					
COLOR		P-DEE			PI-HC PINK		BLA	A-BLA	CK	WHI	-WHIT	E	COLOR		P-DE A NA			PI-HC PINK		BL	A-BL <i>F</i>	CK	WH	II-WH	IITE	COLOR		P-DE A NA			PI-HC PINK		BLA	A-BLA	CK	WH	II-WH	TE
+ 1 1/2													+ 1 1/2													+ 1 1/2						Ш						
+ 1 3/8													+ 1 3/8													+ 1 3/8												
+ 1 1/4												_	+ 1 1/4			_	ш			<u> </u>	-					+ 1 1/4		_										
1 1/8	_			_						_	_	_	1 1/8		<u> </u>	_	ш									1 1/8		<u> </u>										
+ 1												_	+ 1		-											+ 1		-										
+ 7/8 + 3/4	-+			$\dashv$							-	-	+ 7/8 + 3/4		├	-	$\vdash$	-		-	-					+ 7/8 + 3/4		-									$\vdash$	
+ 3/4	$\rightarrow$	$\rightarrow$		-+						$\dashv$	-	-	+ 3/4	-	-	-				-	-					+ 3/4 + 5/8		-		$\vdash$							$\vdash$	
+ 1/2	-			-								_	+ 1/2	X	<u> </u>	Х			Х		Х		Х	Х	Х	+ 1/2												
+ 1/2	-	Х		-			Х			х	Х	-	+ 3/8	_^	Х	<del>  ^</del>	Х	Х	^	Х		Х	^	^	^	+ 1/2												
+ 1/4	_	^	Х	_		-	^	Х	Х	^		X	+ 1/4		<del>  ^</del>	$\vdash$		<u> </u>		_^	<del>                                     </del>					+ 1/4												
+ 1/8	_		*	-		Х			- ^				+ 1/8													+ 1/8												
	Х			Х	Χ	^							0													0	X	Х	Х	Х	Χ	Х	Х	Х	Х	Х	Х	X
- 1/8		_									_	_	- 1/8													- 1/8					- `							
- 1/4	_										_		- 1/4								<u> </u>					- 1/4												
- 3/8				$\neg$									- 3/8													- 3/8												
- 1/2													- 1/2													- 1/2												
- 5/8													- 5/8													- 5/8												
- 3/4													- 3/4													- 3/4												
- 7/8													- 7/8													- 7/8												
- 1													- 1													- 1												
- 1 1/8													- 1 1/8													- 1 1/8												
- 1 1/4													- 1 1/4													- 1 1/4												
- 1 3/8													- 1 3/8													- 1 3/8												
- 1 1/2													- 1 1/2													- 1 1/2												