L	AN	D	S	Ξ	N	D,	A			MEASUREMENT SPECIFICATION CHART														DATE 16/08/2021 SIZE 1X													
A's Nam ENDOR		LOUF	RDES PA				OMPANY	,	STYLE #	IDESCRIPTION WXR ES SUPIMA SCOOP NK   LE # 520668   P.O. # 85280															COLOR				A6J								
OM	R107.1 TOTAL BODY LENGTH FROM HPS								РОМ	C106.1 NECK WIDTH HPS TO HPS SEAM TO SEAM POM C107.1 FRONT NECK DROP HPS TO SEAM								М		РОМ		E	101.1	ACRO	RONT												
е					1X				Size				1X				Size						1X 7					Size					17		_		_
ec I		28 +1 -1/2							Spec 10 Tol +1/2 -1/2							Spec Tol					+	1/4 -1/4					Spec Tol					+1/2		_			
OLOR	A6J-RA NA	DIANT /Y							COLOR	A6J-I	RADIAN' NAVY	т					COLO	R A	6J-RADI NAVY	IANT								COLOF	R A6J-	-RADIA NAVY	NT						
1/2 3/8		П	$\mp$	I					+ 1 1/2 + 1 3/8		$\blacksquare$		$\Box$				+ 1 1/2 + 1 3/8											+ 1 1/2 + 1 3/8				$\blacksquare$		$\equiv$	Ε		Ē
1/4 8							+		+ 1 1/4 1 1/8								+ 1 1/4 1 1/8										$\dashv$	+ 1 1/4 1 1/8				+	$\vdash$	+	+	$\dashv$	$\vdash$
8	XX	X							+ 1 + 7/8								+ 1 + 7/8											+ 1 + 7/8				H		#	$\vdash$	H	F
4 B									+ 3/4 + 5/8								+ 3/4 + 5/8											+ 3/4				$\blacksquare$	$\Box$	4	1	$\blacksquare$	
2									+ 1/2								+ 1/2											+ 5/8 + 1/2 + 3/8 + 1/4				$\pm$		丰	$\pm$	$\Box$	
/8 /4									+ 3/8 + 1/4								+ 3/8 + 1/4											+ 3/8 + 1/4	X	X	X			$\pm$	士	$\boxminus$	
8 0									+ 1/8	X							+ 1/8	Н	X X	Х								+ 1/8				+			+	H	H
1									- 1/8 - 1/4		X X						- 1/8 - 1/4							$\perp$				- 1/8 - 1/4				$\blacksquare$	$\Box$	#	干	$\Box$	F
									- 3/8		X X						- 3/8											- 3/8				$\pm \Box$		丰	士	$\Box$	
									- 1/2 - 5/8								- 1/2 - 5/8											- 1/2 - 5/8 - 3/4				$\pm$		土	$\pm$	oxdot	
		-							- 3/4 - 7/8				+				- 3/4 - 7/8										-	- 3/4 - 7/8				+	$\vdash$	+	+	$\vdash$	$\vdash$
/8		1							- 1 - 1 1/8				44				- 1 - 1 1/8											- 1 - 1 1/8				$\blacksquare$		4	1	$\Box$	F
/4									- 1 1/4								- 1 1/4											- 1 1/4				世		丰			
/8 /2									- 1 3/8 - 1 1/2								- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2				$\pm$		$\pm$	$\pm$	oxdot	
1	H10	0.1B CH	IEST-BU	JST (TO	OPS)	1" BEL	OW ARM	IHOLE	РОМ	1	N102.1A	SLEEVE L	ENGTH-		HOUL	DER(LONG	РОМ		A	106.2 N	NECK (	OPEN	IING-MINI	MUN S	TRETO	СН					c	Commer	nts:				
•					1X				Size				1X				Size						1X										ito.				
C					3/4 2 -1/2				Spec Tol				11 1/ +1/2 -				Spec Tol		24 +100 -				-100 -0														
DLOR	A6J-RA NA	DIANT /Y							COLOR		RADIAN' NAVY	т					COLO	R F	6J-RADI NAVY																		
1/2				Τ		П			+ 1 1/2 + 1 3/8						Τ		+ 1 1/2																				
3/8 1/4									+ 1 1/4								+ 1 3/8 + 1 1/4																				
8									1 1/8 + 1								1 1/8 + 1										-										
8									+ 7/8 + 3/4				++				+ 7/8 + 3/4																				
4 8 2									+ 5/8 + 1/2								+ 5/8 + 1/2																				
/8									+ 3/8								+ 3/8																				
/4 /8				-	-				+ 1/4 + 1/8		X X		+				+ 1/4 + 1/8						+				-										
0 8	Х								0 - 1/8	X							0 - 1/8		ХХ	Х																	
4	×	X							- 1/4								- 1/4					$\pm$		$\pm$													
3 2		$\pm \pm$		$\pm$	$\vdash$	igspace			- 3/8 - 1/2 - 5/8						$\perp$		- 3/8 - 1/2	1							1		_										
2 8 4		$\blacksquare$				H			- 5/8 - 3/4								- 5/8 - 3/4																				
8									- 7/8								- 7/8					1		1													
1/8									- 1 - 1 1/8								- 1 - 1 1/8																				
1/4 3/8		+	-	-	-	$\vdash$			- 1 1/4 - 1 3/8								- 1 1/4 - 1 3/8					+		+	$\vdash$		$\dashv$										
1/2				_	1				- 1 1/2						1	1 1 1	- 1 1/2								1		_										

L	A	NI	D:	5'	Ε	N	D,											MEA	SUREN	IENT S	PECIFICATIO	N CHA	RT									S	IZE			/08/20 2X		<u> </u>		•
CA's Nan VENDOR		L	LOUR	DES PA				OMPANY		ITEM DE STYLE #	EM DESCRIPTION WXR ES SUPIMA SCOOP NK   TYLE # 520668 P.O. # 85280															COL	OK		A	6J-BL	4									
РОМ		R	107.1	TOTAL	. BOD	Y LEN	GTH FF	ROM HPS	3	POM	C106.1 NECK WIDTH HPS TO HPS SEAM TO SEAM POM						С	FRONT	NECI	K DRO	P HPS	TO SEAM		POM		E1	101.1	ACRO	SS SH	HOULE	DERS-F	RONT								
Size Spec						2X 5/8				Size Spec						2X 0 1/4					Size Spec						2X 1/8				Size Spec					17				
Tol						-1/2				Tol						/2 -1/2					Tol						4 -1/4				Tol					+1/2				
COLOR		-RADIA NAVY		BLA-BI	LACK					COLOF		J-RADI NAVY		BLA-BLACK							COLOR	A6	J-RADI NAVY		BLA-BI	_ACK					COLO	OR A	A6J-RADIAN NAVY	IT B	BLA-BLA	ACK				
+ 1 1/2 + 1 3/8					F		Н			+ 1 1/2 + 1 3/8				$\mp$							+ 1 1/2 + 1 3/8		Н								+ 1 1/2 + 1 3/8				E		$\equiv$	$\mp$		$\blacksquare$
+ 1 1/4 1 1/8										+ 1 1/4 1 1/8											+ 1 1/4 1 1/8										+ 1 1/4 1 1/8						$\pm$	+		
+ 1 + 7/8	X	X	X							+ 1 + 7/8		$\vdash$		+				+			+ 1 + 7/8					+	$\vdash$				+ 1 + 7/8			+			+	+		
+ 3/4 + 5/8				Х	X					+ 3/4 + 5/8											+ 3/4 + 5/8										+ 3/4 + 5/8						4	4		
+ 1/2										+ 1/2								1			+ 1/2										+ 1/2 + 3/8						#	丰		
+ 3/8 + 1/4										+ 3/8 + 1/4											+ 3/8 + 1/4										+ 1/4		X >	(			士			
+ 1/8 0										+ 1/8											+ 1/8	X	X	X	X X	. X					+ 1/8		X	>	( X	X	$\dashv$	+		
- 1/8 - 1/4										- 1/8 - 1/4		Х	X	X	Х						- 1/8 - 1/4										- 1/8 - 1/4						4	=		
- 3/8										- 3/8 - 1/2	X										- 3/8 - 1/2										- 3/8 - 1/2						#	丰		
- 1/2 - 5/8										- 5/8											- 5/8										- 5/8						$\pm$			
- 3/4 - 7/8					-		$\vdash$			- 3/4 - 7/8		+		-							- 3/4 - 7/8					+					- 3/4 - 7/8		+	+			+	+		$\vdash$
- 1 - 1 1/8					-					- 1 - 1 1/8											- 1 - 1 1/8										- 1 - 1 1/8			$\perp$			4	4		
- 1 1/4										- 1 1/4											- 1 1/4										- 1 1/4						#	丰		
- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2						士	$\pm$		
POM	H	1100.11	в сн	EST-BU	IST (T	OPS)	1" BELO	OW ARM	HOLE	POM		N102	.1A SL	EEVE	LENG	TH-TC	P SHO	JLDE	R(LON	3	POM		A1	106.2	NECK C	PENI	NG-MIN	IIMUN	STRETCH						Comme	-4				
Size						2X				Size						2X					Size						2X								Jomme	nts:				
Spec Tol						3/4 2 -1/2				Spec Tol	11 5/8 Spec +1/2 -1/2 Tol												24 +100 -0																	
COLOR		-RADIA NAVY		BLA-BI	LACK					COLOR		J-RADI NAVY		BLA-E	BLACK						COLOR	A6	J-RADI NAVY		BLA-BI	_ACK														
+ 1 1/2					Т		П			+ 1 1/2		Τ		T	T		П				+ 1 1/2		T			T		_												
+ 1 3/8 + 1 1/4			_							+ 1 3/8 + 1 1/4				_							+ 1 3/8 + 1 1/4							4												
1 1/8										1 1/8											1 1/8																			
+ 1 + 7/8										+ 1 + 7/8								+			+ 1 + 7/8																			
+ 3/4 + 5/8										+ 3/4 + 5/8											+ 3/4 + 5/8																			
+ 1/2										+ 1/2 + 3/8								#			+ 1/2																			
+ 3/8 + 1/4										+ 1/4		X									+ 3/8 + 1/4																			
+ 1/8 0										+ 1/8	X		Х	X	X X						+ 1/8	X	X	X	X X	X														
- 1/8 - 1/4		Х	v	ХХ	X		П			- 1/8 - 1/4				1				1			- 1/8 - 1/4																			
- 3/8	X	^	^	^ ^	1					- 3/8				1				1			- 3/8						Ш	1												
- 1/2 - 5/8				$\pm$	╘	L		$\pm$		- 1/2 - 5/8			Ⅎ			Ŀ		1			- 1/2 - 5/8 - 3/4					╘														
- 3/4 - 7/8			干	$-\mathbb{F}$	-		$\vdash \top$			- 3/4 - 7/8		$+\Box$	$\dashv$	Ŧ				Ŧ		$\Box$	- 3/4 - 7/8		$+\Box$			+	$\Box$	$\dashv$		-										
- 1 - 1 1/8			_	1						- 1 - 1 1/8		H	1	1		1					- 1 - 1 1/8						H	_												
- 1 1/4										- 1 1/4								1			- 1 1/4																			
- 1 3/8 - 1 1/2						1				- 1 3/8 - 1 1/2		+			_	-		-			- 1 3/8 - 1 1/2		+				+													

	LANDS' ENDA										MEASUREMENT SPECIFICATION CHART														DATE 16/08/2021 SIZE 3X									<u>-</u>							
CA's Nam VENDOR	e:			DES P	ARRA	DON				-	ITEM DES STYLE #	M DESCRIPTION																COL	OR			A6J	<u> </u>			-					
РОМ		R1	107.1	TOTAL	BOD	Y LEN	IGTH F	ROM	HPS		РОМ	C	106.1 N	IECK V	VIDTH I	HPS TO	O HPS	SEAN	и то ѕе	AM	POM		C10	07.1 F	RONT	NECI	K DRO	OP HP	S TO	SEAM		РОМ			E101.	1 ACR	OSS 5	SHOUL	DERS-F	FRONT	Г
Size Spec Tol				3X 29 1/4 +1 -1/2							Size Spec Tol					3X 10 3/4 +1/2 -1/					Size Spec Tol					7	3X 1/2 /4 -1/4					Size Spec Tol			<u> </u>	<u> </u>	18	3X 8 1/2 /2 -1/2	<u> </u>		
COLOR	A6J-	RADIA NAVY	ADIANT VY							COLOR	A6J-F	RADIAN IAVY	DIANT								A6J	A6J-RADIANT NAVY								COLOR A6J-RADIANT NAVY											
+ 1 1/2 + 1 3/8					T						+ 1 1/2 + 1 3/8		+								+ 1 1/2 + 1 3/8					T						+ 1 1/2 + 1 3/8			=	$\mp$	Ŧ	+	$\mp$		Ŧ
+ 1 1/4 1 1/8 + 1	X										+ 1 1/4 1 1/8 + 1										+ 1 1/4 1 1/8 + 1											+ 1 1/4 1 1/8 + 1					Ŧ				
+ 7/8 + 3/4 + 5/8		Х	X								+ 7/8 + 3/4 + 5/8										+ 7/8 + 3/4 + 5/8											+ 7/8 + 3/4 + 5/8			=	=	$\pm$		$\mp$		
+ 1/2 + 3/8 + 1/4											+ 1/2 + 3/8 + 1/4										+ 1/2 + 3/8 + 1/4											+ 1/2 + 3/8 + 1/4			-	=	$\mp$	$\exists$	$\mp$		$\blacksquare$
+ 1/8 0 - 1/8											+ 1/8 0 - 1/8		ХХ								+ 1/8 0 - 1/8	X	Х	Х								+ 1/8 0 - 1/8		X	Х		ŧ				
- 1/4 - 3/8 - 1/2											- 1/4 - 3/8 - 1/2	X									- 1/4 - 3/8 - 1/2											- 1/4 - 3/8 - 1/2				$\pm$	Ŧ	$\exists$	$\mp$		$\mp$
- 5/8 - 3/4 - 7/8											- 5/8 - 3/4 - 7/8										- 5/8 - 3/4 - 7/8											- 5/8 - 3/4 - 7/8			#	#	Ŧ	$\exists$	$\mp$		$\mp$
- 1 - 1 1/8 - 1 1/4											- 1 - 1 1/8 - 1 1/4										- 1 - 1 1/8 - 1 1/4											- 1 - 1 1/8 - 1 1/4			#	#	丰	$\exists$	#		
- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2					Ξ				
POM Size	Н	100.1E	B CHE	EST-BU		OPS)	1" BEL	_OW A	ARMHOL	.E	POM	١	N102.1A SLEEVE LENGTH-TOP SHOULDER(LONG SLEEVE) 3X										A106.2 NECK OPENING-MINIMUN STRETCH												Comm	ients:					
Spec Tol					30	3/4 2 -1/2					Size Spec Tol					11 7/8 +1/2 -1/					Size Spec Tol		3X 24 +100 -0																		
COLOR		RADIA NAVY	NT		+1/.	2-1/2					COLOR		RADIAN IAVY	Т		1/2-1/					COLOR		I-RADIAI NAVY	NT		71	00-0														
+ 1 1/2 + 1 3/8 + 1 1/4											+ 1 1/2 + 1 3/8 + 1 1/4		Ŧ						H		+ 1 1/2 + 1 3/8 + 1 1/4																				
1 1/8 + 1											1 1/8										1 1/8 + 1										4										
+ 7/8 + 3/4 + 5/8											+ 7/8 + 3/4 + 5/8										+ 7/8 + 3/4 + 5/8																				
+ 1/2 + 3/8 + 1/4											+ 1/2 + 3/8 + 1/4										+ 1/2 + 3/8 + 1/4																				
+ 1/8 0	X										+ 1/8	X	ХХ								+ 1/8 0	Х	X	X																	
- 1/8 - 1/4 - 3/8		X	X		Ė	Ė					- 1/8 - 1/4 - 3/8										- 1/8 - 1/4 - 3/8																				
- 1/2 - 5/8 - 3/4			1								- 1/2 - 5/8 - 3/4										- 1/2 - 5/8 - 3/4																				

- 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

- 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2