LANDS' ENDÂ  CAS Name: VENDOR  RENNE HUAMAN ALEJOS TEXTIL SOURCING COMPANY											MEASUREMENT SPECIFICATION CHART  TEM DESCRIPTION  WXR LS RLXD SUPIMA VNCK T														DATE 17/08/2021 SIZE 1X COLOR BLA-A6J-WHI												
CA's Nam VENDOR		RE	ENNE					OMPAI	NY	-	ITEM DES STYLE #	CRIPTIO	ON		420		S RL)	KD SUF	PIMA VI		O. #					4	120291				-						
POM		R10	7.1 TC	OTAL E			STH F	ROM H	HPS		POM	C	106.1 N	ECK WIDTH HI	PS TO F	HPS SE	AM T	O SEAI	И	PO		C107.1 FRONT NECK DROP HPS TO SEAM							PC			E1	01.1 AC		HOULI	DERS-FR	ONT
Size Spec					2						Size Spec				3/4					Siz Sp	ec	8 +1/4 -1/4								ec							
Tol					+1 -	-1/2					Tol			+1	/2 -1/2					Tol	I					+1/4	-1/4		То	l				+1/2	2 -1/2		
COLOR	BLA-	BLACK	( A6.	J-RAD NAV	IANT Y	WHI	I-WHI	TE			COLOR	BLA	-BLACK	A6J-RADIAN NAVY	T WH	I-WHIT	E				COLOR	BLA	-BLAC	K A6	J-RAD NAV	IANT Y	WHI-WHITE			COLOR	BLA	-BLACK	A6J-R	ADIANT AVY	WHI	-WHITE	
+ 1 1/2 + 1 3/8 + 1 1/4											+ 1 1/2 + 1 3/8 + 1 1/4									+ 1	1/2   3/8   1/4								+ 1	1 1/2 1 3/8 1 1/4							
1 1/8 + 1	X	X X	( X							H	1 1/8 + 1									1 1 + 1	/8								1 1 + 1	1/8 1							
+ 7/8 + 3/4				X	X					Ħ	+ 7/8 + 3/4									+ 7	7/8								+ 7	7/8 3/4							
+ 5/8											+ 5/8									+ 5	5/8								+ 5	5/8							
+ 1/2 + 3/8							Х	Х			+ 1/2 + 3/8										3/8								+ 3	1/2 3/8							
+ 1/4 + 1/8						Х					+ 1/4 + 1/8			X			-				1/4 1/8									1/4 1/8							
0 - 1/8											0 - 1/8			X						- 1/	0/8	Χ	X	X	X	Х	X X X		- 1	0 /8	Х	Х		Х			
- 1/4 - 3/8											- 1/4 - 3/8	X	ХХ		Х	X	_			- 1/ - 3/	/4								- 1 - 3	/4			Х		Х	ХХ	
- 1/2											- 1/2					Α .	^			- 1/	/2								- 1	/2					^		
- 5/8 - 3/4				+							- 5/8 - 3/4									- 5/ - 3/	/4								- 3	/8 /4							
- 7/8 - 1											- 7/8 - 1									- 7/ - 1	/8								- 7 - 1	/8							
- 1 1/8											- 1 1/8 - 1 1/4									- 1	1/8								- 1	1/8							
- 1 1/4 - 1 3/8											- 1 3/8									- 1	1/4 3/8								- 1	1/4 3/8							
- 1 1/2										Ш	- 1 1/2									- 1	1/2								- 1	1/2							
POM	H1	00.1B	CHES	T-BUS	ST (TC	)PS) 1	" BEL	OW AF	RMHOL	.E	POM	N	1102.1A	SLEEVE LENG SL	TH-TOF EEVE)	SHOU	JLDEF	R(LON	9	PO	M		A10	6.2 NE	CK OF	PENIN	G-MINIMUN ST	TRETCH					Com	ments:			
Size					1.						Size					Siz		1X 24											Com	ments.							
Spec Tol					24 +1/2						Spec Tol			+3	24 /4 -1/2					Sp.							24 10 -0										
COLOR	BLA-	BLACK	( A6.	J-RAD NAV`		WHI	I-WHI	TE			COLOR	BLA	-BLACK	A6J-RADIAN NAVY	T WH	I-WHIT	E				COLOR	BLA	-BLAC	K A6	J-RAD NAV	IANT Y	WHI-WHITE										
+ 1 1/2				T			-		_	$\dashv$	+ 1 1/2		-				+	T		+ 1	1/2		Т	+													
+ 1 3/8										Ħ	+ 1 3/8									+ 1	3/8			#													
+ 1 1/4 1 1/8										Н	+ 1 1/4 1 1/8									1 1	1/4 /8			#													
+ 1 + 7/8			$\pm$		L		_+			Н	+ 1 + 7/8										7/8																
+ 3/4 + 5/8											+ 3/4 + 5/8									+ 3	3/4 5/8																
+ 1/2							_			Ħ	+ 1/2			Х						+ 1	1/2 3/8			1													
+ 3/8 + 1/4											+ 3/8 + 1/4			X X						+ 1	/4																
+ 1/8 0											+ 1/8 0									+ 1	0	X	Х	XX	X	X	XXX										
- 1/8 - 1/4										П	- 1/8 - 1/4									- 1/ - 1/	/8																
- 3/8	Х	×									- 3/8				Х		Х			- 3/	/8																
- 1/2 - 5/8		X	X	X	Х	Х	X	Х		$\forall$	- 1/2 - 5/8	X	ХХ		+	X	-		$\vdash$	- 5/	/2 /8		+	+													
- 3/4 - 7/8		$\perp$	$\perp$				_	-		Н	- 3/4 - 7/8					-	-			- 3/ - 7/	/4		$\perp$	+													
- 1							#			Ħ	- 1 - 1 1/8									- 1			#	1													
- 1 1/8 - 1 1/4										Ш	- 1 1/4									- 1	1/4																
- 1 3/8 - 1 1/2				+						H	- 1 3/8 - 1 1/2				+		-				3/8 1/2																

LANDS' ENDA												MEASUREMENT SPECIFICATION CHART																ZE			17/08/2021 2X						
CA's Nam VENDOR	ie:			E HUAI	MAN A	LEJO	S	COMPA	NY	_	ITEM DES	CRIPTIC	N		WX 420291	R LS	RLXD SI	JPIMA '	/NCK T P.C	D. #					42	0291			COLO	DR			BLA-A	.6J			
POM		R	107.1 <sup>-</sup>	ΓΟΤΑL			GTH F	FROM H	HPS		POM	C	106.1 NE	ECK WIDTH HP		SEAM	M TO SE	AM	PO			C10	7.1 FR	ONT N		DROP HPS T	O SEAM	POM			E10	1.1 AC			DERS-FR	RONT	
Size Spec					28	2X 5/8					Size Spec				2X 9				Siz Spe	ec					2X 8 1/	8		Size Spec					17	2X 7 1/2			_
Tol			1		+1	-1/2					Tol			+1/	2 -1/2				Tol				1		+1/4 -	1/4		Tol					+1/.	2 -1/2		Т	
COLOR	BLA	A-BLAC	CK A	6J-RAI NA\							COLOR	BLA-	BLACK	A6J-RADIANT NAVY					(	COLOR	BLA	-BLACI	κ <sup>A6</sup>	J-RADI NAVY				COLO	OR I	BLA-BL	.ACK		ADIANT AVY				
+ 1 1/2 + 1 3/8 + 1 1/4											+ 1 1/2 + 1 3/8 + 1 1/4								+ 1	1/2 3/8 1/4								+ 1 1/2 + 1 3/8 + 1 1/4						$\blacksquare$	=		Ŧ
1 1/8 + 1											1 1/8 + 1									/8								1 1/8 + 1						Ħ	$\mp$	$\vdash$	1
+ 7/8 + 3/4				x x	X						+ 7/8 + 3/4								+ 7	7/8								+ 7/8 + 3/4						Ħ	#	#	7
+ 5/8 + 1/2				A A							+ 5/8 + 1/2								+ 5	5/8								+ 5/8 + 1/2						Ħ	#	Ħ	#
+ 1/2 + 3/8 + 1/4	X	Х	Х								+ 1/2 + 3/8 + 1/4								+ 3	3/8								+ 3/8 + 1/4						Ħ	$\pm$	井	#
+ 1/8											+ 1/8									/8								+ 1/8						世			$\pm$
0 - 1/8											0 - 1/8			X X X					- 1/	0/8	X	X :	X X	X	Х			- 1/8		X X	X	X	X	$\pm$	$\pm$		+
- 1/4 - 3/8											- 1/4 - 3/8	X	X X						- 1/ - 3/									- 1/4 - 3/8					X	$\vdash$	-	$\vdash$	+
- 1/2 - 5/8			-								- 1/2 - 5/8								- 1/ - 5/	/2		4	-					- 1/2 - 5/8						$\blacksquare$	#	$\blacksquare$	7
- 3/4 - 7/8											- 3/4 - 7/8								- 3/ - 7/	/4								- 3/4 - 7/8						Ħ	丰	Ħ	#
- 1											- 1								- 1									- 1						丗	$\pm$	$\perp \!\!\!\!\perp$	$\pm$
- 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4								- 1	1/8 1/4								- 1 1/8 - 1 1/4						世	士	世	$\pm$
- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2									3/8 1/2								- 1 3/8 - 1 1/2						++	+	++	+
POM	Н	1100.1	в сне	ST-BU	JST (T	OPS)	1" BEI	LOW AF	RMHOL	.E	РОМ	N	102.1A S	SLEEVE LENGT	H-TOP SH	HOUL	DER(LOI	NG	PO	DΜ		A10	6.2 NE	CK OP	ENING	-MINIMUN S	TRETCH					Com	ments:				
Size						2X					Size				2X				Siz						2X							Com	nents.				
Spec Tol						3/4					Spec Tol				1 1/8 4 -1/2				Spe Tol						+100												
COLOR	BLA	A-BLAC	ck A	6J-RAI							COLOR	BLA-	BLACK	A6J-RADIANT NAVY						COLOR	BLA	-BLACI	κ A6.	J-RADI NAVY	ANT												
/ .				14/3	v .									10/(01					╵┕					14/14/1													
+ 1 1/2 + 1 3/8											+ 1 1/2 + 1 3/8								+ 1	1/2 3/8																	
+ 1 1/4 1 1/8											+ 1 1/4 1 1/8									1/4 /8																	
+ 1 + 7/8											+ 1 + 7/8								+1+7			-															
+ 3/4 + 5/8											+ 3/4 + 5/8								+ 3	3/4 5/8																	
+ 1/2	X	Х	Х								+ 1/2 + 3/8			X					+ 1	/2																	
+ 3/8 + 1/4											+ 1/4			X					+ 3 + 1	/4																	
+ 1/8 0											+ 1/8 0								+ 1	/8 0	Х	X	X X	X	Х												
- 1/8 - 1/4											- 1/8 - 1/4	Х	ХХ						- 1/ - 1/																		
- 3/8 - 1/2				X X	X						- 3/8 - 1/2								- 3/ - 1/	/8																	
- 5/8				^							- 5/8								- 5/	/8																	
- 3/4 - 7/8										$\Box$	- 3/4 - 7/8								- 3/ - 7/	/4 /8					_												
- 1 - 1 1/8			$=$ $\vdash$							oxdot	- 1 - 1 1/8						Н		- 1 - 1	1/8																	
- 1 1/4 - 1 3/8										$\blacksquare$	- 1 1/4 - 1 3/8								- 1	1/4 3/8																	
- 1 1/2											- 1 1/2									1/2																	

LANDS' ENDA											MEASUREMENT SPECIFICATION CHART															DATE 17/08/2021 SIZE 3X COLOR BLA-A6J-WHI										
A's Nam ENDOR	9:	RE	NNE HU T	IAMAN EXTIL S			COMP	ANY	-	STYLE #	RLXD S	UPIMA	P.O. # 420291									00	_			JLA-AU	J-VVI II									
POM	R107.1 TOTAL BODY LENGTH FROM HPS						РОМ	POM C106.1 NECK WIDTH HPS TO HPS SEAM TO SEAM POM C107.1 FRONT NECK DROP HPS TO SEAM									PO	М		E10	)1.1 AC	ROSS	SHOUL	.DERS-F	RONT											
ize					ЗХ					Size					X				Size						ВX		Size						ЗХ			_
pec ol					9 1/4					Spec Tol					1/4 ! -1/2				Spec Tol					8 : +1/4	3/8 I -1/4		Spec	ec					18 /2 -1/2			_
COLOR	BLA-	BLACK		ADIAN AVY	T w	HI-WI	HITE			COLOR	BL	.A-BLAC		ADIANT AVY	WHI-V	VHITE			COLOR	BL	A-BLAC	K A	6J-RAD NAV		WHI-WHITE	<b>:</b>	C	OLOR	BLA-E	BLACK		ADIANT AVY	WH	II-WHITE		
1 1/2						T			T	+ 1 1/2									+ 1 1/2			+					+ 1	1/2								7
1 3/8 1 1/4			+	-			1 1			+ 1 3/8 + 1 1/4			++						+ 1 3/8 + 1 1/4								+ 1	3/8 1/4								+
1/8 1			X				+			1 1/8 + 1									1 1/8 + 1								1 1/									7
7/8										+ 7/8									+ 7/8								+ 7/	/8								1
3/4 5/8			+	X X			+			+ 3/4 + 5/8									+ 3/4 + 5/8								+ 3/									+
1/2 3/8	Х	ХХ			X					+ 1/2 + 3/8									+ 1/2 + 3/8								+ 1/									_
1/4					^		Х			+ 1/4			Х	ХХ					+ 1/4								+ 1/	/4								_
1/8 0				-						+ 1/8									+ 1/8	X	X	X	x x	X	X X X		+ 1/	/8 0								-
1/8			$\Box$							- 1/8		Х			V .	, v			- 1/8								- 1/	8	X :	Х		V V				I
1/4 3/8							1 1			- 1/4 - 3/8	X	)			X )	X			- 1/4 - 3/8	-							- 1/- - 3/-	8			X	X X		XX		+
1/2 5/8			$\blacksquare$	-	-		$\blacksquare$			- 1/2 - 5/8			+			-			- 1/2 - 5/8			_					- 1/2 - 5/2	2					Х			4
3/4										- 3/4									- 3/4								- 3/-	4								
7/8 1		-	+	+			+			- 7/8 - 1			+			-	1		- 7/8 - 1			-					- 7/ - 1				H	-				$\dashv$
1 1/8										- 1 1/8									- 1 1/8									1/8								コ
1 1/4 1 3/8										- 1 1/4 - 1 3/8									- 1 1/4 - 1 3/8								- 1	1/4 3/8								_
1 1/2										- 1 1/2									- 1 1/2								- 1	1/2								
OM	H1	00.1B C	HEST-E	BUST (1	TOPS)	) 1" BE	ELOW A	ARMHO	LE	РОМ		N102.1A SLEEVE LENGTH-TOP SHOULDER(LONG SLEEVE)  POM A106.2 NECK OPENING-MINIMUN STRETCH															Com	ments:								
ze					ЗХ					Size	3X Size										3X 24															
oec ol					8 3/4 /2 -1/2	2				Spec Tol				24 +3/4					Spec Tol						24 00 -0		1									
COLOR	BLA-	BLACK		ADIAN	T w	HI-WI	HITE			COLOR	BL	-A-BLAC		ADIANT	WHI-V	VHITE			COLOR	BL	A-BLAC	K A	6J-RAD		WHI-WHITE	:										
			N	AVY									N.	AVY									NAV	Y												
1 1/2 1 3/8	$\vdash$	+	++	+	+	+	++		+	+ 1 1/2 + 1 3/8			++	+		+	++	+	+ 1 1/2 + 1 3/8		$\vdash$	-		1		+ + +	$\dashv$									
1 1/4 1/8			$\Box$						+	+ 1 1/4 1 1/8			$\Box$						+ 1 1/4 1 1/8								1									
										+ 1									+ 1																	
7/8 3/4			+	$\perp$			+			+ 7/8 + 3/4			+						+ 7/8 + 3/4								-									
5/8										+ 5/8									+ 5/8																	
1/2 3/8			+	-			-			+ 1/2 + 3/8			X	X X					+ 1/2 + 3/8								-									
1/4	Х	ХХ								+ 1/4									+ 1/4								1									
1/8 0										+ 1/8									+ 1/8 0	X	Х	X	X X	X	X X X		-									
1/8	П				T	Г	П			- 1/8		V .							- 1/8			1		Г			7									
1/4 3/8	$oxed{oldsymbol{eta}}$		$\pm \pm$							- 1/4 - 3/8	X	X			X	X			- 1/4 - 3/8								1									
1/2 5/8			Х	Х	X	Х	Х			- 1/2 - 5/8					)	(			- 1/2 - 5/8								7									
3/4			$\Box$							- 3/4									- 3/4								1									
7/8 1	$\vdash$	$\perp$	+	-		-	+		+1	- 7/8 - 1			+	+			++		- 7/8 - 1		H					+	-									
1 1/8			$\Box$							- 1 1/8									- 1 1/8								1									
1 1/4 1 3/8	$\vdash$	+	++	+		+	++		+	- 1 1/4 - 1 3/8			++			-	++		- 1 1/4 - 1 3/8			+		1		+++	1									
1 1/2						1				- 1 1/2									- 1 1/2						1											