L	AND	S	Ε	N	D	A								MEA	ASUREMENT	SPECIFICATION	CHART	г									DATE	_		20/08/ S	3	_		-
CA's Nam /ENDOR	LOU	IRDES F				OMPAN'	′	ITEM DES	CRIPTIC	N		47	WP L:	S SUI	PIMA CREW	P.O. #					{	35464]	OLOR			ZT	U			
РОМ	R107	.1 TOTA	L BOD	Y LEN	GTH F	ROM HP	S	РОМ	С	106.1 NE	CK WIDTH	HPS TO	HPS S	SEAM '	TO SEAM	POM		C10	7.1 FR	ONT N	IECK	DROP H	PS TO	SEAM		РОМ		E10	1.1 AC	ROSS	SHOULE	DERS-F	RONT	
ize				S				Size				S				Size					5					Size					S			
pec ol				4 1/2 1 -1/2				Spec Tol				8 +1/2 -1/2	2			Spec Tol					+1/4					Spec Tol					5 1/4 /2 -1/2			
COLOR	ZTU-RICH RED							COLOR		I-RICH RED						COLOR		U-RICH RED	1			·				COLOR	ZTU-F							
1 1/2 1 3/8		П						+ 1 1/2 + 1 3/8		Ŧ						+ 1 1/2 + 1 3/8									Ŧ	+ 1 1/2 + 1 3/8		Ŧ			廿	Ŧ		П
1 1/4 1/8								+ 1 1/4 1 1/8								+ 1 1/4 1 1/8										+ 1 1/4 1 1/8		1			\blacksquare	#		П
1								+ 1								+ 1										+ 1		士			$\pm \pm$	士		
7/8 3/4				+				+ 7/8 + 3/4						-		+ 7/8 + 3/4			+							+ 7/8 + 3/4		+		+	++	+	-	H
3/4 5/8 1/2								+ 5/8 + 1/2								+ 5/8 + 1/2										+ 3/4 + 5/8 + 1/2		1			1	#		
3/8								+ 3/8								+ 3/8										+ 3/8 + 1/4		士						
1/4 1/8	X X							+ 1/4 + 1/8		ХХ						+ 1/4 + 1/8	X	X :	X							+ 1/4 + 1/8	X	X			++	+		\vdash
0	Х							0	Х							0										0		丰			#	#		
1/8 1/4 3/8 1/2 5/8								- 1/8 - 1/4								- 1/8 - 1/4										- 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4		\pm			$\pm \pm$	\pm		
/8								- 3/8 - 1/2								- 3/8 - 1/2										- 3/8		—			++	_		
/8								- 1/2 - 5/8								- 5/8										- 5/8		土			##	丰		
3/4 7/8								- 3/4 - 7/8								- 3/4 - 7/8			-							- 3/4 - 7/8		+			++	+		H
l l 1/8								- 1 - 1 1/8								- 1 - 1 1/8										- 1 - 1 1/8		_			1	1		
1 1/4								- 1 1/4								- 1 1/4										- 1 1/4		\pm			$\pm \pm$			
1 3/8 1 1/2				+				- 1 3/8 - 1 1/2						1		- 1 3/8 - 1 1/2			+							- 1 3/8 - 1 1/2		+		+	++	+		\vdash
ОМ	H100.1B C	HEST-B	UST (T	OPS)	1" BEL	OW ARI	IHOLE	РОМ	N	102.1A S	SLEEVE LEN	GTH-TC		DULDE	ER(LONG	POM		A10	6.2 NE	CK OPI	ENIN	G-MINIMU	JN ST	RETCH	1				Com	ments:				
ize				S				Size				S	,			Size					5								Com	ments:				
oec ol				20 /2 -1/2				Spec Tol				23 +3/4 -1/2)			Spec Tol					23 +10													
OI .			Ŧ1/	2-1/2				101				10/4 - 1/2	-			101					+10	0-0												
COLOR	ZTU-RICH RED							COLOR		I-RICH RED						COLOR		U-RICH RED																
1 1/2 1 3/8								+ 1 1/2 + 1 3/8								+ 1 1/2 + 1 3/8																		
1 1/4								+ 1 1/4								+ 1 1/4																		
1/8 1								1 1/8 + 1		-						1 1/8 + 1																		
7/8 3/4								+ 7/8 + 3/4								+ 7/8 + 3/4																		
5/8 1/2								+ 5/8								+ 5/8																		
1/2 3/8			-	-				+ 1/2 + 3/8				-		_		+ 1/2 + 3/8			-															
1/4								+ 1/4	Х	x x						+ 1/4																		
1/8 0	X							+ 1/8		XX						+ 1/8 0	X	X	X															
1/8 1/4	X X							- 1/8 - 1/4								- 1/8 - 1/4										1								
3/8	X X							- 3/8								- 3/8																		
1/2 5/8		$+ \top$		+	\Box		$\vdash \vdash \vdash$	- 1/2 - 5/8	\Box		H = I		H	\dashv		- 1/2 - 5/8		$-\mathbb{F}$		$+ \blacksquare$				$\vdash \mathbb{F}$										
5/8 3/4								- 3/4								- 5/8 - 3/4																		
7/8 1		$\vdash\vdash$	+	+	\vdash			- 7/8 - 1	+	-	+++	+	+	\dashv		- 7/8 - 1		+	+	+				\vdash										
1 1/8 1 1/4				1				- 1 1/8 - 1 1/4						-		- 1 1/8 - 1 1/4																		
1 3/8								- 1 3/8								- 1 3/8										1								
1 1/2		1 1	- 1	1	1 1	1	1 1 1	- 1 1/2	- 1	- 1	1 1 1	- 1	1 1		1 1	- 1 1/2		- 1	- 1	1 1	i	1	1	1	- 1									

CA'S Name: VENDOR LOURDES PARRA DONAYRE TEXTIL SOURCING COMPANY										_	ITEM DESC	CRIPTIO	ON				WI 476511	PLSS		REMENT		IFICATION C	CHAR	Т		Q.F	5464			7		DATE SIZE OLOR		_		s/2021 М ГU		<u>_</u>	<u>-</u>	
POM Size Spec Tol	ZTI	R1 U-RICI RED			_ BOD\ 25						POM Size Spec Tol	ZTI	J-RICH		WIDTH	M 8 1/4 +1/2 -	4	S SEA	мто	SEAM	F	POM Size Spec Tol COLOR		C107.	1 FRC		ROP HPS	S TO SEA	AM		POM Size Spec Tol	Z	E10: TU-RICH RED	1.1 AC		M 15 7/8 1/2 -1/2	JLDERS	-FRON	NT	
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 1/2 + 3/8 + 1/2 + 3/8 - 1/4 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8	X	X	X								+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1/4 + 1 1/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/8 - 1/8 - 1/8 - 3/8 - 1/2 - 1/8 -	X	X	XX							4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1/4 + 1/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 1 1/8 3 3/8 1 1/2 5 5/8 3 3/4 7 7/8 1 1 1/8 1 1 1/4 1 1 3/8	X	X X							+ 1 1/2 + 1 3/8 + 1 1/4 1 1 1/8 + 1 1 1/8 + 1 1/8 + 1 1/8 + 1/2 + 3/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/8 - 1/8 - 3/8 - 1/2 - 1/8 - 1/8	x	XXX							
- 1 1/2 POM Size Spec Tol	M H100.1B CHEST-BUST (TOPS) 1* BELOW ARMHOLE M 21 1/4									POM Size Spec Tol	ZTI	J-RICH		EVE LE	NGTH- SLEE\ M 23 1, +3/4 -	/E) /4	HOUL	DER(L	ONG	F	POM Size Spec Fol	Z	ΓU-RICH	2 NEC	M 23 1/		STRET	СН		- 1 1/2			Con	nments						
COLOR + 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1/4 + 7/8 + 5/8 + 1/2 + 3/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/8 - 1/4 - 7/8 - 1 1/4 - 7/8 - 1 - 1 1/4 - 1 3/8 - 1 1/4 - 1 3/8 - 1 1/4		RED	X								COLOR +1 1/2 +1 3/8 +1 1/4 11/8 +1 1/4 +1/8 +1/8 +1/8 +1/2 +3/8 +1/8 -1/8 -1/8 -1/8 -1/8 -1/8 -1/8 -1/8 -	X	RED	X							4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	COLOR +1 1/2 +1 3/8 +1 1/4 1/8 +1 1/4 +1/8 +5/8 +1/2 +3/8 +1/4 +1/8 0 1/8 11/8 11/4 13/8 11/1 13/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8 1 11/8	X	RED																

L	AND	S	Ξ	N	D,	A								ME	ASUREMENT	SPECIFICATION	CHART										DATE		2	20/08/2 L		_		
CA's Name VENDOR	LOU	IRDES P. TE				OMPANY	, '	STYLE #	CRIPTIO	ON		47	WP L 6518	S SU	PIMA CREW	P.O. #					854	64				С	OLOR			ZTL				
РОМ	R107	.1 TOTAL	BODY	LENG	GTH FI	ROM HPS	3	POM	C	106.1 NE	ECK WIDTH	HPS TO	HPS S	SEAM	TO SEAM	POM		C107.	1 FRC	ONT NE	CK DF	OP HPS	TO S	EAM		POM		E101.	1 ACR	oss s	SHOULDE	ERS-FF	RONT	
Size Spec				L 3/4				Size Spec				L 8 1/2				Size Spec					L 4 3/8					Size Spec					L 5 5/8			
Tol .				-1/2				Tol				+1/2 -1/2	2			Tol				+	+1/4 -1/	4				Tol					2 -1/2	_		
COLOR	ZTU-RICH RED							COLOR		J-RICH RED						COLOR	ZTU-									COLOR	ZTU-RI							
+ 1 1/2 + 1 3/8			Ε					+ 1 1/2 + 1 3/8					Н			+ 1 1/2 + 1 3/8		H								+ 1 1/2 + 1 3/8						Ξ		\equiv
1 1/4 1/8								+ 1 1/4 1 1/8								+ 1 1/4 1 1/8										+ 1 1/4 1 1/8					\vdash	+	Н	+
1 7/8								+ 1 + 7/8								+ 1 + 7/8										+ 1 + 7/8					\blacksquare	\blacksquare		\blacksquare
3/4 5/8								+ 3/4 + 5/8								+ 3/4 + 5/8										+ 3/4 + 5/8					#	#		1
1/2								+ 1/2								+ 1/2										+ 1/2						\pm		#
3/8 1/4	X							+ 3/8 + 1/4								+ 3/8 + 1/4										+ 3/8 + 1/4					世	士		\dashv
1/8 0	X X							+ 1/8		ХХ						+ 1/8 0	X	(X								+ 1/8					\vdash	+		\dashv
1/8 1/4					\blacksquare			- 1/8 - 1/4	X							- 1/8 - 1/4											Х				盽	丰	Ħ	\dashv
3/8								- 3/8	^							- 3/8										- 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4	X	Х				士		\Rightarrow
1/2 5/8								- 1/2 - 5/8								- 1/2 - 5/8					-					- 1/2 - 5/8					++	+		+
3/4 7/8			+		-			- 3/4 - 7/8								- 3/4 - 7/8		+					-			- 3/4 - 7/8				+	\vdash	\mp	\vdash	\dashv
1 1 1/8								- 1 - 1 1/8								- 1 - 1 1/8										- 1 - 1 1/8					\blacksquare	1		_
1 1/4								- 1 1/4								- 1 1/4										- 1 1/4					世	\pm		
1 3/8 1 1/2								- 1 3/8 - 1 1/2								- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2					世	\pm		_
ОМ	H100.1B C	HEST-BL	JST (TC	OPS) 1	1" BEL	OW ARM	HOLE	РОМ	١	1102.1A S	SLEEVE LEN	NGTH-TO		DULD	ER(LONG	РОМ		A106.2	2 NEC	K OPE	NING-N	MINIMUN	STRE	ETCH					Comm	ents:				
ize			ا 2	-				Size				L 23 5/8				Size					L 23 1/2													
pec ol				2 -1/2				Spec Tol				+3/4 -1/2	2			Spec Tol					+100 -(
COLOR	ZTU-RICH RED							COLOR		J-RICH RED						COLOR	ZTU-																	
1 1/2 1 3/8		Н						+ 1 1/2 + 1 3/8		\mp			Н			+ 1 1/2 + 1 3/8	H	Ŧ				Н			\blacksquare									
1 1/4								+ 1 1/4		\perp						+ 1 1/4 1 1/8							1											
-1								+ 1								+ 1																		
7/8								+ 7/8 + 3/4								+ 7/8 + 3/4																		
5/8								+ 5/8 + 1/2								+ 5/8 + 1/2																		
- 3/8								+ 3/8								+ 3/8																		
- 1/4 - 1/8								+ 1/4 + 1/8								+ 1/4 + 1/8																		
0 1/8								0 - 1/8	X	Х						0 - 1/8	X	(X																
1/4 3/8	X X							- 1/4								- 1/4 - 3/8					-		1		\blacksquare									
1/2	Х							- 3/8 - 1/2								- 1/2																		
1/2 5/8 3/4								- 5/8 - 3/4								- 5/8 - 3/4					╅													
7/8 1					H			- 7/8 - 1		-			H	\exists		- 7/8 - 1		+	H		\blacksquare		\mp	\blacksquare	$+\Box$									
1 1/8 1 1/4								- 1 1/8 - 1 1/4								- 1 1/8 - 1 1/4																		
1 3/8								- 1 1/4 - 1 3/8 - 1 1/2								- 1 3/8 - 1 1/2																		
1 1/2		i 1	- 1		1	1	1 1		_	1				- 1	1 1		_	- 1		i I		1 1	1	1										

CA's Nam	AND	S' I					ITEM DES	CRIPTIC	N.		WP LS	MEASURE		PECIFICATION	CHAR	Т								\$	ATESIZELOR	<u> </u>	20	0/08/20 XL ZTU		<u>_</u>	<u> </u>	
POM Size Spec Tol COLOR		TEXT		ENGTH B	FROM H		POM Size Spec Tol COLOR	ZTU	-RICH			EAM TO SEA	AM	P.O. # POM Size Spec Tol COLOR		C10				2	STO	SEAM	PO Siz Spp Tol	e ec	ZTU-RIC RED	СН	ACRC	X 1: +1/2	7	₹S-FR	ONT	
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1 1/4 + 1 + 7/8 + 1 1/2 + 3/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 - 1/8 - 1/8	X X X						+1 1/2 +1 3/8 +1 1/4 11/8 +1 +1 +7/8 +3/4 +5/8 +1/2 +3/8 +1/4 -1/8 -1/4 -3/8 -1/2 -5/8 -3/4 -7/8 -1 1 1/8 -1 1/8 -	X	X					+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 1 + 7/8 + 3/4 + 5/8 + 1/4 + 1/8 0 - 1/8 - 1/8 - 3/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/	X	x	X						+ 1	/8 /4 /4 /8 /2 /8 0 8 8 4 4 8 2 8 8 1 1/8 11/8	X	X						
- 1 1/2 POM Size Spec Tol	H100.1B C	HEST-BUS	ST (TOP: XL 24 +1/2 -1		LOW AR	MHOLE	- 1 1/2 POM Size Spec Tol	N	102.1A S	 GTH-TO SLEEVE) XL 23 3/4 +3/4 -1/2		ULDER(LON	lG	POM Size Spec Tol		A106	6.2 NE	CK OPE	XL 23 1 +100	/2	N STF	RETCH	- 1	1/2			Comme	ents:				
COLOR + 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 1 - 1/8 - 1/4 - 1/8 - 1/4 - 1/8	ZTU-RICH RED						COLOR +1 1/2 +1 3/8 +1 1/4 11/8 +1 1/4 +7/8 +3/4 +5/8 +1/2 +3/8 +1/4 +1/8 0 -1/8 -1/4 -3/8 -1/2 -5/8 -3/4 -7/8 -1 -1 1/8 -1 1/4 -1 3/8 -1 1/4 -1 3/8 -1 1/4 -1 3/8 -1 1/4 -1 1/8 -1 1/4 -1 1/8 -1 1/4 -1 1/8 -1 1/4 -1 1/8 -1 1/4 -1 1/8 -1 1/4 -1 1/8 -1 1/4 -1 1/4 -1 1/4 -1 1/2	ZTUU R	-RICH IED					COLOR + 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1/4 1 1/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/8 - 1/4 - 3/8 - 3/4 - 7/8 - 1 - 1 1/8	X	X 3	XX															