L	A	NI	D:	57	Ε	N	D	A	_							N	MEASUR	REMEN	IT SPE	ECIFICATION	CHAR	Т							DATE	_		10)/03/20 L	22			
CA's Nam VENDOR	ie:			DES P	ARRA XTIL S	DONA	YRE				ITEM DES	CRIPTIO	ON		A280		SUPIMA	PCKT	POLC	P.O. #					9	5306		<u> </u>	COLOF				O31			_	
POM		R	R107.1	TOTA	L BOD	Y LEN	GTH F	ROM	1 HPS		РОМ	C	106.1 N	ECK WIDTH HI	PS TO H	S SEA	M TO S	EAM		POM		C10)7.1 F	RONT N	NECK	DROP HPS T	O SEAM	POM			E101.1	ACRO	SS SH	HOULD	ERS-FR	RONT	
Size Spec						L 32					Size Spec				L 7 3/8					Size Spec					4 3			Size Spec					19				
Tol						-1/2					Tol				-1/2					Tol			-		+-1		5101	Tol					+-1				
COLOR		31-TE/ HADO	AL	CAN LIG			4-LIGI BLUE DIANO		BKY BLACKE Y	BERR	COLOR		1-TEAL ADOW	586-GOLDEI CANDLE LIGHT	BI	LIGHT .UE ANCE	BLAC	KY- KBER Y	łR	COLOR		31-TEAL HADOW	-	B6-GOL CANDI LIGH	LE	JQ4-LIGHT BLUE RADIANCE	BKY- BLACKBERR Y	COLO		31-TEA SHADO\	٩L	36-GOL CAND LIGH	LE	BL	LIGHT LUE ANCE	BLACE	KY- KBER Y
+ 1 1/2 + 1 3/8 + 1 1/4				\perp						\perp	+ 1 1/2 + 1 3/8 + 1 1/4									+ 1 1/2 + 1 3/8 + 1 1/4	E		Ŧ					+ 1 1/2 + 1 3/8 + 1 1/4									Ŧ
1 1/8 + 1											1 1/8									1 1/8								1 1/8 + 1			1					H	#
+ 7/8 + 3/4											+ 7/8 + 3/4									+ 7/8 + 3/4			-					+ 7/8 + 3/4									7
+ 5/8 + 1/2						X					+ 5/8 + 1/2									+ 5/8 + 1/2								+ 5/8 + 1/2								Н	+
+ 3/8 + 1/4	X	X	X		(X		Х	Х	X	X	+ 3/8 + 1/4	Х	ХХ			X		X	X	+ 3/8 + 1/4		Х	V			X X		+ 3/8 + 1/4	×	Х	Х			X	X	X	X
+ 1/8 0											+ 1/8			XX						+ 1/8	X		X	X	_	X	XX	+ 1/8									
- 1/8 - 1/4											- 1/8 - 1/4									- 1/8 - 1/4			Ť	X				- 1/8 - 1/4)	X	X				#
- 3/8 - 1/2 - 5/8											- 3/8 - 1/2 - 5/8									- 3/8 - 1/2 - 5/8			t					- 3/8 - 1/2 - 5/8									#
- 3/4 - 7/8											- 3/4 - 7/8									- 3/4 - 7/8								- 3/4 - 7/8									#
- 7/6 - 1 - 1 1/8											- 1/8 - 1 1/8									- 1/8 - 1 1/8								- 1/8 - 1 - 1 1/8									#
- 1 1/8 - 1 1/4 - 1 3/8											- 1 1/8 - 1 1/4 - 1 3/8									- 1 1/8 - 1 1/4 - 1 3/8								- 1 1/4 - 1 3/8									#
- 1 1/2											- 1 1/2									- 1 1/2								- 1 1/2									
РОМ	H	1100.1	ІВ СНЕ	ST-BL	JST (T	OPS)	1" BEL	LOW A	ARMHO	LE	РОМ	١	N102.1A	SLEEVE LENG SL	TH-TOP EEVE)	SHOUL	DER(LC	ONG		РОМ		A10	6.2 N	ECK OP	ENING	G-MINIMUN S	TRETCH				(Comme	ents:				
Size Spec						L 24					Size Spec				L 1 3/8					Size Spec					L 24												
Tol						-1/2					Tol				-1/2					Tol					+100												
COLOR		31-TE/ HADO	AL	586-GC CAN LIG			4-LIGH BLUE DIANG		BKY BLACKE Y	BERR	COLOR		1-TEAL ADOW	586-GOLDEI CANDLE LIGHT	BI	LIGHT .UE ANCE	BLAC	BKY- CKBER Y	R.	COLOR		31-TEAL HADOW	-	B6-GOL CANDI LIGH	LE	JQ4-LIGHT BLUE RADIANCE	BKY- BLACKBERR Y										
+ 1 1/2 + 1 3/8											+ 1 1/2 + 1 3/8				H	\blacksquare	H			+ 1 1/2 + 1 3/8				+													
+ 1 1/4 1 1/8											+ 1 1/4 1 1/8								-	+ 1 1/4 1 1/8																	
+ 1 + 7/8											+ 1 + 7/8									+ 1 + 7/8																	
+ 3/4 + 5/8				-	\perp						+ 3/4 + 5/8									+ 3/4 + 5/8			-														
+ 1/2 + 3/8											+ 1/2 + 3/8				Н					+ 1/2 + 3/8																	
+ 1/4 + 1/8				X	X				X	X	+ 1/4 + 1/8	X								+ 1/4 + 1/8																	
0							¥	¥			0		ХХ	Y X	×	Х		Y	Y	0	X	X	Χ .	X	Х	X X X	X X X										
- 1/6 - 1/4 - 3/8	X	Х	Х			Х	Α.	^			- 1/4 - 3/8			X ^ ^	1	1	Х	^		- 1/4 - 3/8			+														
- 3/6 - 1/2 - 5/8	^							1			- 1/2 - 5/8						\Box		4	- 1/2 - 5/8			1														
- 3/4 - 7/8											- 3/4 - 7/8								7	- 3/4 - 7/8			ļ														
- 1				1				1			- 1						\Box		1	- 1			#														
- 1 1/8 - 1 1/4								1		\perp	- 1 1/8 - 1 1/4								1	- 1 1/8 - 1 1/4			#														
- 1 3/8 - 1 1/2				\pm							- 1 3/8 - 1 1/2								Ⅎ	- 1 3/8 - 1 1/2																	

L	A	VI	05	57	Ε	N	D,	A									ME	EASURE	EMEN	IT SPEC	CIFICATION (CHAR	г										TE Z			10/03 I	-			
CA's Nam VENDOR		L	OURD			DONAY		OMPAN'	Y	_	STYLE #	CRIPTI	NC			MT 428066		JPIMA F	CKT		P.O. #						95306						_							
POM		R1	107.1 T	OTAL	BODY	LENG	TH FF	ROM HF	PS		POM	C	C106.1	NECK WID	TH HPS	S TO HPS	SEAN	I TO SE	AM		POM		C10	07.1 F	RONT	NECH	(DROF	HPS T	O SEAM		POM			E10	01.1 A	CROSS	SHOU	LDERS-F	FRONT	
Size Spec Tol					3						Size Spec Tol				7	L 3/8 1/2					Size Spec Tol					4	L 3/8 -1/4				Size Spec Tol						19 +-1/2			
COLOR	CH	CKU- SLUE		(X-PAI ORAN	PAYA	1/2					COLOR	CH	CKU- IICORY BLUE	, 0XX-P/ ORA	APAYA	1/2					COLOR	CH	CKU- IICORY BLUE		XX-PAI ORAN	PAYA						LOR	CHI	KU- CORY LUE		PAPAY RANGE				
+ 1 1/2 + 1 3/8											+ 1 1/2 + 1 3/8										+ 1 1/2 + 1 3/8										+11+13	/8								\equiv
+ 1 1/4 1 1/8											+ 1 1/4 1 1/8									_	+ 1 1/4 1 1/8										+ 1 1								+	+
+ 1 + 7/8 + 3/4											+ 1 + 7/8 + 3/4										+ 1 + 7/8 + 3/4										+ 1 + 7/8 + 3/4								\pm	1
+ 5/8 + 1/2											+ 5/8 + 1/2										+ 5/8 + 1/2										+ 5/8 + 1/2								\blacksquare	_
+ 3/8 + 1/4	X	Х	X	X	X						+ 3/8 + 1/4										+ 3/8 + 1/4				x x						+ 3/8				H				\blacksquare	#
+ 1/8 0											+ 1/8	X		X)	X						+ 1/8		Х			Х					+ 1/8									4
- 1/8 - 1/4											- 1/8 - 1/4		Х								- 1/8 - 1/4	X									- 1/8 - 1/4		Х	X		X X	(\blacksquare	7
- 3/8 - 1/2											- 3/8 - 1/2										- 3/8 - 1/2										- 3/8 - 1/2			X						
- 5/8 - 3/4											- 5/8 - 3/4										- 5/8 - 3/4										- 5/8 - 3/4									
- 7/8 - 1											- 7/8 - 1										- 7/8 - 1										- 7/8 - 1									
- 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4										- 1 1/8 - 1 1/4										- 1 1/ - 1 1/	4								\pm
- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2										- 1 3/ - 1 1/									
POM	Н	100.1E	B CHES	ST-BU	ST (TC	DPS) 1"	BELC	OW ARM	MHOLI	E	POM	1	N102.1	A SLEEVE I		H-TOP SH EVE)	IOULE	DER(LO	NG		POM		A10	6.2 N	ECK O	PENIN	IG-MIN	MUN S	TRETCH						Cor	nments				
Size					1	L !4					Size					L 3/8					Size						L 24								001	IIIIOIII				
Spec Tol					+-						Spec Tol					1/2		1			Spec Tol			_			00 -0													
COLOR	CH	CKU- SLUE		(X-PAI ORAN							COLOR	CH	CKU- IICORY BLUE	OXX-PA							COLOR	CH	CKU- IICORY BLUE		XX-PAI ORAN															
+ 1 1/2 + 1 3/8											+ 1 1/2 + 1 3/8										+ 1 1/2 + 1 3/8																			
+ 1 1/4 1 1/8											+ 1 1/4 1 1/8										+ 1 1/4 1 1/8																			
+ 1 + 7/8											+ 1 + 7/8										+ 1 + 7/8																			
+ 3/4 + 5/8											+ 3/4 + 5/8										+ 3/4 + 5/8																			
+ 1/2 + 3/8	Х)	X	Х		1				+ 1/2 + 3/8	Х)						=	+ 1/2 + 3/8																			
+ 1/4 + 1/8		Х	Х								+ 1/4 + 1/8			XX	X						+ 1/4 + 1/8																			
- 1/8											- 1/8										- 1/8	X	Х	X .	X X	X														
- 1/4 - 3/8		\pm					1				- 1/4 - 3/8										- 1/4 - 3/8																			
- 1/2 - 5/8							#			\Box	- 1/2 - 5/8 - 3/4										- 1/2 - 5/8 - 3/4																			
- 3/4 - 7/8 - 1		\dashv								\Box	- 3/4 - 7/8 - 1										- 3/4 - 7/8 - 1			-																
- 1 - 1 1/8 - 1 1/4		\pm									- 1 - 1 1/8 - 1 1/4										- 1 - 1 1/8 - 1 1/4																			
- 1 1/4 - 1 3/8 - 1 1/2		1					1			H	- 1 1/4 - 1 3/8 - 1 1/2		1							4	- 1 1/4 - 1 3/8 - 1 1/2									4										

L	4	I	DS	37	E	N	D	A	L										М	EASUF	REME	NT S	PECIFICA	ATION (CHART	Г										DATE				10/03 X	L			_
A's Nam ENDOR	9:	L	OURI		ARRA XTIL S				PANY		_	ITEM DESC STYLE #	CRIPTIC	ON			428	MT 8	SS S	UPIMA	PCK	T POI	.0 P.O. <i>i</i>	#						95	306				CC	OLOR				0.	31			-
ОМ		R1	107.1	ГОТАІ	BOD	Y LEN	IGTH	FROM	M HPS			POM	С	106.1	NEC	CK WIDTH HPS	S ТО І	HPS	SEAI	и то s	EAM		POM			C ^r	107.1	FRON	NT NE	ECK D	ROP HE	PS TO) SEAM	Р	РОМ			E101	.1 AC	ROSS	SHO	JLDERS-	FRON'	Т
ze oec						XL 33					4	Size Spec					KL 3/4						Size Spec							XL 4 1/2)				Size Spec						XL 20			
ol						-1/2						Tol					1/2			_			Tol							+-1/4					ol						+-1/2			
COLOR		-TEA	L	86-GC CAN LIG			94-LIG BLUE ADIAN	Ξ	BLAC	KY- KBEF Y	RR	COLOR		1-TEA ADOV	L.	586-GOLDEN CANDLE LIGHT		4-LIG BLUE DIAN		BLAG	BKY- CKBE Y	RR	cc	DLOR		1-TEA			OLD NDLE GHT	≣	JQ4-LIG BLUE RADIAN		BKY- BLACKBERR Y		COLOR		31-TE HADC		CAI	OLDE NDLE SHT		Q4-LIGH BLUE RADIANC	BL	BKY- ACKBE Y
1 1/2 1 3/8 1 1/4	H	Ŧ		Ŧ	F		F	E		1		+ 1 1/2 + 1 3/8 + 1 1/4		Ŧ									+ 1 1/ + 1 3/ + 1 1/	8				Ŧ	1	Ŧ	Ŧ			+	· 1 1/2 · 1 3/8 · 1 1/4					Ŧ	Ŧ			\exists
1/8 1 7/8												1 1/8 + 1 + 7/8											1 1/8 + 1 + 7/8											+	1/8 · 1 · 7/8									\blacksquare
3/4 5/8												+ 3/4 + 5/8											+ 3/4 + 5/8											+	· 3/4 · 5/8									
/2 8/8 /4	X			X	(X				Х	X	X	+ 1/2 + 3/8 + 1/4				X	X	X	X	X			+ 1/2 + 3/8 + 1/4					X						+	· 1/2 · 3/8 · 1/4		X	X)			
/8 0		X	X							^		+ 1/8		X	X	XX		^	Α		X	X	+ 1/8						X	_	X	Х	X X	+	· 1/8 0	X						Х	х х	X
8 4 8						X	X	X				- 1/8 - 1/4 - 3/8	X										- 1/8 - 1/4 - 3/8		X	Х	Х				X			-	1/8 1/4 3/8				Х	X)	(
2 8												- 1/2 - 5/8											- 1/2 - 5/8											-	1/2 5/8									
4 3												- 3/4 - 7/8 - 1											- 3/4 - 7/8 - 1											-	3/4 7/8 1									
1/8 1/4 3/8												- 1 1/8 - 1 1/4 - 1 3/8											- 1 1/8 - 1 1/4 - 1 3/8	4										-	1 1/8 1 1/4 1 3/8									\blacksquare
1/2												- 1 1/2											- 1 1/2												1 1/2									
)M :e	H1	00.1E	3 CHE	ST-BI		OPS)	1" BE	LOW	ARMH	OLE		POM Size	N	1102.1	IA SL		H-TO EVE) (L	P SH	OUL	DER(L	ONG		POM Size			A1	06.21	NECK	OPE	NING-	-MINIMU	N ST	RETCH						Com	ments				
eC						26 -1/2						Spec Tol				11	5/8						Spec Tol							24 +100 ·														
OLOR		-TEA	L I	86-GC CAN LIG			Q4-LIG BLUE ADIAN	Ξ	BLAC	KY- KBEF Y	RR	COLOR		1-TEA ADOV	L.	586-GOLDEN CANDLE LIGHT		4-LIG BLUE DIAN		BLAG	BKY- CKBE Y	RR	CC	DLOR		1-TEA			OLD NDLE GHT	≣	JQ4-LIG BLUI RADIAN		BKY- BLACKBERR Y											
1/2 3/8												+ 1 1/2 + 1 3/8											+ 1 1/	8																				
1/4 /8		+	+			-				1		+ 1 1/4 1 1/8 + 1		+	-								+ 1 1/ 1 1/8 + 1				-		1	-														
/8 /4 /8				\downarrow						1		+ 7/8 + 3/4											+ 7/8 + 3/4						1															
/2 /8		1	1				L		X			+ 5/8 + 1/2 + 3/8				X							+ 5/8 + 1/2 + 3/8																					
/4 /8 0				X)	X		X	X		X	X	+ 1/4 + 1/8	X	Х	Х	X X	Х	Х	Х				+ 1/4 + 1/8		_	Y	Y	Y	Y	Y	Y V	V	X X X											
8 4		X	Х			Х	^	^				- 1/8 - 1/4								X	Х	X	- 1/8 - 1/4 - 3/8	•	^	^	^	^	^	^	A A	^	^ ^ X											
/8 /2 /8	X											- 3/8 - 1/2 - 5/8											- 1/2 - 5/8																					
/4 /8		1										- 5/8 - 3/4 - 7/8		1									- 3/4 - 7/8																					
1/8 1/4		+								-		- 1 - 1 1/8 - 1 1/4											- 1 - 1 1/8 - 1 1/4	4																				
3/8 1/2			1									- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2	В			_																	

CA's Nam	e: LOI	JRDES PARRA		ITEM DESC	RIPTION		MT SS SUPIMA PCKT PO	SPECIFICATION C	HART			DATE SIZE COLOR	10/03/2022 XL O31	
VENDOR		TEXTIL S	SOURCING COMPANY	STYLE#		4280	66	P.O. #		9	5306			
POM	R107	.1 TOTAL BOD	Y LENGTH FROM HPS	POM	C106.1 N	ECK WIDTH HPS TO H	PS SEAM TO SEAM	РОМ	C107	.1 FRONT NECK I	DROP HPS TO SEAM	РОМ	E101.1 ACROSS SHOULDER	RS-FRONT
Size Spec			XL 33	Size Spec		XL 7 3/4		Size Spec		XL 4 1/	/2	Size Spec	20	
Tol	0.00	+1	-1/2	Tol	2141	+-1/2		Tol	2101	+-1	/4	Tol	+-1/2	
COLOR	CKU- CHICORY BLUE	0XX-PAPAYA ORANGE		COLOR	CKU- CHICORY BLUE	0XX-PAPAYA ORANGE		COLOR	CKU- CHICORY BLUE	0XX-PAPAYA ORANGE		COLOR CH	OXX-PAPAYA ORANGE	
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4				+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4				+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4				+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4		
+ 5/8 + 1/2	X	X X		+ 5/8 + 1/2 + 3/8 + 1/4 + 1/8	X X	X X X		+ 5/8 + 1/2 + 3/8 + 1/4 + 1/8	X X	x x		+ 5/8 + 1/2 + 3/8 + 1/4 + 1/8	X X X X X X X X X X X X X X X X X X X	
+ 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2				0 - 1/8 - 1/4 - 3/8 - 1/2				0 - 1/8 - 1/4 - 3/8 - 1/2		X		0 - 1/8 - 1/4 - 3/8 - 1/2		
- 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4				- 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4				- 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4				- 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4		
- 1 3/8 - 1 1/2				- 1 3/8 - 1 1/2				- 1 3/8 - 1 1/2				- 1 3/8 - 1 1/2		
РОМ	H100.1B C	HEST-BUST (T	OPS) 1" BELOW ARMHOLE	POM	N102.1A	SLEEVE LENGTH-TOF SLEEVE)	SHOULDER(LONG	РОМ	A106.	2 NECK OPENING	G-MINIMUN STRETCH		Comments:	
Size Spec			XL 26	Size Spec		XL 11 5/8		Size Spec		XL 24				
COLOR	CKU- CHICORY BLUE	0XX-PAPAYA ORANGE	-1/2	COLOR	CKU- CHICORY BLUE	+-1/2 0XX-PAPAYA ORANGE		COLOR	CKU- CHICORY BLUE	0XX-PAPAYA ORANGE	0-0			
+ 1 1/2				+ 1 1/2 + 1 3/8				+ 1 1/2 + 1 3/8						
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1				+ 1 1/4 1 1/8 + 1				+ 1 1/4 1 1/8 + 1						
+ 1 + 7/8 + 3/4 + 5/8 + 1/2				+ 7/8 + 3/4 + 5/8				+ 7/8 + 3/4 + 5/8						
+ 1/2 + 3/8 + 1/4	X			+ 1/2 + 3/8 + 1/4	X X	X X X		+ 1/2 + 3/8 + 1/4						
+ 1/8	X	X X X		+ 1/8 0				+ 1/8 0	X X X	X X X				
- 1/8 - 1/4 - 3/8 - 1/2				- 1/8 - 1/4 - 3/8 - 1/2				- 1/8 - 1/4 - 3/8 - 1/2						
- 5/8				- 5/8 - 3/4 - 7/8				- 1/2 - 5/8 - 3/4 - 7/8						
- 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2				- 1/8 - 1 1/8 - 1 1/4				- 1/8 - 1 1/8 - 1 1/4						
- 1 3/8 - 1 1/2				- 1 3/8 - 1 1/2				- 1 3/8 - 1 1/2						

L	41	1E	DS	7	Ξ	N	D,									N	MEASU	REME	NT SI	PECIFICATION	CHAR	Т										DATE SIZE DLOR		_	10	0/03/20 XXL O31				
CA's Nam VENDOR	e:	LO	OURDE				/RE NG CC	MPAN	ΙΥ	-	STYLE #	CRIPTIO	N		4280	MT SS S	SUPIMA	N PCKT	POL	P.O. #						95306	6					LOK				031	_			
POM		R10	07.1 TO	OTAL E	BODY	LENG	TH FR	OM HI	PS		РОМ	C1	06.1 NI	ECK WIDTH HP	S TO H	IPS SEA	AM TO S	SEAM		POM		C1	07.1 F	FRONT	NECH	K DRO	P HPS TO	O SEAM		PC	OM		E	101.1	ACR(OSS SI	HOUL	DERS-FI	RONT	
Size Spec Tol					34 +1 -	4					Size Spec Tol			8	1/8 -1/2					Size Spec Tol					4	(XL 3/4 -1/4				Siz Sp To	ес		<u> </u>	=	<u> </u>	χ) 2		<u> </u>		_
COLOR		-TEAL		6-GOL CANDI LIGH	DEN LE	JQ4	-LIGHT LUE DIANCE	BL	BKY ACKB Y		COLOR	O31- SHA	TEAL DOW	586-GOLDEN CANDLE LIGHT	JQ4	I-LIGHT BLUE DIANCE	BLA	BKY- CKBE	RR	COLOR		31-TEAI HADOW	L	86-GC CAN LIG	DLDEN	JQ	4-LIGHT BLUE DIANCE	BKY BLACKB Y			COLOR	O3 SH	1-TEAL IADOW	-	86-GOL CAND LIGH	LDEN	JQ4- B	-LIGHT SLUE DIANCE	BLAC	KY- KBERI Y
+ 1 1/2 + 1 3/8				1			1		1		+ 1 1/2 + 1 3/8		T							+ 1 1/2 + 1 3/8		П									1 1/2 1 3/8		丁	#	Ŧ		二	\pm	+	Ŧ
+ 1 1/4 1 1/8											+ 1 1/4 1 1/8									+ 1 1/4 1 1/8										+ 1 1 1	1 1/4 1/8		\pm	\pm	\pm			\pm		\pm
+ 1 + 7/8 + 3/4											+ 1 + 7/8 + 3/4									+ 1 + 7/8 + 3/4											1 7/8 3/4		\pm	#	+			\pm		+
+ 5/8 + 1/2 + 3/8	х	X	X			Х	x :	_			+ 5/8 + 1/2 + 3/8			X			X			+ 5/8 + 1/2 + 3/8										+ 5	5/8 1/2 3/8		X		X		Ħ		X	#
+ 1/4 + 1/8	^			X	X		^	X		X	+ 1/4 + 1/8	Х	X X	XXX		X X		X	X	+ 1/4 + 1/8	X	X	X				X	X		+ 1	1/4 1/8	X	\pm	\pm	X	X		X X		X 2
0 - 1/8 - 1/4			Х								0 - 1/8 - 1/4				Х					0 - 1/8 - 1/4				X	X	X		X	X		0 /8 /4		#	#	+	\blacksquare	X	#		+
- 3/8 - 1/2											- 3/8 - 1/2									- 3/8 - 1/2										- 3 - 1	/8 /2		=	\pm	\pm	\exists	\exists	丰		7
- 5/8 - 3/4 - 7/8											- 5/8 - 3/4 - 7/8									- 5/8 - 3/4 - 7/8										- 3 - 7	5/8 5/4 7/8		圭	\pm	\pm			圭		\pm
- 1 - 1 1/8 - 1 1/4											- 1 - 1 1/8 - 1 1/4									- 1 - 1 1/8 - 1 1/4											1/8 1/4		#	‡	#	\exists	\dashv	\pm		#
- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2									- 1 3/8 - 1 1/2										- 1	3/8 1/2		土	土	\pm					7
POM	H1	00.1B	CHES	T-BUS	от) та	PS) 1	BELC	W AR	MHOL	E	POM	N1	02.1A	SLEEVE LENGT SLE	H-TOF	SHOU	LDER(L	ONG		POM		A10	06.2 N	IECK C	PENIN	NG-MII	NIMUN ST	TRETCH						q	Comme	ents:				
Size Spec					XX 28	8					Size Spec			11	7/8					Size Spec						XL 24														
COLOR		-TEAL		6-GOL CANDI	LE	JQ4	-LIGHT	BL	BKY ACKB		COLOR	O31-	TEAL DOW	586-GOLDEN CANDLE	E	I-LIGHT BLUE	BLA	BKY-	RR	COLOR		31-TEAI	L I	86-GC	LDEN DLE		4-LIGHT BLUE	BKY BLACKB	ERR											
+ 1 1/2	0			LIGH"	Т	RAD	DIANCE		Y		+ 1 1/2	0.11		LIGHT	RAI	DIANCE		Y		+ 1 1/2	0.			LIG	HT	RA	DIANCE	Y	T											
+ 1 3/8 + 1 1/4 1 1/8											+ 1 3/8 + 1 1/4 1 1/8									+ 1 3/8 + 1 1/4 1 1/8																				
+ 1 + 7/8											+ 1 + 7/8									+ 1 + 7/8																				
+ 3/4 + 5/8 + 1/2											+ 3/4 + 5/8 + 1/2									+ 3/4 + 5/8 + 1/2																				
+ 3/8 + 1/4			Х	X	Х			X		X	+ 3/8 + 1/4 + 1/8		X	X X X	X	×	X		X	+ 3/8 + 1/4 + 1/8																				
+ 1/8 0 - 1/8	Х					X	X :	X			0 - 1/8	Х	X		X	X	X			0 - 1/8	X	Х	X	X	X	X	X X	X X	X											
- 1/4 - 3/8 - 1/2		X :	X								- 1/4 - 3/8 - 1/2									- 1/4 - 3/8 - 1/2																				
- 5/8 - 3/4											- 5/8 - 3/4									- 5/8 - 3/4																				

- 1/8 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

L	AND	S'E	NDA							MEAS	UREMENT	SPECIFICATION (CHAR	Т							DATI SIZ			10	/03/202 XXL	22		
CA's Nam VENDOR	e: LOI	JRDES PARRA	100000		ITEM DESC STYLE #	CRIPTION		4	MT S	SS SUPIM	IA PCKT PO	P.O. #				95	306				COLO	R			O31			_
РОМ	R107		Y LENGTH FROM	M HPS	РОМ	C106.1 N	ECK WIE	OTH HPS T	O HPS S	SEAM TO	SEAM	POM		C107	.1 FRONT			PS TO	SEAM	POM			E101.1	ACRO			ERS-FR	ONT
Size Spec Tol			(XL 34 -1/2		Size Spec Tol			XXL 8 1/8 +-1/2				Size Spec Tol				4 3/4 +-1/4	4			Size Spec Tol					21 +-1/			
COLOR	CKU- CHICORY BLUE	0XX-PAPAYA ORANGE	-1/2		COLOR	CKU- CHICORY BLUE		APAYA ANGE	•			COLOR	CI	CKU- HICORY BLUE	0XX-PA ORAN	PAYA	+			COLO	DR (CKU- CHICOR BLUE	Y	(X-PAP ORAN(AYA	2		
+ 1 1/2 + 1 3/8 + 1 1/8 + 1 1/8 + 1 1/8 + 3/4 + 5/8 + 3/4 + 1/2 + 3/8 - 1/2 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 1 - 1/2 - 1/8 - 1	x x x	X X X			+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 1 + 1/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/2 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/	x x x	X	X X				+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 1/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 1/8 - 1 1/8	X	x x	x x	X				+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/4 + 1/8 0 - 1/8 - 1/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 1/8 - 1/4 - 1/8 - 1/8		X	X	X	X			
РОМ	H100.1B C	:HEST-BUST (T	OPS) 1" BELOW	ARMHOLE	РОМ	N102.1A	SLEEVE	LENGTH-T SLEEV		OULDER	(LONG	POM		A106.	2 NECK O	PENING	-MINIM	UN STF	RETCH				C	Comme	nts:			
Size Spec Tol			(XL 28		Size Spec			XXL 11 7/8	3			Size Spec				XXL 24												
COLOR	CKU- CHICORY BLUE	0XX-PAPAYA ORANGE	-1/2		Tol COLOR	CKU- CHICORY BLUE		+-1/2 APAYA ANGE				COLOR	CI	CKU- HICORY BLUE	0XX-PA ORAN		-0											
+ 1 1/2 + 1 1/2 + 1 1/8 + 1 1/4 1 1/8 + 1 1/8 + 1/8 + 1/2 + 3/8 + 1/2 + 3/8 - 1/8 -	X X	X X X			+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/4 - 1/8 - 1/2 - 1/8 - 1/8 - 1/8 - 1/2 - 1/8 - 1/8	X X	X	XXX				+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/8 - 1/4 - 3/8 - 3/4 - 7/8 - 1 1/8 - 1	X	X X	xx	X												