L	41	V E	DS	7	Ξ	N	D,		ı										N	MEASU	REME
CA's Name VENDOR	e: 	LO	DURDI	ES PAI			YRE ING CO	OMPAN	NY	-	STYLE #	CRIPT	ION				42	WF 24644		RLXD S	SUPIM
POM		R10	07.1 T	OTAL I	BODY	LENG	GTH FR	ком н	IPS		РОМ		C106.	1 NEC	K WII	отн н	PS TO) HPS	SEA	МТО	SEAM
Size Spec Tol					2 +1	4					Size Spec Tol						XS 7 3/4 1/2 -1/	/2			
COLOR	0DQ PRO	- NAV\ SP QU	Y AK	9-FOF MOS	REST S	ZHO	O-ALAB. OP PRII	A N			COLOR	0D PR	Q- NA OSP (VY A	AK9-F M	ORES	T Z	H0-AL	_ABA PRIN		
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8	X	X)	X					X			+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8										
+ 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8			X	X	X	X	X				+ 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8	X		X	X	X >	(X		X		
- 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2											- 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2										
POM Size Spec Tol	H1	100.1B	CHES	T-BUS	X 1 +1/2	S 9	1" BELC	OW AR	RMHOL	.E	POM Size Spec Tol		N102.	1A SL	EEVE	2	XS 22 5/8 3/4 -1/	≣)	HOUL	.DER(I	ONG
COLOR		- NAV\ SP QU		9-FOF MOS	REST	ZHO	O-ALAB OP PRII				COLOR		Q- NA OSP C			ORES	T Z	H0-AL			
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/8 - 3/8 - 1/2 - 3/8 - 1/8 - 1/8	X	X)	X	X	X	X	X	X			+ 1 1/2 + 1 3/8 + 1 1/8 + 1 1/8 + 1 1/8 + 3/4 + 5/8 + 1/2 + 3/4 + 1/2 + 3/8 + 1/4 + 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 1/8 - 1/2 - 1/8 - 1/2 - 1/8 -	X	X		X	X	X	X	X		

	V	1		5'	E		V	D	1														-	MEAS	SURE	MENT	SPEC	CIFICATION	CHAF	RT												DAT	Έ	_	_		8/07/20 S		_			-
ame DR		L	OUR	RDES I						/PAN	′	_		EM DES TYLE #	CRIF	OIT					4:	WI 2464		RLXE	SUP	IV AMI		P.O. #						8	30264]		C	COLO	PR			0DC	Q-AK9	9-ZH0				-
		R1	07.1	TOTA	AL BC	DDY L	ENG	ЭТН	FRC	м нр	S		PC	OM		C10	06.1 N	IECK	WID	ТН НЕ	PS TO	O HPS	S SE	AM TO	O SEA	AM		POM		C	107.1	1 FRO	NT N	IECK	DROF	PHPS	тоя	SEAM		PC	OM			E1(01.1 /	ACRO	SS S	HOU	LDER	S-FR	RONT	_
						S 24 1 +1 -1	/2						Siz Sp To	ес						+1	S 8 /2 -1/	12						Size Spec Tol						7 1 +1/4	/4					Siz Sp To	ес			_	<u> </u>	_	15	S 5 1/4 2 -1/2	<u> </u>			_
R		- NAV SP QI		AK9-F M		ST	ZHO						Г	COLOR			NAVY P QUI		(9-FC MO	REST	г z	H0-A EOP						COLOR		Q- NA ROSP (FORI	EST	ZH0	-ALAE P PRI					COLOR		DQ- N			9-FOR MOSS	REST	ZH	10-ALA			
		1		1	1								+ 1	1 1/2 1 3/8 1 1/4	Ė		T	Ė	Ŧ	Ŧ								+ 1 1/2 + 1 3/8 + 1 1/4										+		+ 1	1 1/2 1 3/8 1 1/4	Ė		Ŧ	Ħ	E			F			Ŧ
													1 1	1/8														1 1/8 + 1 + 7/8													1/8 1			=	E	E						‡
		X	X				X						+ 5	3/4 5/8 1/2														+ 3/4 + 5/8 + 1/2												+ 3	3/4 5/8 1/2			#	Ŧ	F			F			
	Х							Х	Х				+ 3	3/8 1/4 1/8								×	()	K				+ 3/8 + 1/4 + 1/8							Х	X	X			+ 3	3/8 1/4 1/8		X	(X	E	E						
				X	X	X							- 1	0 /8 /4	×	()	(X	>		X	X	(0 - 1/8 - 1/4	X	X	X	X	X	X						- 1	0 /8 /4	>	(Ξ	X	X	X	X	X	X		
													- 1 - 5	3/8 /2 5/8														- 3/8 - 1/2 - 5/8												- 1 - 5	3/8 /2 5/8			\pm	E							
			=		+								- 7				ŧ											- 3/4 - 7/8 - 1												- 7 - 1				#	ŧ	Ħ			E			
													- 1 - 1	1/8 1/4 3/8 1/2			ļ											- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2												- 1 - 1	1/8 1/4 3/8 1/2			\pm	ŧ	Ħ						
	Н	100.1E	в СН	EST-B	UST	(TOF	PS) 1	I" BE	LOV	V ARN	IHOLE		PC			N1	02.1A	SLEI	EVE	ENG	TH-T	OP S	HOU	LDEF	R(LON	IG		POM		A.	106.2	NECI	K OPI	ENING	G-MIN	IMUN	STRI	ЕТСН			1/2				C	omme	ents:					
						S 20 +1/2 -	1						Siz Sp To	ес							S 23 /4 -1/							Size Spec Tol						23	1/2																	İ
		- NAV SP QI		AK9-F		ST	ZHO						Г	COLOR			NAVY P QUI		(9-FC MO	REST	г	H0-A EOP						COLOR		Q- NA			FORI	EST	ZH0	-ALAE P PRI																
		1		1	Ŧ								+ 1	1 1/2 1 3/8	Ė	I	I		I	F		I						+ 1 1/2 + 1 3/8 + 1 1/4	Ė																							
					+								1 1	1 1/4 1/8 1 7/8														+ 1 1/4 1 1/8 + 1 + 7/8																								
				1									+ 5	3/4 5/8 1/2	×		ŧ			+		X	(+ 3/4 + 5/8 + 1/2																								
	X	X	X										+ 3	3/8 1/4 1/8			×		: >	X	X)	(+ 3/8 + 1/4 + 1/8																								
				X	X	X	X	X	X				- 1	0 /8 /4														0 - 1/8 - 1/4	X	X	X	X	X	X	Х	X	X															
l		+		1									- 3 - 1 - 5	3/8 /2 5/8				F		ļ								- 3/8 - 1/2 - 5/8																								
İ		1		1									- 3 - 7 - 1	3/4 7/8				Ė			l							- 3/4 - 7/8 - 1																								
ĺ				7		\exists						7	- 1	1/8 1/4 3/8														- 1 1/8 - 1 1/4 - 1 3/8																								

Δ	LOURDES PARRA DONAYRE TEXTIL SOURCING COMPANY TEXTIL SOURCING COMPANY TEXTIL SOURCING COMPANY																			MEA	SURE	MENT S	PECIFICATIO	N CHAI	RT									DATE				/07/20 M				_
e:		LOURDES PARRA DONAYRE TEXTIL SOURCING COMP										CRIF	PTION	E				4246		RLX	D SUP	MA VNI	P.O. #						80264				С	OLOR			0DQ	Q-AK9	-ZH0			_
		R107	'.1 T(DTAL	BOD	/ LEN	IGTH	FRO	M HPS		POM		C10	6.1 NE	CK W	IDTH I	HPS	то н	PS SE	AM 7	ΓΟ SEA	M	РОМ		C1	07.1 F	RONT	NECK	DRO	P HPS	TO SEAM	F	POM		E	101.1	ACRO	SS SI	HOUL	DERS-	FRON	IT
					25	M 1/8					Size Spec						M 8 1/	/4					Size Spec					7	M 3/8				Size Spec			_	_	15	VI 7/8			_
						-1/2					Tol						-1/2 -						Tol						1 -1/4			-	ol			$\overline{\mathbf{T}}$			-1/2			
	DDQ- N PROSF			9-FOI MOS			IO-AL OP P				COLOR		DQ- N ROSF			FORE MOSS			ALAB P PRII				COLOF		OQ- NAV ROSP QI		MOS			-ALAE P PRI			COLOR		Q- NAVY OSP QU		9-FOR MOSS)-ALAB/ OP PRIN		
			E	Е	Е	E	Е				+ 1 1/2 + 1 3/8		F	Е		1	1		\blacksquare				+ 1 1/2 + 1 3/8			1						4	- 1 1/2 - 1 3/8			Ξ	\equiv				I	Ξ
											+ 1 1/4 1 1/8									ł			+ 1 1/4 1 1/8									1	- 1 1/4 1/8			\pm						+
		Х									+ 1 + 7/8						1						+ 1 + 7/8									4	- 1 - 7/8			士	H					#
	X X										+ 3/4 + 5/8												+ 3/4 + 5/8									4	- 3/4 - 5/8			\pm						1
_											+ 1/2 + 3/8						+						+ 1/2 + 3/8			1						-	- 1/2 - 3/8			士						+
											+ 1/4 + 1/8								Х				+ 1/4 + 1/8										- 1/4 - 1/8		X							=
							Х	Х			0 - 1/8				X	Х	X			Х			0 - 1/8	X		Х				Х	X		0 1/8	X		X	X	X				_
			X	X	X	Х					- 1/4 - 3/8	×	(X	Х				Х		-			- 1/4 - 3/8				Х	Х	Х				1/4 3/8			\perp	F		Х	X .	X	_
			Ĺ	Ļ	Ĺ						- 1/2 - 5/8						4			1			- 1/2 - 5/8									-	1/2 5/8			#	=					_
											- 3/4						#			1			- 3/4										3/4			ᆂ						_
											- 7/8 - 1						1			1			- 7/8 - 1									-	7/8 1									_
											- 1 1/8 - 1 1/4									1			- 1 1/8 - 1 1/4									-	1 1/8 1 1/4									-
											- 1 3/8 - 1 1/2												- 1 3/8 - 1 1/2										1 3/8 1 1/2			\pm						
	H100	.1B C	HES	T-BU	ST (T	OPS)	1" BE	LOW	ARMH	OLE	POM		N10	2.1A S	LEEV		GTH-		SHOU	JLDE	R(LON	G	POM		A10	06.2 N	ECK O	PENIN	IG-MIN	IIMUN	STRETCH					C	ommer	nte:				
						M					Size						M 23 1						Size						M 1/2							00		1113.				
						1/4 2 -1/2					Spec						-3/4						Spec Tol						00 -0													
(DQ- N PROSF	AVY		9-FOI MOS			I0-AL				COLOR	0 P	DQ- N	IAVY QUI		FORE MOSS	ST	ZH0- LEO	ALAB P PRII	A N			COLOF		OQ- NAV ROSP QI		K9-FO MOS			-ALAE)P PRI												
										=	+ 1 1/2 + 1 3/8						4			4			+ 1 1/2 + 1 3/8		\Box																	
			L								+ 1 1/4 1 1/8						4			1			+ 1 1/4 1 1/8			1																
			L								+ 1 + 7/8						_			1			+ 1 + 7/8																			
											+ 3/4									1			+ 3/4																			
											+ 5/8 + 1/2								X	Х			+ 5/8 + 1/2																			
_			L	\pm	L	L	F				+ 3/8 + 1/4	>	X	X			_}	Х		_			+ 3/8 + 1/4			_																
	X X	Х									+ 1/8		F				1						+ 1/8	×	X	Х	Х	X	X	Х	X											
			X	X	X	X	F				- 1/8 - 1/4				Х	Х	Х			7			- 1/8 - 1/4																			
				^	^	^					- 3/8						1	1	1	⇟			- 3/8			1																
							Х	X			- 1/2 - 5/8												- 1/2 - 5/8		$\pm \pm$																	
			L			L	L		LI		- 3/4 - 7/8		F			$-\mathbb{T}$	Ŧ	1		_[$oldsymbol{oldsymbol{\sqcup}}$	- 3/4 - 7/8		+	T			lacksquare			_										

- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

L	AN	D	S	E	N	D	且											MEA	SUREM	IENT S	PECIFICATIO	N CHA	RT										ATE	<u> </u>		13/07/ L 0DQ-AH	-			_	
CA's Nam VENDOR		LOU		PARRA EXTIL S				PANY	•	ITEM		RIPTION	I			424		S RLX	D SUPI	MA VNI	P.O. #						80264	1				COL				ODQ-AF	.9-ZП	0			
POM		R107.	1 TOT	AL BOD	Y LEN	NGTH	FROM	1 HPS		РОМ		C1	06.1 NE	CK WIE	TH HP	S TO F	HPS SE	EAM T	O SEA	М	РОМ			C107.1	1 FRO	ONT NECH	K DRC	P HPS	TO SE	AM	РОМ			E10	1.1 AC	CROSS	SHOI	ULDEF	RS-FR	ONT	
Size Spec Tol					L 5 3/4 1 -1/2					Size Spec Tol					8	L 1/2 2 -1/2					Size Spec Tol					7	L 5/8 4 -1/4				Size Spec Tol						L 16 5/8 1/2 -1/2				
COLOR	0DQ- N PROSP			ORES	T ZH	H0-ALA					LOR	0DQ- PROS			OREST OSS	ZHO)-ALAE OP PRI				COLO		DQ- N ROSP			-FOREST MOSS	ZH	0-ALAB OP PRII			COL	.OR		NAVY SP QUI		FORES IOSS	T ZI	H0-AL/ EOP P			
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2						X	X			+ 1 1/ + 1 3/ + 1 1/ 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2	8										+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2										+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2	3									
+ 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2	X	X	X	X X	X					+ 3/8 + 1/4 + 1/8 - 1/8 - 1/4 - 3/8 - 1/2		X)	X X	X	x x	X	X	X			+ 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2	×		X	X	X X	X	X	X		+ 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2		X)	X X	X	XX	X	X X	X		
- 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2										- 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 3/8 - 1 1/2	4 3										- 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2										- 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2										
POM	H100).1B CH	HEST-I	BUST (1	TOPS)	1" BE	LOW	ARMHC	DLE	POM		N1	02.1A S	SLEEVE		H-TOF EVE)	SHO	ULDE	R(LON	3	РОМ		A	106.2	NEC	K OPENIN	NG-MII	NIMUN	STRET	СН					Con	nments:					
Size Spec Tol				+1	L 23 /2 -1/2	,				Size Spec Tol					23	5/8 1 -1/2					Size Spec Tol					23	L 3 1/2 00 -0														
COLOR	0DQ- N PROSP			ORES	T Zŀ	H0-ALA					LOR	0DQ- PROS		AK9-F	OREST	ZHO)-ALAE OP PRI				COLO		DQ- N ROSP			-FOREST MOSS	ZH	O-ALAB OP PRII													
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 - 3/8 - 1/4 - 3/8 - 1/4 - 3/8 - 1/4 - 3/8 - 1/4 - 3/8 - 1/2 - 1/8 - 1/2 - 1/8 - 1/4 - 1/8 - 1/9 -	X	X	X	X X X	X	X	X			+ 1 1/1 + 1 3/1 + 1 1/1 1 1/88 + 1 + 7/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 1/2 - 1/3 - 1 1/4 - 1/3 - 1 1/4 - 1/3 - 1 1/4 - 1/3 - 1 1/4 -	8 4 3	X	(X	X	XXXX	X	X	X			+ 1 1/2 + 1 3/8 + 1 1/4 + 1 1/4 + 1 1/8 + 1 + 7/8 + 1/2 + 3/8 + 1/2 + 3/8 + 1/4 - 3/8 - 1/8 - 1/8 - 3/8 - 1/2 - 5/8 - 3/8 - 1/2 - 5/8 - 3/8 - 1/2 - 5/8 - 1/2 - 1/8 - 1/2 - 1/8 - 1/2 - 1/8 - 1/2 - 1/8 - 1/	×	X	X	X	X X	X	X	X												

L	AI	I	D:	5'	E	ī	10		A										ME	EASURI	EMEN ⁻	Γ SPE	CIFICATION	CHAR	Г										DATI				13	/07/20 XL)21			_	
CA's Nam VENDOR	e:	LOURDES PARRA DONAYRE TEXTIL SOURCING COMPANY R107.1 TOTAL BODY LENGTH FROM HP									-	ITEM DES	CRIPTI	ON			424	WP L:	S RI	.XD SU	PIMA \		P.O. #						802	64				(COLOF	₹			0DQ	Q-AK9	ZH0			_	
POM		R	R107.1	TOT	AL BO	DY LE	ENGT	H FR	ом ні	PS		POM	C	2106.1	NEC	CK WIDTH HPS	ота	HPS S	EAM	1 TO SE	AM		POM		C1	07.1 F	RONT	NEC	K DR	OP HP	s to s	SEAM	Р	OM			E10)1.1 /	ACRO	SS SI	HOUL	DERS-	FRON	IT	
Size Spec Tol						XL 26 1/8 +1 -1/						Size Spec Tol				8	(L 5/8 2 -1/2						Size Spec Tol						XL 7 3/4 /4 -1/				S	ize pec ol	E	<u> </u>	<u>=</u>	<u>=</u>	<u> </u>		7 :-1/2	_			_
COLOR		Q- NA OSP (ORES	ST Z	ZH0-A LEOP					COLOR		Q- NAV OSP QI		AK9-FOREST MOSS	ZH	I0-ALAI OP PR					COLOR		Q- NA\ OSP Q		K9-FC	RES	T Z	H0-ALA				COLOF		DQ- N			9-FOR MOSS	REST	ZH0)-ALAB			
+ 1 1/2						ľ				1		+ 1 1/2											+ 1 1/2						F					1 1/2				F				Ŧ		_	Ŧ
+ 1 3/8 + 1 1/4 1 1/8												+ 1 3/8 + 1 1/4 1 1/8											+ 1 3/8 + 1 1/4 1 1/8										+ 1	1 3/8 1 1/4 1/8	E	\pm	\pm		E		4	\pm			\pm
+ 1 + 7/8 + 3/4												+ 1 + 7/8 + 3/4											+ 1 + 7/8 + 3/4										+	1 7/8 3/4	E	\pm	\pm					\pm			+
+ 5/8 + 1/2 + 3/8						X						+ 5/8 + 1/2 + 3/8			1								+ 5/8 + 1/2 + 3/8										+	5/8 1/2 3/8	E	圭	Ė	Ė	E			\pm			+
+ 1/4 + 1/8 0	X	X	X	Х	X	-	X >	X X	(+ 1/4 + 1/8				X	X	X	X				+ 1/4 + 1/8				X >	(X	X	X X	X			1/4 1/8 0	×		X		X	X		_			+
- 1/8 - 1/4 - 3/8												- 1/8 - 1/4 - 3/8	X	X	X	X X							- 1/8 - 1/4 - 3/8	X	Х	Х							-	1/8 1/4 3/8		Ξ	\equiv				Х	Х	Х		Ŧ
- 1/2 - 5/8 - 3/4												- 1/2 - 5/8 - 3/4											- 1/2 - 5/8 - 3/4										-	1/2 5/8 3/4		\pm	Ħ	E	E		\exists	7			Ŧ
- 7/8 - 1 - 1 1/8												- 7/8 - 1 - 1 1/8			#								- 7/8 - 1 - 1 1/8										=	7/8 1 1 1/8		=	Ħ	E	\equiv		\exists	#			1
- 1 1/4 - 1 3/8 - 1 1/2												- 1 1/4 - 1 3/8 - 1 1/2			#								- 1 1/4 - 1 3/8 - 1 1/2										-	1 1/4 1 3/8 1 1/2		Ξ	Ŧ		E		Ħ	#			Ŧ
POM	н	100.1	ІВ СН	EST-E	BUST ((TOP:	S) 1" E	BELO'	W AR	MHOL	.E	POM	1	N102.1	A SL	EEVE LENGT	H-TO EVE)		DULE	ER(LO	NG		POM		A10	06.2 N	ECK C	PEN	ING-N	MINIMU	N STR	ETCH						C	omme	nto					
Size Spec						XL 24						Size Spec				>	(L 3/4					1	Size Spec						XL 23 1/2									Co	IIIIIlei	IIIS.					
Tol					+	1/2 -1	/2					Tol					-1/2						Tol						100 -0																
COLOR		Q- NA OSP (OSS		ZH0-A LEOP					COLOR		Q- NAV OSP QI		AK9-FOREST MOSS		0-ALAI OP PR					COLOR		Q- NA\ OSP Q		K9-FC MO			H0-ALA EOP PF															
+ 1 1/2 + 1 3/8												+ 1 1/2 + 1 3/8											+ 1 1/2 + 1 3/8																						
+ 1 1/4 1 1/8 + 1						1			+		\blacksquare	+ 1 1/4 1 1/8 + 1			+								+ 1 1/4 1 1/8 + 1																						
+ 7/8 + 3/4 + 5/8												+ 7/8 + 3/4 + 5/8											+ 7/8 + 3/4 + 5/8																						
+ 1/2 + 3/8					X							+ 1/2 + 3/8											+ 1/2 + 3/8																						
+ 1/4 + 1/8 0	X	X	X	X		X						+ 1/4 + 1/8 0	X	X	X		X	X	X				+ 1/4 + 1/8 0	X	X	X	X	X	X	X	X														
- 1/8 - 1/4 - 3/8							X >	× ×	(- 1/8 - 1/4 - 3/8				X X X							- 1/8 - 1/4 - 3/8																						
- 1/2 - 5/8 - 3/4											\blacksquare	- 1/2 - 5/8 - 3/4			1								- 1/2 - 5/8 - 3/4																						
- 7/8												- 7/8			1								- 7/8																						

- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2