Color   Profit   Automotive   Color   Automotive	L	AND	S' E	EN	ID,	A								MEAS	UREMENT	SPECIFICATION	CHART									;	SIZE	_		6/08/20 S 3OW		_	_	
S   S   S   S   S   S   S   S   S   S	CA's Nam VENDOR					OMPANY	· -		CRIPTION	1		527		PTTN (	OF MESH P						10537	70				CO	_OR			3000				
200.00   2	POM	R107.	1 TOTAL BO	DY LEN	NGTH F	ROM HP	S	POM	C1	06.1 NEC	K WIDTH	HPS TO	HPS SE	AM TO	SEAM	POM		C107.	1 FRON	T NEC	K DRO	OP HPS TO	) SEAM		POM			E101.1	ACRC	OSS SI	HOULD	ERS-FF	RONT	
1 1 1 2								Size								Size									Size					_	_			
COLOR   DUR EYE STR   DUR EYE STR   COLOR   DUR EYE STR   COLOR   DUR EYE STR   COLOR	Tol							Tol								Tol									Tol									
100	COLOR							COLOR								COLOR			:						COL	_OR								
MID-18 CHEST-BUST (TOPS) * SELUM ARMOULE   STATE   S	+ 1 1/2 + 1 3/8				Н			+ 1 3/8								+ 1 3/8									+ 1 3/	8		$\pm$	Ξ		H	$\equiv$		$\exists$
No. 19	1 1/8							1 1/8								1 1/8									1 1/8			$\pm \pm$	+			$\pm$		
1				-						+				-							-						+	++	+	Н	$\vdash$	+	H	=
1	+ 3/4							+ 3/4								+ 3/4									+ 3/4			##	1	$\blacksquare$	F	#		
1	+ 1/2							+ 1/2	Ц,							+ 1/2									+ 1/2			ightharpoons	丰		二	丰		
No.	+ 1/4							+ 1/4								+ 1/4									+ 1/4				_		二	_		
1																	X	X X										+	+		$\vdash$	+		
38	- 1/8 - 1/4							- 1/8 - 1/4								- 1/8 - 1/4									- 1/8 - 1/4			$\Box$	1		F	_		
56   1   1   1   1   1   1   1   1   1	- 3/8	X X						- 3/8								- 3/8									- 3/8			$\Box$	工	$\blacksquare$	H	$\bot$		
78   1   1   1   1   1   1   1   1   1	- 5/8							- 5/8								- 5/8									- 5/8						曲			
11/3	- 3/4 - 7/8							- 3/4 - 7/8																	- 7/8		_	++	+	$\vdash$	-	+		_
11/3   HOU.16 CHEST-BUST (TOPS) T BELOW ARMHOLE  SREE  SREE  30 1/4   TOPS  SREE  30 1/4   TOPS  COLOR  SUR EVESTR  COLOR  SOW - RIC  SOW - RIC	- 1							- 1								- 1					-				- 1	3		=	1	$\blacksquare$	H	4		
H100.1B CHEST-BUST (TOPS)   **BLOW ARMHOLE   S   S   S   S   S   S   S   S   S	- 1 1/4							- 1 1/4								- 1 1/4									- 1 1/4	4		$\Box$	工	$\blacksquare$	H	$\perp$		
Month   Mont	- 1 1/2							- 1 1/2																				世			山	土		
Spec   10   1/4   1/2   1   1   1   1   1   1   1   1   1	РОМ	H100.1B CI	HEST-BUST	(TOPS)	1" BEL	OW ARM	MHOLE	POM	N1	02.1A SL			P SHOL	JLDER	(LONG	POM		A106.2	2 NECK	OPEN	ING-MI	NIMUN ST	RETCH						Comme	ents:				
Tol +-1/2  COLOR BUREVESTR  Tol COLOR BUREVESTR  To																																		
SUR EVE STR    11/2	Spec Tol																																	
+ 13/8	COLOR	30W - RIC BUR EVE STR						COLOR	3OW BUR EV	- RIC /E STR						COLOR																		
+1 1/4	+ 1 1/2				$\Box$			+ 1 1/2		$\blacksquare$										Ŧ														
+1	+ 1 1/4							+ 1 1/4								+ 1 1/4																		
+ 3/4	+ 1							+ 1								+ 1																		
+ 1/2	+ 7/8 + 3/4				++			+ 7/8 + 3/4		+				+		+ 7/8 + 3/4				-	-													
+ 3/8	+ 5/8							+ 5/8								+ 5/8																		
+ 1/8	+ 3/8							+ 3/8								+ 3/8																		
-1/8	+ 1/4 + 1/8																																	
-1/4 -3/8 -3/8 -3/8 -1/2 -1/2 -5/8 -3/4 -7/8 -1 -1/8 -1 -1/8 -1 -1/8 -1/8 -1/8 -1/																																		
-1/2   -1	- 1/4				$\Box$			- 1/4								- 1/4																		
-3/4	- 1/2				廿		$\Box$	- 1/2								- 1/2																		
-7/8	- 5/8 - 3/4			+	+		++	- 3/4		+	+			+		- 3/4		+		+	+			+										
-1 1/8 -1 1/8 -1 1/8 -1 1/8 -1 1/8 -1 1/8 -1 1/4 -1 1/4 -1 1/4 -1 1/4 -1 1/4 -1 1/4 -1 1/8 -1	- 7/8									+						- 7/8																		
-1 3/8	- 1 1/8				$\Box$			- 1 1/8		$\Box$						- 1 1/8																		
	- 1 3/8							- 1 3/8		$\pm$						- 1 3/8																		

L	A	NI	D:	5'	Ε	N	D,	A										ME	ASURI	EMENT	SPECIFICATION	ON CHA	RT										DA <sup>-</sup> Sla	ZE				08/202 M	22			
CA's Nam /ENDOR			LOUR	DES P. TE.				OMPA	NY	-	ITEM DES	CRIPT	ION			52	M SS 7939	S PTT	N CF N	MESH F	OLO P.O. #						10	5370					COLC	OR			;	3OW				
POM		R	107.1	TOTAL	L BOD	Y LENG	GTH F	ROM H	HPS		POM		C106.	1 NEC	K WIDTH HE	PS TO	HPS S	SEAM	1 TO SE	AM	РОМ			C107.	1 FRC	N TNC	ECK [	DROP	HPS T	O SEAM		POM			E1	01.1 A	CROS	SS SH	OULD	ERS-FF	RONT	
ize						M					Size					М					Size						М					Size						М				
pec ol						29 -1/2					Spec Tol					6 1/2 +-1/2					Spec Tol						+-1					Spec Tol						18 +-1/				
COLOR		W - R									COLOR		OW - R								COLO		3OW - JR EV	RIC E STR								COLO	OR BI	30W - UR EVI	RIC E STF	2						
1 1/2 1 3/8				Ŧ					T	$\blacksquare$	+ 1 1/2 + 1 3/8								П	Ŧ	+ 1 1/2 + 1 3/8		Ŧ	T								+ 1 1/2 + 1 3/8			T					Ŧ	$\Box$	П
1 1/4 1/8											+ 1 1/4 1 1/8										+ 1 1/4 1 1/8											+ 1 1/4 1 1/8									$\blacksquare$	H
											+ 1										+ 1											+ 1 + 7/8									$\Box$	$\blacksquare$
7/8 3/4											+ 7/8 + 3/4										+ 7/8 + 3/4											+ 3/4									$\Box$	
5/8 1/2	X	Х	Х								+ 5/8 + 1/2					+				-	+ 5/8 + 1/2							+			-	+ 5/8 + 1/2						-	+		+	-
3/8 1/4											+ 3/8 + 1/4	X	Х	Х							+ 3/8 + 1/4											+ 3/8 + 1/4		Х	X						$\blacksquare$	
1/8			_								+ 1/8			_							+ 1/8											+ 1/8									ightharpoonup	$\equiv$
0 1/8											0 - 1/8										0 - 1/8 - 1/4		X	X								0 - 1/8										
1/4 3/8											- 1/4 - 3/8										- 1/4 - 3/8											- 1/4 - 3/8									1	
1/2											- 1/2										- 1/2											- 1/2									$\perp$	
5/8 3/4											- 5/8 - 3/4										- 5/8 - 3/4											- 5/8 - 3/4									$\pm \pm$	
7/8 I											- 7/8 - 1										- 7/8 - 1											- 7/8 - 1									$\perp$	
1 1/8 1 1/4											- 1 1/8 - 1 1/4			1							- 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4									$\perp$	
1 3/8											- 1 3/8										- 1 3/8											- 1 3/8									$\pm$	
1/2											- 1 1/2										- 1 1/2											- 1 1/2										
OM	ŀ	1100.1	ВСН	EST-BL	,	,	1" BEL	OW AF	RMHOL	LE	POM		N102.	1A SL		EEVE	OP SHO	OULE	DER(LO	NG	РОМ			A106.2	2 NEC	K OP	ENING	-MINIM	MUN S	TRETCH						Cor	mmen	its:				
ze oec						M 3/4					Size Spec					M 0 1/2					Size Spec																					
ol						-1/2					Tol					r-1/2					Tol																					
COLOR	3C BUR	W - R	IC STR								COLOR	3C BUR	W - R	IC STR							COLO	R																				
1 1/2 1 3/8											+ 1 1/2 + 1 3/8										+ 1 1/2 + 1 3/8	E																				
1 1/4 1/8		$\vdash$	$\dashv$	+	+	$\vdash$	$\vdash$	+	+	++	+ 1 1/4 1 1/8		H	$\dashv$	+	-			H	+	+ 1 1/4 1 1/8		+	+		$\vdash$	$\dashv$	+	+		$\dashv$											
1 7/8			_	1	1	H			+	П	+ 1		H	_		1				1	+ 1 + 7/8		$\perp$	1			_	1	1													
3/4				$\pm$						Ш	+ 7/8 + 3/4									$\pm$	+ 3/4						1															
5/8 1/2			_	+	-			-		+	+ 5/8 + 1/2			$\dashv$		-					+ 5/8 + 1/2		-	+					+		-											
3/8 1/4			_	1						$\Box$	+ 3/8 + 1/4			_							+ 3/8 + 1/4						_	1														
1/8				土							+ 1/8										+ 1/8																					
0 1/8		Х	X	Ŧ		H	H			+	0 - 1/8		Х	X		1					0 - 1/8						4	Ŧ														
1/4	X			1						$\Box$	- 1/4	X		_							- 1/8 - 1/4						1	1														
3/8 1/2				$\pm$	$\pm$				$\pm$	$\Box$	- 3/8 - 1/2			_							- 3/8 - 1/2								$\pm$													
5/8 3/4			$\dashv$	Ŧ	Ŧ	+	$\dashv$		Ŧ	$\square$	- 5/8 - 3/4		H	$\dashv$		+			H	Ŧ	- 5/8 - 3/4		Ŧ	F			$\dashv$	Ŧ	Ŧ		-											
7/8				1					1	口	- 7/8 - 1			_							- 7/8 - 1			F																		
1 1 1/8				$\pm$		$\Box$					- 1 1/8					1					- 1 1/8																					
1 1/4 1 3/8		H	$\dashv$	-	-	H	$\dashv$	-		$+ \exists$	- 1 1/4 - 1 3/8		H	$\dashv$	$+ \overline{+}$	+			$\vdash \top$	-	- 1 1/4 - 1 3/8			+	H	$\vdash \exists$	$\dashv$	$\mp$	+	+	$\dashv$											
1 1/2			f		+				$\top$	+1	- 1 1/2					1	1				- 1 1/2		+	+			t															

		V	D	S	7	Ξ	N	D	A										M	IEASUF	REMEN	r specif	FICATION	CHART	-									DA <sup>-</sup> SI	ZE	_	_		8/2022 L	<u> </u>		_
lam OR			LOU	JRDE			OONA		OMPA	.NY	-	STYLE #	CRIPT	TION				M 52793		TN CF	MESH		.O. #					10	5370					COLO	)R			30	OW			
			R107	.1 TC	TAL E	BODY	LENG	STH F	ROM I	HPS		РОМ		C106	5.1 NE	CK WIDT	H HPS	TO HP	S SEA	мтоѕ	SEAM	P	ОМ		C10	7.1 FR	ONT N	IECK [	DROP I	HPS TO	O SEAM		РОМ			E1	01.1 A	CROSS	s shoi	JLDER	S-FR	ONT
						3						Size					6 7	8					ize pec					4 1/	4				Size Spec						L 19			_
ı						+1						Spec Tol					+-1						ol					+-1/					Tol		_		_		+-1/2	_		
R	3O BUR	W - EVE	RIC STR	2								COLOR	30 BUI	OW - R EVE	RIC STR							П	COLOR	30' BUR	W - RIC	C TR							COL	OR B	30W - UR EV	RIC E STI	۲					
			E								H	+ 1 1/2 + 1 3/8 + 1 1/4						Ŧ	Ŧ			+	1 1/2 1 3/8 1 1/4		Ŧ	Ŧ							+ 1 1/2 + 1 3/8 + 1 1/4	3	Ŧ	Ŧ	$\exists$	Ŧ	#	F		Ē
												1 1/8										1	1/8										1 1/8			士	$\pm$	#	#	$\pm$		
												+ 1 + 7/8										+	1 7/8										+ 1 + 7/8		士	士	$\pm$	士	士	士		
		Х										+ 3/4 + 5/8										+	3/4 5/8										+ 3/4 + 5/8		+	+	+	+	+	+-'		
	X		X									+ 1/2 + 3/8		X								+	1/2 3/8										+ 1/2 + 3/8		X	$\mp$	$\blacksquare$	$\mp$	$\mp$	=		F
												+ 1/4 + 1/8	X		Х							+	1/4 1/8										+ 1/4 + 1/8		X	X	Ħ	#	#	=		
												0	^										0	Χ	X .	Х							0									
												- 1/8 - 1/4											1/8 1/4										- 1/8 - 1/4		$\pm$	$\pm$		士	士			
												- 3/8 - 1/2										- 0 - 1	3/8 1/2										- 3/8 - 1/2		+	+	+	+	+	+		H
												- 5/8 - 3/4										- 5	5/8 3/4										- 5/8 - 3/4		#	#	$\blacksquare$	#	#	#		F
												- 7/8											7/8										- 7/8		#	丰	$\blacksquare$	二	丰	〓		
												- 1 - 1 1/8											1 1 1/8										- 1 - 1 1/8		$\pm$	$\pm$	$\pm$	士	士	$\pm$		E
				1					_			- 1 1/4 - 1 3/8											1 1/4 1 3/8		+				+				- 1 1/4 - 1 3/8		+	+	+	+	+	+-'		H
												- 1 1/2										- 1	1 1/2										- 1 1/2	Æ,		ـــــــــــــــــــــــــــــــــــــــ						
	Н	1100	.1B C	HEST	r-BUS			" BEL	OW A	RMHO	LE	РОМ		N102	2.1A SI	EEVE LE	SLEE	VE)	SHOUL	DER(L	ONG		OM		A10	6.2 NE	CK OP	ENING	i-MININ	IUN ST	RETCH						Co	mments	s:			
						23	3/4					Size Spec					10 3						ize pec																			
							1/2					Tol					+-1						ol			_																
		W - EVE	RIC STR									COLOR		OW - R EVE								П	COLOR																			
												+ 1 1/2 + 1 3/8											1 1/2 1 3/8																			
												+ 1 1/4 1 1/8										+	1 1/4 1/8																			
												+ 1										+																				
												+ 7/8 + 3/4										+	7/8 3/4																			
			X									+ 5/8 + 1/2										+	5/8 1/2																			
	_	Х										+ 3/8 + 1/4	_	_								+	3/8 1/4																			
	X											+ 1/8	_	Х	Х								1/8																			
												0 - 1/8										- 1	0 1/8																			
												- 1/4 - 3/8					H			$\blacksquare$			1/4 3/8																			
				L					1			- 1/2					П				1		1/2			1		_	1													
												- 5/8 - 3/4					$\Box$					- 3	5/8 3/4																			
				$\vdash$			$\vdash$		-	+	+	- 7/8 - 1				+	$\vdash$			$\vdash$		-	7/8 1		-	+			+		+++	$\dashv$										
						-						- 1 1/8 - 1 1/4		1			H						1 1/8 1 1/4					-														
			+-	<del>†                                     </del>	<del>                                     </del>	<del>                                     </del>			_ t			- 1 3/8		1	H		t		_				1 3/8			1	+		-			1										

L		N	D	S	E	N	D	A	<u> </u>									ME	ASURE	MENT	SPECIFICATIO	N CHA	RT										DATE	=			26/08/ XI				_
A's Nam ENDOR			LOU		PARRA EXTIL S				PANY	•	ITEM DES	CRIPT	ION			52	M SS 7939	PTT	N CF M	ESH P	P.O. #						10	05370			]	C	OLOF				30'	N			
ОМ		F	R107.1	1 TOTA	AL BOD	Y LEI	NGTH	FROM	M HPS		РОМ		C106.1	1 NEC	K WIDTH HP	S TO	HPS S	EAM	ITO SE	AM	POM			C107.	.1 FRC	N TNC	ECK I	DROP H	PS TO	SEAM		РОМ			E101	.1 ACF	ROSS	SHOUL	DERS-	FRON	Т
ize						XL					Size					XL					Size						XL					Size						XL			
pec ol						31 1 -1/2					Spec Tol					1/4 -1/2					Spec Tol						4 3 +-1					Spec Tol						-1/2			
COLOR		W - F									COLOR		OW - RI								COLO		3OW - JR EV	RIC E STR	2							COLOR	30 BUI	OW - F R EVE	RIC STR						
1 1/2 1 3/8									$\blacksquare$		+ 1 1/2 + 1 3/8										+ 1 1/2 + 1 3/8										1	+ 1 1/2 + 1 3/8									$\blacksquare$
1 1/4 1/8											+ 1 1/4 1 1/8										+ 1 1/4 1 1/8											+ 1 1/4 1 1/8									$\blacksquare$
1 7/8											+ 1 + 7/8										+ 1 + 7/8										1 1	+ 1 + 7/8									#
3/4											+ 3/4										+ 3/4										1 .	+ 3/4									
5/8 1/2				+							+ 5/8 + 1/2										+ 5/8 + 1/2										1 1	+ 5/8 + 1/2						+		+	+
3/8 1/4											+ 3/8 + 1/4	X		Х							+ 3/8 + 1/4											+ 3/8 + 1/4	X		Х						$\blacksquare$
1/8	Х										+ 1/8		^	^							+ 1/8											+ 1/8		Х							$\perp$
0 1/8		Х	Х							+	0 - 1/8										0 - 1/8 - 1/4	<i>&gt;</i>	X	X							1 [	0 - 1/8									+
1/4 3/8											- 1/4 - 3/8										- 1/4 - 3/8											- 1/4 - 3/8									$\blacksquare$
1/2											- 1/2										- 1/2										1	1/2									$\pm$
5/8 3/4											- 5/8 - 3/4										- 5/8 - 3/4										┪╽	- 5/8 - 3/4									_
7/8 I											- 7/8 - 1										- 7/8 - 1						_				1	- 7/8 - 1									1
1 1/8											- 1 1/8										- 1 1/8										1	1 1/8									
1 1/4 1 3/8											- 1 1/4 - 1 3/8										- 1 1/4 - 1 3/8										1	- 1 1/4 - 1 3/8									+
1 1/2											- 1 1/2										- 1 1/2											1 1/2									
OM	H	1100.	1B CH	IEST-E	BUST (1	TOPS	) 1" BE	ELOW	ARMHO	DLE	РОМ		N102.1	1A SL	EEVE LENGT SLE	TH-TC	OP SHC	ULD	ER(LO	NG	РОМ			A106.2	2 NEC	K OPE	ENING	3-MINIMU	JN ST	RETCH						Comr	nents:				
ze						XL 5 3/4					Size					XL 11					Size																				
oec ol						5 3/4 1/2					Spec Tol					-1/2					Spec Tol																				
COLOR	3C BUR	W - F	RIC STR								COLOR	3C BUR	W - RI	IC STR							COLO	R																			
1 1/2 1 3/8									$\blacksquare$	$\blacksquare$	+ 1 1/2 + 1 3/8		П								+ 1 1/2 + 1 3/8		Ŧ																		
1 1/4 1/8				-			-	+		+	+ 1 1/4 1 1/8		H				+				+ 1 1/4 1 1/8			-			$\dashv$				-										
											+1		H								+ 1						_				1										
7/8 3/4											+ 7/8 + 3/4										+ 7/8 + 3/4																				
5/8 1/2										+	+ 5/8 + 1/2			X							+ 5/8 + 1/2																				
3/8											+ 3/8	X	Х								+ 3/8																				
1/4 1/8	X	Х	X								+ 1/4 + 1/8										+ 1/4 + 1/8																				
0 1/8											0 - 1/8										- 1/9																				
1/4				1							- 1/4		H								- 1/8 - 1/4						1														
3/8 1/2				-			+	$\vdash$		+	- 3/8 - 1/2		$\vdash$			1	+			+	- 3/8 - 1/2		+	+	1		$\dashv$		$\vdash$		-										
5/8 3/4				4					$\perp$	$\Box$	- 5/8 - 3/4		П	1		1					- 5/8 - 3/4						-				1										
7/8											- 7/8										- 7/8										1										
1 1 1/8				+	+	+	+	+	+	+	- 1 - 1 1/8		$\vdash$	-	+	+	$\vdash$	-	$\vdash$	+	- 1 - 1 1/8		+	+	$\vdash$		$\dashv$		+												
1 1/4 1 3/8				1			F				- 1 1/4 - 1 3/8		П								- 1 1/4 - 1 3/8			T			-				1										
1 3/8 1 1/2						+	+	+		+	- 1 3/8 - 1 1/2				+	1				-	- 1 3/8 - 1 1/2		+	+	1				1		1										

L	A	N	D:	5'	Ε	N	D	A									М	EASUR	EMENT	SPECI	FICATION	CHART	г								DATE			2	26/08/20 XXL				
CA's Nan VENDOR	ne:			ARRA	OONAY	/RE	)MPAN	Y	_	ITEM DES	CRIPTIO	N			M : 527939		TN CF N	MESH PO		P.O. #					10	05370				COLOF	<u> </u>			3OW	1				
POM		R	R107.1	TOTAL	L BODY	LENG	TH FR	OM HP	'S		POM	C	106.1 NE	CK WIDTH	HPS	TO HPS	S SEA	и то se	AM	Р	РОМ		C10	7.1 FR	N TNO	NECK	DROP I	IPS TO	) SEAM	POM	r		E101.	.1 ACR	oss s	HOUL	DERS-FI	RONT	
Size Spec Tol					3	XL 32 -1/2					Size Spec Tol				7 5/ +-1/	/8				S	size Spec Tol					4 5 +-1	/8			Size Spec Tol		<u>=</u>	<u> </u>		2	XL 21 -1/2	<u> </u>		<u> </u>
COLOR		W - R									COLOR		V - RIC EVE STR			_					COLOR		W - RIC							COLO		OW - R R EVE							
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8											+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8									+	1 1/2 1 3/8 1 1/4 1/8									+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8									
+ 1 + 7/8 + 3/4 + 5/8 + 1/2	X	X	X								+ 1 + 7/8 + 3/4 + 5/8 + 1/2									+++++++++++++++++++++++++++++++++++++++	1 7/8 3/4 5/8 1/2									+ 1 + 7/8 + 3/4 + 5/8 + 1/2									
+ 3/8 + 1/4 + 1/8 0 - 1/8											+ 3/8 + 1/4 + 1/8 0 - 1/8	X	X X							+	3/8 1/4 1/8 0	X	Х	X						+ 3/8 + 1/4 + 1/8 0 - 1/8	Х	X	X						
- 1/4 - 3/8 - 1/2 - 5/8 - 3/4											- 1/4 - 3/8 - 1/2 - 5/8 - 3/4									-	1/4 3/8 1/2 5/8 3/4									- 1/4 - 3/8 - 1/2 - 5/8 - 3/4									
- 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8											- 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8									-	7/8 1 1 1/8 1 1/4 1 3/8									- 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8									
- 1 1/2 POM	H	1100.1	1B CHE	ST-BU	JST (TO	DPS) 1	BELC	W ARM	MHOLE		- 1 1/2 POM	N	102.1A \$	SLEEVE LE	NGTH-	-TOP S VE)	HOUL	DER(LC	NG		1 1/2 POM		A10	6.2 NE	CK OP	PENING	G-MINIM	IUN ST	RETCH	- 1 1/2				Comm	nents:				
Size Spec Tol					27	XL 3/4 1/2					Size Spec Tol				11 1. +-1/	/4				S	size Spec Tol																		
COLOR		W - R									COLOR		V - RIC EVE STR								COLOR																		
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1											+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1									+ + 1	1 1/2 1 3/8 1 1/4 1/8																		
+ 7/8 + 3/4 + 5/8 + 1/2 + 3/8		X									+ 7/8 + 3/4 + 5/8 + 1/2 + 3/8									+ + +	7/8 3/4 5/8 1/2 3/8																		
+ 3/6 + 1/4 + 1/8 0 - 1/8 - 1/4	X		X								+ 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4	X	X X							+	1/4 1/8 0 1/8 1/4																		
- 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8											- 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8									-	1/4 3/8 1/2 5/8 3/4 7/8																		

- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2