LANDS'	ENDA	
--------	------	--

MEASUREMENT SPECIFICATION CHART

DATE 10/08/2021
SIZE 1X
COLOR 0XN-ZTI

CA's Nam VENDOR		l	LUIS A		ALVA XTIL S		ING C	OMPA	NY	-	STYLE #		ΓΙΟΝ				4202		S RLXI	D SUPI	MA VN	P.O. #						84752					COL	_			UXI	IN-ZTO	<u>'</u>			
POM Size Spec Tol		R· N-DE \$	SE	ZTU-	+1 RICH	7 LENO 1X 28 -1/2	GTH FI	ROM H	HPS		POM Size Spec Tol		C106.	SE	ZTU-F	1 8 +1/2 RICH	X 3/4 1-1/2	PS SE	EAM TO	SEAM		POM Size Spec Tol		C107		ONT N	+1/4 CH	X 8 1 -1/4	PHPSTO	) SEAM	1	POM Size Spec Tol	OR		E10  DE SE	ZT		1X 17 +1/2 -	e.	RS-FR	ONT	
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 5/8 + 1/2 + 3/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/8 - 1/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1 - 1/2 - 5/8 - 1 - 1/8 - 1/2 - 1/8 - 1/8 - 1/2 - 1/8 - 1/2 - 1/8 - 1/2 - 1/8 - 1/8	X	X	X	) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) )	X X X						+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/8 + 1/2 + 3/8 + 1/2 + 3/8 - 1/4 - 3/8 - 1/4 - 3/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 1/8 - 1/4 - 1/8 -	X	X	X	X	X						+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 1/8 - 1 1/	X	XXX	X	X	X					+ 1 1/ + 1 3/ + 1 1/1 1 1/8 + 1 + 7/8 + 1/2 + 3/8 + 1/2 + 1/8 - 1/4 - 1/8 - 1/2 - 5/8 - 1 - 1 1/2 - 1/3 - 1 1/3 - 1 1/3 - 1 1/3	8 4 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	X	X X	X	X	X				
POM Size Spec Tol	0.				24 +1/2	OPS) 1 IX 3/4 2 -1/2	* BEL	OW AI	RMHOL	E	POM Size Spec Tol	0)			EEVE L	SLE 1 2 +3/4	H-TOP EVE) X 24 1-1/2	SHOU	JLDER	(LONG		POM Size Spec Tol	0.00				1 2 +1/2	G-MINI X 24 2 -1/2	IMUN ST	RETC	H					Cor	mment	.s:				
COLOR  + 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1/4 + 1/8 + 3/4 + 1/2 + 3/8 + 1/2 + 1/8 - 1/8 - 1/4 - 1/8 - 1/4 - 7/8 - 1 - 1/8 - 1/14 - 7/8 - 1 - 1 1/4 - 1 3/8 - 1 1/4 - 1 3/8 - 1 1/4		X									+1 1/2 +1 3/8 +1 1/4 1 1/8 +1 +7/8 +3/4 +1/2 +3/8 +1/4 +1/8 0 -1/8 -1/4 -3/8 -1/2 -5/8 -1/2 -5/8 -1/4 -3/8 -1/4 -1/2 -5/8 -1/2 -1/8 -1/2 -1/8 -1/2 -1/8 -1/4 -1/8 -1/2 -1/8 -1/2 -1/8 -1/2 -1/8 -1/8 -1/2 -1/8 -1/2 -1/8 -1/2 -1/8 -1/2 -1/8 -1/2 -1/8 -1/2 -1/8 -1/8 -1/8 -1/8 -1/8 -1/8 -1/8 -1/8	N <sub>i</sub>	XN-DE A BE F	FLO	X	D						COLOR  + 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/8 - 1 1/2		X X X		X																

LANDS'	ENDA	
--------	------	--

MEASUREMENT SPECIFICATION CHART

DATE 10/08/2021
SIZE 2X
COLOR 0XN-ZTU

CA's Nam VENDOR		L	UIS AI		ALVAF		IG CO	MPANY			TEM DESC STYLE #	RIPTIC	N				W2 42029		RLXD	SUPIMA		T P.O. #					ŧ	34752					0020									•	
РОМ		R1	07.1 T	OTAL	BODY	LENG <sup>-</sup>	TH FR	OM HPS	i	Р	POM	С	106.1	NECK	WIDTH		TO HP	S SEAM	и то :	SEAM	F	POM		C107	7.1 FR	ONT N		DROP H	PS TO :	SEAM	1	РОМ			E10	1.1 A	CROS			ERS-FF	RONT		
Size Spec					28					S	ize ipec					2) 9						Size Spec					2 8 1					Size Spec						2X 17 1			_		4
Tol					+1 -					Ĭ	ol					+1/2						Tol			_		+1/4					Tol						+1/2 -		_			
COLOR	0XN NA I	I-DE SI BE FLO	E O	ZTU-F RE	RICH D						COLOR	0XN- NA E	DE SI	Z	TU-RI RED	СН						COLOR	0X NA	N-DE SE A BE FLO	Z	TU-RI	СН					COL	OR (	0XN- NA B	DE SE SE FLO	ZT	U-RICI RED	н					
+ 1 1/2 + 1 3/8	П	$\equiv$	#	Ŧ	П		T				1 1/2		Ŧ	T	Т			T			1 6	+ 1 1/2 + 1 3/8				Г				$\Box$		+ 1 1/2 + 1 3/8		Ŧ			$\equiv$	$\dashv$	Ŧ	Ŧ	F	$\Box$	٦
+ 1 1/4										+	1 1/4											+ 1 1/4										+ 1 1/4							士				
1 1/8 + 1	X				+					1	1/8 1											1 1/8 + 1							-			1 1/8 + 1					-+	-	+	+	+-	++	4
+ 7/8		X	Х							+	7/8		1								1 6	+ 7/8										+ 7/8 + 3/4					二	コ	#	士	$\perp$		╛
+ 3/4 + 5/8				+							5/8		+									+ 3/4 + 5/8										+ 3/4 + 5/8					$\dashv$	+	-	+	+	++	-
+ 1/2 + 3/8											1/2											+ 1/2 + 3/8										+ 1/2 + 3/8					Х	Х	4	$\bot$	<b>—</b>	$\blacksquare$	$\exists$
+ 1/4				Х	Х					+	1/4										1 6	+ 1/4										+ 1/4						_		$\pm$	$\pm$		7
+ 1/8 0			;	X						+	1/8		_								- 1	+ 1/8 0	~	XX		X	X					+ 1/8				X	$\rightarrow$	$\dashv$	$\dashv$	$\perp$	1		_
- 1/8											1/8		_								1 [	- 1/8	^	\ \ \ \	. ^	^	^					- 1/8					$\dashv$	$\dashv$	+	+	+-	+	۲
- 1/4 - 3/8											1/4 3/8			Х	Х	Х						· 1/4 · 3/8										- 1/4 - 3/8			ХХ		$\blacksquare$	_	4	$\blacksquare$	1		4
- 1/2			+							1 6	1/2	Х	Х	x ^								1/2										- 1/2		X			$\pm$	$\pm$	_	+	+	++	$\neg$
- 5/8 - 3/4											5/8 3/4											· 5/8 · 3/4										- 5/8 - 3/4					$\vdash$	_	_	4	4	$\perp$	4
- 7/8											7/8											7/8										- 7/8						士	士	土	士		٦
- 1 - 1 1/8											1 1 1/8											· 1 · 1 1/8										- 1 - 1 1/8					$\vdash$	$\dashv$	_	+	—	++	_
- 1 1/4											1 1/4											1 1/4										- 1 1/4						士		土	士		٦
- 1 3/8 - 1 1/2					+						1 3/8 1 1/2		+									· 1 3/8 · 1 1/2										- 1 3/8 - 1 1/2					-	$\dashv$	-	+	+	++	4
		100 10	OUE	OT DU	OT (TO	DO) 45	DEL O	W ARMI	101.5			N	102.1/	SLEE	VE LE	NGTH	-TOP S	HOULI	DER(L	LONG				4400	ONE	21/ 02	- N. III. I	0.1411.111.41	IN OTO	FTO													I
POM	п	100.16	CHE	S1-BU	2		BELU	W ARIVIE	TOLE		OM					SLEE 2)					_	POM		A106	.2 NEC	JK UP	2	G-MINIM	JN 51K	EICE	1					Cor	mment	ts:					
Size Spec					26						ize ipec					24 1						Size Spec					2										_						٩
Tol					+1/2					Ĭ	ol					+3/4						Tol					+1/2																ļ
COLOR		I-DE SI BE FLO		ZTU-F RE							COLOR		DE SI		TU-RI RED							COLOR		N-DE SE A BE FLO		TU-RI																	
+ 1 1/2			1	T			T				1 1/2	П	T		T							+ 1 1/2								I													ļ
+ 1 3/8 + 1 1/4	$\vdash$		-		+		+	+	-	+	1 3/8	$\vdash$	-									+ 1 3/8 + 1 1/4					Н		++	-	+												ļ
1 1/8										1	1/8											1 1/8																					ļ
+ 1 + 7/8				-	-						· 1 · 7/8		_								- [	+ 1 + 7/8			-																		ļ
+ 3/4										+	3/4											+ 3/4																					ļ
+ 5/8 + 1/2				-	+						5/8 1/2	X	X	X							- [	+ 5/8 + 1/2																					ļ
+ 3/8										+	3/8	~									1 6	+ 3/8																					ļ
+ 1/4 + 1/8				Х	X						1/4		_	X	X	X						+ 1/4 + 1/8																					ļ
0				X							0			Ä								0	X	ХХ	X	Х	Χ																ļ
- 1/8 - 1/4											1/8 1/4											- 1/8 - 1/4																					ļ
- 3/8		X	X	$\pm$		_					3/8		$\pm$		+						1 6	3/8			$\pm$																		ļ
- 1/2	X		1								1/2 5/8		1									· 1/2 · 5/8																					ļ
- 5/8 - 3/4			+	+	+	_		+	+		5/8 3/4		+		1			+				- 5/8 - 3/4			+		$\vdash$		+	-	+												ļ
- 7/8		_	1				1				7/8 1		1									· 7/8 · 1																					ļ
- 1 - 1 1/8		-	+	+	+		+	+			1 1 1/8		+		+							· 1 · 1 1/8			-		$\vdash$		++														ļ
- 1 1/4				1							1 1/4		1									1 1/4																					ļ
- 1 3/8					$\perp$						1 3/8			-	+				1			1 3/8	_	$\vdash$	1	+	-		+	_													- 1

LAND	DS' E	NDA
------	-------	-----

MEASUREMENT SPECIFICATION CHART

DATE 10/08/2021
SIZE 3X
COLOR 0XN-ZTU

CA's Nam VENDOR	9:	LU			VAREZ L SOUF		COMF	PANY	_	STYLE #	CRIPTIC	N			4	WX 420291		LXD S	SUPIMA \	P.O. #						84752					,020.	`			7.0.1.2.				
POM		R10	7.1 TC	TAL BO	ODY LE	NGTH	FROM	1 HPS		РОМ	C	106.1 N	NECK V	/IDTH			SEAM T	TO SI	EAM	POM		C10	7.1 FR	RONT			HPS TO	SEAM	И	POM		[	101.	1 ACRO		HOULD	ERS-F	RONT	
Size Spec Tol					3X 29 1/4 +1 -1/2					Size Spec Tol					3X 9 1/4 +1/2 -1	1				Size Spec Tol					8	3/8 4 -1/4				Size Spec Tol					1	3X 18 2 -1/2	<u> </u>	<u> </u>	
COLOR	0XN	-DE SE	Z	ΓU-RIC						COLOR	0XN-	DE SE	Z1	U-RIC	н	1/2				COLOR	0	XN-DE SE	Z	TU-RI	ICH	1-1/4				COLOR	02	XN-DE S	E	ZTU-R	ICH	-1/2			
+ 1 1/2	NA	BE FLO	<u> </u>	RED						+ 1 1/2	NA E	BE FLO	)	RED						+ 1 1/2	ľ	IA BE FLC	)	RED	)					+ 1 1/2	N	A BE FL	0	REI	, —	<u> </u>	—	Ь,	
+ 1 3/8 + 1 1/4			+	H	-					+ 1 3/8 + 1 1/4										+ 1 3/8 + 1 1/4						H				+ 1 3/8 + 1 1/4				#	丰	H	丰	Ħ	
1 1/8 + 1	Х									1 1/8 + 1										1 1/8 + 1										1 1/8 + 1					E		$\blacksquare$	П	
+ 7/8 + 3/4		X	(							+ 7/8 + 3/4										+ 7/8 + 3/4										+ 7/8 + 3/4				_	┢	Ħ	士	目	
+ 5/8 + 1/2 + 3/8									Н	+ 5/8 + 1/2 + 3/8										+ 5/8 + 1/2 + 3/8										+ 5/8 + 1/2 + 3/8			1	$\pm$	$\pm$		士	ightarrow	
+ 3/8 + 1/4 + 1/8			X							+ 3/8 + 1/4 + 1/8										+ 1/4 + 1/8										+ 1/4 + 1/8				X	X		#	$\blacksquare$	
0 - 1/8				Х	Х					0 - 1/8				X	X					0 - 1/8			Х	X	X					0 - 1/8					Ê	Ħ	丰	$\blacksquare$	
- 1/4 - 3/8										- 1/4 - 3/8		+	Х							- 1/4 - 3/8	>	( X )	(							- 1/4 - 3/8				=	+	Ħ	#	Ħ	
- 1/2 - 5/8										- 1/2 - 5/8	X	X	(							- 1/2 - 5/8										- 1/2 - 5/8	X	X	X		$\equiv$		+	$\blacksquare$	
- 3/4 - 7/8										- 3/4 - 7/8										- 3/4 - 7/8										- 3/4 - 7/8				_	$\pm$		士	廿	
- 1 - 1 1/8 - 1 1/4										- 1 - 1 1/8 - 1 1/4		1								- 1 - 1 1/8 - 1 1/4										- 1 - 1 1/8 - 1 1/4				1	$\pm$	Ħ	#	$\exists$	
- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2										- 1 1/4 - 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2				#	+	Ħ	#	$\blacksquare$	
	L14	00 1B	CUEST	DUCT	(TODS	) 1= DE	LOW	ARMHOL	_	POM	N	102.1A	SLEE	E LEN	NGTH-	TOP SH	HOULDE	ER(LC	ONG			A106	ONE	CK OF	DENIN	IC MINII	MUN ST	DETC	_										
POM Size		100.16	CHES	-6031	3X	9) 1 66	LOW	AKIVINOL		Size				-	SLEEV 3X					POM Size		ATUC	).Z INC	CKOF		3X	VIUN 31	KEIC	1					Comme	ents:				
Spec Tol					28 3/4 +1/2 -1/					Spec Tol					24 1/- +3/4 -1					Spec Tol						24 2 -1/2													
COLOR		-DE SE BE FLO		TU-RIC RED	Н					COLOR		DE SE		U-RIC RED	н					COLOR		XN-DE SE IA BE FLC		TU-RI RED															
+ 1 1/2 + 1 3/8	H	Ŧ		П		Ŧ	П		П	+ 1 1/2 + 1 3/8	П	Ŧ				$\blacksquare$	П	Ŧ		+ 1 1/2 + 1 3/8	F	+	Ŧ	Ŧ		П	T		$\mp$										
+ 1 1/4 1 1/8				H						+ 1 1/4 1 1/8										+ 1 1/4 1 1/8																			
+ 1 + 7/8										+ 1 + 7/8										+ 1 + 7/8																			
+ 3/4 + 5/8										+ 3/4 + 5/8										+ 3/4 + 5/8																			
+ 1/2 + 3/8										+ 1/2 + 3/8	X	X	(							+ 1/2 + 3/8																			
+ 1/4 + 1/8		_	Х	Х	Х				Ш	+ 1/4 + 1/8	Ш	_								+ 1/4 + 1/8						ш													
0 - 1/8 - 1/4										0 - 1/8 - 1/4										0 - 1/8 - 1/4	<i>&gt;</i>	( X )	X	. Х	X														
- 1/4 - 3/8 - 1/2	Х	V \								- 1/4 - 3/8 - 1/2		#	Х	Х	Х					- 1/4 - 3/8 - 1/2																			
- 1/2 - 5/8 - 3/4		X								- 1/2 - 5/8 - 3/4										- 1/2 - 5/8 - 3/4																			
- 3/4 - 7/8 - 1	H	+	+							- 7/8 - 1								1		- 7/8 - 1			ļ						$\blacksquare$										
- 1 1/8 - 1 1/4	H	+		H	+	+			H	- 1 1/8 - 1 1/4	$\vdash$		-		#		$\dashv$	1		- 1 1/8 - 1 1/4						H			$\blacksquare$										
- 1 3/8 - 1 1/2		1		H						- 1 3/8										- 1 3/8																			