Manual Registration Processing Column Pr	L	A	N	D	S	E	N		A											M	IEASUI	REMEN	NT SPE	CIFICATION	I CHAF	RT										DAT SIZ COLO	ZE			/09/20 1X DQ-0N				-
1 1 2 2 2 2 2 2 2 2				LEON						PANY				PTION				4			SUPIN	A CRE	W	P.O. #						84478														
Section Sect	РОМ		R	107.1	TOTA	AL BOI		NGTH	H FROI	M HPS				C10	06.1 NE	CK W	/IDTH		O HPS	SEA	мтоѕ	EAM				C1	07.1 F	RONT			P HPS	TO SEA	М				E1	01.1	ACRO			DERS-F	RONT	
COLOR SOCIALITY STEELING SOCIALITY SOCIALITY STEELING SOCIALITY STEELING SOCIALITY STEELING SOCIALITY STEELING SOCIALITY STEELING SOCIALITY SOCI	рес						28					Spec						8 3/4						Spec					4	1/2					Spec	L				1	7			
PROSP OU RED PAR D PROSP	bl											Tol							/2					Tol						4 -1/4					Tol	١					-1/2			
138	COLOR	OD/ PRO	Q-NA\ OSP C	VY QUI	0M3 RED F	-RUS PAI FL	0					COLO	R	0DQ-N PROSI	NAVY P QUI	ON RED	//3-RUS PAI F	LO						COLOR	OI PF	OQ-NAV ROSP Q	Y UI F	0M3-F RED PA	RUS J FLO						COLO	R F	DQ-NAVY PROSP QUI	I RE	0M3-RI ED PAI	US FLO				
MINOLIDO CIEST BUST (TOPS) Y BELOW ARMACLE MINOLIDO CIEST BUST (TOPS) Y BELOW ARMACLE MINOLIDO CIEST BUST	1 3/8											+ 1 3/8		F										+ 1 3/8											+ 1 3/8							Ŧ		H
MOUNT ALLEY LENGTH TOPS INCLUDENCING MINING IN THE TOP INCLUDENCING MINING INTERPORT M	1/8											1 1/8												1 1/8			1								1 1/8			-				#		Ħ
X X X X	7/8											+ 7/8																							+ 7/8							4		
	5/8	X	X	X	Х							+ 5/8												+ 5/8											+ 5/8							#		
10	3/8					X)	X					+ 3/8												+ 3/8											+ 3/8							+		H
18	1/8											+ 1/8					Х	Х								Н												-	X	Х		+		H
## MINO-IB CHEST-BUST (TOPS) ** BELOW ARMHOLE TIX ## MINO-IB CHEST-BUST (TOPS) ** BELOW ARMHOLE ## MINO-IB CHEST-BUST (TOPS) ** AND ARMHOLE ## MINO-IB CHEST-BUST (TOPS)	1/8					-						- 1/8			X									- 1/8	X		Х		X						- 1/8	>	(X				7		Ħ
100	3/8											- 3/8												- 3/8										1	- 3/8							#		H
10	5/8											- 5/8												- 5/8											- 5/8							#		
11/2 1 1 1 1 1 1 1 1 1	7/8											- 7/8																										-				+		H
138	1 1/8											- 1 1/8 - 1 1/4		1										- 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4							#		H
Mathematics	1 3/8											- 1 3/8												- 1 3/8											- 1 3/8							#		H
1X		Н	1100.1	в сн	IEST-B	UST (TOPS) 1" B	ELOW	ARMHO	DLE			N10	02.1A S	SLEEV				HOUL	DER(L	ONG				A10	06.2 N	ECK O	PENIN	IG-MIN	IIMUN	STRETO	СН											
10																	•	1X	E)																			Ċ	omme	nts:				
PROSP QUI RED PAI FLO PAI	oec ol							2				Spec Tol							/2					Spec Tol										┪ .										
13/8 13	COLOR	0D	Q-NA\ OSP G	VY	0M3 RED F	-RUS PAI FL	0					COLO	R	0DQ-N PROSI	NAVY P QUI	ON RED	//3-RUS PAI F	LO						COLOR	OI PF	Q-NAV ROSP Q	Y UI F	0M3-F RED PA	RUS JI FLO															
1 1/4					Ŧ	Ŧ		Ŧ	T		\top			Ŧ	T				T							П	#																	
1	1 1/4											+ 1 1/4												+ 1 1/4										1										
3/4												+ 1												+ 1																				
1/2	3/4											+ 3/4		▐										+ 3/4										1										
1/4	1/2											+ 1/2												+ 1/2										1										
0	3/8 1/4											+ 3/8 + 1/4		Х	Х									+ 3/8 + 1/4										-										
1/8						X)	X									X	Х	X							X	Х	Х	X X	X															
3/8	1/8											- 1/8												- 1/8																				
5/8 - 5/8 -	3/8	X	Х	Χ								- 3/8						-						- 3/8		H	1																	
7/8 - 7/8 - 7/8 - 7/8 - 7/8 - 7/8 - 7/8 - 7/8 - 7/8 - 7/8 - 7/8 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	5/8				1			1				- 5/8							1			1		- 5/8		Ħ	#							1										
1 1/8	7/8							\downarrow				- 7/8		1										- 7/8		H	+							1										
-1 3/8	1 1/8							\bot				- 1 1/8																						1										
-11/2	1 3/8				_		_	╘	╘		± 1	- 1 3/8		Ⅎ	\pm		H		\pm		H			- 1 3/8		oxdot	_			$oxed{\mathbb{H}}$		Ⅎ		1										

LAN	DS' END
CA's Name:	LEONARDA HUAMAN CHAVEZ
VENDOR	TEXTIL SOURCING COM
VENDOR	TEXTIL SOURCING CO

MEASUREMENT SPECIFICATION CHART

DATE 03/09/2021 2X SIZE

CA's Nam	e:		LEON		HUAN						ITEM DES	CRIPT	ION					WXR L	S SUF	IMA C	REW												COI	LOR _		—	0D	Q-0M3	,	—		
/ENDOR				TE	XTIL S	SOUR	CING	COMP	ANY		STYLE#						4765	520				P.O. #					84	1478														
POM		R	107.1	TOTA	L BOD	Y LEN	NGTH	FROM	HPS		POM		C106.	1 NEC	CK WIDT	H HPS	тон	IPS SE	AM TO	SEA	M	РОМ		C107.	1 FRO	NT N	ECK [ROP	HPS T	O SEAM		PON	4		E10	01.1 /	ACROS	SS SHO	OULDE	RS-FR	ONT	
Size						2X					Size					2X	X					Size					2X					Size				—	—	2X		—		
Spec					28	8 5/8					Spec					9	1					Spec					4 5/	8				Spe						17 1/	/2			
Γol					+1	1 -1/2					Tol					+1/2 -	-1/2					Tol					+1/4 -	1/4				Tol				_	_	+1/2 -	1/2			
COLOR		Q-NA\ OSP G			-RUS PAI FLC)					COLOR		Q-NA' OSP (0M3-R RED PA							COLOR		Q-NAVY OSP QUI		M3-RU PAI F						cc	DLOR		Q-NAVY ISP QUI		M3-RU: D PAI F					
+ 1 1/2 + 1 3/8								П	Ŧ	T	+ 1 1/2 + 1 3/8		Н	7		П						+ 1 1/2 + 1 3/8					7					+1:			Ŧ	F	\Box		Ŧ	F	П	\top
+ 1 1/4											+ 1 1/4											+ 1 1/4										+ 1	1/4			1	\Box		二	\perp		
1/8 - 1								H			1 1/8 + 1					-						1 1/8 + 1										1 1/8	3			+	\vdash		+	+'		-
7/8											+ 7/8											+ 7/8										+ 7/8										
- 3/4 - 5/8					_		+	H			+ 3/4 + 5/8				_	-		_				+ 3/4 + 5/8						_			_	+ 3/4				₩	\vdash		+	 '		_
1/2		Х									+ 1/2											+ 1/2										+ 1/2	2			1-	\vdash		+	+		_
3/8	Х		Х					\square			+ 3/8 + 1/4					\sqcup			_			+ 3/8 + 1/4										+ 3/4				1	\vdash		\bot	<u> </u>		
· 1/4 · 1/8											+ 1/4 + 1/8											+ 1/4 + 1/8			Х						-	+ 1/4				+	\vdash		-	+-		_
0											0			_	Х							0				_	Χ						0				Х	X				
1/8 1/4											- 1/8 - 1/4	X	Х	Х		X			_			- 1/8 - 1/4	X	X X								- 1/8 - 1/4			X X	X	\vdash		-			
3/8				Х		1					- 3/8	^			X	^			+			- 3/8	^	^ ^								- 3/8		Х	^ ^	+^	\vdash		+	+		_
1/2					X X						- 1/2											- 1/2										- 1/2				1	Ш		\perp			
5/8 3/4						-					- 5/8 - 3/4								-			- 5/8 - 3/4									+	- 5/8 - 3/4				+	\vdash		+	+-'		_
7/8											- 7/8											- 7/8										- 7/8					ш			\perp		
1 1 1/8						+	-	H			- 1 - 1 1/8							-	-			- 1 - 1 1/8						-			_	- 1 - 1 1	/Ω			+	\vdash		+	+'		-
1 1/4											- 1 1/4											- 1 1/4										- 1 1	/4			1	\vdash		+	+		_
1 3/8 1 1/2											- 1 3/8 - 1 1/2			_								- 1 3/8 - 1 1/2										- 13 - 11				\vdash	\vdash		+	-		
POM	H	1100.1	ВСН	EST-B	UST (T	OPS)	1" BE	LOW A	ARMHO	LE	POM		N102.	1A SL	EEVE LE			SHOU	JLDER	(LON	3	POM		A106.2	NEC	K OPE	ENING	-MINIM	IUN S	TRETCH												
Size						2X					Size					SLEE 2X						Size					2X									Co	ommen	its:				
Spec					26	6 3/4					Spec					24 1	1/8					Spec					24															
ol					+1/	/2 -1/2	2				Tol					+3/4	-1/2					Tol					+100	-0														
COLOR		Q-NA\ OSP C			-RUS PAI FLC						COLOR		Q-NA' OSP (0M3-R RED PA							COLOR		Q-NAVY OSP QUI		M3-RU PAI F																
1 1/2										\blacksquare	+ 1 1/2		Ш									+ 1 1/2					7															
+ 1 3/8 + 1 1/4				_	+	+	+	\vdash	-	+	+ 1 3/8 + 1 1/4			\dashv	_	++		-	-	+	+	+ 1 3/8 + 1 1/4					\dashv	-	+		+											
1/8											1 1/8			_		Ш						1 1/8																				
- 1 - 7/8		\vdash	\dashv	+	+	-	+	\vdash	-		+ 1 + 7/8		\vdash	-		\vdash	-	-+	-	-	\vdash	+ 1 + 7/8					\dashv	+	-	++	+											
- 3/4											+ 3/4											+ 3/4																				
+ 5/8 + 1/2					X	-	-	\vdash			+ 5/8 + 1/2	X				\vdash						+ 5/8 + 1/2																				
+ 3/8					^	+					+ 3/8		Х	Х					-			+ 3/8																				
1/4				Х	Х						+ 1/4								_			+ 1/4																				
+ 1/8 0						-					+ 1/8											+ 1/8	X	X X	X	X	X															
1/8											- 1/8											- 1/8		X																		
1/4 3/8	Х	\Box						Н		\Box	- 1/4 - 3/8		\Box	4	X	Х			_		\Box	- 1/4 - 3/8					4		#		+											
1/2		Х	Х	-			1			+	- 3/8			_	^	+			-		\vdash	- 3/8									+											
5/8											- 5/8											- 5/8																				
3/4 7/8	-				-		+	\vdash			- 3/4 - 7/8		\vdash			++			-			- 3/4 - 7/8					 	-			+											
											- 1			_								- 1																				
· 1 1/8 · 1 1/4				-	+	-	+	\vdash	-	+	- 1 1/8 - 1 1/4		\vdash			++		-	-	-	\vdash	- 1 1/8 - 1 1/4					\dashv	-	+	++	+											
- 1 3/8											- 1 3/8											- 1 3/8																				

LAN	DS' END A
CA's Name:	LEONARDA HUAMAN CHAVEZ
VENDOR	TEXTIL SOURCING COM

MEASUREMENT SPECIFICATION CHART

DATE 03/09/2021
SIZE 3X
COLOR 0DQ-0M3

CA's Nam	e:		LEON	IARDA	HUAM	AN CI	HAVEZ	z			ITEM DES	CRIPTI	ON				WXF	R LS SU	IPIMA (CREW												COLC	R	—	0	DQ-0N	13	—		
/ENDOR				TE	XTIL S	OUR	CING (COMPA	ANY		STYLE#					470	5520				P.O. #					84	478													
РОМ		R	107 1	TOTAL	BOD.	YIEN	IGTH F	FROMI	HPS		POM		2106	1 NEC	K WIDTH H	PS TO	HPS S	SEAMT	O SEA	M	РОМ		C107	FRO	NT N	ECK D	ROP H	PS TC	SEAM		POM			F101	1 ACRC)SS SI	HOULDE	RS-FF	RONT	
Size						3X						-		0		3X		!			Size		3.07.			3X										3.				
Spec					29	1/4					Size Spec					9 1/4					Spec					4 7/8	3				Size Spec					1	8			
Γol					+1	-1/2					Tol				+	/2 -1/2					Tol					+1/4 -	/4				Tol			\equiv	_	+1/2	-1/2	_	_	
COLOR		Q-NA\ OSP (0M3- RED P							COLOR		Q-NA\ OSP C		0M3-RUS RED PAI FL	0					COLOR		Q-NAVY OSP QUI		M3-RU: PAI F						COLC		DQ-NA\ ROSP Q		0M3-R RED PAI					
+ 1 1/2 + 1 3/8							Н		\perp	\top	+ 1 1/2 + 1 3/8		-		\Box						+ 1 1/2 + 1 3/8										+ 1 1/2 + 1 3/8			#	Ŧ	H	\mp	T	\Box	T
+ 1 1/4											+ 1 1/4										+ 1 1/4										+ 1 1/4				\pm					
1/8 ⊦1					-						1 1/8 + 1										1 1/8 + 1										1 1/8 + 1			\dashv	+		-	+	\vdash	_
7/8											+ 7/8										+ 7/8										+ 7/8									
- 3/4 - 5/8	Х				-						+ 3/4 + 5/8										+ 3/4 + 5/8										+ 3/4 + 5/8			+	_		$-\!\!\!\!+\!\!\!\!\!+$	_	\vdash	_
1/2		Х	Х								+ 1/2										+ 1/2										+ 1/2									
3/8											+ 3/8 + 1/4										+ 3/8 + 1/4										+ 3/8 + 1/4			\dashv	X		-	_	\sqcup	
· 1/4 · 1/8					-						+ 1/4					-					+ 1/4										+ 1/4			-+	^	\vdash	+	+	+	+
0											0				X X X						0			Χ	Х	X					0				Х	Х				
1/8 1/4				X)	(X	-			_		- 1/8 - 1/4	X	Х	X		-			-	-	- 1/8 - 1/4	X	X X								- 1/8 - 1/4		(X	X	+		+	+	\vdash	_
3/8				^							- 3/8		^	^							- 3/8	^									- 3/8	,	\							
1/2 5/8			_			<u> </u>					- 1/2 - 5/8										- 1/2 - 5/8										- 1/2 - 5/8			\dashv			-	\perp	\Box	
3/4					-				-		- 3/4					-			-		- 3/4										- 3/4			+	_	\vdash	+	+	+	-
7/8											- 7/8										- 7/8										- 7/8			4	4			\bot		\Box
· 1 · 1 1/8											- 1 - 1 1/8										- 1 - 1 1/8										- 1 - 1 1/8			+	+		-	+	\vdash	
1 1/4											- 1 1/4										- 1 1/4										- 1 1/4			1				\pm		
1 3/8 1 1/2											- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2			+	+		+	+	\vdash	_
POM	Н	100.1	ВСН	EST-BI	JST (T	OPS)	1" BEI	LOW A	RMHO	LE	POM	1	N102.	1A SL	EEVE LENG			OULDE	R(LON	G	РОМ		A106.2	NEC	K OPE	NING	MINIM	UN ST	RETCH											
Size						3X					Size				SI	EEVE)					Size					3X									Comme	ents:				
Spec						3/4					Spec					24 1/4					Spec					24														
rol .					+1/	2 -1/2					Tol				+0	3/4 -1/2					Tol					+100	-0													
COLOR		Q-NAY OSP (0M3- RED P							COLOR		Q-NA\ OSP C		0M3-RUS RED PAI FL	0					COLOR		Q-NAVY OSP QUI		M3-RU: PAI F															
1 1/2				T	Т				T		+ 1 1/2		1	_	\Box				T	T	+ 1 1/2						T	Т												
+ 1 3/8 + 1 1/4		\dashv		_	+	1	\vdash		+	+	+ 1 3/8 + 1 1/4			\dashv	+	+			+	+	+ 1 3/8 + 1 1/4				\vdash		+	+		+										
1 1/8											1 1/8			1							1 1/8									П										
+1 +7/8		_									+ 1 + 7/8										+ 1 + 7/8									\mathbf{H}										
+ 3/4											+ 3/4	Х									+ 3/4																			
+ 5/8 + 1/2		_				-					+ 5/8 + 1/2		Х	X							+ 5/8 + 1/2									Ш										
+ 3/8											+ 1/2		^	^							+ 3/8																			
+ 1/4											+ 1/4										+ 1/4																			
+ 1/8 0				X	(X						+ 1/8				X X X						+ 1/8 0	¥	X X	Y	Y	Y														
1/8		_		, ,	\ \ \ \					-	- 1/8		_	_	X X /						- 1/8		XX			^	_													
1/4		耳		$\perp \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	1	Ē	П	$\Box T$	\perp	\Box	- 1/4		耳	Ŧ		1			$\perp \Gamma$		- 1/4							F												
- 3/8 - 1/2	Х	Х	Х		-	+	\vdash			+	- 3/8 - 1/2			\dashv			\vdash		-	+	- 3/8 - 1/2							+		+1										
5/8											- 5/8			1							- 5/8																			
- 3/4 - 7/8		-			-	+	\vdash		-	+	- 3/4 - 7/8			+	+	-				+	- 3/4 - 7/8				\vdash		-	+		+										
· 1											- 1			1							- 1																			
- 1 1/8 - 1 1/4	\vdash	-		+	+	+	\vdash	$\vdash \vdash$	+	+	- 1 1/8 - 1 1/4			+	+	+		\vdash	+	+	- 1 1/8 - 1 1/4				\vdash		-	+		\vdash										
- 1 3/8											- 1 3/8										- 1 3/8																			
1 1/2				- 1			i 1		- 1	1	4 4 / 2			- 1	1 1		1		1	1	1 1/9	_				1	- 1	1												