Δ		I	D;	57	E													ı	MEAS	UREM	IENT SI	PECIFICATION	CHAR	т										DATE		<u>—</u>	1	6/03/20 S				
me: R		L	EON/				CHAV		MPAN	NY		STYLE #		TION			528	M JF SS 777	SCFM	MESH	POLO	P.O. #		L				96800					C	OLOR				A6J				
		R1	107.1	ТОТА	L BOI	DY LE	NGT	H FR	OM H	PS		POM		C10	6.1 NE	CK WIDTH HP	S TO H	IPS SE	AM TC) SEA	М	РОМ		C10	7.1 F	RONT	NECK	DROP	HPS T	O SEAM		P	POM			E101.	1 ACR	oss s	HOULI	DERS-F	RONT	
					-	S 26 1/4	ļ					Size Spec					S 5/8					Size Spec					3	S 1/4					Size Spec			_	_		S 1/4			_
Ļ					-	-1 -1/.	2					Tol				+	-1/2					Tol					+-	1/4		1		Ī	ol					+-	1/2			_
Α		ADIA AVY	NT	WHI-V	WHITE	E						COLO	R A6	J-RAE NAV	DIANT Y	WHI-WHITE						COLOR		-RADIAN NAVY	NT V	NHI-WI	HITE						COLOR	A6J-	RADIA NAVY	NT ,	WHI-W	HITE				
E								Ŧ				+ 1 1/2 + 1 3/8		Ŧ	H					Ŧ		+ 1 1/2 + 1 3/8		Н		Ŧ					\mp	+	· 1 1/2 · 1 3/8			\pm	Ξ	Ε				Ī
				+		-						+ 1 1/4 1 1/8										+ 1 1/4 1 1/8			-								1 1/4 1/8			4	Ŧ	\vdash				Ī
-		-				-						+ 1 + 7/8										+ 1 + 7/8										+	· 1 · 7/8			4	7	-				Ī
	Х		Х			-						+ 3/4										+ 3/4 + 5/8										+	· 3/4 · 5/8			#	4	1				
	7					1						+ 5/8 + 1/2 + 3/8	×	X	X	X						+ 1/2 + 3/8			1							+	· 1/2 · 3/8			#	_	\vdash				ļ
	1											+ 1/4 + 1/8				х х						+ 1/4 + 1/8		X								+	1/4 1/8			ヸ	#	#				
												0										0	X		Х		Х						0									
												- 1/8 - 1/4										- 1/8 - 1/4			- 2	X						-	1/8 1/4	X		_	\pm	\pm				
	+			X :	x ;	X						- 3/8 - 1/2										- 3/8 - 1/2			-							-	3/8 1/2		Х	Х	X X	X				-
						1						- 5/8 - 3/4										- 5/8 - 3/4			Ŧ							-	5/8 3/4			#	Ŧ	\vdash				
												- 7/8 - 1										- 7/8 - 1										-	7/8 1			#	\pm	=				
-	#											- 1 1/8										- 1 1/8										-	1 1/8			丰	丰	lacksquare				
	\pm					t						- 1 1/4 - 1 3/8										- 1 1/4 - 1 3/8										-	1 1/4 1 3/8			\pm	\pm	士				-
												- 1 1/2										- 1 1/2											1 1/2									l
	H1	00.1E	3 CHE	ST-B	UST (TOP	S) 1" E	BELO	W AR	MHO	LE	POM		N10	2.1A S		EVE)	SHOU	LDER	(LON	3	POM		A10	6.2 NI	ECK O	PENIN	G-MINI	MUN S	FRETCH							Comm	ents:				
						S 19 1/4						Size Spec					S 9					Size Spec																				ļ
			_			+-1/2						Tol					1/2					Tol																				
Α	6J-R N	ADIA AVY	NT	WHI-V	VHITE	E						COLO	R A6	J-RAE NAV	DIANT Y	WHI-WHITE						COLOR																				
	-	-	_	+							+	+ 1 1/2 + 1 3/8			\vdash							+ 1 1/2 + 1 3/8			1																	
	1		_	1		1						+ 1 1/4 1 1/8							1			+ 1 1/4			_																	
	#											+ 1										+ 1																				
												+ 7/8 + 3/4										+ 7/8 + 3/4																				
												+ 5/8 + 1/2	×	X								+ 5/8 + 1/2																				
	+	_	-	-		+		+	-	-		+ 3/8 + 1/4			X				-			+ 3/8 + 1/4			-																	
			_	_		_						+ 1/8				X X						+ 1/8			1																	
						T						- 1/8										- 1/8 - 1/4																				
	X	Х	Х			t	\pm	\perp				- 1/4 - 3/8				X					Ы	- 3/8																				
_	+	+	_	X :	X)	X				+		- 1/2 - 5/8							+		\vdash	- 1/2 - 5/8			-						+											
		7		1	1	Ŧ	\blacksquare	Ŧ				- 3/4 - 7/8							\blacksquare		Н	- 3/4 - 7/8																				
	1	1	1			ļ	1					- 1 - 1 1/8									Н	- 1 - 1 1/8		H	1																	
	#	#	#	1		#	1	#				- 1 1/4									П	- 1 1/4																				
H	+	+	+	+	+	+	+	+	+	+		- 1 3/8 - 1 1/2		+	+		\vdash	-	+	+	+1	- 1 3/8 - 1 1/2		\vdash	+	-	1	\vdash	+		+											

1	1	I	D	57	E	N														М	EASUF	REME	NT SPE	CIFICATION	CHAR	Т										DATE SIZE				16/03/2 M				_
ame DR				ARDA	HUA	MAN	CHAV	/EZ	MPAN	NY			EM DES YLE#	CRIPT	ION				M JI 28777		CF ME	SH P		P.O. #						9680	00				C	OLOR				A6	J			-
		R	107.1	ТОТА	L BO	DY LE	ENGT	H FR	ом н	IPS		PC	OM		C106.	.1 NE(CK WIDTH H	PS TO) HPS	SEA	и то ѕ	EAM		POM		C1	07.1	FRON	T NEC	CK DR	OP HPS	TO SE	EAM	P	ОМ			E101.	1 ACR	oss	SHOUL	DERS-	FRON	Т
						M 27						Siz Sp						M 5 7/8					=	Size Spec						M 3 3/8					ize pec						M 18			_
					-	-1 -1/2	2					То	ol					+-1/2						Tol						+-1/4				R	ol					+	1/2			
R		ADIA AVY	NT	WHI-\	WHITI	≣							COLOR	A6J-	RADI NAVY	ANT ′	WHI-WHITE	:						COLOR		-RADIA NAVY	NT	WHI-V	VHITE						COLOR		RADIA NAVY		WHI-W	/HITE				
i					Ŧ	Ŧ	Ŧ	Ŧ				+ 1	1 1/2 1 3/8											+ 1 1/2 + 1 3/8							Н			+	1 1/2 1 3/8									Ŧ
												11	1 1/4 1/8											+ 1 1/4 1 1/8										1	1 1/4 1/8									Ŧ
ļ												+ 1 + 7	7/8											+ 1 + 7/8										+	1 7/8									\pm
	X		Х									+ 3 + 5	3/4 5/8 1/2											+ 3/4 + 5/8										+	3/4 5/8									\pm
		Х										+ 3	3/8	X	Х	X	X							+ 1/2 + 3/8										+	1/2 3/8									+
												+ 1 + 1	1/8				X							+ 1/4 + 1/8										+	1/4 1/8									1
					X							- 1	0 /8											- 1/8	X	Х	X	X	(X	(0 1/8									+
												- 3	/4 s/8											- 1/4 - 3/8										-	1/4 3/8									$\frac{1}{2}$
				X		K						- 5	/2 i/8											- 1/2 - 5/8											1/2 5/8	X	X	X	X	X				-
	\dashv		-		+	+	+	+		+		- 3, - 7,	7/8											- 3/4 - 7/8		\vdash	+		+		\vdash			- 5	3/4 7/8					+		\dashv		-
												- 1 - 1	1/8											- 1 - 1 1/8											1 1 1/8									_
												- 1	1/4 3/8											- 1 1/4 - 1 3/8										-	1 1/4 1 3/8									7
												- 1	1/2											- 1 1/2										-	1 1/2									
l	Н	00.1	в СНІ	ST-B	UST (S) 1" E	BELO	W AR	RMHO	LE	PC	MC		N102	.1A SL	EEVE LENG. SL	EEVE	OP SH	HOUL	DER(L	ONG		POM		A10	06.2 N	NECK (OPEN	ING-M	INIMUN	STRE	тсн						Comm	nents:				
ſ						M 20 1/2	2					Siz Sp						M 9 1/4						Size Spec																				
l						+-1/2						То						+1/2						Tol			ī																	
	A6J-F N	ADIA AVY	NT	WHI-\	WHITI	≣							COLOR	A6J-	RADI NAVY	ANT	WHI-WHITE	:						COLOR																				
ĺ	4	Ŧ	1		Ŧ	Ŧ	Ŧ	Ŧ					1 1/2 1 3/8							F	Н			+ 1 1/2 + 1 3/8		Н	7		Ŧ		П													
ŀ	1	1	1	+	#	Ŧ	Ŧ	Ŧ	1				1 1/4					F		F			4	+ 1 1/4 1 1/8		H	#		F		\Box													
ĺ		1	4		+	+	1	1	ŧ			+ 1	1					-						+ 1 + 7/8		H	4																	
	4		1	1	#	1	1	#				+ 7 + 3 + 5	3/4 5/8											+ 3/4 + 5/8			1																	
ŀ		1	1			\perp	1	1	t			+ 1	1/2	X										+ 1/2		H																		
			1	+	1	1	1	1	\pm			+ 3	1/4	Х	Х	X							\exists	+ 3/8 + 1/4			#																	
l												+1	0											+ 1/8																				
l			\dashv		+	\pm	\pm	\pm	╁			- 1	/8 /4				X >	(- 1/8 - 1/4			=																	
l	X	X	X	X	X 2	K	▐	Ⅎ	╧			- 1	/8 /2				X	F						- 3/8 - 1/2			Ⅎ		▐		Ы	╧												
l	\dashv	7	\exists	1	Ŧ	1	Ŧ	Ŧ	\blacksquare			- 5 <i>i</i>	/8										\exists	- 5/8 - 3/4			4																	
l	4	1	4		Ŧ	Ŧ		F	ŧ			- 7, - 1	7/8											- 7/8 - 1		H	=			-	H													
l		1	1		1	1	Ŧ	Ŧ	Ŧ			- 1	1/8 1/4											- 1 1/8 - 1 1/4		H	1				H													
4	\dashv	+	-t	+	_	+	+	\pm				- 1	3/8 1/2											- 1 3/8 - 1 1/2																				

	V	V	D	S	7	Ξ	N	D	I	I											N	IEASI	JREM	ENT SF	PECIFICATION	CHAR	Т										DAT SIZ COLO	ZE	_			3/2022 L A6J	_		_	-
ime: R			LEO				AN CI OUR(MPAN	ΙΥ			M DESO YLE#	CRIPT	TION				M 52877	JF SS 7	CF M	IESH F	OLO	P.O. #						9680)]		JOLOI	к			A	163				•
		F	R107.	.1 TO	TAL	BODY	/ LEN	GTH	FRC	OM HF	PS		POI	М		C106	6.1 NE	CK WIDT	H HPS	то нр	S SEA	мто	SEAM		РОМ		C1	07.1 I	FRONT	NEC	K DRC	P HPS 1	O SEAM	1		POM			E10	1.1 AC	CROSS	s sho	ULDEI	RS-FR	RONT	
ŀ							L 3/4						Size Spe						6 1						Size Spec						L 1/2					Size Spec	Æ	_			_	L 18 3/4	_		_	_
4							-1/2						Tol						+-1						Tol						-1/4		ı			Tol	4	_				+-1/2				_
	I-L6A 1	RADI		WI	HI-WI	HITE							С	OLOR		J-RAE NAV		WHI-W	HITE						COLOR		RADIA NAVY	NT	WHI-W	/HITE						COLO	R A6	6J-RAD NAV		WHI	-WHIT	E				
ŀ											I		+ 1	1/2 3/8						Ξ					+ 1 1/2 + 1 3/8									\equiv		+ 1 1/2 + 1 3/8	Ė	\equiv	Ε		\equiv	\pm	Ε	Е	E	Ŧ
									\perp				+ 1 1 1/			\vdash						+		-	+ 1 1/4 1 1/8											+ 1 1/4 1 1/8		+	+	\vdash	+	+	+		+-'	ł
-	\exists	Χ	Х										+ 1 + 7/												+ 1 + 7/8											+ 1 + 7/8		\blacksquare	\vdash	H	4	+	\mp			Ŧ
	Х												+ 3/ + 5/	4											+ 3/4 + 5/8											+ 3/4 + 5/8		#	1	H	#	#	+		F	Ŧ
									F				+ 1/	/2	_	X			X					_	+ 1/2 + 3/8			1							1	+ 1/2 + 3/8		#	1	П	丰	#	#		\blacksquare	
_	\exists			Х		Х							+ 1/	/4	^	^	Х		^			\dagger			+ 1/4				ХХ	X						+ 1/4		\pm		Ħ	\pm	\pm	\pm		Ħ	ţ
					X								+ 1/	8 0											+ 1/8	X	Х	X								+ 1/8 0						\pm				
													- 1/8 - 1/4	8 4											- 1/8 - 1/4										1	- 1/8 - 1/4	Æ	\mp	\equiv	H	4	4	Ŧ		F	
													- 3/8 - 1/2	8											- 3/8 - 1/2										1	- 3/8 - 1/2		x x	X	X	X	X	#		1	
													- 5/8	8											- 5/8			1							1	- 5/8					1		\pm			-
													- 3/4 - 7/8												- 3/4 - 7/8										1 1	- 3/4 - 7/8		\pm		Ш	士	\pm	土			
	-									-	-		- 1 - 1 1	1/8								-		-	- 1 - 1 1/8			-							1	- 1 - 1 1/8		+	+	\vdash	+	+	+		+	
_	4								F				- 1 1 - 1 3	1/4										=	- 1 1/4 - 1 3/8								1 1		1	- 1 1/4 - 1 3/8		\mp	1	Н	7	#	Ŧ		lacksquare	
													-11												- 1 1/2											- 1 1/2	Ł	_	_		丄	_	┸			ì
	Н	100.1	IB CI	HEST	Γ-BUS			1" BE	ELOV	N ARI	MHOL	LE	POI	M		N102	2.1A S	LEEVE L	SLEE	VE)	SHOUL	.DER	LONG		POM		A10	6.2 N	IECK C	PENI	NG-MI	NIMUN S	TRETC	+						Con	nments	s:				
	_						L 3/4						Size Spe						9 1					\dashv	Size Spec										F											Í
							1/2						Tol						+1						Tol			ī							1											
4		RADI		WI	HI-WI	HITE							С	OLOR		J-RAE NAV		WHI-W	HITE						COLOR																					
•													+ 1 + 1	1/2 3/8											+ 1 1/2 + 1 3/8										1											
									F				+ 1 1 1/	1/4											+ 1 1/4 1 1/8										1											
	\exists												+ 1												+ 1			1							1											
									+				+ 7/	4											+ 7/8 + 3/4																					
													+ 5/ + 1/			X									+ 5/8 + 1/2																					
													+ 3/	/8	X		Х								+ 3/8 + 1/4										1											
													+ 1/	/8											+ 1/8																					
													- 1/8	0 8								+			0 - 1/8										1											
									F				- 1/4 - 3/8	4		F		Х				F			- 1/4 - 3/8										-											
	Χ	Χ	Χ	Χ	Х	Х			F				- 1/2 - 5/8	2		L		Х	Х			L		4	- 1/2 - 5/8			1							1											
													- 3/4	4		L									- 3/4																					
						\vdash	-		+	+	+	+	- 7/8 - 1			+	\vdash		\vdash	-	+	+		\dashv	- 7/8 - 1		\vdash	+			1		++	+	1											
									F	-	-		-11	1/8		F	1		H		\perp				- 1 1/8 - 1 1/4		H				-		1													
-	\dashv					1	t	H		1			-13	3/8 1/2											- 1 3/8 - 1 1/2			1							1											

				5	E	N	D,	A									N	IEASUR	REMEN ⁻	SPECIFICATION	CHAR	T								DATI	E_		1	6/03/20 XL A6J			_	
CA's Name /ENDOR	9:		EON	ARDA I				OMPAN	ΙΥ	_	STYLE #	CRIPTI	ON			5287	/IJF SS 77	CF ME	SH POL	P.O. #					91	6800				COLOI	`			AbJ			_	
РОМ		R1	107.1	TOTAL	BODY	LENC	STH F	ROM H	PS		POM	(C106.1 N	IECK WID	TH HPS	S TO HE	PS SEA	мтоѕ	EAM	POM		C1	07.1 F	RONT N	NECK [DROP H	PS TO	SEAM	POM			E101.	1 ACR	OSS SI	HOULD	ERS-FR	RONT	
ize						KL					Size					KL 0/0				Size					XL				Size) 10				
pec ol						1/2 -1/2					Spec Tol					3/8 ·1/2				Spec Tol					3 3/ +-1/				Spec Tol					19 +-	1/2			
COLOR		RADIA IAVY	NT								COLOR		RADIAN' NAVY	т						COLOR		-RADIA NAVY	NT						COLC	R A6	J-RADI NAVY							
1 1/2 1 3/8				Ŧ						Н	+ 1 1/2 + 1 3/8									+ 1 1/2 + 1 3/8		П							+ 1 1/2 + 1 3/8								\pm	\exists
1 1/4 1/8											+ 1 1/4 1 1/8									+ 1 1/4 1 1/8									+ 1 1/4 1 1/8								+++	
1 7/8			-		-		4		-		+ 1 + 7/8									+ 1 + 7/8			-						+ 1 + 7/8								\Box	4
3/4 5/8		Х									+ 3/4 + 5/8									+ 3/4 + 5/8									+ 3/4 + 5/8								丰	
1/2	Х		Х								+ 1/2									+ 1/2									+ 1/2								世	
3/8 1/4											+ 3/8 + 1/4	Х	ХХ							+ 3/8 + 1/4									+ 3/8 + 1/4									
1/8 0											+ 1/8									+ 1/8 0	X	X	X						+ 1/8 0								\vdash	
1/8 1/4											- 1/8 - 1/4									- 1/8 - 1/4									- 1/8								丌	
3/8											- 3/8									- 3/8									- 1/4 - 3/8	Х								
1/2 5/8			-								- 1/2 - 5/8									- 1/2 - 5/8									- 1/2 - 5/8		Х	Х					+++	-
3/4 7/8				_			-				- 3/4 - 7/8				-					- 3/4 - 7/8		\vdash							- 3/4 - 7/8								\vdash	
1											- 1 - 1 1/8									- 1 - 1 1/8									- 1 - 1 1/8								\Box	
1 1/8 1 1/4											- 1 1/4									- 1 1/4									- 1 1/4									
1 3/8 1 1/2			_								- 1 3/8 - 1 1/2									- 1 3/8 - 1 1/2									- 1 3/8 - 1 1/2								++	-
ОМ	Н	100.1E	в СНЕ	ST-BU	IST (TO	OPS) 1	" BEL	OW AR	MHOL	.E	POM	1	N102.1A	SLEEVE	LENGT SLF	H-TOP EVE)	SHOUL	DER(LO	ONG	POM		A10	06.2 NE	ECK OP	ENING	6-MINIMU	IN STR	RETCH					Comm	ente:				
ze						(L					Size				>	KL				Size													Comm	ento.				
oec ol						23					Spec Tol					3/4 1/2				Spec Tol																		
COLOR	A6J-F	RADIA IAVY	NT								COLOR	A6J-I	RADIAN NAVY	Т						COLOR																		
1 1/2 1 3/8										Н	+ 1 1/2 + 1 3/8				\top	П				+ 1 1/2 + 1 3/8		Н																
1 1/4 1/8	Н	-		+	+	\vdash	+	-	+	+	+ 1 1/4 1 1/8			++		\vdash		+		+ 1 1/4 1 1/8		\vdash	+				H											
1 7/8										П	+ 1									+ 1 + 7/8		H																
3/4											+ 7/8 + 3/4									+ 3/4																		
5/8 1/2											+ 5/8 + 1/2									+ 5/8 + 1/2																		
3/8 1/4											+ 3/8 + 1/4	X	X		-			+		+ 3/8 + 1/4																		
1/8											+ 1/8 0									+ 1/8		ш																
0 1/8											- 1/8									0 - 1/8 - 1/4																		
1/4 3/8	Х	+	-	+	+		+		+	+	- 1/4 - 3/8			++	+		+	+		- 3/8		\vdash	+				\vdash											
1/2 5/8		Х	Х	\perp			4			H	- 1/2 - 5/8			++						- 1/2 - 5/8		H	+															
3/4		#		1			1				- 3/4									- 3/4		Ħ	#															
7/8 1				\pm							- 7/8 - 1									- 7/8 - 1			\perp															
1 1/8 1 1/4	\vdash	-	-	+		\blacksquare	\dashv	-		+	- 1 1/8 - 1 1/4					\vdash	+	+		- 1 1/8 - 1 1/4		+	+				$oxed{oxed}$	+										
1 3/8 1 1/2											- 1 3/8 - 1 1/2			++						- 1 3/8 - 1 1/2																		

4	N	D	S	7	Ξ	N	D,	A											M	IEASU	REME	NT SPI	ECIFICATION	CHAR	т											ZE				/03/20 XXL	22			_
e:		_	NAR	DA HI	UAMA	AN CH	HAVEZ SING C			•	STYLE #		PTION				į	M . 52877		CF ME	ESH PC	LO	P.O. #					9	6800]		COL	OR				A6J				_
	F	R107.	.1 TO	TAL E	BODY	/ LEN	GTH F	ROM	HPS		POM		C10	6.1 NE	CK V	/IDTH	HPS T	O HPS	S SEA	мто	SEAM		РОМ		C107	7.1 FF	RONT N	IECK I	DROP	HPS	ΓΟ SEAM			РОМ			E10	1.1 A	CROS	SS SH	HOULE	DERS-	FRON	ΙΤ
						XL					Size						XXL						Size					XX						Size						XX				_
					29 +1	3/8 -1/2					Spec Tol						6 5/8 +-1/2					-	Spec Tol					3 7. +-1.						Spec Tol						20 · +-1				_
	RADI NAVY		WH	-II-W⊦	HITE						COLOR	A A 6	6J-RA NA\	DIANT /Y	WH	II-WHI	ГЕ						COLOR		-RADIANT NAVY	Т	/HI-WH	ITE						COLO	or A	6J-RA NA\	DIANT /Y	WHI	I-WH	ITE				
					E					Н	+ 1 1/2 + 1 3/8	Ė						Ŧ					+ 1 1/2 + 1 3/8											+ 1 1/2 + 1 3/8		Ŧ	T						Ŧ	
											+ 1 1/4 1 1/8												+ 1 1/4 1 1/8											+ 1 1/4 1 1/8										_
											+ 1 + 7/8			-									+ 1 + 7/8					_						+ 1 + 7/8							-			_
X		X									+ 3/4												+ 3/4											+ 3/4										-
X		X									+ 5/8 + 1/2			X		Х	Х						+ 5/8 + 1/2											+ 5/8 + 1/2										
	Х										+ 3/8 + 1/4)	K		Х								+ 3/8 + 1/4										-	+ 3/8 + 1/4										-
_											+ 1/8 0			-				-					+ 1/8	X	X	X	X	Y			+		1	+ 1/8 0								-	-	
											- 1/8												- 1/8		Х	T		^					1	- 1/8										
											- 1/4 - 3/8												- 1/4 - 3/8											- 1/4 - 3/8										-
			X	X	Х						- 1/2 - 5/8												- 1/2 - 5/8								+		-	- 1/2 - 5/8		Х	X	Х	Х	Х				
											- 3/4 - 7/8												- 3/4 - 7/8			-								- 3/4 - 7/8									4	
											- 1												- 1											- 1										-
_											- 1 1/8 - 1 1/4												- 1 1/8 - 1 1/4								+		1	- 1 1/8 - 1 1/4										
										+	- 1 3/8 - 1 1/2												- 1 3/8 - 1 1/2										-	- 1 3/8 - 1 1/2										
													N10	2.1A S	SLEE\	/E LEN	IGTH-	TOP S	HOUL	DER(I	ONG				4400	0.115	OV 00	-			TDETO													ı
-	1100.1	1B C	HEST	-BUS	X X	,	1- BEL	.OW A	RMHO	LE	POM						XXL	(E)		,			POM		A106.	.2 NE	CK OP	ENING	-MINI	MUN 3	STRETCH	1						Con	nmer	nts:				
					24	1/4					Size Spec						10						Size Spec																					•
					+-	1/2					Tol				1		+1/2	!					Tol					- 1					-											
A6J	RADI NAVY	IANT ′	WH	H-WH	HITE						COLOR	A A	6J-RA NA	DIANT /Y	WH	II-WHI	ГЕ						COLOR																					
										+	+ 1 1/2 + 1 3/8												+ 1 1/2 + 1 3/8								1 - 1		1											
								_		\perp	+ 1 1/4							1					+ 1 1/4			F		_	1	1	\bot		1											
											1 1/8 + 1						1	\pm					1 1/8 + 1						1	1														
	\vdash					1	\vdash	\dashv		+	+ 7/8 + 3/4		+	-	1			+	+	+	\vdash	-	+ 7/8 + 3/4			+		\dashv	+		+		1											
					-		H			\blacksquare	+ 5/8 + 1/2												+ 5/8 + 1/2					-			+		1											
								_			+ 3/8												+ 3/8			t		_	1				1											
											+ 1/4 + 1/8		X	\perp					\pm	$oxed{\bot}$			+ 1/4 + 1/8			Ł							1											
								Ŧ		Ŧ	0 - 1/8)	X	X				Ŧ					0 - 1/8					7	1															
								_		\parallel	- 1/4				Х		Х	1					- 1/4					_	1	1			1											
Χ	Х	X	X	Х	Х			=			- 3/8 - 1/2					Х							- 3/8 - 1/2										1											
								Ŧ		H	- 5/8 - 3/4		-	+			$-\mathbb{F}$	Ŧ	Ŧ	+	\blacksquare	-	- 5/8 - 3/4		+ T	F		\exists	Ŧ	Ŧ	$+ \mp$		-											
								_		\Box	- 7/8												- 7/8 - 1			1							1											
								\pm			- 1 - 1 1/8												- 1 1/8			l			_				1											
_								1			- 1 1/4 - 1 3/8						1	Ŧ				4	- 1 1/4 - 1 3/8			F		4	1	1			-											
_			1	 	<u> </u>	1		_ f			- 1 1/2			+	1			_		1			- 1 1/2			+				+	+	_	1											