L	12	JI.	25	S'	E	N	D	A										ME	EASUR	MENT	SPE	CIFICATION	CHAR	т										DATESIZE		0	5/07/	2021				
CA's Nam VENDOR				RDA H	IUAMA	AN CH	IAVEZ		NY	ITEM I		RIPTIO	N			4	WP L	S SL	JPIMA (	CREW		P.O. #						764	26			]	C	OLOR			BLA-	WHI				
РОМ		R10	07.1 1	OTAL	BODY	/ LEN	GTH FI	ROM H	IPS	РОМ		C1	06.1 NE	CK W	IDTH F	IPS TO	HPS S	SEAN	M TO SE	AM		POM		C10	07.1 F	FRON	Γ NEC	K DR	OP H	PS TO	O SEAM	PC	OM	E	101.1	1 ACR	oss	SHOU	ILDER	S-FRO	TNC	
Size Spec						S 1/2				Size Spec						S 8					1	Size Spec						S 4				Siz	ze iec				1	S 5 1/4				_
Tol			1			-1/2		Ŧ		Tol					+	1/2 -1/	2					Tol			1		+1	/4 -1/	4		1	To						/2 -1/2	2			
COLOR	BLA	-BLACI	ĸ١	WHI-WI	HITE					COL	.OR	BLA-E	BLACK	WH	I-WHIT	Е						COLOR	BL	A-BLAC	K	WHI-V	/HITE					C	COLOR	BLA-BLAC	K \	WHI-W	HITE					
+ 1 1/2 + 1 3/8		Ŧ		Ŧ				+	$\overline{+}$	+ 1 1/2		H	Ŧ								1	+ 1 1/2 + 1 3/8		П									1 1/2 1 3/8									Ŧ
+ 1 1/4 1 1/8										+ 1 1/4 1 1/8											1	+ 1 1/4 1 1/8			1							+ 1	1 1/4 1/8									1
+ 1										+ 1											1	+ 1										+ 1										#
+ 7/8 + 3/4										+ 7/8 + 3/4												+ 7/8 + 3/4			1								3/4				t					1
+ 5/8 + 1/2			-		-					+ 5/8 + 1/2			-								-	+ 5/8 + 1/2											5/8 1/2				+					+
+ 3/8 + 1/4			Α,	X						+ 3/8 + 1/4												+ 3/8 + 1/4			4	X						+ 3	3/8 1/4									#
+ 1/8										+ 1/8												+ 1/8											1/8									
0 - 1/8				X	X					- 1/8	)										-	0 - 1/8	X	X	X	)	( X					- 1	0 /8									+
- 1/4 - 3/8	Х	X :	Х							- 1/4 - 3/8		X	x x	Х	Х	Х						- 1/4 - 3/8										- 1	/4 /8	хх	X 2	Х						1
- 1/2										- 1/2		^	^ ^									- 1/2										- 1	/2			Х	` ×					
- 5/8 - 3/4										- 5/8 - 3/4							+				-	- 5/8 - 3/4										- 5 - 3	/8 /4					-				_
- 7/8 - 1										- 7/8 - 1												- 7/8										- 7 - 1	/8									#
- 1 - 1 1/8					-					- 1 1/8												- 1 - 1 1/8										- 1	1/8									+
- 1 1/4 - 1 3/8			_		-					- 1 1/4 - 1 3/8												- 1 1/4 - 1 3/8			_	_						-1	1/4 3/8		_		-					_
- 1 1/2										- 1 1/2												- 1 1/2											1/2									_
POM	Н	100.1B	CHE	ST-BUS	ST (TO	OPS)	1" BEL	OW AR	RMHOLE	РОМ		N1	02.1A S	SLEEV		GTH-T LEEVE	OP SHO	DULE	DER(LC	NG		POM		A10	6.2 N	IECK (	DPEN	ING-N	IINIM	UN ST	TRETCH					Comm	ents:					
Size						S 20				Size						S 23						Size					,	S 23 1/2														
Spec Tol						2 -1/2				Spec Tol					+	23 3/4 -1/	2					Spec Tol						100 -C														
COLOR	BLA	-BLACI	κN	WHI-WI	HITE					COL	.OR	BLA-E	BLACK	WH	I-WHIT	Е						COLOR	BL	A-BLAC	K	WHI-V	/HITE															
+ 1 1/2 + 1 3/8		Ŧ	#	Ŧ	T		П	_	$\Box$	+ 1 1/2			T		Ŧ	_	$\Box$		П		1	+ 1 1/2 + 1 3/8		П	1	Ŧ	Ŧ		Ţ	T												
+ 1 1/4										+ 1 1/4												+ 1 1/4																				
1 1/8 + 1			-		-					1 1/8 + 1												1 1/8 + 1					-					-										
+ 7/8										+ 7/8												+ 7/8																				
+ 3/4 + 5/8										+ 3/4 + 5/8												+ 3/4 + 5/8																				
+ 1/2 + 3/8										+ 1/2 + 3/8												+ 1/2 + 3/8																				
+ 1/4										+ 1/4											1	+ 1/4										1										
+ 1/8 0			+							+ 1/8	)			X	Х	X					1	+ 1/8 0	X	X	Х	X )	( X					1										
- 1/8 - 1/4	Y	X :	v .	X X	v		П	$\mp$		- 1/8 - 1/4		X	x x		Ŧ	$\mp$					1	- 1/8 - 1/4			Ŧ	$\mp$						7										
- 3/8	^	^ '	^ _	^	X					- 3/8		^	^								1	- 3/8										1										
- 1/2 - 5/8		-	+	+	+	$\vdash$	$\vdash$	+	++	- 1/2 - 5/8			+		+	+	+		$\vdash$		1	- 1/2 - 5/8		$\vdash$	+	+	+	+	+	+	+ + +	+										
- 3/4 - 7/8										- 3/4 - 7/8											1	- 3/4																				

- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

L	1	VI.	)	5'	E	N	D,	A											ME	ASURE	MENT	SPECI	IFICATION (	CHAR	т										5	ATE			/07/20 M					
CA's Nam /ENDOR				ARDA	HUAN	IAN C			.NY	_	STYLE #	CRIPTI	ON					WP L	S SU	IPIMA C	REW	E	P.O. #						76426						COL	LOR		В	LA-WI	HI			_	
РОМ		R1	107.1	TOTAL	BOD	Y LEN	IGTH F	ROM I	HPS		POM	C	C106.1	NECH	WIDT	TH HPS	з то	HPS S	EAM	TO SE	AM	Р	POM		C10	7.1 F	RONT	NECH	K DRO	P HPS	TO SE	AM		POM		E10	1.1 /	ACRO	SS SH	HOUL	DERS-	FRON	Т	
Size Spec						M 5 1/8					Size Spec						M 1/4						Size						M 1/8					Size Spec					15					_
Tol						1 -1/2					Tol						2 -1/2					Ì	Spec Fol						4 -1/4					Tol					+1/2					_
COLOR	BLA	A-BLAC	СК	WHI-W	/HITE						COLOR	BLA	-BLAC	K \	VHI-W	HITE							COLOR	BL	A-BLAC	< v	VHI-W	HITE						COL	OR	BLA-BLACK	WI	HI-WH	IITE					
+ 1 1/2 + 1 3/8				Ŧ			П				+ 1 1/2 + 1 3/8				I	Τ						+	+ 1 1/2 + 1 3/8				Τ							+ 1 1/2 + 1 3/8	3								$\equiv$	E
1 1/4 1/8							Н				+ 1 1/4 1 1/8											1	+ 1 1/4 I 1/8											+ 1 1/4 1 1/8	1									t
· 1 · 7/8											+ 1 + 7/8											+	+ 1 + 7/8											+ 1 + 7/8										t
- 3/4 - 5/8											+ 3/4 + 5/8											+	+ 3/4 + 5/8											+ 3/4 + 5/8										F
- 1/2 - 3/8			$\dashv$	+			$\vdash$				+ 1/2 + 3/8				+							+	+ 1/2 + 3/8			+								+ 1/2 + 3/8									+	F
- 1/4 - 1/8				X	X						+ 1/4 + 1/8												+ 1/4 + 1/8			)	X X	Х						+ 1/4 + 1/8									$\blacksquare$	F
0 1/8	X	X	Х								0 - 1/8				Х	Х							0 1/8	X	X	(								0 - 1/8									$\blacksquare$	Į
1/4 3/8		^	_				H				- 1/4 - 3/8	Х	Х	X :	<								1/4		, ,	+								- 1/4 - 3/8		x x x	Х	Х	Х				$\pm$	ļ
1/2			_								- 1/2											-	1/2			#								- 1/2		^ ^ ^							$\pm$	ļ
5/8 3/4											- 5/8 - 3/4											1 8	5/8 3/4											- 5/8 - 3/4										t
7/8 1							Н				- 7/8 - 1											-	7/8 1											- 7/8 - 1									+	H
1 1/8 1 1/4							Н				- 1 1/8 - 1 1/4												1 1/8 1 1/4											- 1 1/8 - 1 1/4									$\blacksquare$	F
1 3/8 1 1/2							H				- 1 3/8 - 1 1/2											1 6	1 3/8											- 1 3/8 - 1 1/2									$\blacksquare$	F
OM	Н	100.1	в сн	EST-BL	JST (T	OPS)	1" BEL	OW A	RMHOLE	E	POM	1	N102.1	A SLE	EVE L			P SHC	ULD	ER(LO	NG		POM		A106	6.2 NE	ECK O	PENIN	NG-MIN	IIMUN	STRE	тсн												
ize						М					Size						М					4 1	Size						M								Co	mme	nts:					
pec ol						1 1/4 /2 -1/2					Spec Tol						1/4 1 -1/2					S	Spec Fol						3 1/2 00 -0															
COLOR	BLA	N-BLAC	CK	WHI-W							COLOR	BLA	-BLAC	K \	VHI-W								COLOR	BL	A-BLAC	< v	VHI-W																	
- 1 1/2											+ 1 1/2												÷ 1 1/2																					
- 1 3/8 - 1 1/4											+ 1 3/8 + 1 1/4											+	+ 1 3/8 + 1 1/4																					
1/8 · 1		$-\mathbb{T}$	7	$\blacksquare$	-		H			$\square$	1 1/8 + 1		Ŧ		+	+					-		I 1/8 ⊦ 1		H	F		F		- [	-		-											
- 7/8 - 3/4				-			Н				+ 7/8 + 3/4												+ 7/8 + 3/4																					
- 5/8											+ 5/8											+	+ 5/8 + 1/2																					
- 1/2 - 3/8							Ш				+ 1/2 + 3/8											+	+ 3/8																					
- 1/4 - 1/8											+ 1/4 + 1/8												+ 1/4 + 1/8																					
0 1/8											0 - 1/8												0 1/8	X	X )	( )	XX	X																
1/4	Х	Х	Χ	X >	( X		H				- 1/4 - 3/8			_ :	< x	Х						1 -	1/4							_														
1/2			1	1			H			Н	- 1/2	Х	Х	Х								1 6	1/2			#				1														
5/8 3/4			1	1							- 5/8 - 3/4												5/8 3/4			$^{\dagger}$																		
7/8 1			Ⅎ	±	$\pm$	ᆂ	Н				- 7/8 - 1		_			$\perp$	Ŀ					1 6	7/8	L	oxdot			$\perp$			±													
1 1/8 1 1/4			4	Ŧ			H	$-\mathbb{F}$			- 1 1/8 - 1 1/4			$\exists \vdash$									1 1/8 1 1/4			Ŧ					Ŧ		-											
· 1 3/8 · 1 1/2			_			1					- 1 3/8 - 1 1/2				-							-	1 3/8			-																		

1	11		15	37	F	V	D	A					_				N	IEASU	REME	NT SPE	CIFICATION	CHAR	т										DATE			05	5/07/20 L	)21			_
CA's Nam				RDA H				4		ITEM DES	CRIPT	ION				W	/P LS S	SUPIM	A CREV	V												(	COLOR		_	В	BLA-W	HI	_		-
VENDOR				TEX	TIL SC	DURC	ING CO	OMPAN	<u> </u>	STYLE#						47651	18				P.O. #						7642	6			]				_		_				
POM		R10	7.1 T	OTAL	BODY	LENG	GTH FF	ROM HP	S	POM		C106.1	NECK	WIDTH	HPS	ТО НЕ	S SEA	мто	SEAM		POM		C10	7.1 F	RONT	NECH	K DRC	P HP	s to s	SEAM		POM		E10	01.1	ACRO	SS SI	HOULI	DERS-F	FRONT	Г
Size Spec					25	3/4				Size Spec					8 1/						Size Spec					4	L 3/8					Size Spec			_	_		L 5/8			
Tol					+1 -	-1/2				Tol					+1/2 -	1/2					Tol					+1/-	4 -1/4					Tol			Т		+1/2	2 -1/2			
COLOR	BLA-	BLACK	< V	VHI-WI	HITE					COLOR	BL	A-BLAC	K V	/HI-WH	IITE						COLOR	BL	A-BLAC	۱ >	WHI-W	HITE						COLOF	₹ BL	A-BLACK	W	/HI-WH	IITE				
+ 1 1/2 + 1 3/8			E							+ 1 1/2 + 1 3/8			E								+ 1 1/2 + 1 3/8			I								+ 1 1/2 + 1 3/8			Ε	$\equiv$		$\blacksquare$	$\equiv$		
+ 1 1/4 1 1/8										+ 1 1/4 1 1/8											+ 1 1/4 1 1/8											+ 1 1/4 1 1/8			士	$\pm$	Н	H	$\pm$		
+ 1 + 7/8 + 3/4			+							+ 1 + 7/8 + 3/4											+ 1 + 7/8 + 3/4										4	+ 1 + 7/8 + 3/4			ŧ	#		Ħ	#		
+ 5/8 + 1/2				X	X					+ 5/8 + 1/2											+ 5/8 + 1/2										1	+ 5/8 + 1/2			Ŧ	丰		H	丰		
+ 3/8 + 1/4			)	K						+ 3/8 + 1/4											+ 3/8 + 1/4				X	X					3	+ 3/8 + 1/4			E				$\pm$		
+ 1/8		Х	X X							+ 1/8				X	Х						+ 1/8	Х	X )	X :	X							+ 1/8			┢			$\Box$	$\pm$		
- 1/8 - 1/4 - 3/8	X						1			- 1/8 - 1/4 - 3/8	X	Х	X X								- 1/8 - 1/4 - 3/8										1	- 1/8 - 1/4 - 3/8		X X		X	X	H	#		
- 1/2 - 5/8							1			- 1/2 - 5/8		H									- 1/2 - 5/8										4	- 1/2 - 5/8		^ ^	‡	$\pm$		H	#		
- 3/4 - 7/8										- 3/4 - 7/8											- 3/4 - 7/8											- 3/4 - 7/8			F	+			$\pm$		
- 1 - 1 1/8										- 1 - 1 1/8											- 1 - 1 1/8											- 1 - 1 1/8			$\vdash$	$\blacksquare$			$\equiv$		
- 1 1/4 - 1 3/8 - 1 1/2										- 1 1/4 - 1 3/8 - 1 1/2											- 1 1/4 - 1 3/8 - 1 1/2								4			- 1 1/4 - 1 3/8 - 1 1/2			丰	$\pm$	닏	H	$\pm$		
		00 4B	OUE	OT DUI	OT (TC	200)	II DEL	NA 4 P.A				N102.1/	A SLEI	VE LE	NGTH-	-TOP	SHOUL	DER(I	ONG				1400		FOV 0	DEAU	10.14		LOTE	FTOU		- 1 1/2									
POM Size	H1	00.1B	CHE	ST-BUS	SI (IC		I- BELC	OW ARM	IHOLE	POM Size					SLEE	VE)					POM Size		A106	5.2 N	ECK O		L L	NIMUI	NSIR	EICH	- 8				C	comme	nts:				
Spec Tol					+1/2	3 -1/2				Spec Tol					23 5 +3/4 -						Spec Tol						3 1/2 00 -0														
COLOR	BLA-	BLACK	< v	VHI-WI	ΞE					COLOR	BL	A-BLAC	K V	/HI-WH	IITE						COLOR	BL	A-BLAC	< 1	WHI-W	HITE															
+ 1 1/2 + 1 3/8	П				Г					+ 1 1/2 + 1 3/8		П									+ 1 1/2 + 1 3/8																				
+ 1 1/4 1 1/8							-			+ 1 1/4 1 1/8				+							+ 1 1/4								-		1										
+ 1 + 7/8										+ 1 + 7/8											+ 1 + 7/8										3										
+ 3/4 + 5/8										+ 3/4 + 5/8											+ 3/4 + 5/8																				
+ 1/2 + 3/8 + 1/4							1			+ 1/2 + 3/8 + 1/4				X	v						+ 1/2 + 3/8 + 1/4										1										
+ 1/4 + 1/8		XX	X				_			+ 1/8	X	Х		^	^						+ 1/8	X	X	× ·	X X	X															
- 1/8 - 1/4	Х			ζ .	F		7			- 1/8 - 1/4		H			Ħ				H		- 1/8 - 1/4								7		7										
- 3/8 - 1/2		XXX								- 3/8 - 1/2		П									- 3/8 - 1/2																				
- 5/8 - 3/4			t							- 5/8 - 3/4											- 5/8 - 3/4			l					1		1										

- 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

- 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

L	AN	DS	S' I	EN	10										ME	ASUREMENT	SPECIFICA	ATION C	HART	,									DATI		_	05	5/07/20 XL				_	
CA's Name VENDOR	e:		ARDA H	UAMAN	I CHA	VEZ	MPANY	-	ITEM DES	CRIPTIO	ON		4	WP   476518	LS SU	PIMA CREW	P.O.	#					7	6426				•	COLOF	R		B	BLA-W	/HI			<u>-</u>	
POM Size	ı	R107.1	TOTAL I	BODY L		TH FRO	OM HPS		POM Size	С	106.1 NE	CK WIDT	H HPS T		SEAM	TO SEAM	POM Size			C107	'.1 FR	ONT N	IECK XI	DROP I	HPS TO	) SEAI	М	POM Size		E1	01.1	ACRC		SHOUL	DERS-	-FRONT	Г	
Spec Tol				26 1 +1 -1					Spec Tol				8 5/8 +1/2 -1				Spec Tol						4 1					Spec Tol			_			17 2 -1/2			_	
COLOR	BLA-BL	ACK	WHI-WH		12				COLOR	BLA	BLACK	WHI-W		1/2				OLOR	BLA	-BLACK	WI	HI-WH		-1/4				COLO	R BI	LA-BLACK	v	WHI-WH		1/2				
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8									+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8								+ 1 1, + 1 3, + 1 1,	/8 /4										+ 1 1/2 + 1 3/8 + 1 1/4			#	=			$\mp$	#	Ξ	Ē
+ 1 + 7/8 + 3/4 + 5/8									+ 1 + 7/8 + 3/4								1 1/8 + 1 + 7/8 + 3/4											1 1/8 + 1 + 7/8 + 3/4			$\pm$		Ħ		#		<u> </u>	E
+ 5/8 + 1/2 + 3/8 + 1/4 + 1/8			X	X					+ 5/8 + 1/2 + 3/8 + 1/4 + 1/8								+ 5/8 + 1/2 + 3/8 + 1/4 + 1/8				×							+ 5/8 + 1/2 + 3/8 + 1/4 + 1/8			#	$\pm$			#	$\pm$	Ħ	Ė
0 - 1/8 - 1/4 - 3/8	X X	X							0 - 1/8 - 1/4 - 3/8	X	хх	X X	Х					0	X	X X		X	X					0 - 1/8 - 1/4 - 3/8	X	XX	×	K	Ē			=	Ħ	Ē
- 1/2 - 5/8 - 3/4 - 7/8									- 3/8 - 1/2 - 5/8 - 3/4 - 7/8								- 1/2 - 5/8 - 3/4 - 7/8											- 1/2 - 5/8 - 3/4 - 7/8			#	X	X		#		$\equiv$	Ē
- 1 - 1 1/8 - 1 1/4 - 1 3/8									- 1 - 1 1/8 - 1 1/4 - 1 3/8								- 1 - 1 1/ - 1 1/ - 1 3/	/8 /4										- 1 - 1 1/8 - 1 1/4 - 1 3/8			#	=			#	#	ŧ	E
- 1 1/2 POM	H100.	.1B CHE	ST-BUS	ST (TOF	PS) 1"	BELOV	V ARMH	OLE	- 1 1/2 POM	N	102.1A S	LEEVE LI			OULD	ER(LONG	- 1 1/	2		A106.	2 NEC	CK OP	ENING	G-MININ	MUN ST	RETO	H	- 1 1/2										
Size				XL					Size				SLEEV	′E)			Size						XI	L							C	Comme	ents:					
Spec Tol				24 +1/2 -					Spec Tol				23 3/- +3/4 -1				Spec Tol						23 · +100															
COLOR	BLA-BL	ACK	WHI-WH	HITE					COLOR	BLA	BLACK	WHI-W	HITE					OLOR	BLA	-BLACK	WI	HI-WH	ITE															
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8									+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8								+ 1 1, + 1 3, + 1 1, 1 1/8	/8 /4																				
+ 1 + 7/8 + 3/4 + 5/8 + 1/2									+ 1 + 7/8 + 3/4 + 5/8 + 1/2								+ 1 + 7/8 + 3/4 + 5/8 + 1/2																					
+ 3/8				t					+ 3/8								± 3/8				1				_													

+ 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2

+ 1/4 + 1/8 0 - 1/8 - 1/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2