L	AND	S	Ε	N	D									ME	ASURI	MENT S	SPECIFICATION	CHAR	т									SIZE		14	1/02/20 1X BLA		_	_	
CA's Nam VENDOR	e: LOU	JRDES P TE				MPANY	-	STYLE #	RIPTIO	1			WX 516264	R SUP	IMA CF	REW NK	P.O. #						98851					LOIK			DEX				
POM	R107	.1 TOTA	BODY	LENG	TH FR	OM HPS		POM	C1	06.1 NE	CK WID	TH HPS T	TO HPS	SEAM	TO SE	AM	РОМ		C	107.1 F	RONT	NECK	K DROF	P HPS TO	SEAM	P	ОМ		E101.1	ACRO	OSS SH	HOULD	ERS-FR	RONT	
Size Spec			1. 27					Size Spec				1X 8 3/4					Size Spec						1X 1/2			Si	ize pec				1. 14				
Tol			+1 -					Tol				+-1/2					Tol						1/4				ol					1/2	_		
COLOR	BLA-BLACK							COLOR	BLA-E	BLACK							COLOR	BL	A-BLA	ACK							COLOR	BLA-BL	ACK						
+ 1 1/2 + 1 3/8								+ 1 1/2 + 1 3/8									+ 1 1/2 + 1 3/8									+	1 1/2 1 3/8					\equiv	Ξ		
+ 1 1/4 1 1/8								+ 1 1/4 1 1/8									+ 1 1/4 1 1/8										1 1/4 1/8					-	\vdash		\vdash
+ 1 + 7/8	X X X							+ 1 + 7/8									+ 1 + 7/8									+	1 7/8						_		H
+ 3/4 + 5/8								+ 3/4 + 5/8									+ 3/4 + 5/8						Ш			+	3/4 5/8					_	丰		
+ 1/2		ш						+ 1/2									+ 1/2									+	5/8 1/2 3/8					_	丄		
+ 3/8 + 1/4								+ 3/8 + 1/4	X								+ 3/8 + 1/4									+	1/4	X	X			_	\pm		
+ 1/8 0								+ 1/8		X							+ 1/8	X	X	X						+	1/8 0	X				+	+		
- 1/8 - 1/4								- 1/8 - 1/4									- 1/8 - 1/4										1/8 1/4					_	#		
- 3/8								- 3/8									- 3/8									-	3/8						士		
- 1/2 - 5/8								- 1/2 - 5/8									- 1/2 - 5/8										1/2 5/8					_	+		\vdash
- 3/4 - 7/8								- 3/4 - 7/8									- 3/4 - 7/8										3/4 7/8					-	_		
- 1 - 1 1/8								- 1 - 1 1/8									- 1 - 1 1/8									- 1	1 1 1/8					#	1		
- 1 1/4								- 1 1/4									- 1 1/4									- 1	1 1/4						土		
- 1 3/8 - 1 1/2								- 1 3/8 - 1 1/2									- 1 3/8 - 1 1/2										1 3/8 1 1/2						士		
POM	H100.1B C	HEST-BU	JST (TC	DPS) 1	BELO	W ARMI	HOLE	POM	N1	02.1A SI		ENGTH-		IOULD	ER(LO	NG	POM		A	106.2 N	ECK OF	PENIN	IG-MIN	IMUN ST	RETCH					Comme	ents:				
Size			1. 23					Size				1X 10 1/					Size Spec						1X 24												
Spec Tol				1/2				Spec Tol				+-1/4					Tol						00 -0												
COLOR	BLA-BLACK							COLOR	BLA-E	BLACK							COLOR	BL	A-BLA	CK															
+ 1 1/2 + 1 3/8			T					+ 1 1/2 + 1 3/8			\top					_	+ 1 1/2 + 1 3/8	Ė			Ŧ														
+ 1 1/4 1 1/8								+ 1 1/4 1 1/8									+ 1 1/4 1 1/8																		
+ 1 + 7/8								+ 1 + 7/8									+ 1 + 7/8																		
+ 3/4								+ 3/4									+ 3/4																		
+ 5/8 + 1/2								+ 5/8 + 1/2									+ 5/8 + 1/2																		
+ 3/8 + 1/4								+ 3/8 + 1/4			-	+					+ 3/8 + 1/4																		
+ 1/8 0								+ 1/8	X	v v							+ 1/8	V	X	V															
- 1/8								- 1/8 - 1/4	^	^ ^							- 1/8	^	^	^															
- 1/4 - 3/8	X X X							- 3/8									- 1/4 - 3/8																		
- 1/2 - 5/8		H			-	+	\blacksquare	- 1/2 - 5/8		\blacksquare				\Box			- 1/2 - 5/8						H												
- 3/4 - 7/8							\Box	- 3/4 - 7/8									- 3/4 - 7/8																		
- 1								- 1									- 1																		
- 1 1/8 - 1 1/4							\pm	- 1 1/8 - 1 1/4		\pm							- 1 1/8 - 1 1/4						H												
- 1 3/8 - 1 1/2		+				+	+	- 1 3/8 - 1 1/2		+							- 1 3/8 - 1 1/2						H												

L	AND	S '	EN	1D	A							N	IEASUI	REMENT	SPECIFICATION (CHART									DAT SIZ	ZE			/02/20 2X BLA				
CA's Nam VENDOR		IRDES PA TEX			COMPAN	IY .	STYLE #	CRIPTION			5162		IPIMA (CREW NK	P.O. #					988	51				COLC	JR			BLA				
POM	R107	.1 TOTAL	BODY LI	ENGTH I	FROM HI	PS	POM	C10	06.1 NEC	K WIDTH H	IPS TO HI	PS SEA	мтоѕ	EAM	POM		C107	.1 FROI	NT NE	CK DR	OP HPS T	O SEAM		POM			E101.1	ACRO	SS SH	HOULDI	ERS-FR	ONT	
Size Spec			2X 28 3/8				Size Spec				2X 9				Size Spec					2X 4 5/8				Size Spec					15				_
Tol			+1 -1/				Tol				+-1/2				Tol					+-1/4				Tol					+-1				_
COLOR	BLA-BLACK						COLOR	BLA-BI	LACK						COLOR	BLA-	BLACK							COLO	OR E	BLA-BLAC	CK						
+ 1 1/2 + 1 3/8							+ 1 1/2 + 1 3/8								+ 1 1/2 + 1 3/8								T	+ 1 1/2						Ŧ		T	Ŧ
+ 1 1/4 1 1/8							+ 1 1/4 1 1/8		1						+ 1 1/4 1 1/8									+ 1 1/4 1 1/8						#			#
+ 1 + 7/8							+ 1 + 7/8								+ 1 + 7/8									+ 1 + 7/8						#			#
+ 3/4 + 5/8							+ 3/4 + 5/8		11						+ 3/4 + 5/8									+ 3/4 + 5/8						#			#
+ 1/2	x x x						+ 1/2		\perp						+ 1/2									+ 1/2						#			\pm
+ 3/8 + 1/4							+ 3/8 + 1/4								+ 3/8 + 1/4									+ 3/8 + 1/4						\pm			\pm
+ 1/8 0							+ 1/8 0								+ 1/8 0	X	ХХ							+ 1/8		X	X						
- 1/8 - 1/4							- 1/8 - 1/4		\blacksquare						- 1/8 - 1/4							\Box		- 1/8 - 1/4						干			4
- 3/8 - 1/2							- 3/8 - 1/2	X	X						- 3/8 - 1/2									- 3/8 - 1/2						#			#
- 5/8							- 5/8	^							- 5/8									- 5/8						#			\pm
- 3/4 - 7/8							- 3/4 - 7/8								- 3/4 - 7/8									- 3/4 - 7/8						\pm			\pm
- 1 - 1 1/8							- 1 - 1 1/8						\vdash		- 1 - 1 1/8									- 1 - 1 1/8						+			+
- 1 1/4 - 1 3/8							- 1 1/4 - 1 3/8								- 1 1/4 - 1 3/8									- 1 1/4 - 1 3/8						+			-
- 1 1/2							- 1 1/2								- 1 1/2									- 1 1/2						_			
POM	H100.1B C	HEST-BUS		S) 1" BEI	LOW AR	MHOLE	POM	N10)2.1A SL	EEVE LENG SLE	EVE) 187	SHOUL	.DER(L	ONG	POM		A106.	2 NECK	OPEN		IINIMUN S	TRETCH					C	ommer	nts:				
Size Spec			2X 25 1/2	2			Size Spec				2X 11 1/8				Size Spec					2X 24													
Tol		1	+-1/2				Tol				+-1/4				Tol				-	+100 -0		1											
COLOR	BLA-BLACK						COLOR	BLA-B	LACK						COLOR	BLA-	BLACK																
+ 1 1/2 + 1 3/8				\blacksquare			+ 1 1/2 + 1 3/8		H		H				+ 1 1/2 + 1 3/8	\exists																	
+ 1 1/4 1 1/8							+ 1 1/4 1 1/8								+ 1 1/4 1 1/8																		
+ 1 + 7/8							+ 1 + 7/8		+						+ 1 + 7/8		-	+		_		++											
+ 3/4 + 5/8							+ 3/4 + 5/8								+ 3/4 + 5/8																		
+ 1/2 + 3/8							+ 1/2 + 3/8								+ 1/2 + 3/8																		
+ 1/4							+ 1/4								+ 1/4																		
+ 1/8 0							+ 1/8 0	XX	X						+ 1/8 0	X	ХХ																
- 1/8 - 1/4	X		\vdash				- 1/8 - 1/4								- 1/8 - 1/4																		
- 3/8 - 1/2	х х		\vdash				- 3/8 - 1/2		+						- 3/8 - 1/2			\Box															
- 5/8 - 3/4							- 5/8 - 3/4		\Box						- 5/8 - 3/4				1				$\downarrow =$										
- 7/8							- 7/8								- 7/8																		
- 1 - 1 1/8							- 1 - 1 1/8								- 1 - 1 1/8																		
- 1 1/4 - 1 3/8		\Box	+ +	+		+ + 1	- 1 1/4 - 1 3/8		+	+	+		+1		- 1 1/4 - 1 3/8	\vdash	+	+1	+			++	+1										
- 1 1/2							- 1 1/2								- 1 1/2						1 1												

L	AN	ID	S	E	N	D	A	L									I	MEAS	UREMENT	Γ SPE	CIFICATION	CHAR	Т													DATE SIZE		_	_		/02/20 3X		_	_	_		
's Nam NDOR			JRDES	PARR.	A DON	AYRE			_	STYLE #	SCRI	IPTION				V 51620		UPIMA	A CREW N		NK P.O. #						988	351]		CO	DLOR					BLA				_	•	
М		R107	.1 ТОТ	AL BO	DY LEN	NGTH	FROM	M HPS		РОМ		C106.1 N	IECK '	WIDTH	H HPS 1	ГО НЕ	S SE	AM TO) SEAM		POM		C	107.1	FRON	NT NE	CK DI	ROP	HPS T	O SE	AM			РОМ				E10	11.1 /	ACRO	ISS SI	HOUI	_DER	S-FR	ONT		
					3X					Size					3X						Size						3X						1	Size			_	_	_	_		3X	_	_	_	_	
				4	29 +1 -1/2					Spec Tol					9 1/4					-	Spec Tol						4 7/8						1	Spec Tol								3/4				_	
LOR	A6J-RA NA	DIANT VY								COLOR	2	A6J-RADIAN NAVY	т								COLOR		-RADI NAVY											COL	_OR		-RADI NAV)										
2 8 4				I						+ 1 1/2 + 1 3/8			Ė			Ī	I	ŧ			+ 1 1/2 + 1 3/8									Ė	F	E		+ 1 1/	8		E	E	E	P		E				F	-
										+ 1 1/4 1 1/8											+ 1 1/4 1 1/8												1	+ 1 1/ 1 1/8			E		┢	닏	H		H			ļ	_
										+ 1 + 7/8											+ 1 + 7/8												1	+ 1 + 7/8				ᆫ		벋		上				ļ	_
										+ 3/4 + 5/8											+ 3/4 + 5/8													+ 3/4 + 5/8			E		士							t	
	X	X								+ 1/2 + 3/8											+ 1/2 + 3/8													+ 1/2 + 3/8						\vdash						ł	_
	,	(+	+ 1/4 + 1/8										-	+ 1/4 + 1/8												1	+ 1/4 + 1/8			-	-	-	\vdash	$\vdash\vdash$	-	\vdash	\dashv		ł	
										0 - 1/8								-		7	0 - 1/8	X	Х	Χ			-						1	- 1/8)	X	X	X	F					=		Ī	_
										- 1/4 - 3/8											- 1/4 - 3/8												1	- 1/4 - 3/8			Ë	Ħ								ļ	
									ш	- 1/2		x x x									- 1/2												1	- 1/2 - 5/8				二	匚			二		一		ļ	
										- 5/8 - 3/4											- 5/8 - 3/4													- 3/4					世	H						ł	
									+	- 7/8 - 1						+					- 7/8 - 1						+	+		+				- 7/8 - 1				\vdash	\vdash	\vdash	H	\vdash	\vdash			ł	_
B 4									Н	- 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4												1	- 1 1/8 - 1 1/4				\vdash	\vdash	\blacksquare		\vdash		П		F	_
3										- 1 3/8 - 1 1/2											- 1 3/8 - 1 1/2												1	- 1 3/8 - 1 1/2	3			=	\vdash	H		lacksquare		\blacksquare		Į	
											H	N102.1A	SLEE	VELE	NGTH-	TOP	SHOU	LDER	LONG														Ī													ı	Ī
	H10	0.1B C	HEST-	BUST (3X	1" BE	LOW	ARMHOL	.E	POM Size	H				LEEVE 3X	187 (_	POM Size		A.	106.2	NECK	OPE	3X	MINII	AUN S	IRE	ICH		Н						Co	ommer	nts:						
					27 1/2					Spec	t				12						Spec						24						Г						_			_		_	_		
					+-1/2					Tol	4				+-1/-	4					Tol						+100 -	0		1			ł														
OR.	A6J-RA NA	DIANT VY								COLOR		A6J-RADIAN NAVY	Т								COLOR		-RADI NAVY																								
2 8										+ 1 1/2 + 1 3/8						+					+ 1 1/2 + 1 3/8												1														
2 8 4							П		П	+ 1 1/4 1 1/8						Ŧ		Τ		-	+ 1 1/4 1 1/8					Ŧ		Ŧ					1														
										+ 1 + 7/8											+ 1 + 7/8							#					1														
									Ш	+ 3/4											+ 3/4							#					1														
									Ш	+ 5/8 + 1/2											+ 5/8 + 1/2																										
						-			+	+ 3/8 + 1/4		x x		-		-				-	+ 3/8 + 1/4						-	+					ł														
)										+ 1/8		X									+ 1/8	Y	Х	Y									1														
										- 1/8 - 1/4								T			- 1/8 - 1/4						#	T		T			1														
							\Box		\Box	- 3/8						1				1	- 3/8							1					1														
	X)	X			Ŀ					- 1/2 - 5/8			Ŀ			Ⅎ		┢			- 1/2 - 5/8					Ⅎ	┢	╁		Ł	Ŀ		1														
		1	H				П		H	- 3/4 - 7/8						Ŧ				-	- 3/4 - 7/8					Ŧ		F		Ŧ			1														
8 4 8 2			H						H	- 1 - 1 1/8			ŀ			1		ŀ		4	- 1 - 1 1/8					1		+					1														
4			Ш				Н			- 1 1/4						1				1	- 1 1/4					1				t			1														
5 2		+	\vdash		-1-	1	\vdash		+	- 1 3/8 - 1 1/2		+	+	+	\vdash	+		+	+	-	- 1 3/8 - 1 1/2		\vdash			-	-	+	+	+	+	+	1														