L	1	JE		7	Ξ	N	D,	A										MEAS	JREM	ENT SI	PECIFICATIO	N CHAI	RT										DATI				26/07/2 3X			
								ITEM DES	WXR LS RLXD SUPIMA VNCK T]	(COLOF	₹ <u></u>			BLA-	A6J										
1	R107.1 TOTAL BODY LENGTH FROM HPS							POM C106.1 NECK WIDTH HPS TO HPS SEAM TO SEAM POM C107.1 FRONT NECK DROP HPS TO SEAM											РОМ			E101.1 ACROSS SHOULDER					FRONT													
					3)						Size		3X Size 3X											Size			3X													
					29 1 +1 -						Spec Tol	9 1/4 Spec +1/2 -1/2 Tol									8 3/8 +1/4 -1/4								Spec Tol						18 /2 -1/2					
LOR	R BLA-BLACK A6J-RADIANT NAVY				COLOR	BLA	-BLACK		I-RADIANT NAVY	г					COLOR	₹ ВІ	.A-BLA	СК	A6J-RA NA		NT				COL		R BI	BLA-BLACK		A6J-RADIANT NAVY		Г								
/2 /8						П	Ŧ			Н	+ 1 1/2 + 1 3/8										+ 1 1/2 + 1 3/8		Н									+ 1 1/2 + 1 3/8					Ŧ		H	
4											+ 1 1/4 1 1/8										+ 1 1/4 1 1/8]	+ 1 1/4 1 1/8								
											+ 1										+ 1										1 1	+ 1								
				Х	Х						+ 7/8 + 3/4										+ 7/8 + 3/4]	+ 7/8 + 3/4								
		X	(X							+	+ 5/8 + 1/2	X	X X	X							+ 5/8 + 1/2										1 1	+ 5/8 + 1/2	X	X	X	X				
	X										+ 3/8 + 1/4			Х							+ 3/8 + 1/4											+ 3/8 + 1/4					X X			
											+ 1/8				X						+ 1/8		X	~	Х	(X	,					+ 1/8								\blacksquare
											- 1/8										- 1/8	X		^		` ^					1	1/8								
		-					-				- 1/4 - 3/8				X						- 1/4 - 3/8										1	- 1/4 - 3/8								+
											- 1/2 - 5/8										- 1/2 - 5/8										1	- 1/2 - 5/8								
											- 3/4										- 3/4										1	3/4								
											- 7/8 - 1										- 7/8 - 1										1	- 7/8 - 1								
	-	-	-	+			-	-			- 1 1/8 - 1 1/4							-			- 1 1/8 - 1 1/4					-					1	· 1 1/8 · 1 1/4					+	-		+
	_										- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2										1	- 1 3/8 - 1 1/2								
	H1	00.1B	CHES.	T-RUS	T (TO	PS) 1	BEL	OW AF	MHOI	F	РОМ	1	N102.1A	SLEE	VE LENG		SHOU	LDER	(LONG		POM		Δ1	06.21	NECK (DEN	ING-MI	JIMI INI S	TRETCH		П	1 1/2								
		00.15	01.120	. 500	3)		-			-,-	Size					EEVE)					Size						3X									Comr	nents:			
					28 3						Spec				2	4 1/4					Spec						23 1/2													
			۸۶	J-RAD	+1/2	-1/2					Tol	+3/4 -1/2 LOR BLA-BLACK A6J-RADIANT								Tol				A6J-RA		100 -0														
OR	BLA-	BLACK		NAV							COLOR	BLA	-BLACK		NAVY						COLOR	R BI	.A-BLA	CK	NA															
							-				+ 1 1/2 + 1 3/8										+ 1 1/2 + 1 3/8																			
											+ 1 1/4 1 1/8										+ 1 1/4 1 1/8																			
											+ 1										+ 1																			
											+ 7/8 + 3/4	X		Х	ХХ						+ 7/8 + 3/4																			
		-								+	+ 5/8 + 1/2		X X	x				-			+ 5/8 + 1/2	-					-				1									
											+ 3/8										+ 3/8 + 1/4																			
											+ 1/8										+ 1/8																			
											- 1/8										0 - 1/8	X	X	Х	X >	(X	(4									
	Х	X >	X								- 1/4 - 3/8										- 1/4										1									
	\exists	X		X	Х		1				- 1/2										- 3/8 - 1/2										1									
		-			H		-			+1	- 5/8 - 3/4					+				\vdash	- 5/8 - 3/4		+1		-		-				1									
	1	+	1				4	4		\square	- 7/8 - 1										- 7/8 - 1			_			1				1									
										\Box	- 1 1/8										- 1 1/8										1									
	\dashv	+	+	+	\vdash	\vdash		+	+	+	- 1 1/4 - 1 3/8		-	-		+		+	1	\vdash	- 1 1/4 - 1 3/8		H	-	+	+	+	-+	++		1									
2			i	1						\top	- 1 1/2					1		1			- 1 1/2						1				1									

L	AN	ID	S	E	N	D	A									ME	ASUREMEI	NT SPE	CIFICATION	CHAF	RT										DATE				26/07/ S		_			
CA's Name VENDOR			NE HU	AMAN .	ALEJO	os	COMPA	NY	STYLE #		TION			424	WR N	IS RL	XD SUPIM	A VNC	P.O. #						8530	0]	(COLOF			В	BLA-A6	6J-WH	<u>1</u>			
POM		R107.	.1 TOT	AL BOD	Y LEN	IGTH F	FROM H	PS	РОМ		C106.1 I	NECK W	WIDTH HE	PS TO	HPS S	EAM	TO SEAM		POM		C1	07.1 F	RON	T NEO	CK DR	OP HPS	тоя	EAM		РОМ			E101.	1 ACF	ROSS	SHOU	ULDER:	S-FRO	ONT	
Size Spec					S 26				Size Spec					S 8					Size Spec						S 7 1/2				1	Size Spec						S 15 1/4				
Tol					1 -1/2				Tol					/2 -1/2					Tol						1/4 -1/4				1	Tol						1/2 -1/:	2			
COLOR	BLA-B	LACK		ADIAN' AVY	Г				COLOF	R BL	A-BLAC		I-RADIAN' NAVY	Г					COLOR	BL	.A-BLAC	CK A	6J-R <i>A</i> NA	ADIAN AVY	NT					COLO	R BL	LA-BLA	CK A	A6J-RA NA		IT				
+ 1 1/2 + 1 3/8 + 1 1/4									+ 1 1/2 + 1 3/8 + 1 1/4										+ 1 1/2 + 1 3/8 + 1 1/4		H								1	+ 1 1/2 + 1 3/8 + 1 1/4			+	#	#	-	+			\pm
1 1/8 + 1 + 7/8									1 1/8 + 1										1 1/8 + 1										1 1	1 1/8 + 1			\equiv	\pm	\equiv		\blacksquare			
+ 3/4				X X					+ 7/8 + 3/4										+ 7/8 + 3/4										1 1	+ 7/8 + 3/4			\equiv	\pm	\pm		\blacksquare			\pm
+ 5/8 + 1/2			X						+ 5/8 + 1/2			X							+ 5/8 + 1/2								1			+ 5/8 + 1/2 + 3/8			_	X)	хх	K	\pm			\pm
+ 3/8 + 1/4	X 2	(X							+ 3/8 + 1/4										+ 3/8 + 1/4											+ 1/4			_	\pm	\pm		+			\pm
+ 1/8 0									+ 1/8				XX						+ 1/8)	X >	X				1	+ 1/8 0				\pm	\pm		+			
- 1/8 - 1/4									- 1/8 - 1/4	X	X 2	X							- 1/8 - 1/4	X	X	X	X						1	- 1/8 - 1/4	X	X	Х	\pm	Ξ		\blacksquare			
- 3/8 - 1/2									- 3/8 - 1/2										- 3/8 - 1/2										▍┃	- 3/8 - 1/2 - 5/8 - 3/4			\pm	\pm	\pm		\perp			
- 5/8 - 3/4									- 5/8 - 3/4										- 5/8 - 3/4										1	- 5/8 - 3/4			\equiv	\pm	\pm		\blacksquare			
- 7/8 - 1									- 7/8 - 1										- 7/8 - 1										1	- 7/8 - 1			\dashv	+	+		\blacksquare			-
- 1 1/8 - 1 1/4									- 1 1/8 - 1 1/4										- 1 1/8 - 1 1/4											- 1 1/8 - 1 1/4			4	+	+		\blacksquare			
- 1 3/8 - 1 1/2									- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2										┦	- 1 3/8 - 1 1/2			\dashv	+	+		\vdash			_
POM	H10	0.1B CI	HEST-E	BUST (1	OPS)	1" BEI	LOW AF	MHOLE	POM		N102.1/	SLEE		TH-TO EEVE)	P SHC	ULD	ER(LONG		POM		A10	06.2 N	ECK (OPEN	NNG-M	NIMUN	STRI	ETCH						0						
Size					S				Size					S					Size						S									Comn	nents:	:				
Spec Tol					20 /2- 1/2				Spec Tol					24 1/2 3/4 -1/2					Spec Tol						23 1/2 -100 -0															
COLOR	BLA-B	LACK		ADIAN' AVY	Т				COLOF	R BL	A-BLACI	κ A6J	I-RADIAN NAVY	Т					COLOR	BL	.A-BLAC	K A	6J-RA NA	ADIAN AVY	ΝT															
+ 1 1/2 + 1 3/8			П					\Box	+ 1 1/2 + 1 3/8		H		H				\Box		+ 1 1/2 + 1 3/8		П						1	Ŧ	1											
+ 1 1/4 1 1/8									+ 1 1/4 1 1/8										+ 1 1/4 1 1/8																					
+ 1									+ 1 + 7/8										+ 1 + 7/8								#													
+ 7/8 + 3/4 + 5/8									+ 7/8 + 3/4 + 5/8										+ 7/8 + 3/4 + 5/8																					
+ 1/2									+ 5/8 + 1/2 + 3/8			Х	X X						+ 1/2 + 3/8								1													
+ 3/8 + 1/4			Х						+ 1/4				XX						+ 1/4																					
+ 1/8				X					+ 1/8										+ 1/8	X	X	Х	X X	X >	X															
- 1/8 - 1/4									- 1/8 - 1/4	X	X 2	K							- 1/8 - 1/4								\perp													
- 3/8 - 1/2 - 5/8	X	(X							- 3/8 - 1/2										- 3/8 - 1/2								1													
- 3/4			H			Ы			- 5/8 - 3/4		Ш	E	ЬĒ						- 5/8 - 3/4		H	_[Ⅎ	$oldsymbol{\mathbb{L}}$		H	$oldsymbol{ m I}$	$oxed{\mathbb{F}}$	1											
- 7/8 - 1					I		\equiv		- 7/8 - 1			Ŧ							- 7/8 - 1			_					\equiv	\blacksquare	}											
- 1 1/8 - 1 1/4			\vdash						- 1 1/8 - 1 1/4									\exists	- 1 1/8 - 1 1/4		H																			
- 1 3/8 - 1 1/2									- 1 3/8 - 1 1/2										- 1 3/8 - 1 1/2																					

L	AND	S' ENDÂ			MEASUREMENT	SPECIFICATION C	CHART		DATE SIZE COLOR	26/07/202 M WHI	1
CA's Nam VENDOR		NE HUAMAN ALEJOS TEXTIL SOURCING COM		SCRIPTION	WR NS RLXD SUPIMA V 424643	P.O. #		85300	1		
POM Size Spec Tol	R107.	1 TOTAL BODY LENGTH FROM M 26 5/8 +1 -1/2	M HPS POM Size Spec Tol		PS TO HPS SEAM TO SEAM M 11/4 //2 -1/2	POM Size Spec Tol	7	K DROP HPS TO SEAM M 5/8 4 -1/4	POM Size Spec Tol	E101.1 ACROSS SHO M 15 7/ +1/2 -	/8
COLOR	WHI-WHITE		COLO	WHI-WHITE		COLOR	WHI-WHITE		COLOR WHI-W	HITE	
+ 1 1/2 + 1 3/8 + 1 1/8 + 1 1/8 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/2 + 3/8 + 1/8 - 0 - 1/8 - 1/4 - 3/8 - 3/4 - 1/8 - 1/8 - 1/8 - 3/4 - 1/8 - 1/8 - 1/8 - 3/8 - 1/8 - 3/8 - 1/8 - 3/8 - 1/8 - 1/8 - 3/8 - 1/8 - 1/8	X X X		+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 1/8 - 1/2 - 1/8 - 1/2 - 1/8 - 1/2 - 1/8 - 1/8 - 1/2 - 1/8 - 1/8 - 1/2 - 1/8 -	X X X		+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/8 - 1/4 - 3/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/8	X X X		+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/4 + 1/8 0 0 - 1/8 - 1/4 - X - 3/8 - 3/4 - 7/8 - 3/4 - 7/8 - 3/4 - 7/8 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	x	
- 1 1/2 POM Size Spec	H100.1B CF	HEST-BUST (TOPS) 1* BELOW M 21 1/4		SL	TH-TOP SHOULDER(LONG EEVE) M 4 3/4	POM Size Spec		NG-MINIMUN STRETCH M 3 1/2	- 1 1/2	Comments:	
COLOR	WHI-WHITE	+1/2- 1/2	Tol		/4 -1/2	Tol	+1	00 -0			
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1/4 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/2 + 3/8 + 1/8 - 1/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1/2 - 1/2 - 1/2 - 1/8 - 1/	X X X		+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/8 + 1/2 + 3/8 + 1/2 + 3/8 + 1/2 - 1/8 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8	X X X		+ 1 1/2 +1 3/8 +1 11/4 1 1/8 +1 +1 +7/8 +3/4 +5/8 +1/2 +3/8 +1/4 -1/8 -1/4 -3/8 -1/2 -5/8 -1/2 -5/8 -1/2 -1/3 -1/3 -1/3 -1/3 -1/3 -1/3 -1/3 -1/3	x x x				