L	A	NI	D	5'	E	N												N	MEASUREME	NT SP	ECIFICATION	CHAR	T										S	ATE	_		09/20: S				_	
CA's Nam VENDOR		F	RENN	E HUA TE				СОМ	PANY		ITEM DE		RIPTION				WP 476518		SUPIMA CRE	W	P.O. #						85462]		COL	.OR		BLA-	ZTU-\	WHI				
POM		R1	07.1	TOTA	L BOD	YLEN	NGTH	I FROI	M HPS		POM		C106.1	NEC	K WIDTH H	IPS ⁻	TO HPS	SEA	M TO SEAM		POM		C10	7.1 F	RONT	NECH	(DRO	P HPS	TO S	EAM		POM		E101	I.1 A	CROS	SS SH	OUL	DERS-I	FRON	IT	
Size Spec					24	S 4 1/2 1 -1/2					Size Spec					8 1/2 -					Size Spec						S 4 4 -1/4				3	Size Spec			_		15 1 +1/2					
Tol COLOR	BLA	-BLAC	ск	ZTU-	RICH		HI-WI	HITE			COLO	R	BLA-BLAC	К	ZTU-RICH RED		WHI-WI	HITE			COLOR	BL	A-BLACI	<	ZTU-R REI	IICH		-WHI	ΓE			COLO)R	BLA-BLACK		U-RIC RED			-WHITE	E		
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0	X	X	X	x	(X	X	X	X			+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/2 + 1/4		X		X						+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8	X	X		X X	X						+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0			X	X	X					
- 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2											- 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2						X	X			- 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2						X	X	X			- 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2		X X				X	X 3	X		
POM Size Spec	H	100.1E	B CHE	EST-BU		OPS)	1" BI	ELOW	ARMH	OLE	POM Size Spec		N102.1	A SL		STH- LEEV S	VE)	HOUL	DER(LONG		POM Size Spec		A106	6.2 N	ECK O		NG-MIN S 3 1/2	IIMUN	STRE	тсн					Con	nmen	its:					
COLOR	BLA	A-BLAC	ск	ZTU-I	RICH	/2 -1/2 W	HI-WI	HITE			COLO	R	BLA-BLAC	К	ZTU-RICH RED	3/4 -	1/2 WHI-WH	HITE			Tol	BL	A-BLAC	<	ZTU-R REI	ICH	00 -0 WH	I-WHIT	ΓE													
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/4 - 3/8 - 1/4 - 3/8 - 1/4 - 3/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 1/2 - 1/8 - 1/2 - 1/8 - 1/2 - 1/8 - 1/2 - 1/8 - 1/2 - 1/8 -	X	X	X	X	(X	X	X	X			+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 - 1/4 - 3/8 - 1/2 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/8		X	X	X		X X	X			+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/8 - 1/2 - 5/8 - 1/2 - 5/8 - 1 - 1 1/8 - 1 - 1 1/8 - 1	X	X	X	XX X	X	X	X	X													

L	ANE)5	3"	Ξ	N	D	A											ME	ASURI	EMENT	SPEC	CIFICATION	CHAR	Т											DATE SIZE OLOR		_	<u> </u>	02/09 N BLA-ZT	М		_		_	
CA's Nam VENDOR		NNE	HUAM TEX				OMP	ANY		STYLE		RIPTION					WP L 518	S SL	JPIMA (CREW		P.O. #						85462	2					CC	JLOR				SLA-Z	10-0	VHI				
POM	R10	7.1 T	OTAL E	BODY	LEN	GTH F	ROM	HPS		РОМ		C10	6.1 NE	CK WID	TH HPS	S TO F	HPS S	EAM	1 TO SE	AM		РОМ		С	107.1	FRO	NT NEC	K DRC	P HP	з то	SEAN	И	POI	М	Г		E101	i.1 AC	CROSS	S SH	OUL	DERS	FRO	NT	
Size Spec Tol				25 +1 -	1/8					Size Spec Tol					8	M 1/4 2 -1/2						Size Spec Tol					4	M 1/8 4 -1/4					Size Spe Tol	C	E	_	_			M 15 7 +1/2 -	7/8				
COLOR	BLA-BLACK	:	ZTU-RI RED		WH	II-WHI	ITE			COL	OR	BLA-BL	ACK	ZTU-	RICH		II-WHI	TE				COLOR	BL	A-BLA	.CK		U-RICH RED	WH	II-WHI	TE				OLOR	BL/	A-BLA	ACK		J-RICH RED	_		I-WHIT	Έ		
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8	X			X						+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8		X	X		(X							+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 1 1/8 + 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4 + 1/8 0	X	X	X									3/8 1/4 8 8 8 4 8 2 8 4 8 0				X							
- 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2)			X	X	X			- 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 3/8 - 1 1/2				X		X	X	X				- 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4 - 1 3/8 - 1 1/2				X	X	X	X	X			- 13	1 3 2 3 1 3	X	X	X		X 3	X	X	X	X		
POM Size	H100.1B	CHES	ST-BUS	, N	/	1" BEL	_OW A	ARMH	OLE	POM Size		N10	2.1A S	LEEVE	SLE	EVE) M	P SHC	DULD	DER(LO	NG	1	POM Size		A1	106.2	NECH		М	NIMUN	N STF	RETC	Н						Corr	nments	s:					
Spec Tol COLOR	BLA-BLACK		ZTU-RI RED		-1/2	II-WHI	ITE			Spec Tol	DR	BLA-BL	ACK	ZTU-	+3/4 RICH	1/4 4 -1/2 WH	II-WHI	TE				Spec Tol COLOR	BL	A-BLA	.CK			3 1/2 00 -0 WH	II-WHI	TE															
+ 1 1/2 + 1 3/8 + 1 1/8 + 1 1/8 + 1 1/8 + 1/8 + 3/4 + 5/8 + 1/2 + 3/8 - 1/8 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 1 - 1/8 - 1 1/4 - 1 1/8 - 1 1/4 - 1 1/8 -	X X X)	(X	x	x	X	X			+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 1/8 + 3/4 + 5/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8 - 1/4 - 3/8 - 1/4 - 3/8 - 1/4 - 3/8 - 1/4 - 3/8 - 1/4 - 1/8 - 1/8		x x	X	; x	(X	X	X	X				+ 1 1/2 + 1 1/8 + 1 1/8 + 1 1/8 + 1 1/8 + 1 1/8 + 1/8 + 1/2 + 3/8 + 1/2 + 3/8 + 1/8 - 1/8 - 1/8 - 3/8 - 3/8 - 3/8 - 1/8 - 1/8	X	X	X	X	X X	X	X	X															

L		VI	D	5'	E	N		I												ME	EASURE	MENT	SPEC	IFICATION (CHAR	Т									ATE SIZE	_		09/20 L -ZTU-				_	
A's Name ENDOR	9:	F	RENN	TE)				G COM	MPANY			TEM DESC STYLE #	RIPTIO	N				476		S SL	JPIMA C	REW		P.O. #						85462							DLA-	_10-					
М		R1	107.1	TOTAL			GTH	H FRC	M HPS		_	POM	C.	106.1	NECK	WIDTI			HPS S	EAM	I TO SEA	ιM		POM		C10	7.1 F	RONT			P HPS	S TO SEAM	POM		E10	01.1 A	CRO			DERS-	FRON	NT	1
e C					25	L 3/4						Size Spec					8						\$	Size Spec					4	3/8			Size Spec			_		16 t	5/8				-
l						-1/2					┪┞	Tol						-1/2						Tol						4 -1/4			Tol					+1/2	-1/2				Ī
OLOR	BLA	-BLAC	CK	ZTU-F RE		WH	HI-W	HITE				COLOR	BLA-	BLAC	< Z	TU-RI RED		WH	l-WHI	TE				COLOR	BLA	A-BLACK	(ZTU-R REI		WH	I-WHI	TE		LOR	BLA-BLACK	ZT	U-RIO RED	CH	WHI	I-WHIT	E		
1/2 3/8 1/4											+	+ 1 1/2 + 1 3/8 + 1 1/4												+ 1 1/2 + 1 3/8 + 1 1/4									+ 1 1/ + 1 3/ + 1 1/	/8					\blacksquare				-
В											1	1 1/8 + 1												1 1/8 + 1									1 1/8	-		Ħ			\dashv				
8 4			1								+	+ 7/8 + 3/4		1										+ 7/8 + 3/4									+ 7/8 + 3/4			=			#				-
3	· ·	Х	Х								4	+ 5/8												+ 5/8			t						+ 5/8			\Box							_
2 3	Х			Х	X						4	+ 1/2 + 3/8												+ 1/2 + 3/8									+ 1/2 + 3/8			\perp			〓				-
4 3												+ 1/4 + 1/8						Х	X	X				+ 1/4 + 1/8									+ 1/4 + 1/8			$\pm \pm$	X	X					-
0				Х	+	Х	X	X			۱.	0 - 1/8		X X	< X		X							0 - 1/8		X	-	X	X		X	X	- 1/8		X	Х			\dashv				
											-	- 1/4 - 3/8	Х			Х								- 1/4 - 3/8	X	>	(Х			- 1/4 - 3/8		Х	Ħ			Х	х	X		-
			4								1 6	- 1/2 - 5/8											1 6	- 1/2 - 5/8			1						- 1/2 - 5/8			\blacksquare			Ä		^		-
									H		1 6	- 3/4												- 3/4									- 3/4			Ħ			〓				-
											1 6	- 7/8 - 1											1 E	- 7/8 - 1									- 7/8 - 1			\vdash							-
8 4											1	- 1 1/8 - 1 1/4		+										- 1 1/8 - 1 1/4									- 1 1/s			\forall			\dashv				-
8 2			-									- 1 3/8 - 1 1/2		+										- 1 3/8 - 1 1/2			-						- 1 3/d - 1 1/2			\Box			\dashv				_
	Н	100.1	в СНІ	EST-BU	IST (T	OPS)	1" B	BELOV	V ARMI	HOLE		РОМ	N	102.1 <i>A</i>	SLEE	VE LE			SHC	OULD	DER(LON	IG	F	РОМ		A106	5.2 N	ECK O	PENIN	NG-MIN	IIMUN	STRETCH											I
						L					9	Size						L						Size						L						Cor	mmer	nts:					
						23 2 -1/2						Spec Tol						5/8 I -1/2						Spec Tol						3 1/2 00 -0													
LOR	BLA	-BLAC	сĸ	ZTU-F RE	RICH		H-W	/HITE				COLOR	BLA-	BLAC	Z	TU-RI		WH	I-WHI	TE				COLOR	BLA	A-BLACK	(ZTU-R REI		WH	I-WHI	TE											
1/2		Т			Т		ı	Т				+ 1 1/2	Н			Т						T		+ 1 1/2			-		Т				_										
3/8 1/4												+ 1 3/8 + 1 1/4												+ 1 3/8 + 1 1/4			F																
											1	1 1/8 + 1		1										1 1/8 + 1																			
3												+ 7/8 + 3/4												+ 7/8 + 3/4																			
ļ 3												+ 5/8												+ 5/8																			
2						<u> </u>					4	+ 1/2 + 3/8			-									+ 1/2 + 3/8			-																
		_	-									+ 1/4 + 1/8	X	X)	X		Х	Х	Х	Χ		+		+ 1/4 + 1/8			+																
0												0			,									0	Χ	Х	()	Х	X	Х	Χ	X											
			1				L				-	- 1/8 - 1/4		+									1 6	- 1/8 - 1/4			t																
	Χ	Х	X	X X	X	Х	X	X			1 8	- 3/8 - 1/2										\perp	1 .	- 3/8 - 1/2			£																
			1	-	-	F	F	-	Ħ		1 6	- 5/8 - 3/4		\perp		+								- 5/8 - 3/4				-	F		1		-										
			1			-			\Box		-	- 7/8 - 1												- 7/8 - 1			1																
8			4								-	- 1 1/8 - 1 1/4				1								- 1 1/8 - 1 1/4			#																
/4 3/8		-			+	1	H	+			-	- 1 1/4 - 1 3/8 - 1 1/2			+	+								- 1 1/4 - 1 3/8			+						1										

	A	N	D	S	E	EP	1												М	EASUF	REME	PECIFICATIO	N CH	ART									S	ATE_ SIZE_	_	_)	9/202 XL		_	_	-
CA's Nan VENDOR			REN		JAMAN EXTIL			G CO	MPANY	Y	_	ITEM DES	CRIPTI	ON			470	WP L	S SI	UPIMA	CRE	P.O. #						8	5462				COL	.OR _			E	BLA-Z	TU-W	/HI			•
POM Size		F	R107.	1 TOT	AL BO	DY LI	ENGTI	H FR	ОМ НР	S		POM Size	(C106.1	NEC	K WIDTH HP:	S TO	HPS S	SEAN	ито s	EAM	POM Size			C107.	1 FRO	NT N	ECK I		HPS T	O SEAM	POM Size			E	E101.	.1 AC	ROSS	S SHO		ERS-F	RONT	
Spec Tol						26 1/8 +1 -1/						Spec Tol			1		5/8 2 -1/2					Spec Tol						4 1/ +1/4 -				Spec Tol		_	<u> </u>	<u> </u>		+	17 +1/2 -1		_		
COLOR	BLA	A-BLA	CK		J-RICH RED	1 1	NHI-W	/HITE				COLOR	BLA	-BLAC	к	ZTU-RICH RED	WI	H-WH	ITE			COLOF		BLA-BL	ACK		U-RIO RED	Н	WHI-	WHITE	:	COL	.OR	BLA-	-BLAC	ж		-RICH ED	4	WHI-	WHITE	:	
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8		X	X									+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8										+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8										+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1 + 7/8 + 3/4 + 5/8	8 4										
+ 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8	X			X	X	X	x x	()	(+ 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8	X	X	X	x x x	X	X	X			+ 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8		x x	X	X	X		X	X X		+ 1/2 + 3/8 + 1/4 + 1/8 0 - 1/8 - 1/4 - 3/8		X	X		X	X	X	X	X X		
- 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4												- 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4										- 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4										- 1/2 - 5/8 - 3/4 - 7/8 - 1 - 1 1/8 - 1 1/4	1										
- 1 3/8 - 1 1/2 POM	-	1100.1	1B CF	HEST-E	BUST	(TOP:	S) 1" E	BELO'	W ARM	MHOLE		- 1 3/8 - 1 1/2 POM		N102.1	A SLE	EVE LENGT			DULI	DER(L	ONG	- 1 3/8 - 1 1/2 POM			106,2	NEC	K OP	ENING	6-MINI	MUN S	STRETCH	- 1 3/8 - 1 1/2											
Size Spec						XL 24	-,					Size Spec				,	EVE) KL 3/4					Size Spec						XL 23 1									Com	ments	5:				
Tol	BLA	A-BLA	ICK		J-RICH RED	1/2 -1	/2 //HI-W	/HITE	•			Tol	BLA	-BLAC	K		4 -1/2	HI-WHI	ITE			Tol	2	BLA-BL	ACK		U-RIO RED	+100	0-0	WHITE	:												
+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8							I					+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8		Ŧ								+ 1 1/2 + 1 3/8 + 1 1/4 1 1/8 + 1																					
+ 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4												+ 1 + 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4	X	X	X	X	X	X	X			+ 7/8 + 3/4 + 5/8 + 1/2 + 3/8 + 1/4																					
+ 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8	X	X	X	X	X	X	X	()	(+ 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8				X X						+ 1/8 0 - 1/8 - 1/4 - 3/8 - 1/2 - 5/8 - 3/4 - 7/8		X X	X	X	X	X	X	X X													
- 1/6 - 1 - 1 1/8					1	ŧ						- 1/6 - 1 - 1 1/8			1							- 1/8 - 1 1/8																					

- 1 3/8 - 1 1/2

- 1 3/8 - 1 1/2