

ES1: Configurare policy per permettere il ping da macchine Linux a macchina Windows 7 nel nostro laboratorio (Windows Firewall)



```
F
                                 kali@kali: ~
File Actions Edit View Help
  —(kali®kali)-[~]
_$ ping 192.168.50.102
PING 192.168.50.102 (192.168.50.102) 56(84) bytes of data.
64 bytes from 192.168.50.102: icmp_seq=1 ttl=128 time=3.53 ms
64 bytes from 192.168.50.102: icmp_seq=2 ttl=128 time=0.699 ms
64 bytes from 192.168.50.102: icmp_seq=3 ttl=128 time=0.567 ms
64 bytes from 192.168.50.102: icmp_seq=4 ttl=128 time=0.876 ms
64 bytes from 192.168.50.102: icmp_seq=5 ttl=128 time=2.05 ms
64 bytes from 192.168.50.102: icmp_seq=6 ttl=128 time=1.34 ms
64 bytes from 192.168.50.102: icmp_seq=7 ttl=128 time=0.909 ms
64 bytes from 192.168.50.102: icmp_seq=8 ttl=128 time=1.02 ms
^c
   192.168.50.102 ping statistics
8 packets transmitted, 8 received, 0% packet loss, time 7052ms
rtt min/avg/max/mdev = 0.567/1.373/3.525/0.920 ms
  —(kali⊕kali)-[~]
<u>_$</u>
```

ES: Utilizzo dell'utility InetSim per l'emulazione di servizi Internet



Cattura di pacchetti con Wireshark

