

ES1:

Physical

Config

Services

Desktop

Programming

Attributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

DHCP

InterfaceFastEthernet0ServiceOnOff

Pool NameserverPool

Default Gateway0.0.0.0

DNS Server192.168.1.2

Start IP Address : 192168116

Subnet Mask: 2552552550

Maximum Number of Users : 2

TFTP Server: 0.0.0.0

WLC Address: 0.0.0.0

AddSaveRemove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	0.0.0.0	192.168.1.2	192.168.1.16	255.255.2...	2	0.0.0.0	0.0.0.0

ES2:

DNS 192.168.1.2

PhysicalConfigServicesDesktopProgrammingAttributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

DNS

DNS Service

On

Off

Resource Records

Name

Type

A Record

Address

Add

Save

Remove

No.	Name	Type	Detail
0	epicode.internal	A Record	192.168.1.15

DNS Cache

HTTP 192.168.1.15

PhysicalConfigServicesDesktopProgrammingAttributes

GLOBAL

Settings

Algorithm Settings

INTERFACE

FastEthernet0

FastEthernet0

Port Status

Bandwidth

Duplex

MAC Address

00E0.A341.47AB

IP Configuration

DHCP

Static

IPv4 Address

192.168.1.15

Subnet Mask

255.255.255.0

IPv6 Configuration

Automatic

Static

IPv6 Address

/

Link Local Address

FE80::2E0:A3FF:FE41:47AB

ES3:

```
C:\>ipconfig

FastEthernet0 Connection:(default port)

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address.....: FE80::2D0:D3FF:FE6B:E478
    IPv6 Address.....: ::
    IPv4 Address.....: 192.168.1.16
    Subnet Mask.....: 255.255.255.0
    Default Gateway.....: ::
                           0.0.0.0

Bluetooth Connection:

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address.....: ::
    IPv6 Address.....: ::
    IPv4 Address.....: 0.0.0.0
    Subnet Mask.....: 0.0.0.0
    Default Gateway.....: ::
                           0.0.0.0
```

```
C:\>ipconfig


FastEthernet0 Connection:(default port)

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address.....: FE80::2D0:97FF:FEAA:41A8
    IPv6 Address.....: ::
    IPv4 Address.....: 192.168.1.17
    Subnet Mask.....: 255.255.255.0
    Default Gateway.....: ::
                           0.0.0.0

Bluetooth Connection:

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address.....: ::
    IPv6 Address.....: ::
    IPv4 Address.....: 0.0.0.0
    Subnet Mask.....: 0.0.0.0
    Default Gateway.....: ::
                           0.0.0.0
```

ES4:



```
C:\>ping epicode.internal

Pinging 192.168.1.15 with 32 bytes of data:

Reply from 192.168.1.15: bytes=32 time<1ms TTL=128
Reply from 192.168.1.15: bytes=32 time<1ms TTL=128
Reply from 192.168.1.15: bytes=32 time<1ms TTL=128
Reply from 192.168.1.15: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.15:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```