

Work Order:



REPORT

Unconfined Compressive Strength of Intact Rock Core Specimens ASTM D 7012, Method C

Work No: 12206 Re: Un-4829 **Contract No:** 556244 / 609029 Sample: **Bs-31** Client: SHC / Mivdaka Taken Date: 12.11.2018 Project: **KHPSP** Issue Date : 29.11.2018

Type of Sample: Undisturbed

797

Dry Density , kg/m3 : 2752 Water Content,% : 1.0

Average Value Specime		Height-to- Diameter	Maximum Axial Force, kN	Unconfined Compres.
Height	Diameter	Ratio	AMILI TOTOC, KIT	Stress, Mpa
88.8	48.5	1.8	112.2	60.7









Unconfined Compressive Strength of Intact Rock Core Specimens ASTM D 7012, Method C

Work No: 12206 Re: Un-4830 **Contract No:** 556244 / 609029 Sample: **Bs-32** Client: SHC / Mivdaka Taken Date: 12.11.2018 Project: **KHPSP** Issue Date : 29.11.2018

Work Order: 797

Type of Sample: Undisturbed

Dry Density , kg/m3 : 2819 Water Content,% : 0.5

Average Value Specime		Height-to- Diameter	Maximum Axial Force, kN	Unconfined Compres. Stress, MPa
Height	Diameter	Ratio	Axidi i orce, kiv	
90.1	48.3	1.9	159.6	87.1







Work Order:



REPORT

Unconfined Compressive Strength of Intact Rock Core Specimens ASTM D 7012, Method C

Work No: 12206 Re: Un-4831 **Contract No:** 556244 / 609029 Sample: **Bs-33** Client: SHC / Mivdaka Taken Date: 12.11.2018 Project: **KHPSP** Issue Date : 29.11.2018

Type of Sample: Undisturbed

797

Dry Density , kg/m3 : 2719 Water Content,% : 1.3

Average Value Specime		Height-to- Diameter	Maximum Axial Force, kN	Unconfined Compres. Stress, Mpa
Height	Diameter	Ratio	Axidi i orce, kii	
90.2	48.2	1.9	113.1	62.0









Unconfined Compressive Strength of Intact Rock Core Specimens

ASTM D 7012, Method C

Work No: 12206 Re: Un-4832 **Contract No:** 556244 / 609029 Sample: **Bs-34** Client: SHC / Mivdaka Taken Date: 12.11.2018 Project: **KHPSP** Issue Date : 29.11.2018 Work Order: 797

Type of Sample: Undisturbed

Dry Density , kg/m3 : 2744 Water Content,% : 0.9

Average Value Specime		Height-to- Diameter	Maximum Axial Force, kN	Unconfined Compres.
Height	Diameter	Ratio	, B. C. 1 51 66, R. 1	Stress, MPa
92.1	48.2	1.9	174.5	95.6









Unconfined Compressive Strength of Intact Rock Core Specimens

ASTM D 7012, Method C

Work No: 12206 Re: Un-4833 Contract No: 556244 / 609029 Sample: **Bs-35** Client: SHC / Mivdaka Taken Date: 12.11.2018 Project: **KHPSP** Issue Date : 29.11.2018

Work Order: 797

Type of Sample: Undisturbed

Dry Density , kg/m3 : 2813 Water Content,% : 0.6

Average Value Specime		Height-to- Diameter	Maximum Axial Force, kN	Unconfined Compres.
Height	Diameter	Ratio	AMILI TOTOC, KIN	Stress, MPa
87.4	48.3	1.8	274.9	150.0







Work Order:



REPORT

Unconfined Compressive Strength of Intact Rock Core Specimens ASTM D 7012, Method C

Work No: 12206 Re: Un-4834 Contract No: 556244 / 609029 Sample: **Bs-36** Client: SHC / Mivdaka Taken Date: 12.11.2018 Project: **KHPSP** Issue Date : 29.11.2018

Type of Sample: Undisturbed

797

Dry Density , kg/m3 : 2792 Water Content,% : 0.7

Average Value Specime		Height-to- Diameter	Maximum Axial Force, kN	Unconfined Compres. Stress, MPa
Height	Diameter	Ratio	Axidi i orce, kiv	
87.7	48.4	1.8	74.4	40.4









Unconfined Compressive Strength of Intact Rock Core Specimens

ASTM D 7012, Method C

Work No: 12206 Re: Un-4835 **Contract No:** 556244 / 609029 Sample: **Bs-37** Client: SHC / Mivdaka Taken Date: 12.11.2018 Project: **KHPSP** Issue Date : 29.11.2018

Work Order: 797

Type of Sample: Undisturbed

Dry Density , kg/m3 : 2799 Water Content,% : 0.8

Average Value Specime		Height-to- Diameter Ratio Maximum Axial Force,		Unconfined Compres.
Height	Diameter		Axidi i orce, kiv	Stress, MPa
88.8	48.3	1.8	123.2	67.2







Type of Sample:



REPORT

Unconfined Compressive Strength of Intact Rock Core Specimens

ASTM D 7012, Method C

Work No: 12206 Re: Un-4836 **Contract No:** 556244 / 609029 Sample: **Bs-38** Client: SHC / Mivdaka Taken Date: 12.11.2018 Project: **KHPSP** Issue Date : 29.11.2018 Work Order: 797

Dry Density , kg/m3 : 2743 Water Content,% : 1.3

Average Value Specime		Height-to- Diameter	Maximum Axial Force, kN	Unconfined Compres.
Height	Diameter	Ratio	, main i oroo, iai	Stress, MPa
87.2	48.3	1.8	146.7	80.1

Undisturbed









Unconfined Compressive Strength of Intact Rock Core Specimens

ASTM D 7012, Method C

Work No: 12206 Re: Un-4837 Contract No: 556244 / 609029 Sample: **Bs-39** Client: SHC / Mivdaka Taken Date : 12.11.2018 Project: **KHPSP** Issue Date : 29.11.2018

Work Order: 797

Type of Sample: Undisturbed

Dry Density , kg/m3 : 2685 Water Content,% : 1.8

Average Value Specime		Height-to- Diameter	Maximum Axial Force, kN	Unconfined Compres.
Height	Diameter	Ratio	7 Balai 1 0100, 141	Stress, MPa
88.6	48.3	1.8	116.6	63.7









Unconfined Compressive Strength of Intact Rock Core Specimens

ASTM D 7012, Method C

Work No: 12206 Re: Un-4838 **Contract No:** 556244 / 609029 Sample: **Bs-40** Client: SHC / Mivdaka Taken Date: 12.11.2018 Project: **KHPSP** Issue Date : 29.11.2018

Work Order: 797

Type of Sample: Undisturbed

Dry Density , kg/m3 : 2756 Water Content,% : 0.9

Average Value Specime		Height-to- Diameter	Maximum Axial Force, kN	Unconfined Compres. Stress, MPa
Height	Diameter	Ratio	Axidi i orce, kiv	
91.6	48.3	1.9	290.4	158.5









Unconfined Compressive Strength of Intact Rock Core Specimens

ASTM D 7012, Method C

Work No: 12206 Re: Un-4839 **Contract No:** 556244 / 609029 Sample: **Bs-41** Client: SHC / Mivdaka Taken Date: 12.11.2018 Project: **KHPSP** Issue Date : 27.11.2018 Work Order: 797

Type of Sample: Undisturbed

Dry Density , kg/m3 : 2755 Water Content,% : 1.1

Average Value Specime		Height-to- Diameter	Maximum Axial Force, kN	Unconfined Compres.
Height	Diameter	Ratio	7 Balai 1 0100, 1411	Stress, MPa
87.3	48.2	1.8	69.8	38.2









Unconfined Compressive Strength of Intact Rock Core Specimens

ASTM D 7012, Method C

Work No: 12206 Re: Un-4840 **Contract No:** 556244 / 609029 Sample: **Bs-42** Client: SHC / Mivdaka Taken Date: 12.11.2018 Project: **KHPSP** Issue Date : 29.11.2018

Work Order: 797

Type of Sample: Undisturbed

Dry Density , kg/m3 : 2742 Water Content,% : 1.1

Average Value Specime		Height-to- Diameter	Maximum Axial Force, kN	Unconfined Compres.
Height	Diameter	Ratio	, mai . 3100, KH	Stress, MPa
87.2	48.3	1.8	133.8	73.0



