

Zion Edge — Baseline Report

Reproducible benchmark & RFC-conformance baseline · zion 0.4.2 · 2026-06-25T16:32:01Z

Generated by benchmarks/baseline/run-baseline.sh → build-report.py. Every figure below is parsed from a raw tool output embedded verbatim in the Appendix. Re-run the harness on the same hardware to reproduce within noise.

1. Summary

145/146 HTTP/2 RFC (H2SPEC)	PASS TLS VULNS	132,267 HTTP/1.1 REQ/S	100,105 HTTP/2 REQ/S	124,502 CACHE-HIT REQ/S
--	--------------------------	----------------------------------	--------------------------------	-----------------------------------

2. Environment & tooling

Report date (UTC)	2026-06-25T16:32:01Z
Zion version	zion 0.4.2
Git commit	a68fcf8 (dirty)
Host OS / arch	Darwin 25.3.0 / arm64
CPU / cores / mem	Apple M4 / 10 / 16 GB
oha	oha 1.14.0
h2load	h2load nghttp2/1.69.0
wrk	wrk 4.2.0 [kqueue] Copyright (C) 2012 Will Glozer
h2spec	Version: 2.6.0 (70ac2294010887f48b18e2d64f5cccd48421fad1)
testssl.sh	testssl.sh version 3.2.3 from https://testssl.sh/
OpenSSL (client)	OpenSSL 3.6.2 7 Apr 2026 (Library: OpenSSL 3.6.2 7 Apr 2026)

3. Methodology — exact commands

Lab: client → zion (TLS :4432, min 1.2, memory cache) → Go bench-backend (:9090). Config: benchmarks/baseline/zion-lab.toml.

Test	Command (params pinned in run-baseline.sh)
HTTP/2 RFC 9113/7540	h2spec -t -k -h 127.0.0.1 -p 4432
TLS conformance	testssl.sh --quiet 127.0.0.1:4432
oha cache-hit	oha -z 20s -c 50 --insecure /_next/static/chunk.js
oha proxy	oha -z 20s -c 50 --insecure /api/v1/data
h2load HTTP/2	h2load -n 200000 -c 50 -m 20 /_next/static/chunk.js

4. Functional verification – v0.4.2 cache fix

The v0.4.2 fix makes cache hits emit an Age header (absent before) and derive freshness from the origin.

Age header present on cache hit	PASS (Age: 0)
Cache-Control on hit	public, max-age=31536000, immutable

5. RFC conformance

5.1 HTTP/2 (RFC 9113 / 7540) – h2spec

Total	Passed	Skipped	Failed
146	145	0	1

Failing cases

- Sends invalid connection preface

5.2 TLS – testssl.sh

Protocols	SSLv2/v3, TLS1.0/1.1 not offered · TLS 1.2 & 1.3 offered
ALPN	h2, http/1.1
Forward Secrecy	yes
Server cipher order	yes
Genuine crypto/protocol findings	PASS none

Lab-cert artifacts (not a zion weakness): cert_chain_of_trust: failed (self signed). [CRITICAL]; cert_revocation: Neither CRL nor OCSP URI provided [HIGH]; overall_grade: T [CRITICAL]. These HIGH/CRITICAL ratings (chain-of-trust, revocation, overall grade) follow directly from using a self-signed certificate in the lab. The production edge serves a CA-issued cert; the protocol/cipher/vulnerability posture below is what reflects zion.

Vulnerability probes

Heartbleed (CVE-2014-0160) not vulnerable (OK), no heartbeat extension

CCS (CVE-2014-0224) not vulnerable (OK)

Ticketbleed (CVE-2016-9244), experiment. not vulnerable (OK)

Secure Client-Initiated Renegotiation not vulnerable (OK) -- mitigated (1 successful renege within 10 in 33s(timeout))

CRIME, TLS (CVE-2012-4929) not vulnerable (OK)

POODLE, SSL (CVE-2014-3566) not vulnerable (OK), no SSLv3 support

SWEET32 (CVE-2016-2183, CVE-2016-6329) not vulnerable (OK)

FREAK (CVE-2015-0204) not vulnerable (OK)

DROWN (CVE-2016-0800, CVE-2016-0703) not vulnerable on this host and port (OK)

LOGJAM (CVE-2015-4000), experimental not vulnerable (OK): no DH EXPORT ciphers, no DH key detected with <= TLS 1.2

BEAST (CVE-2011-3389) not vulnerable (OK), no SSL3 or TLS1

LUCKY13 (CVE-2013-0169), experimental not vulnerable (OK)

Winshock (CVE-2014-6321), experimental not vulnerable (OK)

6. Benchmark

Test	req/s	Success	Latency	Notes
oha — cache-hit (H1/TLS)	124,502	100.00%	avg 0.3984 ms / slowest 122.4318 ms	c=50, 20s
oha — proxy passthrough	48,215	100.00%	avg 1.0328 ms	no cache
h2load — HTTP/2 cache-hit	100,105	200000 ok / 0 fail	396.79MB/s	n=200000, m=20; 2xx=200000, 5xx=0
wrk — HTTP/1.1 cache-hit	132,267	—	avg 567.88us / max 64.74ms	t=4, c=50, 20s; xfer 575.70MB

Loopback numbers measure server-side efficiency (no network RTT, self-signed TLS). They are an upper bound for the data path, not a WAN figure. Use them as a regression baseline across versions on identical hardware.

Appendix — raw tool output

results/h2spec.txt

```
Generic tests for HTTP/2 server
1. Starting HTTP/2
  1: Sends a client connection preface
  ✓ 1: Sends a client connection preface

2. Streams and Multiplexing
  1: Sends a PRIORITY frame on idle stream
  ✓ 1: Sends a PRIORITY frame on idle stream
  2: Sends a WINDOW_UPDATE frame on half-closed (remote) stream
  ✓ 2: Sends a WINDOW_UPDATE frame on half-closed (remote) stream
  3: Sends a PRIORITY frame on half-closed (remote) stream
  ✓ 3: Sends a PRIORITY frame on half-closed (remote) stream
  4: Sends a RST_STREAM frame on half-closed (remote) stream
  ✓ 4: Sends a RST_STREAM frame on half-closed (remote) stream
  5: Sends a PRIORITY frame on closed stream
  ✓ 5: Sends a PRIORITY frame on closed stream

3. Frame Definitions
  3.1. DATA
    1: Sends a DATA frame
    ✓ 1: Sends a DATA frame
    2: Sends multiple DATA frames
    ✓ 2: Sends multiple DATA frames
    3: Sends a DATA frame with padding
    ✓ 3: Sends a DATA frame with padding

  3.2. HEADERS
    1: Sends a HEADERS frame
    ✓ 1: Sends a HEADERS frame
```

- 2: Sends a HEADERS frame with padding
 - ✓ 2: Sends a HEADERS frame with padding
 - 3: Sends a HEADERS frame with priority
 - ✓ 3: Sends a HEADERS frame with priority
- 3.3. PRIORITY
- 1: Sends a PRIORITY frame with priority 1
 - ✓ 1: Sends a PRIORITY frame with priority 1
 - 2: Sends a PRIORITY frame with priority 256
 - ✓ 2: Sends a PRIORITY frame with priority 256
 - 3: Sends a PRIORITY frame with stream dependency
 - ✓ 3: Sends a PRIORITY frame with stream dependency
 - 4: Sends a PRIORITY frame with exclusive
 - ✓ 4: Sends a PRIORITY frame with exclusive
 - 5: Sends a PRIORITY frame for an idle stream, then send a HEADER frame for a lower stream ID
 - ✓ 5: Sends a PRIORITY frame for an idle stream, then send a HEADER frame for a lower stream ID
- 3.4. RST_STREAM
- 1: Sends a RST_STREAM frame
 - ✓ 1: Sends a RST_STREAM frame
- 3.5. SETTINGS
- 1: Sends a SETTINGS frame
 - ✓ 1: Sends a SETTINGS frame
- 3.7. PING
- 1: Sends a PING frame
 - ✓ 1: Sends a PING frame
- 3.8. GOAWAY
- 1: Sends a GOAWAY frame
 - ✓ 1: Sends a GOAWAY frame
- 3.9. WINDOW_UPDATE
- 1: Sends a WINDOW_UPDATE frame with stream ID 0
 - ✓ 1: Sends a WINDOW_UPDATE frame with stream ID 0
 - 2: Sends a WINDOW_UPDATE frame with stream ID 1
 - ✓ 2: Sends a WINDOW_UPDATE frame with stream ID 1
- 3.10. CONTINUATION
- 1: Sends a CONTINUATION frame
 - ✓ 1: Sends a CONTINUATION frame
 - 2: Sends multiple CONTINUATION frames
 - ✓ 2: Sends multiple CONTINUATION frames
4. HTTP Message Exchanges
- 1: Sends a GET request
 - ✓ 1: Sends a GET request
 - 2: Sends a HEAD request
 - ✓ 2: Sends a HEAD request
 - 3: Sends a POST request
 - ✓ 3: Sends a POST request
 - 4: Sends a POST request with trailers
 - ✓ 4: Sends a POST request with trailers
5. HPACK
- 1: Sends a indexed header field representation
 - ✓ 1: Sends a indexed header field representation
 - 2: Sends a literal header field with incremental indexing - indexed name
 - ✓ 2: Sends a literal header field with incremental indexing - indexed name
 - 3: Sends a literal header field with incremental indexing - indexed name (with Huffman coding)
 - ✓ 3: Sends a literal header field with incremental indexing - indexed name (with Huffman coding)
 - 4: Sends a literal header field with incremental indexing - new name
 - ✓ 4: Sends a literal header field with incremental indexing - new name
 - 5: Sends a literal header field with incremental indexing - new name (with Huffman coding)
 - ✓ 5: Sends a literal header field with incremental indexing - new name (with Huffman coding)
 - 6: Sends a literal header field without indexing - indexed name
 - ✓ 6: Sends a literal header field without indexing - indexed name
 - 7: Sends a literal header field without indexing - indexed name (with Huffman coding)
 - ✓ 7: Sends a literal header field without indexing - indexed name (with Huffman coding)
 - 8: Sends a literal header field without indexing - new name
 - ✓ 8: Sends a literal header field without indexing - new name
 - 9: Sends a literal header field without indexing - new name (huffman encoded)
 - ✓ 9: Sends a literal header field without indexing - new name (huffman encoded)
 - 10: Sends a literal header field never indexed - indexed name
 - ✓ 10: Sends a literal header field never indexed - indexed name
 - 11: Sends a literal header field never indexed - indexed name (huffman encoded)
 - ✓ 11: Sends a literal header field never indexed - indexed name (huffman encoded)

Error distribution:
[49] aborted due to deadline

results/h2load-cache.txt

```
starting benchmark...
spawning thread #0: 50 total client(s). 200000 total requests
TLS Protocol: TLSv1.3
Cipher: TLS_AES_256_GCM_SHA384
Server Temp Key: X25519 253 bits
Certificate: RSA 2048 bits
Negotiated Group: x25519
Resumption: no
Application protocol: h2
progress: 10% done
progress: 20% done
progress: 30% done
progress: 40% done
progress: 50% done
progress: 60% done
progress: 70% done
progress: 80% done
progress: 90% done
progress: 100% done

finished in 2.00s, 100105.11 req/s, 396.79MB/s
requests: 200000 total, 200000 started, 200000 done, 200000 succeeded, 0 failed, 0 errored, 0 timeout
status codes: 200000 2xx, 0 3xx, 0 4xx, 0 5xx
traffic: 792.74MB (831251894) total, 8.06MB (8449144) headers (space savings 89.82%), 781.25MB (819200000) data
```

	min	max	median	p95	p99	mean	sd	+/- sd
request	48us	68.66ms	6.33ms	12.55ms	28.62ms	7.03ms	4.84ms	90.97%
connect	38.99ms	62.44ms	56.47ms	60.76ms	62.44ms	55.24ms	5.30ms	76.00%
TTFB	62.49ms	79.93ms	69.93ms	79.59ms	79.93ms	70.77ms	4.09ms	74.00%
req/s	2010.74	2035.28	2017.98	2028.13	2035.28	2019.19	5.38	72.00%

results/wrk-cache.txt

```
Running 20s test @ https://127.0.0.1:4432/_next/static/chunk.js
4 threads and 50 connections
Thread Stats Avg Stdev Max +/- Stdev
Latency 567.88us 2.28ms 64.74ms 97.57%
Req/Sec 33.32k 10.07k 58.01k 68.50%
2655494 requests in 20.08s, 11.29GB read
Requests/sec: 132267.01
Transfer/sec: 575.70MB
```

results/verify-cache-hit.txt

```
HTTP/2 200
cache-control: public, max-age=31536000, immutable
age: 0
content-type: application/javascript
strict-transport-security: max-age=63072000; includeSubDomains; preload
x-content-type-options: nosniff
x-frame-options: DENY
referrer-policy: strict-origin-when-cross-origin
permissions-policy: camera=(), microphone=(), geolocation=(), payment=()
x-request-id: 00065516884f447c-0002
date: Thu, 25 Jun 2026 16:32:04 GMT
content-length: 4096
```

results/testssl.txt

```
Start 2026-06-25 18:32:08 --> 127.0.0.1:4432 (127.0.0.1) <--
rDNS (127.0.0.1): --
Service detected: HTTP

Testing protocols via sockets except NPN+ALPN
```

SSLv2 not offered (OK)
SSLv3 not offered (OK)
TLS 1 not offered
TLS 1.1 not offered
TLS 1.2 offered (OK)
TLS 1.3 offered (OK): final
NPN/SPDY not offered
ALPN/HTTP2 h2, http/1.1 (offered)

Testing cipher categories

NULL ciphers (no encryption)	not offered (OK)
Anonymous NULL Ciphers (no authentication)	not offered (OK)
Export ciphers (w/o ADH+NULL)	not offered (OK)
LOW: 64 Bit + DES, RC[2,4], MD5 (w/o export)	not offered (OK)
Triple DES Ciphers / IDEA	not offered
Obsoleted CBC ciphers (AES, ARIA etc.)	not offered
Strong encryption (AEAD ciphers) with no FS	not offered
Forward Secrecy strong encryption (AEAD ciphers)	offered (OK)

Testing server's cipher preferences

Hexcode	Cipher Suite Name (OpenSSL)	KeyExch.	Encryption	Bits	Cipher Suite Name (IANA/RFC)
---------	-----------------------------	----------	------------	------	------------------------------

SSLv2					
-					
SSLv3					
-					
TLSv1					
-					
TLSv1.1					
-					
TLSv1.2 (server order)					
xc030	ECDHE-RSA-AES256-GCM-SHA384	ECDH 253	AESGCM	256	
	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384				
xc02f	ECDHE-RSA-AES128-GCM-SHA256	ECDH 253	AESGCM	128	
	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256				
xcca8	ECDHE-RSA-CHACHA20-POLY1305	ECDH 253	ChaCha20	256	
	TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256				
TLSv1.3 (server order)					
x1302	TLS_AES_256_GCM_SHA384	ECDH/MLKEM	AESGCM	256	
	TLS_AES_256_GCM_SHA384				
x1301	TLS_AES_128_GCM_SHA256	ECDH/MLKEM	AESGCM	128	
	TLS_AES_128_GCM_SHA256				
x1303	TLS_CHACHA20_POLY1305_SHA256	ECDH/MLKEM	ChaCha20	256	
	TLS_CHACHA20_POLY1305_SHA256				

Has server cipher order? yes (OK) -- TLS 1.3 and below

Testing robust forward secrecy (FS) -- omitting Null Authentication/Encryption, 3DES, RC4

FS is offered (OK)	TLS_AES_256_GCM_SHA384 TLS_CHACHA20_POLY1305_SHA256 ECDHE-RSA-AES256-GCM-SHA384 ECDHE-RSA-CHACHA20-POLY1305 TLS_AES_128_GCM_SHA256 ECDHE-RSA-AES128-GCM-SHA256
KEMs offered	X25519MLKEM768
Elliptic curves offered:	prime256v1 secp384r1 X25519
TLS 1.2 sig_algs offered:	RSA-PSS-RSAE+SHA512 RSA-PSS-RSAE+SHA384 RSA-PSS-RSAE+SHA256 RSA+SHA512 RSA+SHA384 RSA+SHA256
TLS 1.3 sig_algs offered:	RSA-PSS-RSAE+SHA512 RSA-PSS-RSAE+SHA384 RSA-PSS-RSAE+SHA256

Testing server defaults (Server Hello)

TLS extensions (standard)	"application layer protocol negotiation/#16" "extended master secret/#23" "session ticket/#35" "supported versions/#43" "key share/#51" "renegotiation info/#65281"
Session Ticket RFC 5077 hint	43200 seconds, session tickets keys seems to be rotated < daily
SSL Session ID support	yes
Session Resumption	Tickets: yes, ID: yes
TLS clock skew	Random values, no fingerprinting possible


```

Certificate Compression      none
Client Authentication       none
Signature Algorithm         SHA256 with RSA
Server key size             RSA 2048 bits (exponent is 65537)
Server key usage            --
Server extended key usage   --
Serial                     6ABA9A14987227065FA33373E56F48034EAAE4F3 (OK: length 20)
Fingerprints                SHA1 D0A3573BD61C192B3EB4EFD7628824EB8B0A9E97
                             SHA256 6E81ED0F60B30BD233378DE4C2B2F985F71FDF4A8F7A8CC71264C93D843FCFAB

Common Name (CN)            bench.local
subjectAltName (SAN)        bench.local localhost 127.0.0.1
Trust (hostname)            Ok via SAN
Chain of trust              NOT ok (self signed)
EV cert (experimental)     no
Certificate Validity (UTC)   341 >= 60 days (2026-06-01 17:26 --> 2027-06-01 17:26)
ETS/"eTLS", visibility info not present
Certificate Revocation List  --
OCSP URI                    --
                             NOT ok -- neither CRL nor OCSP URI provided

OCSP stapling               not offered
OCSP must staple extension  --
DNS CAA RR (experimental)   not offered
Certificate Transparency     --
Certificates provided        1
Issuer                      bench.local
Intermediate Bad OCSP (exp.) Ok

```

Testing HTTP header response @ "/"

```

HTTP Status Code            200 OK
HTTP clock skew             0 sec from localtime
Strict Transport Security    730 days=63072000 s, includeSubDomains, preload
Public Key Pinning          --
Server banner                (no "Server" line in header, interesting!)
Application banner           --
Cookie(s)                   (none issued at "/")
Security headers              X-Frame-Options: DENY
                             X-Content-Type-Options: nosniff
                             Permissions-Policy: camera=(), microphone=(),
                             geolocation=(), payment=()
                             Permissions-Policy: camera=(), microphone=(),
                             geolocation=(), payment=()
                             Referrer-Policy: strict-origin-when-cross-origin

Reverse Proxy banner         --

```

Testing vulnerabilities

```

Heartbleed (CVE-2014-0160)   not vulnerable (OK), no heartbeat extension
CCS (CVE-2014-0224)          not vulnerable (OK)
Ticketbleed (CVE-2016-9244), experiment. not vulnerable (OK)
ROBOT                        Server does not support any cipher suites that use RSA key transport
Secure Renegotiation (RFC 5746) supported (OK)
Secure Client-Initiated Renegotiation not vulnerable (OK) -- mitigated (1 successful renegot within 10 in 33s(timeout))
CRIME, TLS (CVE-2012-4929)   not vulnerable (OK)
BREACH (CVE-2013-3587)       no gzip/deflate/compress/br HTTP compression (OK) - only supplied "/" tested
POODLE, SSL (CVE-2014-3566)  not vulnerable (OK), no SSLv3 support
TLS_FALLBACK_SCSV (RFC 7507) No fallback possible (OK), no protocol below TLS 1.2 offered
SWEET32 (CVE-2016-2183, CVE-2016-6329) not vulnerable (OK)
FREAK (CVE-2015-0204)        not vulnerable (OK)
DROWN (CVE-2016-0800, CVE-2016-0703) not vulnerable on this host and port (OK)
                             make sure you don't use this certificate elsewhere with SSLv2 enabled services,

```

see

```

https://search.censys.io/search?
resource=hosts&virtual_hosts=INCLUDE&q=6E81ED0F60B30BD233378DE4C2B2F985F71FDF4A8F7A8CC71264C93D843FCFAB
LOGJAM (CVE-2015-4000), experimental not vulnerable (OK): no DH EXPORT ciphers, no DH key detected with <= TLS 1.2
BEAST (CVE-2011-3389)         not vulnerable (OK), no SSL3 or TLS1
LUCKY13 (CVE-2013-0169), experimental not vulnerable (OK)
Winshock (CVE-2014-6321), experimental not vulnerable (OK)
RC4 (CVE-2013-2566, CVE-2015-2808) no RC4 ciphers detected (OK)

```

Running client simulations (HTTP) via sockets

Browser	Protocol	Cipher Suite Name (OpenSSL)	Forward Secrecy
Android 7.0 (native)	TLSv1.2	ECDHE-RSA-AES256-GCM-SHA384	256 bit ECDH (P-256)

Android 8.1 (native)	TLSv1.2	ECDHE-RSA-AES256-GCM-SHA384	253 bit ECDH (X25519)
Android 9.0 (native)	TLSv1.3	TLS_AES_256_GCM_SHA384	253 bit ECDH (X25519)
Android 10.0 (native)	TLSv1.3	TLS_AES_256_GCM_SHA384	253 bit ECDH (X25519)
Android 11/12 (native)	TLSv1.3	TLS_AES_256_GCM_SHA384	253 bit ECDH (X25519)

... [47 more lines truncated; see results/testssl.txt]

results/zion.log

ZION EDGE GATEWAY – initializing...

ZION edge gateway v0.4.2

```

--- hardware ---
  os          macos / aarch64
[ok] cpu      10 cores
[ok] ram      16.0 GB
--- crypto / simd ---
[ok] aes-ni / armv8 ce yes hardware TLS encrypt
[ok] sha-256 hw    yes hardware HMAC + cert verify
[ok] neon         yes ARM SIMD
[!!] avx2         no x86 SIMD
--- os networking ---
[ok] so_reuseport yes kernel load balance
[ok] tcp_fastopen yes 0-RTT TCP
[!!] tcp_quickack no linux only – sub-ms ACK
--- cpu cache ---
  line / l1d / l2 128B / 64 KB / 4 MB
  l1 hot entries 163
--- auto-tuning ---
  workers      9
  conn limit   16384
  backlog      1024
  tcp buf      256 KB

```

```

|| * TIER A score 78/125 ||
|| strong – hw-accelerated TLS, solid resources ||
|| AES-128-GCM 5.2M seal/s/core (measured 80ms) ||
|| proxy est. ~140K cached · ~35K dynamic ||

```

crypto 3/3 · os net 2/3 · cache 64KB · workers 9 · conns 16K
hint rebuild with `--features tui` to unlock the live dashboard: `zion top`.
probed in 20µs · calibrated in 80ms · ZION_BOOT_PLAIN=1 / ZION_BOOT_FAST=1 to override

loaded from /Users/fab/Documents/git/zion/benchmarks/baseline/zion-lab.toml

```

tls loaded (min=1.2, alpn=["h2", "http/1.1"])
routes (3)
  /api/{*rest} → backend
  /_next/static/{*rest} → frontend static
  /{*rest} → frontend

```

xff_mode: Append

monitoring 1 upstreams

```

listening HTTP on 0.0.0.0:8082
listening HTTPS on 0.0.0.0:4432

```

```

► READY 0.0.0.0:4432 (https) · 0.0.0.0:8082 (http)
live dashboard: zion top --url http://127.0.0.1:8082/_zion/snapshot.json
health: http://127.0.0.1:8082/healthz

```

pre-warmed 1 upstream connections

warning: upstream http://127.0.0.1:9090 is DOWN – 503 until it recovers; adaptive re-probe in ~215ms

watching /Users/fab/Documents/git/zion/benchmarks/baseline/zion-lab.toml

upstream http://127.0.0.1:9090 is UP (1740us)

proxy error: client error (SendRequest)

```

[2m2026-06-25T16:32:04.993853Z[0m [33m WARN[0m [2m2::proto::ping_pong[0m [2m:[0m recv PING ack that we never sent:
Ping { ack: true, payload: [105, 110, 118, 97, 108, 105, 100, 0] }

```

```

tls handshake failed from 127.0.0.1:59713: tls handshake eof
tls handshake failed from 127.0.0.1:59714: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59717: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59724: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59727: peer is incompatible: SignatureAlgorithmsExtensionRequired
tls handshake failed from 127.0.0.1:59735: peer is incompatible: Tls12NotOfferedOrEnabled
tls handshake failed from 127.0.0.1:59737: peer is incompatible: Tls12NotOfferedOrEnabled
tls handshake failed from 127.0.0.1:59744: peer doesn't support any known protocol
tls handshake failed from 127.0.0.1:59760: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:59761: peer is incompatible: NoKxGroupsInCommon

```

```

tls handshake failed from 127.0.0.1:59764: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:59768: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:59774: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:59779: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:59783: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59785: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59788: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59818: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:59825: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59843: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:59850: peer is incompatible: NoKxGroupsInCommon
tls handshake failed from 127.0.0.1:59855: peer is incompatible: NoKxGroupsInCommon
tls handshake failed from 127.0.0.1:59863: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59872: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59877: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59885: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59898: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59917: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59923: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59928: peer is incompatible: SignatureAlgorithmsExtensionRequired
tls handshake failed from 127.0.0.1:59931: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:59938: peer is incompatible: SignatureAlgorithmsExtensionRequired
tls handshake failed from 127.0.0.1:59941: peer is incompatible: NoSignatureSchemesInCommon
tls handshake failed from 127.0.0.1:59943: peer is incompatible: NoSignatureSchemesInCommon
tls handshake failed from 127.0.0.1:59951: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:59954: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:59982: peer is incompatible: SignatureAlgorithmsExtensionRequired
tls handshake failed from 127.0.0.1:59991: peer is incompatible: SignatureAlgorithmsExtensionRequired
tls handshake failed from 127.0.0.1:60002: received corrupt message of type MessageTooShort
tls handshake failed from 127.0.0.1:60005: peer is incompatible: NoKxGroupsInCommon
tls handshake failed from 127.0.0.1:60010: peer is incompatible: NoKxGroupsInCommon
tls handshake failed from 127.0.0.1:60097: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60099: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:60102: peer is incompatible: NoKxGroupsInCommon
tls handshake failed from 127.0.0.1:60104: peer is incompatible: NoKxGroupsInCommon
tls handshake failed from 127.0.0.1:60108: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:60110: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60112: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60114: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60115: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60116: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60117: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60118: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60157: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60158: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60167: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:60172: peer is incompatible: NoCipherSuitesInCommon
tls handshake failed from 127.0.0.1:60180: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60184: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60189: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60197: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60200: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60202: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60204: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60210: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60213: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60215: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60219: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60221: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60222: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60225: received fatal alert: CloseNotify
tls handshake failed from 127.0.0.1:60609: tls handshake eof
signal received, draining in-flight connections...
all connections drained cleanly
ZION offline.

```