

Synopsis

A LEARNING ALGORITHM FOR OPTIMAL FACE RECOGNITION IN DYNAMIC ENVIRONMENTS

By

Roll No	Names of Students
1MV07CS029	Guru Prasad M
1MV07CS048	Kunal Ghosh
1MV07CS043	Kiran Tej J L
1MV07CS025	Dharini S

UNDER THE GUIDANCE OF

Mr G Thippeswamy

Assistant Professor

Department of Computer Science Engineering

Sir M Visvesvaraya Institute of Technology

KRISHNADEVERAYA NAGAR, HUNASAMRANHALLI, NH-7, VIA-

YELAHANKA, BANGALORE-562157, KARNATAKA, INDIA

(1) Introduction

A general statement of the Face Recognition problem (in computer vision) can be formulated as follows: Given a Still Image or a Video sequence, identify one or more persons' face(s) in the scene using a stored database of faces.

In contemporary applications, Face Recognition systems are becoming increasingly popular and have become integral part of most modern Biometric Systems. Face Recognition has numerous applications including visual surveillance and security, personal authentication etc. Face Recognition systems can be designed to be non intrusive thus making them ideal for military surveillance and public surveillance requirements in crowded areas. In many legacy document archives (e.g. Police Records, Real Estate Documents), Images of people's faces is available and thus using Face Recognition to search through such large databases is a natural choice. Even with so many applications and advancements in the Face Recognition domain, many challenges remain unsolved.

(2) Motivation

Research on face detection followed by recognition is confront with many challenges. Algorithms must deal with varying illumination, pose, rotation angles, low image quality, occlusion, and background noise in complex real-life situations. The design of face recognition algorithms that can effectively tackle the above said challenges, is an area of ongoing research. Several models have been proposed, from appearance based approaches to sophisticated systems based on Infrared and 3D imaging. Most of the proposed Face Recognition Algorithms deal with a small subset of the challenges mentioned above, here lies the motivation of the proposed project work. In a dynamic scenario (a classroom scene) the lighting keeps varying though the day. People keep moving around in the class. Some lectures are dull, some are enthusiastic which results in different facial expressions of the students. As can be seen, the Face Recognition challenges keep varying in a random fashion in such a dynamic scenario. We propose a learning model which characterises the dynamic scene and identifies the most optimal Recognition algorithm, from a bank of large number of algorithms, which gives the most optimal recognition results for the characteristic (dynamic) scene.

(3) Algorithm

To overcome the above said drawbacks, we propose a hybrid model for face recognition. The challenges are triggered by various dynamic parameters.

(4) Software Requirements

- **Python** : Implementation Language of Choice , because of its Rapid Prototyping Capabilities. Python also has very good Image Processing and Distributed / Parallel Computing libraries.
- **OpenCV** : The Computer Vision Library being used.
- **LaTeX** : For Documentation Needs. Latex is a very effective document processor , which produced well formatted documents.
- **GIT** : This is a Revision Control Software for the collaborative Development of the Project.
- **Linux** : The Host Operating System on which the development and deployment will be done.

(5) Hardware Requirements

- **RAM (Primary Memory)** : A minimum of 4GB (most of the algorithms are very memory intensive and store a whole bunch of images on RAM for faster processing)
- **Hard drive (Secondary Memory)** : A minimum of 80 GigaBytes (may be more if a lot of images are there in the database)
- **Processor** : 2.2 GHz 4 Core Processor
- **Cluster of 4(arbitrary) computers(Optional)** : The idea is to speed up the computations by distributing the calculations over a cluster of computers.

(6) Conclusion

Conclusions here