

SnapIMS Operator Guide

Complete verified operator procedures

Active release v0.15.0 · inventory schema 16 / 16 · August 5, 2026

This guide describes the verified SnapIMS browser interface and operator workflow. Shopify draft creation is the default; live publication requires an explicit typed confirmation.

1. Release identity

Identity	Expected
Application	0.15.0
Inventory schema	16 / 16
Data directory	~/SnapIMS-data
Batch Home	~/SnapIMS-data/batches

2. Install or upgrade

```
unzip SnapIMS-v0.15.0-full-source.zip
cd SnapIMS-v0.15.0
chmod +x install_v0150.sh
SNAPIMS_DATA_DIR="$HOME/SnapIMS-data" ./install_v0150.sh
snapims status
snapims up
```

Back up the data directory before upgrade. The installer and runtime reject unsupported schema/application combinations.

3. Import protocol

Folder boundaries define the batch. NEXT ITEM is the only routine QR command. Batch name and location are entered or overridden in the browser.

Situation	Result
No NEXT card	Valid one-item batch
Leading/trailing NEXT	Ignored with warning
Consecutive NEXT	Collapsed with warning
Consumer QR	Product photo
Legacy START/END/location QR	Ignored legacy command

4. Review and Batch Editor

- Review immutable Item IDs, photos, title, price, description, tags, quantity, condition, location, Rare, and Physical Review.
- Fill Down supports Tags, Location, Review, Rare, Title, Price, Discount, and Description.
- Tags Fill Down replaces the destination set; Append Tags adds without replacing.
- Stale edits are rejected rather than overwriting newer changes.

The screenshot shows the Batch Editor interface with the following elements:

- A search bar containing "NO-SUCH-VISIBLE-TAPE" with a close button (X).
- Dropdown menus for "All items" and "Physical order".
- A "Confidence below" filter set to "70 %".
- A "Rows" dropdown set to "100".
- An "Apply to whole batch" button.
- A "Select visible page" button.
- A "Clear" button.
- A status indicator showing "0 selected".
- A message: "Showing 1-5 of 5 matching items. Selection and bulk actions are limited to visible rows on this page."

Batch Editor controls for selection, filtering, and exact bulk changes.

5. Shopify setup

- Required capabilities are derived from actual operations: locations, products, inventory, media, and publications.
- SnapIMS stores Client Secret and access-token cache encrypted and refreshes the token automatically.
- Select the active inventory location and the live publication by name.
- The saved legacy static token is deprecated and should be removed after client credentials pass.

STEP 2

Shopify connection

Connect the installed Shopify Dev Dashboard app once. SnapIMS requests and refreshes short-lived access tokens automatically; you do not paste an Admin API access token.

SnapIMS v0.15.0 Home Import Review Pricing Review Recognition Batch Editor Publish Settings Diagnostics **Log out**

A legacy static Admin API token is configured. It remains available as a deprecated fallback until Client ID and Client Secret are saved successfully.

1. Store and Dev Dashboard credentials

Shopify store domain

browser-shop.myshopify.com

Source: environment · externally managed; SnapIMS will not overwrite it · Use the permanent .myshopify.com domain, without https:// or a trailing path

Admin API version

2026-07

Source: environment · externally managed; SnapIMS will not overwrite it

Client ID

Source: environment · externally managed; SnapIMS will not overwrite it · Shopify Dev Dashboard → SnapIMS → Settings

Client Secret

Not configured

Source: environment · externally managed; SnapIMS will not overwrite it · Often begins with shpss_. The generated access token is never entered manually

Current SnapIMS administrator password

Required only when saving or changing credentials.

Test credentials without saving **Test and save securely**

Connection controls

Administrator password

Retest saved connection **Refresh access token now**

► **Advanced connection removal**

Publish safety: SnapIMS is draft-first. Live storefront publication requires a separate typed confirmation in Publish.

[Open the complete simulation, draft review, and live publication workflow.](#)

Shopify settings with read-only verification and recovery controls.


Shopify publish workflow

1. Open Publish and select the working batch.
2. Resolve all validation blockers. Live actions remain unavailable while blockers exist.
3. Run Shopify Simulation. Simulation performs no Shopify write.
4. Choose Create Shopify Drafts. SnapIMS uploads only publish-ready items and records Product, Variant, and Inventory Item GIDs.
5. After success, SnapIMS opens Shopify draft products in a separate browser tab. The Publish page also provides Open in Shopify, Copy Product Link, and Copy Product GID controls.
6. Review drafts when desired, then type SUBMIT and choose Publish Drafts Live.
7. For deliberate direct publication, type SUBMIT LIVE. This bypass is not the default path.

Action	Required confirmation	Effect
Create Shopify Drafts	None after successful simulation	Creates unpublished Shopify products

Publish Drafts Live	SUBMIT	Activates products and publishes them to the selected publication
Publish Directly	SUBMIT LIVE	Creates drafts and then publishes them live
Archive	ARCHIVE	Makes selected Shopify products inactive
Restore Draft	RESTORE	Returns selected products to draft state
Delete	DELETE	Permanently deletes selected Shopify products
Keep Shopify	KEEP SHOPIFY	Imports the remote product snapshot into supported SnapIMS fields
Merge	MERGE	Applies the supported conflict merge operation

- Use checkboxes for selected-item operations; use the explicit entire-batch scope only when intended.
- Select All, Invert Selection, search, filtering, sorting, retry, reconciliation, archive, restore, and delete are available from the management section.
- Durable jobs show pending, running, retrying, complete, skipped, and failed rows with progress, elapsed time, ETA, and failure details.
- Restarting SnapIMS recovers unfinished jobs. Completed rows are not repeated.
- SKU reconciliation and stored Shopify GIDs prevent accidental duplicate creation.



Full v0.15.0 publish workflow.

6. Conflict and product management

- Reconcile compares supported local and remote values and records a conflict when they differ.
- Keep SnapIMS pushes the supported local state to Shopify.
- Keep Shopify imports the supported remote state into SnapIMS.
- Archive is reversible; Delete is permanent and requires DELETE.
- Single-item, selected-item, and entire-batch scopes are explicit.

7. Recovery

Condition	Action
Interrupted Shopify job	Restart SnapIMS, reopen Publish, and resume/retry

	unfinished rows.
Expired token	No operator action normally; token refresh is automatic.
Missing publication	Return to Settings and select a publication before live publish.
Shopify rate limit/transport failure	Wait and retry failed rows; completed rows are skipped.
Wrong version/path	Run snapims status and reinstall from the intended extracted release.
Database problem	Stop SnapIMS, preserve the data directory, and restore only from a copied backup.

8. Diagnostics and CLI

```

snapims status
snapims doctor
snapims logs
snapims shopify status
snapims shopify test
snapims shopify refresh
snapims shopify jobs

```

9. Backup

```

snapims down
cp -a "$HOME/SnapIMS-data" "$HOME/SnapIMS-data-backup-$(date +%Y%m%d-%H%M%S)"

```