

SnapIMS

Operator Guide

Version 0.6.0 - Operator Workstation Release

Purpose

SnapIMS converts an ordered photo stream into durable inventory records, routes uncertainty to an operator, supports fast individual or batch-wide correction, and prepares validated CSV or Shopify output.

Release status

Version 0.6.0 is a production-pilot candidate, not 1.0. Live AI, a real Pixel batch, one live Shopify draft, physical CSV reconciliation, and final independent acceptance remain required.

Fast Start

Launch SnapIMS from the repository virtual environment:

```
cd ~/Projects/SnapIMS-v0.6.0
source .venv/bin/activate
snapims --data-dir ~/SnapIMS-data serve
```

Browser address


Open <http://127.0.0.1:8767>. Keep the terminal running. Ctrl+C stops the server.

1. Import a folder containing the chronological camera photo stream.
2. Run recognition, or continue with manual review when a provider is unavailable.
3. Resolve items one at a time in Review or work across the batch in Batch Editor.
4. Use CSV download/upload only when an external spreadsheet is useful.
5. Validate the current working batch in Publish, then simulate or create the requested output.


1. Home Dashboard

Home shows the active batches, recognition state, unfinished work, and the next logical actions.

- 1. Choose Import to create a new batch.
- 2. Open Review for the one-tape workstation.
- 3. Open Batch Editor for bulk changes and low-confidence triage.
- 4. Open Publish only after the working batch has no blockers.



Home dashboard and batch actions - view 1 of 2




Home dashboard and batch actions - view 2 of 2

2. Import a Photo Folder

Normal import no longer requires repeatedly typing a Linux path. Browse Folder is the preferred path; configured and recent folders are one-click shortcuts.

1. Click Browse Folder and select the flat camera-export folder.
2. If the native chooser is unavailable, open Advanced Manual Path.
3. Click Preview. Preview does not create durable item identity.
4. Confirm the image count, QR events, item boundaries, and warnings.
5. Click Preserve and Import Batch once. Duplicate submission protection prevents accidental double import.



SnapIMS v0.6.0 Home Import Review Batch Editor Publish Settings Diagnostics

IMPORT

Import new batch

Browse to a camera folder, verify QR grouping, then preserve one durable batch.

Folder selected.

CURRENT SOURCE /mnt/data/SnapIMS_dev/operator-audit-assets/v0.6.0-browser/camera-roll **Browse Folder...**

Optional batch name

HORROR

Native folder selection on Import - view 1 of 2

Optional batch name

HORROR

☐ Include subfolders

Preview batch

Recent folders

/mnt/data/SnapIMS_dev/operator-audit-assets/v0.6.0-browser/camera-roll

Advanced · Manual path


SnapIMS 0.6.0 · Exception-handling inventory workstation

Native folder selection on Import - view 2 of 2

3. Preview and Commit

The preview is the last safe checkpoint before SnapIMS preserves originals, creates durable identities, and generates media derivatives.

1. Verify BATCH START and BATCH END were detected.
2. Verify every ITEM NEXT boundary created one intended tape.
3. Inspect warning messages before committing.
4. Commit the batch. SnapIMS preserves originals and generates fast browser and recognition copies.



SnapIMS v0.6.0 Home Import Review Batch Editor Publish Settings Diagnostics

IMPORT

Import new batch

Browse to a camera folder, verify QR grouping, then preserve one durable batch.

CURRENT SOURCE /mnt/data/SnapIMS_dev/operator-audit-assets/v0.6.0-browser/camera-roll **Browse Folder...**

Optional batch name


HORROR

☐ Include subfolders

Preview batch

Recent folders

Import preview with QR and item summary - view 1 of 2



Import preview with QR and item summary - view 2 of 2

4. Recognition and Failure Recovery

Recognition can use Mock for testing or a configured provider for live work. A provider failure never leaves a dead button or silent refresh.

1. Start identification from Review or the batch action.
2. When recognition fails, open Review Failure.
3. Read the human-readable reason, provider, timestamp, completed count, and remaining count.
4. Choose Retry Failed Items, another provider, Manual Review, Skip Recognition, or Diagnostics.
5. Manual Review leaves items unfinished and editable; it does not falsely mark them recognized.

Batch: 20260725-054122 Queue: Unresolved Batch Editor

Recognition failed or incomplete · 0 ready · 20 failed

RECOGNITION FAILURE
OpenAI API key is not configured. Add it in Settings or the environment.
API_KEY_MISSING · openai · gpt-4.1-mini
0 complete · 20 failed · Updated 2026-07-25T05:41:24+00:00

Provider: Mock Mock

Retry Batch Retry Failed Items Only Continue With Manual Review

Skip Recognition for This Batch Configure Provider Open Diagnostics


SnapIMS v0.6.0 Home Import Review Batch Editor Publish Settings Diagnostics

20 items 0 reviewed 20 unfinished 0 low confidence 20 blockers

Recognition could not start. Review the failure details below.

Batch item 1 of 20 20 unfinished 20260725-054122-A1-001

Recognition failure recovery workspace - view 1 of 2



PXL_20260723_152602002.jpg

front

[Open original](#)

Front

Spine

MANUAL REVIEW

Title required

No edition detected

Price CAD

0.00

Discount %

0

✓ Approve & Next

Edit details

Later

Mock

Retry this item

LOCATION

A1

IMAGES

2

CONDITION

Not Graded

REVIEW SOURCE

Not reviewed

► Change history


← Previous

Next →


5. Fast Individual Review

Review is optimized for the routine loop: look, confirm, optionally type a price, press Enter, and continue.

1. Confirm the displayed title. SnapIMS uses manual, saved, CSV, then AI values in that order.
2. The Price field is focused and selected when an unfinished tape opens.
3. Type a replacement price or leave the current value unchanged.
4. Press Enter to run Approve & Next. The next unfinished tape opens with Price selected again.
5. Use Later to postpone the item without marking it complete.
6. Use full Edit only for deeper corrections or a genuinely missing title.



Price -> Enter -> next Price workflow - view 1 of 2



PXL_20260723_152607007.jpg

front

[Open original](#)

Front

Spine

91%
Recognition confidence

Price CAD

9.99

Discount %

0.0

✓ Approve & Next

Edit details

Later

LOCATION

A1

IMAGES

2

CONDITION

Not Graded

REVIEW SOURCE

Not reviewed

► Recognition evidence and history

► Change history

← Previous

Next →


SnapIMS 0.6.0 · Exception-handling inventory workstation

Price -> Enter -> next Price workflow - view 2 of 2

6. Batch Editor

Batch Editor is the bulk operator workstation. It edits the same authoritative working records used by Review and Publish.

- 1. Use search, status filters, confidence threshold, confidence buckets, and sorting to expose exceptions.
- 2. Edit Title, Price, Discount, Description, Location, flags, and other working fields directly.
- 3. Watch the save indicator. Failed edits remain visible instead of disappearing.
- 4. Use Ctrl+S to save pending work, Ctrl+F to focus search, Ctrl+A to select visible rows, and Ctrl+Z/Ctrl+Y to undo or redo local edits.
- 5. Click a thumbnail for the fast media viewer or confidence for stored recognition evidence.



Batch Editor with health, confidence, and bulk controls - view 1 of 3

0.0
Approvals/min

134
Recorded edits

24
AI images skipped

44.1%
Recognition payload saved

0
AI input tokens

0
AI output tokens

SnapIMS v0.6.0

Home

Import

Review

Batch Editor

Publish

Settings

Diagnostics

%

Search title, description, SKU, location...

All items

Physical order

Confidence below 70 %

Select visible

Clear

0 selected

Add to price

Subtract price

Round price

Set discount

Move location

Append tags

Prefix descriptions

Find/replace descriptions

Fill Down

Flag review

Approve selected

Save All Pending

Saved

	PHOTO	ITEM	CONFIDENCE	TITLE	PRICE	DISCOUNT	DESCRIPTION	LOCATION	FLAGS
☐	☐	#1 20260725-054122-A1-001	91%	Demo VHS 001	4.00	0.0		A1	
☐	☐	#2 20260725-054122-A1-002	—	Batch Editor Corrected Tape	4.00	0.0		A1	
☐	☐	#3 20260725-054122-A1-003	—	Demo VHS 003	4.00	0.0		A1	
☐	☐	#4 20260725-054122-A1-004	—	Demo VHS 004	4.00	0.0		A1	

Batch Editor with health, confidence, and bulk controls - view 2 of 3

#4

20260725-054122-A1-004

Demo VHS 004

4.00

0.0

A1

#5

20260725-054122-A1-005

Demo VHS 005

4.00

0.0

A1

#6

20260725-054122-A1-006

Demo VHS 006

4.00

0.0

A1

#7

20260725-054122-A1-007

Demo VHS 007

4.00

0.0

A1

ROLLBACK

Restored your last Batch Editor view.

Batch checkpoints

Before bulk action set_price

2026-07-25T05:41:27+00:00 · 20 items · BULK_EDIT

Restore

SnapIMS 0.6.0 · Exception-handling inventory workstation


Batch Editor with health, confidence, and bulk controls - view 3 of 3

SnapIMS Operator Guide v0.6.0 | 15


7. Command Palette and Bulk Operations

The command palette supplements visible controls and keeps frequent actions keyboard-accessible.


- 1. Press Ctrl+Shift+P to open the command palette.
- 2. Jump to Review, Batch Editor, Publish, Import, Diagnostics, CSV tools, or batch rollback.
- 3. Select rows and preview bulk operations before applying them.
- 4. For ToonieTape work, select the intended rows, choose Bulk Price, enter \$4.00, inspect the affected count, then Apply.
- 5. SnapIMS creates a checkpoint before large destructive operations.



Keyboard command palette - view 1 of 3



Keyboard command palette - view 2 of 3



Keyboard command palette - view 3 of 3

8. CSV Round Trip and Difference Preview

CSV remains available for external spreadsheet work, but uploaded values are never applied blindly.

- 1. Download the current working CSV from Publish or Batch Tools.
- 2. Edit the file in Excel or LibreOffice without changing immutable Item IDs.
- 3. Upload the edited CSV. SnapIMS stages it instead of modifying the batch immediately.
- 4. Use the Difference Preview to inspect matched rows, missing items, validation errors, and field-level changes.
- 5. Cancel to prove no values changed, or confirm Apply Valid Changes after all blocking errors are resolved.
- 6. Use Undo CSV Import to restore the durable checkpoint.

SnapIMS v0.6.0HomeImportReviewBatch EditorPublishSettingsDiagnostics%

CSV DIFFERENCE PREVIEW

Review before replacing working values

edited.csv · Batch 20260725-054122

20
Uploaded rows

20
Matched

18
Items changed

18
Field edits

0
Items missing

0
Blocking errors

All changes

Only errors

Prices

Titles

Descriptions

Expand all

Collapse all

Download Difference Report

20260725-054122-A1-001
Demo VHS 001

0
changes

20260725-054122-A1-002
Batch Editor Corrected Tape

0
changes

20260725-054122-A1-003
CSV Reviewed Tape 003

1
changes

20260725-054122-A1-004
CSV Reviewed Tape 004

1
changes

20260725-054122-A1-005

1

CSV difference preview before application - view 1 of 3

SnapIMS Operator Guide v0.6.0 | 19

CSV Reviewed Tape 004	changes
20260725-054122-A1-005 CSV Reviewed Tape 005	1 changes
20260725-054122-A1-006 CSV Reviewed Tape 006	Cancel upload Return to Batch Editor ☐ I reviewed this CSV and want to replace matching working values. Apply Valid Changes changes
20260725-054122-A1-007 CSV Reviewed Tape 007	1 changes
20260725-054122-A1-008 CSV Reviewed Tape 008	1 changes
20260725-054122-A1-009 CSV Reviewed Tape 009	1 changes
20260725-054122-A1-010 CSV Reviewed Tape 010	1 changes
20260725-054122-A1-011 CSV Reviewed Tape 011	1 changes
20260725-054122-A1-012 CSV Reviewed Tape 012	1 changes
20260725-054122-A1-013 CSV Reviewed Tape 013	1 changes
20260725-054122-A1-014 CSV Reviewed Tape 014	1 changes

CSV difference preview before application - view 2 of 3

20260725-054122-A1-014 CSV Reviewed Tape 014	1 changes
20260725-054122-A1-015 CSV Reviewed Tape 015	1 changes
20260725-054122-A1-016 CSV Reviewed Tape 016	1 changes
20260725-054122-A1-017 CSV Reviewed Tape 017	1 changes
20260725-054122-A1-018 CSV Reviewed Tape 018	1 changes
20260725-054122-A1-019 CSV Reviewed Tape 019	1 changes
20260725-054122-A1-020 CSV Reviewed Tape 020	1 changes


SnapIMS 0.6.0 - Exception-handling inventory workstation

CSV difference preview before application - view 3 of 3

9. External Review

A valid CSV can satisfy review for large intentionally uniform batches, but only after explicit operator confirmation.

- 1. Apply the validated CSV changes first.
- 2. Confirm that all required titles exist, SKUs are unique, and no blocking row remains.
- 3. Choose Mark Uploaded Batch as Externally Reviewed.
- 4. Accept the responsibility statement. SnapIMS records CSV_EXTERNAL_REVIEW as the review source.
- 5. Rows with unresolved errors remain unfinished.



Applied CSV values in the authoritative working batch - view 1 of 2

Export or upload edited CSV

Upload enters a staged difference preview. Nothing changes until you approve the diff.

Download CSV

Edited SnapIMS CSV

Choose File No file chosen

Upload and preview differences

Skip one-by-one review safely

Only valid working values can be marked externally reviewed. This records the review source without changing AI confidence.

☐ I reviewed this batch externally and accept responsibility for the working values.

Mark valid batch externally reviewed

ROLLBACK

Restore a batch checkpoint

Before CSV upload edited.csv
2026-07-25T05:41:29+00:00 · 20 Items

Restore


Before bulk action set_price
2026-07-25T05:41:27+00:00 · 20 Items

Restore

10. Publish

Publish validates the authoritative working batch regardless of whether edits came from AI, Review, Batch Editor, or CSV.

- 1. Review all publish blockers and follow links back to the affected item or editor row.
- 2. Use Shopify simulation before any live publishing test.
- 3. Download the final CSV and reconcile it against the physical batch.
- 4. Live publishing must create drafts, use idempotency checkpoints, and never duplicate a product on retry.
- 5. A live Shopify draft remains a 1.0 acceptance requirement.



Publish validation and Shopify simulation - view 1 of 4

diff.

Download CSV

Edited SnapIMS CSV

Choose File

No file chosen

Upload and preview differences

source without changing AI confidence.

☐ I reviewed this batch externally and accept responsibility for the working values.

Mark valid batch externally reviewed

ROLLBACK

Restore a batch checkpoint

Before external CSV review confirmation

2026-07-25T05:41:30+00:00 · 20 items

Restore

Before CSV upload edited.csv

2026-07-25T05:41:29+00:00 · 20 items

Restore

Before bulk action set_price

2026-07-25T05:41:27+00:00 · 20 items

Restore

SHOPIFY SIMULATION

20 ready · 0 blocked

20260725-054122-A1-001

Ready

Publish validation and Shopify simulation - view 2 of 4

20 ready • 0 blocked

20260725-054122-A1-001	Ready
20260725-054122-A1-002	Ready
20260725-054122-A1-003	Ready
20260725-054122-A1-004	Ready
20260725-054122-A1-005	Ready
20260725-054122-A1-006	Ready
20260725-054122-A1-007	Ready
20260725-054122-A1-008	Ready
20260725-054122-A1-009	Ready
20260725-054122-A1-010	Ready
20260725-054122-A1-011	Ready
20260725-054122-A1-012	Ready

Publish validation and Shopify simulation - view 3 of 4

20260725-054122-A1-012	Ready
20260725-054122-A1-013	Ready
20260725-054122-A1-014	Ready
20260725-054122-A1-015	Ready
20260725-054122-A1-016	Ready
20260725-054122-A1-017	Ready
20260725-054122-A1-018	Ready
20260725-054122-A1-019	Ready
20260725-054122-A1-020	Ready

SnapIMS 0.6.0 - Exception-handling inventory workstation

Publish validation and Shopify simulation - view 4 of 4

11. Diagnostics and Recovery

Diagnostics remains deliberately compact but exposes the information required to recover failures without leaking secrets.

- 1. Confirm application version, database path, schema version, and integrity status.
- 2. Check provider configuration state without displaying API keys.
- 3. Inspect recognition job states and the latest failure.
- 4. Compare original media bytes with preview and recognition upload bytes.
- 5. Use Copy Diagnostic Summary when reporting a problem.
- 6. Restart SnapIMS and confirm the active batch, filters, queue, current item, and durable edits were restored.

SnapIMS v0.6.0HomeImportReviewBatch EditorPublishSettingsDiagnostics%

DIAGNOSTICS

System health

Useful facts without exposing secrets.

Copy Diagnostic Summary

ok

SQLite integrity

0

Foreign-key violations

6

Schema version

0.6.0

Application version

Paths

Data root

/mnt/data/SnapIMS_dev/operator-audit-assets/v0.6.0-browser/workspace

Database

/mnt/data/SnapIMS_dev/operator-audit-assets/v0.6.0-browser/workspace/database/inventory.sqlite3

Exports

/mnt/data/SnapIMS_dev/operator-audit-assets/v0.6.0-browser/workspace/exports

Backups

/mnt/data/SnapIMS_dev/operator-audit-assets/v0.6.0-browser/workspace/backups

Provider configuration

mock

Available

openai

OPENAI_API_KEY is not configured

gemini

Live Gemini recognition is not implemented

Diagnostics and recovery information - view 1 of 2

openai	OPENAI_API_KEY is not configured
gemini	Live Gemini recognition is not implemented

Media bandwidth

2475259

Original bytes

1190985

Preview bytes

1382478

Recognition bytes

24

AI-skipped images

Recent recognition jobs

Batch	Status	Provider	Progress	Last error
20260725-054122	REVIEW_COMPLETE	mock	20/20	

```
{
  "version": "0.6.0",
  "database": "/mnt/data/SnapIMS_dev/operator-audit-assets/v0.6.0-browser/workspace/database/inventory.sqlite3",
  "schema": 6,
  "integrity": "ok",
  "foreign_key_violations": 0,
  "providers": {
    "mock": [
      true,

```

SnapIMS 0.6.0 - Exception-handling inventory workstation

Diagnostics and recovery information - view 2 of 2

12. End-of-Batch Checklist

1. Unfinished count is zero, or every remaining item is intentionally postponed and understood.
2. No failed recognition state lacks an operator decision.
3. Required titles, prices, quantities, locations, and SKUs pass validation.
4. Low-confidence and flagged items were reviewed using stored evidence or the original photographs.
5. Bulk edits and CSV replacements were checkpointed and verified.
6. Shopify simulation completed without duplicate or idempotency warnings.
7. The final CSV was downloaded and reconciled against the physical batch.
8. SnapIMS was restarted once and the current batch state remained correct.
9. Do not label the project 1.0 until the real 20-tape Pixel pilot, live AI, live Shopify draft, CSV reconciliation, restart durability, final guide walkthrough, and browser verification all pass.

Operator rule

When SnapIMS reports an error, do not delete the database or originals. Preserve the traceback, copy Diagnostics, and recover from the last checkpoint or backup.