

SnapIMS

Operator Guide

Application 0.6.0 · SLMC-0.1.0 Integration Build

Purpose

SnapIMS converts an ordered photo stream into durable inventory records. The SLMC integration adds a permanent local Movie catalog, local-first matching, bounded Wikipedia discovery on genuine misses, and structured CSV/Shopify simulation fields without slowing the one-action Review workflow.

Integration status

The application remains SnapIMS 0.6.0. SLMC-0.1.0 is an isolated integration package, not a final SnapIMS release and not 1.0. Live AI, live Wikipedia, a real Pixel batch, one live Shopify draft, physical CSV reconciliation, and final independent acceptance remain required.

Fast Start

Launch SnapIMS from the repository virtual environment:

```
cd ~/Projects/SnapIMS-v0.6.0
source .venv/bin/activate
snapims --data-dir ~/SnapIMS-data serve
```

Browser address


Open <http://127.0.0.1:8767>. Keep the terminal running. Ctrl+C stops the server.

1. Import a folder containing the chronological camera photo stream.
2. Run recognition. After each successful recognition result is committed, SnapIMS searches the permanent local Movie catalog before any Wikipedia request.
3. Resolve items one at a time in Review. Normal unique catalog matches require no extra confirmation click.
4. Use CSV download/upload only when an external spreadsheet is useful.
5. Validate the current working batch in Publish, then simulate or create the requested output.


1. Home Dashboard

Home shows the active batches, recognition state, unfinished work, and the next logical actions.

- 1. Choose Import to create a new batch.
- 2. Open Review for the one-tape workstation.
- 3. Open Batch Editor for bulk changes and low-confidence triage.
- 4. Open Publish only after the working batch has no blockers.



Home dashboard and batch actions - view 1 of 2




Home dashboard and batch actions - view 2 of 2

2. Import a Photo Folder

Normal import no longer requires repeatedly typing a Linux path. Browse Folder is the preferred path; configured and recent folders are one-click shortcuts.

1. Click Browse Folder and select the flat camera-export folder.
2. If the native chooser is unavailable, open Advanced Manual Path.
3. Click Preview. Preview does not create durable item identity.
4. Confirm the image count, QR events, item boundaries, and warnings.
5. Click Preserve and Import Batch once. Duplicate submission protection prevents accidental double import.



SnapIMS v0.6.0 Home Import Review Batch Editor Publish Settings Diagnostics

IMPORT

Import new batch

Browse to a camera folder, verify QR grouping, then preserve one durable batch.

Folder selected.

CURRENT SOURCE /mnt/data/SnapIMS_dev/operator-audit-assets/v0.6.0-browser/camera-roll **Browse Folder...**

Optional batch name

HORROR

Native folder selection on Import - view 1 of 2

Optional batch name

HORROR

☐ Include subfolders

Preview batch

Recent folders

/mnt/data/SnapIMS_dev/operator-audit-assets/v0.6.0-browser/camera-roll

Advanced · Manual path


SnapIMS 0.6.0 · Exception-handling inventory workstation

Native folder selection on Import - view 2 of 2

3. Preview and Commit

The preview is the last safe checkpoint before SnapIMS preserves originals, creates durable identities, and generates media derivatives.

1. Verify BATCH START and BATCH END were detected.
2. Verify every ITEM NEXT boundary created one intended tape.
3. Inspect warning messages before committing.
4. Commit the batch. SnapIMS preserves originals and generates fast browser and recognition copies.



SnapIMS v0.6.0 Home Import Review Batch Editor Publish Settings Diagnostics

IMPORT

Import new batch

Browse to a camera folder, verify QR grouping, then preserve one durable batch.

CURRENT SOURCE /mnt/data/SnapIMS_dev/operator-audit-assets/v0.6.0-browser/camera-roll **Browse Folder...**

Optional batch name


HORROR

☐ Include subfolders

Preview batch

Recent folders

Import preview with QR and item summary - view 1 of 2



Import preview with QR and item summary - view 2 of 2

4. Recognition and Failure Recovery

Recognition can use Mock for testing or a configured provider for live work. A provider failure never leaves a dead button or silent refresh.

1. Start identification from Review or the batch action.
2. When recognition fails, open Review Failure.
3. Read the human-readable reason, provider, timestamp, completed count, and remaining count.
4. Choose Retry Failed Items, another provider, Manual Review, Skip Recognition, or Diagnostics.
5. Manual Review leaves items unfinished and editable; it does not falsely mark them recognized.

Batch: 20260725-054122 Queue: Unresolved Batch Editor

Recognition failed or incomplete · 0 ready · 20 failed

RECOGNITION FAILURE
OpenAI API key is not configured. Add it in Settings or the environment.
API_KEY_MISSING · openai · gpt-4.1-mini
0 complete · 20 failed · Updated 2026-07-25T05:41:24+00:00

Provider: Mock Mock

Retry Batch Retry Failed Items Only Continue With Manual Review

Skip Recognition for This Batch Configure Provider Open Diagnostics


SnapIMS v0.6.0 Home Import Review Batch Editor Publish Settings Diagnostics

20 items 0 reviewed 20 unfinished 0 low confidence 20 blockers

Recognition could not start. Review the failure details below.

Batch item 1 of 20 20 unfinished 20260725-054122-A1-001

Recognition failure recovery workspace - view 1 of 2



PXL_20260723_152602002.jpg

front

[Open original](#)

Front

Spine

MANUAL REVIEW

Title required

No edition detected

Price CAD

0.00

Discount %

0

✓ Approve & Next

Edit details

Later

Mock

Retry this item

LOCATION

A1

IMAGES

2

CONDITION

Not Graded

REVIEW SOURCE

Not reviewed

► Change history


← Previous

Next →


5. Fast Individual Review

Review is optimized for the routine loop: look, confirm, optionally type a price, press Enter, and continue.

1. Confirm the displayed title. SnapIMS uses manual, saved, CSV, then AI values in that order.
2. The Price field is focused and selected when an unfinished tape opens.
3. Type a replacement price or leave the current value unchanged.
4. Press Enter to run Approve & Next. The next unfinished tape opens with Price selected again.
5. Use Later to postpone the item without marking it complete.
6. Use full Edit only for deeper corrections or a genuinely missing title.



Price -> Enter -> next Price workflow - view 1 of 2



PXL_20260723_152607007.jpg

front

[Open original](#)

Front

Spine

91% Recognition confidence

Price CAD

9.99

Discount %

0.0

✓ Approve & Next

Edit details

Later

LOCATION

A1

IMAGES

2

CONDITION

Not Graded

REVIEW SOURCE

Not reviewed

► Recognition evidence and history

► Change history

← Previous

Next →


SnapIMS 0.6.0 - Exception-handling inventory workstation

Price -> Enter -> next Price workflow - view 2 of 2


6. Catalog Match States

The compact catalog strip is evidence, not a second approval workflow. The photograph remains authority and Approve & Next remains the routine action.

1. Local Match means the recognized title reused an existing permanent Movie record and made no Wikipedia request.
2. New Catalog Record means a bounded Wikipedia miss flow created one permanent Movie record with source provenance.
3. Searching means the background external lookup is still running; Review remains usable.
4. Ambiguous means two or more credible films remain. Open the candidate panel or Edit details before approval.
5. Not Found, Failed, Needs Review, or Catalog Unavailable leave the original AI suggestion visible and do not destroy the physical Item.
6. The displayed title precedence is operator-saved title, unique catalog title, AI suggestion, then manual Untitled state.



Compact local catalog match in the normal Review workstation - view 1 of 2



PXL_20260723_152802002.jpg

front

[Open original](#)

Front

Spine

91%
Recognition confidence

Price CAD

9.99

Discount %

0.0

✓ Approve & Next

Edit details

Later

LOCATION	A1	IMAGES	2
CONDITION	Not Graded	REVIEW SOURCE	Not reviewed

► Recognition evidence and history

← Previous

Next →

SnapIMS 0.6.0 - Exception-handling inventory workstation


Compact local catalog match in the normal Review workstation - view 2 of 2

SnapIMS 0.6.0 + SLMC-0.1.0 Operator Guide | 14

7. First Miss and Permanent Reuse

Wikipedia is an external discovery source only. SnapIMS stores normalized Movie facts permanently in `movie_catalog.sqlite3` and searches that database first on every future recognition.

1. A genuine local miss queues a bounded English Wikipedia lookup through the official MediaWiki endpoint.
2. SnapIMS normally inspects no more than five candidates and rejects obvious songs, albums, books, people, companies, and unrelated episodes.
3. A materially unique film creates one permanent Movie, aliases, source provenance, and an Item link.
4. A later copy of the same movie reuses that Movie ID with zero new Wikipedia request.
5. Wikipedia can establish film-level facts; it cannot establish exact VHS distributor, UPC, Canadian edition, cover variant, condition, shelf, price, discount, or quantity.



New catalog record created after one bounded Wikipedia fixture lookup - view 1 of 2

Catalog match: NEW CATALOG RECORD Demo VHS 002 (1992)REV-00000002

91%
Recognition confidence

Price CAD

9.99

Discount %

0.0

✓ Approve & Next

Edit details

Later

LOCATION

A1

IMAGES

2

CONDITION

Not Graded

REVIEW SOURCE

Not reviewed

► Recognition evidence and history

PXL_20260723_152607007.jpgfrontOpen original

FrontSpine

← Previous

Next →


SnapIMS 0.6.0 - Exception-handling inventory workstation

New catalog record created after one bounded Wikipedia fixture lookup - view 2 of 2

8. Repeated Copies

Repeated tapes remain separate physical Items even when they share one Movie record.

- 1. Confirm that each tape keeps its own immutable Item ID, Batch ID, images, shelf, condition, price, discount, quantity, Review history, and Shopify state.
- 2. The shared Movie ID supplies reusable canonical title and factual metadata only.
- 3. Do not pool copies or infer a shared VHS Edition from the Movie match.
- 4. A corrected title marks the prior link stale, preserves link history, and starts a new local-first lookup.



Second physical copy reusing the permanent local Movie record - view 1 of 2

PXL_20260723_152802002.jpg

front

[Open original](#)

Front

Spine

91%

Recognition confidence

Price CAD

9.99

Discount %

0.0

✓ Approve & Next

Edit details

Later

LOCATION

B2

IMAGES

2

CONDITION

Not Graded

REVIEW SOURCE

Not reviewed

► Recognition evidence and history

← Previous

Next →

SnapIMS 0.6.0 - Exception-handling inventory workstation


Second physical copy reusing the permanent local Movie record - view 2 of 2

SnapIMS 0.6.0 + SLMC-0.1.0 Operator Guide | 18

9. Batch Editor

Batch Editor is the bulk operator workstation. It edits the same authoritative working records used by Review and Publish.

- 1. Use search, status filters, confidence threshold, confidence buckets, and sorting to expose exceptions.
- 2. Edit Title, Price, Discount, Description, Location, flags, and other working fields directly.
- 3. Watch the save indicator. Failed edits remain visible instead of disappearing.
- 4. Use Ctrl+S to save pending work, Ctrl+F to focus search, Ctrl+A to select visible rows, and Ctrl+Z/Ctrl+Y to undo or redo local edits.
- 5. Click a thumbnail for the fast media viewer or confidence for stored recognition evidence.



Batch Editor with health, confidence, and bulk controls - view 1 of 3

0.0
Approvals/min

134
Recorded edits

24
AI images skipped

44.1%
Recognition payload saved

0
AI input tokens

0
AI output tokens

SnapIMS v0.6.0

Home

Import

Review

Batch Editor

Publish

Settings

Diagnostics

%

Search title, description, SKU, location...

All items

Physical order

Confidence below 70 %

Select visible

Clear

0 selected

Add to queue

Subtract 1

Round price

Set discount

Move location

Append tags

Prefix descriptions

Find/replace descriptions

Fill Down

Flag review

Approve selected

Save All Pending

Saved

	PHOTO	ITEM	CONFIDENCE	TITLE	PRICE	DISCOUNT	DESCRIPTION	LOCATION	FLAGS
☐	☐	#1 20260725-054122-A1-001	91%	Demo VHS 001	4.00	0.0		A1	
☐	☐	#2 20260725-054122-A1-002	—	Batch Editor Corrected Tape	4.00	0.0		A1	
☐	☐	#3 20260725-054122-A1-003	—	Demo VHS 003	4.00	0.0		A1	
☐	☐	#4 20260725-054122-A1-004	—	Demo VHS 004	4.00	0.0		A1	

Batch Editor with health, confidence, and bulk controls - view 2 of 3

#4

20260725-054122-A1-004

Demo VHS 004

4.00

0.0

A1

#5

20260725-054122-A1-005

Demo VHS 005

4.00

0.0

A1

#6

20260725-054122-A1-006

Demo VHS 006

4.00

0.0

A1

#7

20260725-054122-A1-007

Demo VHS 007

4.00

0.0

A1

ROLLBACK

Restored your last Batch Editor view.

Batch checkpoints

Before bulk action set_price

2026-07-25T05:41:27+00:00 · 20 items · BULK_EDIT

Restore


SnapIMS 0.6.0 · Exception-handling inventory workstation

Batch Editor with health, confidence, and bulk controls - view 3 of 3


10. Command Palette and Bulk Operations

The command palette supplements visible controls and keeps frequent actions keyboard-accessible.


- 1. Press Ctrl+Shift+P to open the command palette.
- 2. Jump to Review, Batch Editor, Publish, Import, Diagnostics, CSV tools, or batch rollback.
- 3. Select rows and preview bulk operations before applying them.
- 4. For ToonieTape work, select the intended rows, choose Bulk Price, enter \$4.00, inspect the affected count, then Apply.
- 5. SnapIMS creates a checkpoint before large destructive operations.



Keyboard command palette - view 1 of 3



Keyboard command palette - view 2 of 3



Keyboard command palette - view 3 of 3

11. CSV Round Trip and Difference Preview

CSV remains available for external spreadsheet work, but uploaded values are never applied blindly.

- 1. Download the current working CSV from Publish or Batch Tools.
- 2. Edit the file in Excel or LibreOffice without changing immutable Item IDs.
- 3. Upload the edited CSV. SnapIMS stages it instead of modifying the batch immediately.
- 4. Use the Difference Preview to inspect matched rows, missing items, validation errors, and field-level changes.
- 5. Cancel to prove no values changed, or confirm Apply Valid Changes after all blocking errors are resolved.
- 6. Use Undo CSV Import to restore the durable checkpoint.

SnapIMS v0.6.0HomeImportReviewBatch EditorPublishSettingsDiagnostics%

CSV DIFFERENCE PREVIEW

Review before replacing working values

edited.csv · Batch 20260725-054122

20
Uploaded rows

20
Matched

18
Items changed

18
Field edits

0
Items missing

0
Blocking errors

All changes

Only errors

Prices

Titles

Descriptions

Expand all

Collapse all

Download Difference Report

20260725-054122-A1-001
Demo VHS 001

0
changes

20260725-054122-A1-002
Batch Editor Corrected Tape

0
changes

20260725-054122-A1-003
CSV Reviewed Tape 003

1
changes

20260725-054122-A1-004
CSV Reviewed Tape 004

1
changes

20260725-054122-A1-005

1

CSV difference preview before application - view 1 of 3

CSV Reviewed Tape 004	changes
20260725-054122-A1-005 CSV Reviewed Tape 005	1 changes
20260725-054122-A1-006 CSV Reviewed Tape 006	Cancel upload Return to Batch Editor ☐ I reviewed this CSV and want to replace matching working values. Apply Valid Changes changes
20260725-054122-A1-007 CSV Reviewed Tape 007	1 changes
20260725-054122-A1-008 CSV Reviewed Tape 008	1 changes
20260725-054122-A1-009 CSV Reviewed Tape 009	1 changes
20260725-054122-A1-010 CSV Reviewed Tape 010	1 changes
20260725-054122-A1-011 CSV Reviewed Tape 011	1 changes
20260725-054122-A1-012 CSV Reviewed Tape 012	1 changes
20260725-054122-A1-013 CSV Reviewed Tape 013	1 changes
20260725-054122-A1-014 CSV Reviewed Tape 014	1 changes

CSV difference preview before application - view 2 of 3

20260725-054122-A1-014 CSV Reviewed Tape 014	1 changes
20260725-054122-A1-015 CSV Reviewed Tape 015	1 changes
20260725-054122-A1-016 CSV Reviewed Tape 016	1 changes
20260725-054122-A1-017 CSV Reviewed Tape 017	1 changes
20260725-054122-A1-018 CSV Reviewed Tape 018	1 changes
20260725-054122-A1-019 CSV Reviewed Tape 019	1 changes
20260725-054122-A1-020 CSV Reviewed Tape 020	1 changes

SnapIMS 0.6.0 - Exception-handling inventory workstation

CSV difference preview before application - view 3 of 3

12. External Review

A valid CSV can satisfy review for large intentionally uniform batches, but only after explicit operator confirmation.

1. Apply the validated CSV changes first.
2. Confirm that all required titles exist, SKUs are unique, and no blocking row remains.
3. Choose Mark Uploaded Batch as Externally Reviewed.
4. Accept the responsibility statement. SnapIMS records CSV_EXTERNAL_REVIEW as the review source.
5. Rows with unresolved errors remain unfinished.

SnapIMS v0.6.0HomeImportReviewBatch EditorPublishSettingsDiagnostics

PUBLISH

Validate and publish

Publish always uses the current authoritative working batch.

20260725-054122

CSV applied to 18 items. Rollback checkpoint 2 created.

20
Total items

1
Publish ready

19
Blocked

19
Unfinished

0
Low confidence

19
Validation blockers

WORKING BATCH SOURCES

CSV_UPLOAD

Individual ReviewBatch EditorRun Shopify simulation

CSV ROUND TRIP

EXTERNAL REVIEW

Export or upload edited CSV

Skip one-by-one review safely

Upload enters a staged difference preview. Nothing changes until you approve the diff.

Only valid working values can be marked externally reviewed. This records the review source without changing AI confidence.

Applied CSV values in the authoritative working batch - view 1 of 2

Export or upload edited CSV

Upload enters a staged difference preview. Nothing changes until you approve the diff.

Download CSV

Edited SnapIMS CSV

Choose File No file chosen

Upload and preview differences

Skip one-by-one review safely

Only valid working values can be marked externally reviewed. This records the review source without changing AI confidence.

☐ I reviewed this batch externally and accept responsibility for the working values.

Mark valid batch externally reviewed

ROLLBACK

Restore a batch checkpoint

Before CSV upload edited.csv
2026-07-25T05:41:29+00:00 · 20 Items

Restore


Before bulk action set_price
2026-07-25T05:41:27+00:00 · 20 Items

Restore

13. Publish

Publish validates the authoritative working batch regardless of whether edits came from AI, Review, Batch Editor, or CSV.

- 1. Review all publish blockers and follow links back to the affected item or editor row.
- 2. Use Shopify simulation before any live publishing test.
- 3. Download the final CSV and reconcile it against the physical batch.
- 4. Live publishing must create drafts, use idempotency checkpoints, and never duplicate a product on retry.
- 5. A live Shopify draft remains a 1.0 acceptance requirement.



Publish validation and Shopify simulation - view 1 of 4

diff.

Download CSV

Edited SnapIMS CSV

Choose File

No file chosen

Upload and preview differences

☐ I reviewed this batch externally and accept responsibility for the working values.

Mark valid batch externally reviewed

source without changing AI confidence.

ROLLBACK

Restore a batch checkpoint

Before external CSV review confirmation

2026-07-25T05:41:30+00:00 · 20 items

Restore

Before CSV upload edited.csv

2026-07-25T05:41:29+00:00 · 20 items

Restore

Before bulk action set_price

2026-07-25T05:41:27+00:00 · 20 items

Restore

SHOPIFY SIMULATION

20 ready · 0 blocked

20260725-054122-A1-001

Ready

Publish validation and Shopify simulation - view 2 of 4

20 ready + 0 blocked

20260725-054122-A1-001	Ready
20260725-054122-A1-002	Ready
20260725-054122-A1-003	Ready
20260725-054122-A1-004	Ready
20260725-054122-A1-005	Ready
20260725-054122-A1-006	Ready
20260725-054122-A1-007	Ready
20260725-054122-A1-008	Ready
20260725-054122-A1-009	Ready
20260725-054122-A1-010	Ready
20260725-054122-A1-011	Ready
20260725-054122-A1-012	Ready

Publish validation and Shopify simulation - view 3 of 4

20260725-054122-A1-012	Ready
20260725-054122-A1-013	Ready
20260725-054122-A1-014	Ready
20260725-054122-A1-015	Ready
20260725-054122-A1-016	Ready
20260725-054122-A1-017	Ready
20260725-054122-A1-018	Ready
20260725-054122-A1-019	Ready
20260725-054122-A1-020	Ready


SnapIMS 0.6.0 - Exception-handling inventory workstation

Publish validation and Shopify simulation - view 4 of 4

14. Diagnostics and Catalog Recovery

Diagnostics reports inventory health and the independent permanent Movie catalog without leaking credentials.

- 1. Confirm Inventory integrity is ok, Inventory FK violations are zero, and Inventory schema is 7 for this integration build.
- 2. Confirm Catalog integrity is ok, Catalog FK violations are zero, and Catalog schema is 1.
- 3. Review Movie, alias, linked-item, local-hit, Wikipedia-call, ambiguous, failed-job, stale-link, database-size, and FTS values.
- 4. Use Back up catalog before migrations, bulk imports, merge, split, restore, or server movement.
- 5. Use Rebuild search index only as a maintenance action; it does not rebuild the authoritative Movie data.
- 6. Retry failed lookups after correcting connectivity or provider errors. Recognition history and physical Items remain intact.
- 7. If movie_catalog.sqlite3 is unavailable or incompatible, do not delete it. Inventory, Review, Approve & Next, CSV, and Shopify simulation continue without pretending catalog metadata exists.



Independent inventory and permanent local movie-catalog diagnostics - view 1 of 4

Local movie catalog

Permanent SnapIMS business data; not a disposable API cache.

Back up catalog

Rebuild search index

Retry failed lookups

2
Movies

3
Aliases

4
Linked items

0
Unlinked recognized

3
Local hits

1
Wikipedia misses

1
Wikipedia calls

2
New Movie records

0
Ambiguous

0
Failed jobs

0
Stale links

0
Suspected duplicates

212992
Catalog bytes

1
Catalog schema

ok
Catalog integrity

FTS index	Healthy (2 rows)
Catalog FK violations	0
Pending maintenance jobs	0
Rate-limit state	CLEAR
Last backup	None
Last successful external lookup	2026-07-25T09:40:34+00:00

Independent inventory and permanent local movie-catalog diagnostics - view 2 of 4

Last backup	None
Last successful external lookup	2026-07-25T09:40:34+00:00

Recent catalog jobs

Item	Recognized title	Status	Candidates	Attempts	Last error
20260725-094035-SLMC-SECOND-B2-001	Demo VHS 001	LOCAL_MATCHED	1	0	
20260725-094035-SLMC-SECOND-B2-002	Demo VHS 002	LOCAL_MATCHED	1	0	
20260725-094033-A1-001	Demo VHS 001	LOCAL_MATCHED	1	0	
20260725-094033-A1-002	Demo VHS 002	LINKED	1	1	

Provider configuration

mock	Available
openai	OPENAI_API_KEY is not configured
gemini	Live Gemini recognition is not implemented

Media bandwidth

Independent inventory and permanent local movie-catalog diagnostics - view 3 of 4

Media bandwidth

773831

Original bytes

238478

Preview bytes

276332

Recognition bytes

12

AI-skipped images

Recent recognition jobs

Batch	Status	Provider	Progress	Last error
20260725-094035-SLMC-SECOND	REVIEW_COMPLETE	mock	2/2	
20260725-094033	REVIEW_COMPLETE	mock	2/2	

```
{
  "version": "0.6.0",
  "database": "/mnt/data/slmc-work/SnapIMS-v0.6.0/operator-audit-assets/slmc-0.1.0-browser/workspace/database/inventory.sqlite3",
  "schema": 7,
  "integrity": "ok",
  "foreign_key_violations": 0,
  "providers": {
    "mock": [
      true,

```

SnapIMS 0.6.0 - Exception-handling inventory workstation

15. End-of-Batch Checklist

1. Unfinished count is zero, or every remaining item is intentionally postponed and understood.
2. No failed recognition state lacks an operator decision.
3. Required titles, prices, quantities, locations, and SKUs pass validation.
4. Low-confidence, ambiguous, failed, and flagged items were reviewed using stored evidence or the original photographs.
5. Every Local Match or New Catalog Record agrees with the photograph; no same-title remake was silently accepted.
6. The final CSV contains both immutable Item ID and the intended local Movie ID, while item-specific Price, Discount, condition, shelf, and quantity remain unchanged.
7. Catalog integrity is ok, catalog foreign-key violations are zero, and a recent catalog backup exists.
8. Bulk edits and CSV replacements were checkpointed and verified.
9. Shopify simulation completed without duplicate or idempotency warnings.
10. The final CSV was downloaded and reconciled against the physical batch.
11. SnapIMS was restarted once and the current batch state remained correct.
12. Do not label the project 1.0 until the real 20-tape Pixel pilot, live AI, live Shopify draft, CSV reconciliation, restart durability, final guide walkthrough, and browser verification all pass.

Operator rule

When SnapIMS reports an error, do not delete the database or originals. Preserve the traceback, copy Diagnostics, and recover from the last checkpoint or backup.