

Q. No. 1

Question:

Which of the following option leads to the portability and security of Java?

Answer Choices

- A: Bytecode is executed by JVM
- B: The applet makes the Java code secure and portable
- C: Use of exception handling
- D: Dynamic binding between objects

Q. No. 2

Question:

Which of these cannot be used for a variable name in Java?

Answer Choices

- A: identifier
- B: keyword
- C: identifier & keyword
- D: none of the mentioned

Q. No. 3

Question:

Which of the below is not a memory leak solution?

Answer Choices

- A: Code changes
- B: JVM parameter tuning
- C: Process restart
- D: GC parameter tuning

Q. No. 4

Question:

Which of these can be overloaded?

Answer Choices

- a) Methods
- b) Constructors
- c) Both A and B
- d) None of the mentioned

Q. No. 5

Question:

What is the output of the following program?

```
public class Test{  
    private String function(){  
        return ("Test");  
    }  
    public final static String function(int data){  
        return ("Test123");  
    }  
    public static void main(String[] args){  
        Test obj = new Test();  
        System.out.println(obj.function());  
    }  
}
```

Answer Choices

A: Test

- A: Compilation error
- B: Runtime error
- D: None of these

Q. No. 6

Question:

Suppose a class has public visibility. In this class we define a protected method. Which of the following statements is correct?

Answer Choices

- A: This method is only accessible from inside the class itself and from inside all subclasses.
- B: In a class, you cannot declare methods with a lower visibility than the visibility of the class in which it is defined.
- C: From within protected methods you do not have access to public methods.
- D: This method is accessible from within the class itself and from within all classes defined in the same package as the class itself.

Q. No. 7

Question:

Which of the following is true about inheritance in Java?

- 1) Final methods can not be overridden
- 2) Protected members are accessible within a package and inherited classes outside the package.
- 3) Protected methods are final.
- 4) We cannot override private methods.

Answer Choices

- A: 1, 2 and 4
- B: Only 1 and 2

C: 1, 2 and 3

D: 2, 3 and 4

Q. No. 8

Question:

What is the output of the following program?

```
import java.io.IOException;
class Derived {
    public void getDetails() throws IOException //line 23 {
        System.out.println("Derived class");
    }
}
public class Test extends Derived {
    public void getDetails() throws Exception //line 24 {
        System.out.println("Test class");
    }
    public static void main(String[] args) throws IOException //line 25 {
        Derived obj = new Test();
        obj.getDetails();
    }
}
```

Answer Choices

A: Compilation error due to line 23

B: Compilation error due to line 24

C: Compilation error due to line 25

D: None of the above

Q. No. 9

Question:

Which of the following is used to make an Abstract class?

Answer Choices

A: Making atleast one-member function as pure virtual(abstract) function

B: Making atleast one-member function as virtual function

C: Declaring as Abstract class using virtual keyword

D: Declaring as Abstract class using static keyword

Q. No. 10

Question:

What is the output of the following program?

```
class Base {  
    public final void show() {  
        System.out.println("Base::show() called");  
    }  
}  
  
class Derived extends Base {  
    public void show() {  
        System.out.println("Derived::show() called");  
    }  
}  
  
public class Main {  
    public static void main(String[] args) {  
        Base b = new Derived();  
        b.show();  
    }  
}
```

Answer Choices

- A: Derived::show() called
- B: Base::show() called
- C: Compiler Error
- D: Exception

Q. No. 11

Question:

The concept of multiple inheritance is implemented in Java by

- I. Extending two or more classes.
- II. Extending one class and implementing one or more interfaces.
- III. Implementing two or more interfaces.

Answer Choices

- A: Only (II)
- B: (I) and (II)
- C: (II) and (III)
- D: Only (III)

Q. No. 12

Question:

What is the output of the following program?

```
public class Outer {  
    private static int data = 10;  
    private static int LocalClass() {  
        class Inner {  
            public int data = 20;  
        }  
    }  
}
```

```
        private int getData() {  
            return data;  
        }  
    };  
    Inner inner = new Inner();  
    return inner.getData();  
}  
  
public static void main(String[] args) {  
    System.out.println(data * LocalClass());  
}  
}
```

Answer Choices

- A: Compilation error
- B: Runtime Error
- C: 200
- D: None of the above

Q. No. 13

Question:

In which of the following package Exception class exist?

Answer Choices

- A: java.util
- B: java.io
- C: java.lang
- D: java.net

Q. No. 14

Question:

Which of the below statement is/are true about Error?

- I. An Error is a subclass of Throwable.
- II. An Error is a subclass of Exception.
- III. Error indicates serious problems that a reasonable application should not try to catch.
- IV. An Error is a subclass of IOException.

Answer Choices

- A: (I) and (IV)
- B: (I) and (II)
- C: (I) and (III)
- D: (II) and (III)

Q. No. 15

Question:

Which of these value are returns under the case of normal termination of a program?

Answer Choices

- A: 0
- B: 1
- C: 2
- D: 3

Q. No. 16

Question:

What is the name of a data member of class Vector which is used to store a number of elements in the vector?

Answer Choices

- A: length

- B: elements
- C: elementCount
- D: capacity

Q. No. 17

Question:

What will be the output of the following Java code?

```
class Output {  
    public static void main(String args[]) {  
        Double i = new Double(257.5);  
        boolean x = i.isNaN();  
        System.out.print(x);  
    }  
}
```

Answer Choices

- A: true
- B: false
- C: 0
- D: 1

Q. No. 18

Question:

Which of the following cannot be Type parameterized?

Answer Choices

- A: Overloaded Methods
- B: Generic methods
- C: Class methods

D: Overriding methods

Q. No. 19

Question:

Which function is used to perform some action when the object is to be destroyed?

Answer Choices

A: finalize()

B: delete()

C: main()

D: None of the mentioned

Q. No. 20

Question:

Which of these methods can be used to obtain set of all keys in a map?

Answer Choices

A: getAll()

B: getKeys()

C: keyall()

D: keySet()

Q. No. 21

Question:

Which of this method is used to change an element in a LinkedList Object?

Answer Choices

A: change()

- B: set()
- C: redo()
- D: add()

Q. No. 22

Question:

Which of these class is not a member class of java.io package?

Answer Choices

- A: String
- B: StringReader
- C: Writer
- D: File

Q. No. 23

Question:

Which of these values is returned by read() method is end of file (EOF) is encountered?

Answer Choices

- A: 0
- B: 1
- C: -1
- D: Null

Q. No. 24

Question:

Which of these class extend InputStream class?

Answer Choices

- A: ObjectOutputStream
- B: ObjectInputStream
- C: ObjectOutput
- D: ObjectInput

Q. No. 25

Question:

Which of the following constructor of class Thread is valid one?

Answer Choices

- A: Thread(Runnable threadOb, int priority)
- B: Thread(int priority)
- C: Thread(Runnable threadOb, String threadName)
- D: Thread(String threadName, int priority)

Q. No. 26

Question:

What is the output of the following program?

```
public class Test extends Thread implements Runnable {  
    public void run() {  
        System.out.printf("Test ");  
    }  
    public static void main(String[] args) throws InterruptedException {  
        Test obj = new Test();  
        obj.run();  
        obj.start();  
    }  
}
```

Answer Choices

- a) Runtime error
- b) Compilation error
- c) Test Test
- d) None of the above

Q. No. 27

Question:

What is the default value of priority variable MIN_PRIORITY AND MAX_PRIORITY?

Answer Choices

- A: 0 & 256
- B: 0 & 1
- C: 1 & 10
- D: 1 & 256

Q. No. 28

Question:

What notifyAll() method do?

Answer Choices

- A: Wakes up one threads that are waiting on this object's monitor
- B: Wakes up all threads that are not waiting on this object's monitor
- C: Wakes up all threads that are waiting on this object's monitor
- D: None of the above

Q. No. 29

Question:

What is synchronization in reference to a thread?

Answer Choices

A: It's a process of handling situations when two or more threads need access to a shared resource

B: It's a process by which many thread are able to access same shared resource simultaneously

C: It's a process by which a method is able to access many different threads simultaneously

D: It's a method that allow too many threads to access any information the require

Q. No. 30

Question:

Which of the following are methods of the Thread class?

I. yield()

II. sleep(long msec)

III. go()

IV. stop()

Answer Choices

A: (I), (II) and (IV)

B: (I) and (III)

C: Only (III)

D: All of the mentioned above

Q. No. 31

Question:

What will be the output of the following Java program?

```
import java.net.*;
```

```
class networking {  
    public static void main(String[] args) throws UnknownHostException {  
        InetAddress obj1 = InetAddress.getByName("cisco.com");  
        System.out.print(obj1.getHostName());  
    }  
}
```

Answer Choices

- A: cisco
- B: cisco.com
- C: www.cisco.com
- D: none of the mentioned

Q. No. 32

Question:

How many ports of TCP/IP are reserved for specific protocols?

Answer Choices

- A: 10
- B: 1024
- C: 2048
- D: 512

Q. No. 33

Question:

Which of the following is not a JDBC connection isolation levels?

Answer Choices

- A: TRANSACTION_NONE

- B: TRANSACTION_READ_COMMITTED
- C: TRANSACTION_REPEATABLE_READ
- D: TRANSACTION_NONREPEATABLE_READ

Q. No. 34

Question:

Which of the following is advantage of using PreparedStatement in Java?

Answer Choices

- A: Slow performance
- B: Encourages SQL injection
- C: Prevents SQL injection
- D: More memory usage

Q. No. 35

Question:

Which of the following is method of JDBC batch process?

Answer Choices

- A: setBatch()
- B: deleteBatch()
- C: removeBatch()
- D: addBatch()

Q. No. 36

Question:

Which method Drops all changes made since the previous commit/rollback?

Answer Choices

- A: public void rollback()
- B: public void commit()
- C: public void close()
- D: public Statement createStatement()

Q. No. 37

Question:

On which of these does annotations can be used on in Java 8?

Answer Choices

- A: Local variables
- B: Super classes
- C: Generic types
- D: All of these

Q. No. 38

Question:

What needs to be implemented to use lambda expression ?

Answer Choices

- A: Functional interface
- B: Functional class
- C: Functional method
- D: Functional object

Q. No. 39

Question:

What will be the output of the following Java program?

```
class X {  
    int a;  
    double b;  
}  
  
class Y extends X {  
    int c;  
}  
  
class Output {  
    public static void main(String args[]) {  
        X a = new X();  
        Y b = new Y();  
        Class obj;  
        obj = b.getClass();  
        System.out.print(obj.getSuperclass());  
    }  
}
```

Answer Choices

- A: X
- B: Y
- C: class X
- D: class Y

Q. No. 40

Question:

How private method can be called using reflection?

Answer Choices

A: getDeclaredFields

B: getDeclaredMethods

C: getMethods

D: getFields