Proceedings of the International Conference on Electronics and Renewable Systems (ICEARS 2022)
IEEE Xplore Part Number: CFP22AV8-ART; ISBN: 978-1-6654-8425-1

Image Processing based RTO Number Plate Recognizer

Mounica B
Department of Information Science and Engineering
New Horizon College of Engineering
Bangalore, India
premkumarmounica@gmail.com

Suraj
Department of Information Science and Engineering
New Horizon College of Engineering
Bangalore, India
suraj.nhceise@gmail.com

Sujay M
Department of Information Science and Engineering
New Horizon College of Engineering
Bangalore, India
sujay.redmi@gmail.com

2022 International Conference on Electronics and Renewable Systems (ICEARS) | 978-1-6654-8425-1/22/$31.00 ©2022 IEEE | DOI: 10.1109/ICEARS53579.2022.9752124

Abstract **– Image Processing based RTO Number Plate Recognizer. It has become more necessary in recent years to assist in the effective identification of car license plates without the use of significant human resources. There are various reasons for their rising prominence. The number of automobiles on the road is growing, and every one of them has a license plate. The fast improvement of the use of digital image processing technologies has also enabled the detection and identification of objects license plates more quickly. The entire procedure might be completed in less than 50 milliseconds. This results in a frame rate of 20 frames per second, which is sufficient for processing real-time video feeds. A wide range of operators benefit from vehicle identification. Government authorities may use it to track down automobiles implicated in crimes, check if yearly taxes have been paid, and identify those who break traffic laws. The Japan, Germany, United States, Italy, France, and the United Kingdom are among the countries that have signed the agreement. They were all successfully executed. They use RNPR for traffic management.**

Keywords-*Vehicle, License, Number Plate Scanner, Frames, Real Time.*

I. INTRODUCTION

Image Processing based RTO Number Plate Recognizer(RNPR) is a software program that is used to scan the number from the number plate. This concept is used in the roads, tolls, traffic etc. This helps the police or traffic police to detect the traffic violation, track crime cases, making automated toll charge. This system also helps in parking system where software registers vehicle number automatically. While departing, the cost paid against the time.

RNPR recognizes the number plate from the image or video stream. Accuracy and speed Quality differ from RNPR systems that already exists. In this system, there are many factors that affects recognition of number plates technologically and naturally. Technologically pixel resolution, accuracy, speed needs to be taken into consideration and measure control management. Naturally system and cameras should withstand any weather conditions. The system proposed carry over all the factors and work precisely. Even though there are elements that influence speed performance, such as the pixel resolution of license plate photos, comparing speed performance is easier.

Fig 1.1 Car Number Plate.

II. LITERATURE SURVEY

- Anuja, P. N., 2011. In this paper, Two neural network techniques and two recognition approaches are followed for character recognition of license execution method is used for neural network training so that accuracy is higher.
- AmrBadr et al. and colleagues In this paper, Morphological operations, Histogram manipulation and edge diversity techniques are used for character recognization and locating plate. Artificial Neural Network are used for character classification.
- Abd KadirMahamad In this paper,OCR(Optical Character Recognition) and image processing is used for recognizing characters in the number plate.LABVIEW software provides space to create trainng software.
- Kuldeepak et al. In this paper, The level of accuracy and precision has been introduced. The most required

feature in ALPR system .this system can be used when the road is occupied with number of vehicles parked or passing through. The system recognizes a lot of number of plates simultaneously.

In this paper, Optimizing different parameters, they achieved and exactness of 98%.

- Nquwi and Lim (2015) numerous tactics for identifying number plates were investigated. The identification rates in excellent quality transition based segmentation techniques to pictures were found to be high. Screening and morphological detection of number plates, as well as back-networks for recognition, have been suggested. neural propagation
- Masood et al. (2017) is a completely automated system for detecting and recognising licence plates. It was created with the help of a series of Deep CNNs, when used in conjunction with accurate and efficient CNNs, can handle a broad range of licences. different sizes, backgrounds, and typefaces. This examined a wide range of topics related to number plate recognition and provided solutions to all issues. The study, however, is limited to photographs rather than videos.
- Ian J. Goodfellow et al. (2014) For identifying arbitrary multi-digit numerals, a deep convolutional neural network that works directly on the picture pixels is used from Satellite Image data presented a unified strategy to integrate localization, segmentation, and recognition procedures. To train massive and distributed neural networks on high-quality pictures, they used the Dist. Belief implementation of deep neural networks. They achieved the greatest results using a deep convolutional network design with eleven hidden layers. They tested their method on a publically accessible dataset and were able to recognise whole street numbers with over 96 percent accuracy. On a per-digit recognition challenge, they outperformed the current state of the art, achieving 97.84 percent accuracy. This paper was not designed primarily for recognising licence plates. It basically discussed the method for segmenting and recognising characters from street sign photos. This research, on the other hand, served as a catalyst for the use of deep neural networks for the purpose when the licence was identified plates in cars.

Fig 2.1 Number Plate Recognizer.

- Wang et al. (2015) ALPR was solved using the Scale-Invariant Features Transform (SIFT) approach. Without any pre-processing, there is a difficulty with Chinese licence plates. The proposed technique has been proved to be a person who is resistive to a tough task partial coverage, and faulty characters, as well as backdrop, scaling, tilts, contamination, and illumination variations. The accuracy of Chinese character identification was 96 percent, while segmentation precision was almost perfect. Apart from that, the execution is terrible. It was real-time since the processing time was less than 268 milliseconds. It is unknown, however, if the same findings can be produced if the procedure is applied to a larger group of people.



Fig 2.2 Number Plate Character Regonizer.

III. PROSPOSED SYSTEM

The basic goal is to create software that reads and recognizes license plate information, translates it to text, and displays it in written form. The software for the recommended system employs machine learning and artificial intelligence concepts such as deep learning and neural networks can recognize and recognize data about user input and transform it to digitized text format. The purpose is to determine the location of a person in relation to the supplied image. To avoid any issues with individual detection, it is necessary to select the most appropriate object detection model. A high-resolution photography camera was used to take the image of the automobile. Using an infrared (IR) camera is a superior option. The camera may be rolled and tossed in relation to the license plates.

Preprocessing is a set of methods used to improve the quality of data. a photograph to improve its quality It's a crucial and typical phase in the process. The creation of any computer vision system. Preprocessing is divided into 2 in the present system, there are two steps: Resize - The picture size of the camera may be enormous, causing the system to slow down. It will be cropped to a more manageable the aspect ratio Color Space Conversion - Images recorded with infrared or photography equipment will be raw or converted to one of a variety of multimedia formats. These images are usually in RGB format. mode, with three channels. (viz. red, green and blue).



Fig 3.1 Car Number Plate Detection.

The license plate extractor is the most important part of an automated license plate recognition system. We use a variety of approaches on an image to recognize and extract the license plate in this procedure. This procedure is divided into two parts.Haar-like features are used to detect number plates. Haar-like features are employed in image processing techniques to recognize objects in images. The Haar-like characteristics are used when our recommended system is designed to detect simply license plates, and no additional processing is done. It has to be scaled to a proper aspect ratio. Convert Color Space - Raw infrared or photographic pictures will be converted into one of many multimedia formats. These photographs are usually taken in three-channel RGB mode.

1.A binary image is searched for four connected points.

2.The width/height ratio is compared to the connected locations.

3. The image's License Plate region is extracted.

4. The extracted license plate undergoes transformation. requires or it takes less time to execute and uses less memory, and it has a high efficiency ratio.

The image processing is done in the part after that. To eliminate extraneous data, we removed the license plate. After character segmentation, the retrieved license plate only contains the characters that belong to the license number. The width-to-height ratios on the recovered number plate were likewise matched to the contours identified. Finally, the selected blobs are sent into an optical character recognition (OCR) engine, which outputs the license number in ASCII.

III. SYSTEM ARCHITECTURE

The system should be designed to take the license plate as a simple image in any format, such as jpg, jpeg, or png. Following that, the image is pre-processed, which entails separating the entire image into small sub-pictures, each of which handles individual characters, removes noise, and converts the image to its ascii values.



Fig 3.2 Preprocessing of Characters.

The next stage is to reorganize and classify the information

of the license plate using various machine learning techniques such as deep learning.

The last phase is showing the picture input, which will be transformed into digital text format, as well as learning neural networks and other techniques to ensure proper input recognition.



Fig 3.3 Flow Chart.

IV. CONCLUSION AND FUTURE WORK

The aim of the Automated License Plate Recognition System is to convert license plate data into digital text format using different machine learning principles such as deep learning, neural networks, and so on, and to convert it into digitalized text format. The initial step of the project entailed doing a literature review and determining the approach utilized to attain the project's aim, as well as providing a brief presentation on the project to the appropriate guides. The next step entails creating software by writing code in Python 3 and using APIs to achieve the project's goals, as well as validating the system's efficiency and correctness.

Our method enables the captured license plate to be passed and identified in a single forward pass, resulting in excellent accuracy. We also show that in our situation, the VGGNet is a deeper architectural network capable of learning more discriminating features that are resilient to varied lighting, rotation, and distortions in the picture, resulting in improved recognition accuracy.

V. ACKNOWLEDGEMENT

By mentioning the individuals who made it possible, whose continual direction and support crowned our efforts with success, the happiness and exhilaration that accompanies the successful completion of any endeavour would be unimaginable.

I'd like to convey my gratitude to Mrs. Mounica B for her assistance with the project. I also want to convey my gratitude to our Principal, Dr. Manjunatha, for enabling me to work on the Image Processing based on RTO Number Plate Recognizer project (RNPR). Mrs. Mounica B. oversaw the completion of this project. I'd want to express my gratitude to all of the participants for their unwavering support and guidance. Finally, I'd like to express my gratitude to the Department of Information Science and Engineering's teaching faculty and non-teaching staff for their assistance to us, as well as my friends who assisted us during the project work..

REFERENCES

[1] Patil S., Anandhi R.J, New horizon college of engineering, “Diversity based self-adaptive clusters using PSO clustering for crime data”, International Journal of Information Technology (Singapore) 2020, Scopus.

[2] K. Beznosov, ―Flooding and Recycling Authorizations,‖ Proc. New Security Paradigms Workshop (NSPW ’05), pp. 67-72, Sept. 2005

[3] Marko Komlenovic, Mahesh Tripunitara, Toutik Zitouni ―An Empirical Assessment of Approaches to Distributed Enforcement in

Role - Based Access Control ― Proc .of ACM conference on Data & Application Security & Privacy , 2011

[4] R. L. Krutz, and R. D. Vines. Cloud Security: A Comprehensive Guide to Secure Cloud Computing. Wiley Publishing, Inc, 2010.

[5] Vandana C.P., Chikkamannur A.A. New horizon college of engineering" Feature selection: An empirical study", International Journal of Engineering Trends and Technology, 69, 2021, Scopus.

[6] Kalaivanan S. New horizon college of engineering "Quality of service (QoS) and priority aware models for energy efficient and demand routing procedure in mobile ad hoc networks",2021, Scopus

G. Boss, P. Malladi, D. Quan, L. Legregni, and H. Hall.

[7] Cloud computing. IBM White Paper, 2007, Retrieved 24 July 2011from http://download.boulder.ibm.com/ibmdl/pub/software/dw/wes/hipods/Cloud_computing_wp_final_8Oct.pdf.

[8] Shobha T., Anandhi R.J. New horizon college of engineering "Adaptive strategy operators based GA for rule discovery", 2020, Scopus

[9] Shobha, T., & Anandhi, R. J.(2020).Robust Classifier Design with Ensemble Neural Network using Differential Evolution. International Journal of Engineering Trends and Technology,ISSN: 2231-5381 ,174-181

[10] Sowmya, H.K., & Anandhi, R. J.(2020).DCUIS: An Exhaustive Algorithm for PreProcessing of Web Log File.

[11] Prashanth,P., Anandhi, R. J.(2019).A Review on Data Science Approach Towards Decision-Making.International Journal of Scientific Research in Computer Science, Engineering and Information Technology,9(4),692-697

[12] Patil, S., & Anandhi, R. J. (2020).Diversity based self-adaptive clusters using PSO clustering for crime data . International Journal of Information Technology, 12, 319–327

[13] Shobha, T., & Anandhi, R. J. (2020). Adaptive strategy operators based GA for rule discovery. International Journal of Information Technology, 12(4), 1365-1375.

[14] Shobha, T., & Anandhi, R. J. (2020). Ensemble Neural Network Classifier Design using Differential Evolution. Alliance International Conference on Artificial Intelligence and Machine Learning,300-309

[15] HK, S., & Anandhi, R. J. Web Usage Mining Algorithms: A Survey.

[16] Patil, S., & Jayadharmarajan, A. R. (2020). Clustering with Modified Mutation Strategy in Differential Evolution. Pertanika Journal of Science & Technology, 28(1)

[17] Prashanth, Paul.,& Prashanth, V., & Prem Kumar, &Kalaivanan, S.(2020).A Machine Learning Perspective towards Detecting Fake News.International Journal for Research in Applied Science and Engineering Technology,5(8),1-5

[18] Arvind, S. K.(2020).Personalized Web Search: A Review.International Journal of Scientific Research in Computer Science, Engineering and Information Technology,11(4),31-34

[19] Selvarani, R., & Mangayarkarasi, P. (2015). A Dynamic Optimization Technique for Redesigning OO Software for Reusability. ACM SIGSOFT Software Engineering Notes, 40(2), 1-6.

[20] Mangayarkarasi, P., & Muhammad Shahbaz, K., & Sunil, K., & Pramod, S.(2020).Smart Vision System for Visually Impaired People.International Research Journal of Engineering and Technology,4(7),943-946.

[21] Mangayarkarasi, P.,& Akhilendu., & Anakha, A., & Meghashree, K., & Faris, A.(2020). Fake Indian Currency Note Recognition.International Research Journal of Engineering and Technology,5(7),4766-4770.

[22] Mangayarkarasi, P. Automated Software Design Reusability using a Unique Machine Learning Technique.

[23] Mangayarkarasi, P. Automated Software Design Reusability using a Unique Machine Learning Technique. Srinivasan, L., & Nalini, C.(2019).Abadent Object Detection & IOT Based Multi-sensor Smart Robot for Surveillance Security System.International Journal of Scientific Research in Computer Science, Engineering and Information Technology,9(4),669-677.

[24] Vachan, B., & , Deepthi, S., & Geetha, B., Srinivasan, L.(2020).Landmine Detection using Wireless Robot.International Research Journal of Engineering and Technology,4(7),641-648.

[25] Janav, S., Monisha, S. M., Pavan Kumar, M. G., & Srinivasan, L. Solar based Automatic Speed Control of Vehicles in Sensitive Zones.

[26] Karthiyayini, J., & Prapul kumar, A., & Pawan Jenu, & Pawan kumar, S.,(2020). Food and Nutrition Evaluation for the Visually Impaired. International Journal for Research in Applied Science & Engineering Technology (IJRASET),5(8), (1893-1896)

[27] Karthiyayini, J., & Dhanya Shree, & Simran Killedar, & Ummadi Pawan Kumar, & Kishan Kumar,(2020). Charging station for E-Vehicles using solar with IOT. International Journal for Research in Applied Science & Engineering Technology (IJRASET), 5(8), (2040-2043).

[28] Karthiyayini, J., & Bikash Prajapati, & Aaditya Chaudhary, (2020). Android based Hearing Aid with Gestures. International Journal for Research in Applied Science & Engineering Technology (IJRASET), 5(7),(2052-2058).

[29] Karthiyayini, J., & Pramod, M., & Vamsipriya, A., & Armaan Sheriff, & Gaurav Anand, (2020). Assisting Visually Impaired for Shopping using OCR(Optical Character Recognition), International Journal for Research in Applied Science & Engineering Technology (IJRASET), 5(7), (1324-1327).

[30] Karthiyayini, J.,(2020). Robot Assisted Emergency and Rescue System with Wireless Sensors. International Journal of Research and Scientific Innovation, 12(4), (28)

[31] Karthiyayini, J.,(2020). An Industrial Helmet for Air Quality and Hazardous Event Detection using Smart Band. International Journal for Research in Applied Science & Engineering Technology (IJRASET), 2(6), (1575-1578).

[32] Kalaiselvi, S., & Karthiyayini, J., (2020). An Effective System for Automatic Detection & Prevention of Cybercrime in Micro Blog Systems. International Journal for Research in Applied Science & Engineering Technology (IJRASET), 2(5), (1581-1584).

[33] Shanmugam Shobha, M., & Rekha B Venkatapur, (2020). Enhancement of Signature Schemes for Heightening Security inBlockchain. International Journal of Scientific Research in Computer Science, Engineering and Information Technology © 2019 IJSRCSEIT, 9(4), (645-656).

[34] Shanmugam Shobha, M., & Nymisha, P., & Shanmathi Kailasam, & Bhawik Tanna, (2020). Covid-19 Visualizer. International Journal for Research in Applied Science and Engineering Technology, 5(8), (2796-2804).

[35] Shobha, M., S., & Deepa, S., & Ashwini Singh, A., & Pavithra, P., S., (2020). Waste Bifurcation. International Journal of Scientific Research in Computer Science, Engineering and Information Technology, 2(6), (453-459).

[36] Shanmugam Shobha, M., & Vijay Hegde, S., & Yashwanth, C., V., & Chandra Kiran, S.,(2020). Crop Yield Production using Machine Learning Algorithm. International Research Journal of Engineering and Technology (IRJET), 4(7), (3328-3330).

[37] Shobha, M., S., & Rajashekar Hotti, & Kavya, & Kiran, & Vishrutha, (2019). e-Andharakolu. International Journal for Research in Applied Science & Engineering Technology (IJRASET), 5(7), (1860-1862).

[38] Vandana, C.P., & Ajeeth A. Chikkamannur, (2020). Feature Selection: An empirical Study. International Journal on Emerging Trends in Technology (IJETT), 2(69), (165-170).