

Lift 08




1 Hoist Way Plan At "G" Floor (Rear) - ELEV-L8

1 : 30




2 Hoist Way Plan At "01, 01.1" Floor (Front & Rear) - ELEV-L8

1 : 30




3 Hoist Way Plan At "3" Floor (Front) - ELEV-L8

1 : 30




4 Machine Plan Level - ELEV-L8

1 : 30




5 Hoist Way Pit Plan - ELEV-L8

1 : 30




6 Hoist Way Hook Plan - ELEV-L8

1 : 30



KEY PLAN



KEY PLAN

GENERAL NOTES: ALL LEVELS SHOWN ON THE DRAWING ARE CHART DATUM LEVELS PROJECT LEVEL+0.000 = +3.700 CHART DATUM.

DRAWING / DOCUMENT REFERENCE

NO.	NUMBER	TITLE	REV.
01	L-08	JOH-HLA-S4-01-056-XXX-01-DR-AR-011110	F00
02		JOH-BHC-S4-01-056-XXX-XX-DR-VT-015001	
03		JOH-BHC-S4-01-056-XXX-XX-DR-VT-010001	
04		JOH-BHC-S4-01-056-005-ZZ-DR-VT-013001	
05		JOH-BHC-S4-01-056-005-ZZ-DR-VT-011001	
06		TQ-OPE-MBL-JCDC-00222 (LIFT SHAFT PIT LEVELS)	
07		JCD-OPE-MBL-MR-003-NMR-601-03	
08		TR-OPE-MBL-JCDC-05193-01	
09		TQ-OPE-MBL-JCDC-00974 (CONFIRMATION OF LIFT DOOR FINISHES)	

ELEV-L8 ELEVATOR GENERAL SPECIFICATIONS

LIFT NUMBER	ELEV.L8
CABIN INTERNAL SIZE(WXDXH)	1850X1850X2600
CAPACITY	1600 Kg
CLEAR ENTRANCE	1200X2400
CONTROL	VVVF
CONTROL SYSTEM	SIMPLEX FULL COLLECTIVE
COUNTERWEIGHT SAFETY	YES
DOOR TYPE	CLD1
EMERGENCY EXITS	1
FRONT OPENING	2
HEAT RELEASE	1616Kcal/h
HOISTWAY SIZE(HWXHD)	3200X2400
LIFT NUMBER	ELV.L8
LIGHTING SUPPLY	220V 60HZ
MIN.FLOOR HEIGHT	3000
NO. OF FLOOR	4
NO. OF OPENINGS	4
NO. OF UNITS	1
NON-STOP FLOORS	1
NON-STOP FLOORS NAMES	LEVEL-2
NUMBER OF PASSENGERS	21P
OVERHEAD	5400mm
PIT DEPTH	1700mm
POWER SUPPLY	380V 3P 60HZ
PRODUCT NO.	GeN2 MRL
RATED CURRENT(A)	25.6
REAR OPENING	2
ROPING	2:1
SPEED(m/s)	1.00
START CURRENT(A)	28.4
SYSTEM POWER(KW)	13.5
TRAVEL	13825mm
USE	PUBLIC LIFT

REACTIONS FORCE (KN)

Car side rail	CWT guide rail	Pit reaction
R= 41	R= 48	U= 165
R1= 2.47	R1= 1.13	V= 132
R2= 3.14	R2= 0.3	

LEGEND

HW	HOIST WAY WIDTH
HD	HOIST WAY DEPTH
CRH	CAR ROUGH HEIGHT
DOOR OP	DOOR OPENING
ROP	ROUGH OPENING
CW	CAR WIDTH
CD	CAR DEPTH
CH	CAR HEIGHT
DBG	DISTANCE BETWEEN GUARDRAIL
CWT	COUNTERWEIGHT
E&I PANEL	EMERGENCY & INSPECTION PANEL
G.O.V	CAR GOVERNOR
COP	CAR OPERATING PANEL
HBP	HALL POSITION INDICATOR
	CONCRETE
	BLOCK

NOTE No.:
FRONT WALLS,FINISHES & ARCHITRAVES TO BE BUILT (BY CLIENT) AFTER THE INSTALLATION OF THE (LANDING) EXTERNAL DOORS.

IMPORTANT NOTE FOR MAIN CONTRACTOR.
FREEDOM OF ACCESS MUST BE AVAILABLE FOR POINT OF ENTRY INTO THE BUILDING UP TO THE ELEVATOR HOIST WAY AND THE FRONT WALLS OF THE HOIST WAY AT MAIN FLOOR TO BE LEFT OPEN FOR FULL WIDTH AND HEIGHT TO PERMIT ENTRY OF OUR EQUIPMENT.

REVIEWED BY DISCIPLINE	SIGNATURE	DATE
ARCHITECTURAL	MT	2026-07-19
STRUCTURAL	PC	2026-07-19
MECHANICAL	SH.A	2026-07-19
PLUMBING	SH.A	2026-07-19
ELECTRICAL	SH.A	2026-07-19
ICT	SH.A	2026-07-19
ADDITIONAL DISCIPLINES TO BE ADDED AS REQUIRED		

REV	DATE	BY	DESCRIPTION	CHK	APD
S01	08-JULY-2026	AK	Shop Drawing	SS	AB

DRAWING STATUS: CONSTRUCTION SHOPDRAWING

CLIENT: Jeddah Central Development Co.

LEAD DESIGN CONSULTANTS: Henning Larsen

LEAD ENGINEERING CONSULTANT: BURO HAPPOLD

PROJECT SUPERVISION CONSULTANT: KHATIB & ALAMI

GENERAL CONTRACTOR: MBL

REVIEWER: dar

SUB CONTRACTOR: OTIS ELEVATOR COMPANY SAUDI ARABIA LIMITED

PROJECT: JEDDAH OPERA HOUSE

TITLE: OPERA BUILDING
VERTICAL TRANSPORTATION
PART 001
PLANS - LIFT SHAFT (L08)

SCALE @ A1:	CHECKED:	APPROVED:
As indicated	SS	AB

PROJECT No:	DESIGNED:	DRAWN:	DATE:
440014	AK	PR	08-JULY-2026

DRAWING No: JOH-OTS-S5-01-056-001-ZZ-SD-VT-011040 REV: S01

MODEL FILE REF: JOH-OTS-S5-01-056-XXX-ZZ-M3-VT-010001

© JCDC

CONTROLLED COPY — MBL IFC — JEDDAH OPERA HOUSE PROJECT — QA/QC Department — MBL QAM — Engr. Mudassar Altaf

SCEC – K&A Reviewed
Civil
Arch.
Elec.
ELV.
Mech.
Acoustic

SCEC – K&A Reviewed
KHATIB & ALAMI — SAUDI CONSOLIDATED ENGINEERING COMPANY
Code B – Approved with Comments (Do not Resubmit)

K&A COMMENTS


COMPLY WITH CRS COMMENTS


Disclaimer :K&A Khatib Alami – Saudi Consolidated Engineering review and/or approval does not relieve the Contractor from obligation to adhere to Contract Documents. The Contractor remains fully responsible for the accuracy, completeness, coordination, and compliance of all submitted documents and works.

dar — Checked and Reviewed

Refer to Attached CRS:
SD-OPE-MBL-JCDC-01849-00 k&A comments (lift 8)

the Note provided on the drawing is rejected and the word (by client)shall be replaces to (by main contractor):






1.HALL BUTTON(HBP)
116X400 THROUGH HOLE ,IN THE DISCRETIONARY FLOOR
3. PIT INSPECTION RESET SW
Φ40mm ONLY FOR PIT LANDING
4.E&I PANEL.


1 Door Elevation At "G" Floor REAR - ELEV-L8

1 : 25




2 Door Elevation At "1" Floor FRONT - ELEV-L8


1 : 25



3 Door Elevation At "3" Floor FRONT - ELEV-L8

1 : 25





KEY PLAN

GENERAL NOTES: ALL LEVELS SHOWN ON THE DRAWING ARE CHART DATUM LEVELS PROJECT LEVEL+0.000 = +3.700 CHART DATUM.

DRAWING / DOCUMENT REFERENCE

NO.	NUMBER	TITLE	REV.
01	L-08	JOH-HLA-S4-01-056-XXX-01-DR-AR-011110	F00
02		JOH-BHC-S4-01-056-XXX-XX-DR-VT-015001	
03		JOH-BHC-S4-01-056-XXX-XX-DR-VT-010001	
04		JOH-BHC-S4-01-056-005-ZZ-DR-VT-013001	
05		JOH-BHC-S4-01-056-005-ZZ-DR-VT-011001	
06		TQ-OPE-MBL-JCDC-00222 (LIFT SHAFT PIT LEVELS)	
07		JCD-OPE-MBL-MR-003-NMR-601-03	
08		TR-OPE-MBL-JCDC-05193-01	
09		TQ-OPE-MBL-JCDC-00974 (CONFIRMATION OF LIFT DOOR FINISHES)	

REVIEWED BY DISCIPLINE	SIGNATURE	DATE
ARCHITECTURAL	MT	2026-07-19
STRUCTURAL	PC	2026-07-19
MECHANICAL	Sh.A	2026-07-19
PLUMBING	SH.A	2026-07-19
ELECTRICAL	SH.A	2026-07-19
ICT	SH.A	2026-07-19
ADDITIONAL DISCIPLINES TO BE ADDED AS REQUIRED		

REV	DATE	BY	DESCRIPTION	CHK	APD
S01	08-JULY-2026	AK	Shop Drawing	SS	AB

DRAWING STATUS: CONSTRUCTION SHOPDRAWING

CLIENT: شركة وسط جدة للتطوير Jeddah Central Development Co.

LEAD DESIGN CONSULTANTS: Henning Larsen

LEAD ENGINEERING CONSULTANT: BURO HAPPOLD

PROJECT SUPERVISION CONSULTANT: KHATIB & ALAMI

GENERAL CONTRACTOR: MBL

REVIEWER: dar

SUB CONTRACTOR: OTIS ELEVATOR COMPANY (SAUDI ARABIA) LIMITED — OTIS

PROJECT: JEDDAH OPERA HOUSE

TITLE: OPERA BUILDING
VERTICAL TRANSPORTATION
PART 001
ELEVATIONS - LIFT SHAFT (L08)


SCALE @ A1:	CHECKED:	APPROVED:
As indicated	SS	AB

PROJECT No:	DESIGNED:	DRAWN:	DATE:
440014	AK	PR	08-JULY-2026

DRAWING No: JOH-OTS-S5-01-056-001-ZZ-SD-VT-012040 REV: S01

MODEL FILE REF: JOH-OTS-S5-01-056-XXX-ZZ-M3-VT-010001


© JCDC



7 Door Elevation At "01.1" Floor REAR - ELEV-L8


1 : 25

CONTROLLED COPY
MBL IFC
JEDDAH OPERA HOUSE PROJECT
QA/QC Department
MBL QAM
Engr. Mudassar Altaf




4 Cross-Section View A-A - ELEV-L8

1 : 25



5 E&I SPOT DETAIL - ELEV-L8

1 : 25



6 Cross-Section View B-B - ELEV-L8

1 : 25

SCEC – K&A Reviewed
KHATIB & ALAMI
SAUDI CONSOLIDATED ENGINEERING COMPANY
Code B – Approved with Comments
(Do not Resubmit)

SCEC – K&A Reviewed
Civil
Arch.
Elec.
ELV.
Mech.
Acoustic

K&A Comments :


call button centerline height of 1100 mm is ok subject that the installation remains fully compliant with EN 81-70 and the applicable accessibility requirements

CCOMPLY WITH CRS COMMENTS

Disclaimer :K&A Khatib Alami – Saudi Consolidated Engineering review and/or approval does not relieve the Contractor from obligation to adhere to Contract Documents. The Contractor remains fully responsible for the accuracy, completeness, coordination, and compliance of all submitted documents and works.

dar Checked and Reviewed
Refer to Attached CRS:
SD-OPE-MBL-JCDC-01849-00 k&A - (lift 8)

Simplex Units



LEGEND	
HW	HOIST WAY WIDTH
HD	HOIST WAY DEPTH
CRH	CAR ROUGH HEIGHT
DOOR OP	DOOR OPENING
ROP	ROUGH OPENING
CW	CAR WIDTH
CD	CAR DEPTH
CH	CAR HEIGHT
DBG	DISTANCE BETWEEN GUARDRAIL
CWT	COUNTERWEIGHT
E&I PANEL	EMERGENCY & INSPECTION PANEL
G.O.V	CAR GOVERNOR
COP	CAR OPERATING PANEL
HBP	HALL BUTTON POSITION INDICATOR