



Issue for Construction

Date 31.01.2024

Bespoke Furniture Material & Finishes Schedule

Rev.Date 31.01.2024
Rev. No. F00

- General note:
- 1. All reference manufacturers, brands and products are representative of the design intent as referenced in the design drawings, specifications, schedules and reports. They may be substituted under a Contractor's Proposal provided that they are accepted by the Designers and that they conform to any specified performance requirements.
 - 2. All divergence from the reference products/ materials are to be formally notified in writing to the designer. The Designer shall have not less than 10 working days to respond to all proposals. The Designer reserves the right to reject the proposed alternative product or material.
 - 3. All suggested alternative samples are to be issued to the Designer for review at least 10 working days prior to the submission of a formal Contractor's Proposal. Acceptance of the sample by the Designer does not relieve the Contractor of conformance of the installation works to the Design Intent.
 - 4. Image swatches are indicative only and are not to be used for colour matching, sampling, or benchmarking.
 - 5. Refer to the design drawings for locations of finishes.

Category	Code
Metal	MT-XX
Stone	ST-XX
Upholstery	UPH-XX
Wood	WO-XX
Wall Panels	WP-XX

TAG	IMAGE	BRAND	PRODUCT / MODEL	MATERIAL	COLOR / FINISH	SIZE	NOTES
Metal							
MT-01		RIMEX METALS (or acceptable equivalent)	METAL SHEET	STAINLESS STEEL	BRUSHED	REFER TO ROOM DRAWINGS	
MT-01A		RIMEX METALS (or acceptable equivalent)	METAL SHEET	STAINLESS STEEL	MIRROR POLISHED	REFER TO ROOM DRAWINGS	
MT-03		DOONE METALS (or acceptable equivalent)	PERFORATED METAL SHEET Model: QG 10-15, SQUARE HOLES	STEEL 44.4% TRANSPARENCY	MATT BLACK POWDERCOAT RAL 9005	THICKNESS: 2 MM REFER TO ROOM DRAWINGS	
MT-04		OBERFLEX (or acceptable equivalent)	Collection: METAL D'OBERFLEX Product: HAMMERED	ALUMINIUM FOIL LAMINATED	Color: BRASS BRUSHED 4042 Finish: BRUSHED	REFER TO ROOM DRAWINGS	
MT-05		LOST COWBOYS.COM (or acceptable equivalent) sj@diwarpe.com (Dubai)	(or BRASS SHEET Collection: Patina Metals Design: Brass Satin Aged	SOLID BRASS	Color: BRASS SATIN AGED Finish: BRUSHED Coating: Matte - 2pack	REFER TO ROOM DRAWINGS	
MT-06		KRISKADECOR (or acceptable equivalent)	CHAIN MESH CURTAIN WITH CEILING MOUNTED TRACK QUAD TRAVERSING. Model: SNINA Half Drop	ANODIZED ALUMINUM LINKS	Color: SAND Finish: 228 - SATIN	REFER TO ROOM DRAWINGS	
MT-07		DOONE METALS (or acceptable equivalent)	PERFORATED METAL SHEET Model: HV 6-6.7, HEXAGONAL HOLES	STEEL 80.2% TRANSPARENCY	MATT BLACK POWDERCOAT RAL 9005	THICKNESS: 1.5 MM REFER TO BESPOKE FURNITURE DRAWINGS	
MT-08		RIMEX METALS (or acceptable equivalent)	METAL SHEET T22™ Granex™	Model: AGED BRONZE METAL SHEET	T22™ QUARTZ BRONZE GRANEX M1A™ WITH CERNOTEX ANTI FINGER PRINT COATING	THICKNESS: 2 MM NOMINALLY REFER TO ROOM DRAWINGS	FOR BESPOKE DOOR LINING IN VIP AREAS
Stone							
ST-01		LEVANTINA (or acceptable equivalent) Email: info@levantina.com	BLACK STONE	PIETRA GREY MARBLE	Finish: HONED	THICKNESS: 20mm nominally	TO BE SEALED AS PER MANUFACTURER'S SPECIFICATIONS
ST-02		Moser & Moser (or acceptable equivalent) Phone: +45 5353 4422	LIMESTONE	ALFURAT CREAMO LIGHT	Color: ROYAL BEIGE Finish: HONED, C220	THICKNESS: 20mm nominally	TO BE SEALED AS PER MANUFACTURER'S SPECIFICATIONS
ST-06		E-NIELSEN (or acceptable equivalent) Contact: Ole Grage Email: og@e-nielsen.dk	RED STONE	RED TRAVERTINE	Finish: HONED, C220	THICKNESS: 20mm nominally	TO BE SEALED AS PER MANUFACTURER'S SPECIFICATIONS
ST-07		E-NIELSEN (or acceptable equivalent) Contact: Ole Grage Email: og@e-nielsen.dk	GREEN STONE	VERDE ALPI MARBLE	Finish: HONED, C220	THICKNESS: 20mm nominally	TO BE SEALED AS PER MANUFACTURER'S SPECIFICATIONS
ST-08		ANTOLINI (or acceptable equivalent) Email: INFO@ANTOLINI.IT	BEIGE CREAM STONE	CREMA MARFIL MARBLE TYPICALLY MITRED JUNCTION TO ALL STONE EDGES	Finish: HONED Sealant: MATT, CLEAR	THICKNESS: 20mm nominally SLAB FORMAT, 1-2mm ARIS REFER TO ROOM DRAWINGS	TO BE SEALED AS PER MANUFACTURER'S SPECIFICATIONS
ST-10		ANTOLINI (or acceptable equivalent) Email: INFO@ANTOLINI.IT	BLUE STONE Collection: EXCLUSIVE COLLECTION	EXPLOSION BLUE QUARTZITE	Finish: LUX@	THICKNESS: 20mm nominally	TO BE SEALED AS PER MANUFACTURER'S SPECIFICATIONS



Issue for Construction

Date 31.01.2024

Bespoke Furniture Material & Finishes Schedule

Rev.Date 31.01.2024
Rev. No. F00

- General note:
- 1. All reference manufacturers, brands and products are representative of the design intent as referenced in the design drawings, specifications, schedules and reports. They may be substituted under a Contractor's Proposal provided that they are accepted by the Designers and that they conform to any specified performance requirements.
 - 2. All divergence from the reference products/ materials are to be formally notified in writing to the designer. The Designer shall have not less than 10 working days to respond to all proposals. The Designer reserves the right to reject the proposed alternative product or material.
 - 3. All suggested alternative samples are to be issued to the Designer for review at least 10 working days prior to the submission of a formal Contractor's Proposal. Acceptance of the sample by the Designer does not relieve the Contractor of conformance of the installation works to the Design Intent.
 - 4. Image swatches are indicative only and are not to be used for colour matching, sampling, or benchmarking.
 - 5. Refer to the design drawings for locations of finishes.

Category	Code
Metal	MT-XX
Stone	ST-XX
Upholstery	UPH-XX
Wood	WO-XX
Wall Panels	WP-XX

TAG	IMAGE	BRAND	PRODUCT / MODEL	MATERIAL	COLOR / FINISH	SIZE	NOTES
ST-11		Antolini (or acceptable equivalent) Email: INFO@ANTOLINI.IT	BROWN MARBLE STONE	MAGIC BROWN MARBLE TYPICALLY MITRED JUNCTION TO ALL STONE EDGES	Finish: HONED Sealant: MATT, CLEAR Collection: Natural Stone	THICKNESS: 20mm nominally SLAB FORMAT, 1-2mm ARIS REFER TO BESPOKE FURNITURE DRAWINGS	TO BE SEALED AS PER MANUFACTURER'S SPECIFICATIONS
ST-12		Antolini (or acceptable equivalent) Email: INFO@ANTOLINI.IT	PURLE MARBLE STONE	VIOLA CALACATTA TYPICALLY MITRED JUNCTION TO ALL STONE EDGES	Finish: LUX Sealant: MATT, CLEAR Collection: Natural Stone	THICKNESS: 20mm nominally SLAB FORMAT, 1-2mm ARIS REFER TO BESPOKE FURNITURE DRAWINGS	TO BE SEALED AS PER MANUFACTURER'S SPECIFICATIONS
Upholstery							
UPH-03		To be specified	CAMEL LEATHER	LEATHER	CAMEL LEATHER, COLOR: TBC	REFER TO ROOM DRAWINGS	
UPH-04		KVADRAT (or acceptable equivalent)	Product: UPHOLSTERY Collection: TRIANGLE	Composition: 65% polyester filling 17% new wool 13% polyester 5% nylon	Color: ICE 0732	REFER TO ROOM DRAWINGS	
UPH-05		KVADRAT (or acceptable equivalent)	Product: UPHOLSTERY Collection: GENTLE 2	Composition: 60% new wool 20% polyester 20% nylon	Color: HARBOR 0873	REFER TO ROOM DRAWINGS	
UPH-06		KVADRAT (or acceptable equivalent)	Product: UPHOLSTERY Collection: MEMORY 2	Composition: 100% Trevira CS	Color: 0613	REFER TO ROOM DRAWINGS	
Wood							
WO-01		JOINER / CABINET MAKER TO SUPPLY	JOINER / CABINET MAKER TO SUPPLY	MAHOGANY, SOLID WOOD & VENEER	SAPELE, SANDED, 2 COATS OF TUNG OIL. VENEER SLICING: CROWN CUT. VENEER SHEETS TO BE MIXED TO AVOID MIRROR EFFECT. ALL EDGES TO BE SOLID WOOD. REFER TO DRAWING FOR SPECIFICATIONS REGARDING SOLID WOOD OR VENEER.	REFER TO ROOM DRAWINGS	
WO-02		JOINER / CABINET MAKER TO SUPPLY	JOINER / CABINET MAKER TO SUPPLY	TEAK	VENEER, TREATED FOR OUTDOOR USE VENEER SLICING: CROWN CUT	REFER TO ROOM DRAWINGS	
WO-05		JOINER / CABINET MAKER TO SUPPLY	PIN BOARD	CORK	Color: CORK	REFER TO ROOM DRAWINGS	



Issue for Construction

Date 31.01.2024

Bespoke Furniture Material & Finishes Schedule

Rev.Date 31.01.2024
Rev. No. F00

- General note:
- 1. All reference manufacturers, brands and products are representative of the design intent as referenced in the design drawings, specifications, schedules and reports. They may be substituted under a Contractor's Proposal provided that they are accepted by the Designers and that they conform to any specified performance requirements.
 - 2. All divergence from the reference products/ materials are to be formally notified in writing to the designer. The Designer shall have not less than 10 working days to respond to all proposals. The Designer reserves the right to reject the proposed alternative product or material.
 - 3. All suggested alternative samples are to be issued to the Designer for review at least 10 working days prior to the submission of a formal Contractor's Proposal. Acceptance of the sample by the Designer does not relieve the Contractor of conformance of the installation works to the Design Intent.
 - 4. Image swatches are indicative only and are not to be used for colour matching, sampling, or benchmarking.
 - 5. Refer to the design drawings for locations of finishes.

Category	Code
Metal	MT-XX
Stone	ST-XX
Upholstery	UPH-XX
Wood	WO-XX
Wall Panels	WP-XX

TAG	IMAGE	BRAND	PRODUCT / MODEL	MATERIAL	COLOR / FINISH	SIZE	NOTES
WO-06		JOINER / CABINET MAKER TO SUPPLY	JOINER / CABINET MAKER TO SUPPLY	ASH	ASH VENEER - TO MATCH ARCHITECTURAL FINISHES, VENEER SLICING: CROWN CUT. VENEER SHEETS TO BE MIXED TO AVOID MIRROR EFFECT.	REFER TO ROOM DRAWINGS	
WO-08		JOINER / CABINET MAKER TO SUPPLY	PAINTED TIMBER VENEER ON BOARD	ASH	ASH VENEER - PAINTED IN NCS S 0540-B VENEER SLICING: QUARTER CUT VENEER SHEETS TO BE MIXED TO AVOID MIRROR EFFECT. VARNISH TO BE 100% TRANSPARENT / CLEAR, ULTRA MATTE	REFER TO BESPOKE FURNITURE DRAWINGS	GRADE B VENEER ON INTERNAL SIDE
Wall Panels							
WP-01		AUTEX ACOUSTICS (or acceptable equivalent) E: info@autexacoustics.co.uk P: +44 (0) 793 998 2325	ACOUSTIC WALL PANEL / PINBOARD	100% POLYESTER FIBRE (PET)	RANGE: CUBE COLOR: OPERA	PANEL SIZE: 1200 mm W x custom height (refer to drawings) THICKNESS: 12mm	TO BE DIRECT STICK TO PLASTERBOARD WALL
Joinery Panel							
LM-01		POLYTEC (or acceptable equivalent)	TIMBER LOOK LAMINATE PANEL	THICKNESS: 18mm PANEL SIZE: 1200 x 2400 mm SUBSTRATE: HMR E0 MDF	COLOR: SOFT WALNUT FINISH: MATT	REFER TO ROOM DRAWINGS	
LM-02		LAMINEX (or acceptable equivalent)	ANTI FINGER PRINT LAMINATE PANEL Range: AbsoluteMatte	Laminate pressed onto HMR E0 substrate refer to drawings for thickness of boards ABS edge to match unless noted otherwise Good 1 side, black liner backing Sheet size: 3050 x 1300 mm	Colour: Black 460 Finish: super-matt	REFER TO BESPOKE FURNITURE DRAWINGS	
Glass							
GL-01		PILKINGTON (or acceptable equivalent)	Pilkington Optiwhite™	CLEAR GLASS	Color: CLEAR GLASS, NO GREEN TINT SAFETY GLASS	REFER TO ROOM DRAWINGS	
GL-02		PILKINGTON (or acceptable equivalent)	Pilkington Optimirror™	PLAIN MIRROR	Color: CLEAR GLASS, NO GREEN TINT SAFETY GLASS ALL EDGEDS CHAMFERED WITH MINIMAL CHAMFER, VISIBLE EDGES POLISHED.	THICKNESS: 5MM	