



Issued for Construction

Date 31.01.2024

Interior Finishes Schedule

Rev.Date 31.01.2024
Rev. No. F00

- General notes:**
0. All Interior finishes shall comply with Table 803.3, SBC 801
1. All reference manufacturers, brands and products are representative of the design intent as referenced in the design drawings, specifications, schedules and reports. They may be substituted under a Contractor’s Proposal provided that they are accepted by the Designers and that they conform to any specified performance requirements.
2. All divergence from the reference products/ materials are to be formally notified in writing to the designer. The Designer shall have not less than 10 working days to respond to all proposals. The Designer reserves the right to reject the proposed alternative product or material.
3. All suggested alternative samples are to be issued to the Designer for review at least 10 working days prior to the submission of a formal Contractor’s Proposal. Acceptance of the sample by the Designer does not relieve the Contractor of conformance of the installation works to the Design Intent.
4. Image swatches are indicative only and are not to be used for colour matching, sampling, or benchmarking.
5. Refer to the design drawings for locations of finishes.

TAG	IMAGE	LOCATION	PRODUCT TYPE	DETAILS & CODE	COLOR / FINISH	SUPPLIER	NOTES
Floor Finishes							
F01A F01B F01C F01D F01F		Main Opera House areas	Limestone	Alfurat Creamo Light (or acceptable equivalent) Size: (F01B, F01D, F01F) 500x500x20 mm (F01A, F01C) 1000x1000x20 mm	Color: Royal Beige Finish: Honed & Polished Grout: TBC (to match tiles)	Moser & Moser Phone: +45 5353 4422	Size of tiles acc. to drawings All stones to be sealed as per manufactures specifications Polished tiles to be laid out in pixelation format to honed tiles - refer to Floor Finish Plans
F01H		VIP Arrivals & Lift Lobbies	Limestone	Alfurat Creamo Light (or acceptable equivalent) Size: 500x500x20 mm 1000x1000x20 mm Hotshotch pattern	Color: Royal Beige Finish: Honed Grout: TBC (to match tiles)	Moser & Moser Phone: +45 5353 4422	
F03A		Prayer Room	Carpet	Construction: Tufted Material: 100% Polypropylene Thickness: 10 mm Roll width: 4000 mm Weight: 1.350 g/m2	Collection: Salónica Colour: Beige 72	ROLS Carpets (or acceptable equivalent) Phone: +31 (0)38 385 8818 Email: info@besouw.nl	The floor must be installed by a company registered with Van Besouw Carpet. Training and certification in accordance with Van Besouw Carpet Laying recommendations.
F03D		Artist Quarter - Play Area - Lv 01	Carpet Tiles	Construction: Tufted Loop Pile Material: 100% Polyamide Thickness: 7mm Tile Size: 48x48 cm Weight: 2450 g/m2	Collection: Reform Flux Colour: Beige Grey Code: 076223048	EGE Carpets Phone: +45 97 11 88 11 Email: info@egecarpets.com (or acceptable equivalent)	
F04A F04B F04C F06B		Basement Level Artist Quarter	Silicate floor	Eco Silicate (or acceptable equivalent)	Color: NCS S 1505-Y50R	Eco Silicate System Contact: Johan Vangsted Email: jv@ets-europe.be Phone: +45 23956565	




Issue for Construction

Date 31.01.2024

Interior Finishes Schedule

Rev.Date 31.01.2024
Rev. No. F00

F05A F10		Basement Level Back of house areas	Coated concrete	Coated Screed, 20mm to builder's specifications (or acceptable equivalent)	Builder's to specify, provide sample to be approved by architects	Builder's to specify	Builder's to specify
F12B		Toilets Ablution Room	Porcelain Tiles	Type: V Size: 300 x 300 x 8 mm Slip resistance: R10, A	Color: 75210 - Plain white unbleached Finish: Plain matt Grout: TBC (to match tiles)	Mosa Tiles Phone: +31(0)43 368 9444 www.mosa.com/en (or acceptable equivalent)	
F14A		Front of House toilets Lyric Theatre Midscale Theatre Café Restaurant	Porcelain Tiles	Size: 1200x1200x10 mm Slip resistance: R10, A+B Code: P120648	Color: Canaletto Finish: Soft, SO Grout: TBC (to match tiles)	Ariostea Via Cimabue, 20 - 42014 Castellarano (Reggio Emilia), ITALY Ph:+39 0536 816 811 E: chl@surfacedesignstudio.dk (or acceptable equivalent)	Or Similar to be approved by architects
F14B		Front of House toilets Lyric Theatre Midscale Theatre Café Restaurant	Terrazzo Tiles	Size: 1400x3050x30mm Slab Slip resistance: R10 Cut to 1200x1200 tile format as required	Color: Soft Shell, no 37 Finish: honed, sealed with matt clear sealant Grout: TBC	Fibonacci Stone E: info@fibonaccistone.com.au (or acceptable equivalent)	Or Similar to be approved by architects
F13B		VIP toilets Midscale Theatre	Marble Floor Tiles	Size: 300x600x20mm Slip resistance: R10	Color: Bianco Carrara Finish: honed, sealed with matt clear sealant Grout: TBC	Mosaikhjørnet Contact: Camilla Højris E: chl@mosaikhjornet.dk (or acceptable equivalent)	Or Similar to be approved by architects

DOCUMENT NO.:
JOH-HLA-S4-01-056-XXX-DS-SCH-ID-000043
JEDDAH OPERA HOUSE

 Plan A

BURO HAPPOLD

**Henning
Larsen**

Issue for Construction

Date

31.01.2024




Interior Finishes Schedule

Rev.Date

31.01.2024

Rev. No.

F00

F13D		VIP Lounge Midscale Theatre	Marble Floor Tiles	Size: 1000x1000x20mm 500x500x20mm 1450x1000x20mm Slip resistance: R10 (or acceptable equivalent)	Color: Crema Marfil Finish: honed, sealed with matt clear sealant Grout: TBC (to match tiles)	Antolini Via Marconi 101 37010 Sega di Cavaion Verona - Italy INFO@ANTOLINI.IT	Or Similar to be approved by architects
IW03		Interior Facade Niches	Limestone	Alfurat Creamo Light (or acceptable equivalent)	Color: Royal Beige Finish: Honed Grout: TBC (to match tiles)	Moser & Moser Phone: +45 5353 4422	Paneling acc. to drawings All stones to be sealed as per manufactures specifications
IW05 IW06		Facade and interior typically	Mashrabiya in Teak wood	Custom made Mashrabiya (screen) with	Timber: Teak	Builder's to specify	Builder's to specify, provide sample to be approved by architects Pattern acc. to elevation drawings Timber to be sealed as per manufacturer's specifications. Matt finish.
IW07		Front of House walls generally	Dolomite Plaster	Troweled on polished plaster finish (or acceptable equivalent) Thickness: 2-3mm Gloss: Fully matte 01 Binder: EVA polymer dispersion Filler: Dolomite Particle size: 0-0.2mm Texture: Pasty	Color: Rue Bottero 10002100 (NCS S 1505-Y50R)	St Leo Interiors Phone: +45 53740622 Email: info@stleointeriors.com (or acceptable equivalent)	Provide matt finish Top Coat / sealant for added durability
IW07		Artist Quarter (Dressing Rooms) VIP Lounge (LT)	Dolomite Plaster	The plaster is not water resistant	Color: Rue Loubet 10006100 (NCS S 3010-Y50R)	St Leo Interiors Phone: +45 53740622 Email: info@stleointeriors.com (or acceptable equivalent)	Provide matt finish Top Coat / sealant for added durability
IW08		Rehearsal Hall Shell	Waved ceramic tiles	Architectural 3D terracotta tiles (or acceptable equivalent) Special shape 05305 Kynaststr TP03 550 Size: 200 x 550 x 55 mm	Color: Creme EM6, D5-9338-1 Finish: Effect Glazing (double firing) Code: 024440	NBK Architectural Terracotta Email: info@nbk.de Tel: +49 (0)28 22-81 11-0 (or acceptable equivalent)	UNDER DESIGN REVIEW
IW09		LT Shell	Copper cladding with embossed and circular grinded pattern	TECU Brass (or acceptable equivalent) 2mm thick brownished copper sheet fixed to concrete structural wall	Treatment: anti finger print coating Pattern: Embossed + circular grinded Color: light, 00036	KME Email: tecu@kme.com Phone: +49 541 321-20 00 (or acceptable equivalent)	Refer to interior elevation drawings for panel sizes and pattern setout.
IW10		MT Shell	Waved ceramic tiles	Architectural 3D terracotta tiles (or acceptable equivalent) Terrart Large 04578 Maplestone Crescent TP09 Size: 100 x 492 x 47 mm	Color: Green EM6 ib, S1-9322-131 ib Finish: Effect-Glazing (single firing) Code: 024657	NBK Architectural Terracotta Email: info@nbk.de Tel: +49 (0)28 22-81 11-0 (or acceptable equivalent)	Panels and profiles acc. to drawings

DOCUMENT NO.:
JOH-HLA-S4-01-056-XXX-DS-SCH-ID-000043
JEDDAH OPERA HOUSE

 Plan A

BURO HAPPOLD

**Henning
Larsen**

Issue for Construction

Date

31.01.2024




Interior Finishes Schedule

Rev.Date

31.01.2024

Rev. No.

F00

IW11		VIP toilets Midscale Theatre	Marble Slab	Size: slab size TBC Edges to have brass angle details	Color: Bianco Carrara Finish: honed, sealed with matt clear sealant	Mosaikhjørnet Contact: Camilla Højriis E: chl@mosaikhjornet.dk (or acceptable equivalent)	Or Similar to be approved by architects
IW12		FoH Toilets (LT)	Feature Natural Stone	Diaspro Di Silica Slab size: TBC Thickness: 20mm	Treatment: Honed, C220	Antolini (or acceptable equivalent) Via Marconi 101 37010 Sega di Cavaion Verona - Italy INFO@ANTOLINI.IT	All stones to be sealed as per manufactures specifications Or Similar to be approved by architects
IW13		FoH Toilets (MT)	Feature Green Stone	Irish Green Slab size: TBC Thickness: 20mm	Treatment: Honed, C220	Antolini (or acceptable equivalent) Via Marconi 101 37010 Sega di Cavaion Verona - Italy INFO@ANTOLINI.IT	All stones to be sealed as per manufactures specifications Or Similar to be approved by architects
IW14		Toilets (Cafe & Restaurant)	Grey Stone	Grey Fantasy Lava Stone Slab size: TBC Thickness: 20mm	Treatment: Honed, C220	E - Nielsens (or acceptable equivalent) Contact: Ole Grage Email: og@e-nielsen.dk	All stones to be sealed as per manufactures specifications Or Similar to be approved by architects
IW17		VIP Toilets (Lyric)	Beige Marble	Crema Marfil Slab size: TBC Thickness: 20mm	Treatment: Honed, C220	Antolini (or acceptable equivalent) Via Marconi 101 37010 Sega di Cavaion Verona - Italy INFO@ANTOLINI.IT	All stones to be sealed as per manufactures specifications Or Similar to be approved by architects
IW19		Toilets Typically	Porcelain Tiles 300x300 mm	Type: Smooth (V) Size: 300 x 300 x 8 mm Slip resistance: R10, A	Color: 75210 - Plain white unbleached Finish: Plain matt Grout: TBC (to match tiles)	Mosa Tiles (or acceptable equivalent) Phone: +31(0)43 368 9444 www.mosa.com/en	
IW20		BoH Toilets & Shower Cubicles	Porcelain Tiles 300x600 mm	Size: 300 x 600 x12 mm Grout: TBC (off white) Slip resistance: R10	Color: Cool porcelain white (200) Finish: Smooth (V) Code: 200V3060	Mosa Tiles (or acceptable equivalent) Phone: +31(0)43 368 9444 www.mosa.com/en	
IW21		Kitchen Storage Rooms Toilets (Back of house)	Ceramic Tiles	Size: 300 x 600 x10 mm Grout: TBC (light grey or off white)	Color: White Finish: Glossy Code: 27510-3060-A	Mosa Tiles (or acceptable equivalent) Phone: +31(0)43 368 9444 www.mosa.com/en	
IW22		VIP Toilets (Midscale)	Marble Mosaic Tiles	Collection: Etui Size: 32 x 155 x 12 mm Grout: mapei flexcolor cq, color TBC to match tiles	Color: Jade Green Finish: Honed, unglazed	Cle Tiles (or acceptable equivalent) E: contact@cletile.com P: (415) 887-9011	All stones to be sealed as per manufactures specifications Or Similar to be approved by architects

DOCUMENT NO.:
JOH-HLA-S4-01-056-XXX-DS-SCH-ID-000043
JEDDAH OPERA HOUSE

 Plan A

BURO HAPPOLD

**Henning
Larsen**

Issue for Construction

Date

31.01.2024






Interior Finishes Schedule

Rev.Date



31.01.2024

Rev. No.

F00

IW49		Toilets Entry Portal	Stainless Steel Metal Sheet	5mm thick stainless steel metal sheet (or acceptable equivalent)	Color: Stainless Steel Finish: Brushed	Builder's to specify	Builder's to specify, provide sample to be approved by architects
IW50		VIP arrival areas (MT)	Custom metal wall cladding with brass strip details	Scomposta and Boiserie Metal wall cladding system (or acceptable equivalent)	Color: Verdigris DeNuance copper (N3) Finish: Smooth	De Castelli Contact: Thor Svaboe Email: thor@viamilano.no Tel+47 928 19 718	Custom color to be prototyped and approved by architects prior to final production
IW51		VIP arrival areas (LT)	Custom metal wall cladding with brass strip details	Scomposta and Boiserie Metal wall cladding system	Color: Ruby Copper (G11) Finish: Smooth	De Castelli (or acceptable equivalent) Contact: Thor Svaboe Email: thor@viamilano.no Tel+47 928 19 718	Custom color to be prototyped and approved by architects prior to final production
ST-07 (code from Bespoke Furniture Material & Finishes Schedule)		E-NIELSEN	NATURAL MARBLE	GREEN MARBLE (or acceptable equivalent)	VERDE ALPI, HONED, C220	THICKNESS: 20mm nominally	TO BE SEALED AS PER MANUFACTURER'S SPECIFICATIONS
IW52		VIP LT Lounge Niche	Custom metal wall cladding	Metal wall cladding system	Color: DeMarea Brass (M6) Finish: Smooth	De Castelli Contact: Thor Svaboe Email: thor@viamilano.no Tel+47 928 19 718	v
IW23		Restaurant	Polished Plaster Wall Finishing	Stucco Lustrò 2-3mm thick polished plaster with color tinter Hand trowelled		Ampio (or acceptable equivalent) Email: ampio@ampio.dk Phone: (+45) 45 50 55 45	Manufacturer to supply test patch for approval by architects low sheen / stain sealant
IW56		LT VIP Lounge Café Niches	Carved Gypsum Wall	13-15mm thick plasterboard, carved and painted (or acceptable equivalent)	Finish: Smooth		
WP01		Artist Quarters - offices / meeting rooms	Acoustic Panel	Acoustic wall paneling 100% Polyester fibre (PET) Size width: 1200mm height: custom height - refer to elevation drawings	Range: Cube Color: Opera Thickness: 12 mm	Autex Acoustics (or acceptable equivalent) E: info@autexacoustics.co.uk P: +44 (0) 1422 418899	To be direct fixed to wall, concealed fixing.
ST03		Prayer Room Quibla	Coral Stone	Coral White (Oryx)	Color: White (oryx) Finish: Honed, C220	Moser & Moser (or acceptable equivalent) Phone: +45 5353 4422	All stones to be sealed as per manufactures specifications

Issue for Construction
Date
31.01.2024
Interior Finishes Schedule
Rev.Date
31.01.2024
Rev. No.
F00

ST04		Prayer Room Quibla	Coral Stone	Coral White (Oryx)	Color: White (oryx) Finish: Polished	Moser & Moser (or acceptable equivalent) Phone: +45 5353 4422	All stones to be sealed as per manufactures specifications
LW20 LW21		Toilets - Front of House & Artist Quarter	Toilet Partitions	Tempered colorback glass door and toilet partitioning system Thicknesses Door: 42 mm Fascia: 70 mm Divider: 34 mm Height: Refer to elevation drawings	Range: Flow Color: RAL 1013	Thrislington Cubicles Commercial (or acceptable equivalent) Phone: +44 1244 520 677 Email: sales@thrislingtoncubicles.com	Provide hardware in stainless steel finish
LW23 LW21		Toilets (Back of House)	Toilet Partitions	Compact laminate door and toilet partitioning system Thicknesses Door: 42 mm Fascia: 70 mm Divider: 24 mm Height: Refer to elevation drawings	Color: to match NCS S 1505-Y50R	Thrislington Cubicles Commercial (or acceptable equivalent) Phone: +44 1244 520 677 Email: sales@thrislingtoncubicles.com	Provide hardware in stainless steel finish
		Artist Quarter office areas Back of House walls typically	Paint	Walls: Low sheen acrylic finish - Low VOC paint coloured with Low VOC tinters Skirtings/Doors/Archs: Semi Gloss Acrylic	Color: to match NCS S 1505-Y50R	Builder's to specify	Builder's to specify, provide sample to be approved by architects Prep surface as required. Allow for min. 2x color coat. Provide low-sheen top coat to protect against mould, moisture and stain.
WP-01		Artist Quarter Education & Outreach Artist Quarter Meeting Rooms & Offices	Acoustic Wall Panel / pinboards	Acoustic wall paneling 100% Polyester fibre (PET) THICKNESS: 12mm Panel size: 1200 mm W x (custom height - refer to drawings)	Range: Cube Colour: Opera	Autex Acoustics (or acceptable equivalent) E: info@autexacoustics.co.uk P: +44 (0) 793 998 2325	Refer to interior room drawings for size Direct stick to wall as per manufacturer's specifications
IW57		Café	Timber Battens Lining	Concave timber wall batten Profile: 91x21mm, custom length available	Range: Contours Profile: Cirque Code: LINB7821 Species: Teak Sealant: Matt, clear	Porta Timber (or acceptable equivalent) E: info@porta.com.au	Refer to interior room drawings for size To be installed as per manufacturer's specifications
IW58		Café	Timber Battens Lining	Concave timber wall batten Profile: 91x21mm, custom length available	Range: Contours Profile: Shade Code: LINM7821 Species: Clear Pine Sealant: Matt, clear Finish: NCS S 0540-B	Porta Timber (or acceptable equivalent) E: info@porta.com.au	Refer to interior room drawings for size To be installed as per manufacturer's specifications
IW59		Café	Timber Wall Panels, Carved	Timber wall paneling with custom carving details	Species: Teak	Timber to be locally sourced Local artist to be commissioned for carving	Refer to interior room drawings for size
MT-05 (code from Bespoke Furniture Material & Finishes Schedule)		VIP Lift Doors & Shroud VIP Lounges Threshold Details	Brass Metal Sheet	5mm thick brass sheet	Color: Brass Satin Aged Coating: Matte - 2pack	Lost Cowboys.com (or acceptable equivalent) sj@diwarpe.com (Dubai)	Builder's to specify, provide sample to be approved by architects

DOCUMENT NO.:
JOH-HLA-S4-01-056-XXX-DS-SCH-ID-000043
JEDDAH OPERA HOUSE

 Plan A

BURO HAPPOLD

**Henning
Larsen**

Issue for Construction

Date

31.01.2024


Interior Finishes Schedule

Rev.Date


31.01.2024

Rev. No.

F00

IW55		VIP LT Lounge	Custom Leather wall panels	Camel leather wall paneling with custom stitching and embossing pattern and brass detail	Leather: flat grain	Leather to be locally sourced. Embossing to be commissioned by local artist	Refer to interior drawings for size and details. Prototype sample to be provided prior to final manufacture, to be approved by architects
IW53		VIP MT Lounge	Limestone wall paneling	Custom sized limestone wall panels with brass angle details	Limestone as IW03 Finish: Honed	Moser & Moser (or acceptable equivalent) Phone: +45 5353 4422	Paneling acc. to drawings All stones to be sealed as per manufactures specifications
IW54		VIP LT Meeting Room	Timber Battens Lining	Weathered timber battens with custom carving details	Species: Teak	Timber to be locally sourced, with controlled weathering process Local artist to be commissioned for carving	Refer to interior room drawings for size
IW64		Dressing Rooms	Perforated Metal Screen	5mm thick brass sheet, perf. Not to exceed 5 mm	Color: Aged Brass Finish: Brushed	Builder's to specify	Builder's to specify, provide sample to be approved by architects
IW60		Restaurant	Brass Cladding with pattern	5mm thick brass sheet	Color: Brass Satin Antique Coating: Matte - 2pack	Lost Cowboys.com (or acceptable equivalent) sj@diwarpe.com (Dubai)	Builder's to specify, provide sample to be approved by architects
IW61		Restaurant	Fish skin	Fish Leather, PIRARUCU	Color: VENATURE	Janet Yonaty Inc (or acceptable equivalent) Textiles & Trims Phone: +1 310 659 5422	
MIRROR		Toilets VIP Foyer typically	Mirror	Thickness to comply with code and standard Dimension refer to interior and room elevation drawings	Silver Mirror, no green tint (low iron)	Builder's to specify	Builder's to specify, provide sample to be approved by architects
GLASS		General areas as per drawings	Glass	Thickness to comply with code and standard	Clear glass No green tint (low iron)	Builder's to specify	

Issue for Construction
Date
31.01.2024
Interior Finishes Schedule
Rev.Date
31.01.2024
Rev. No.
F00

Ceiling Finishes							
SC11a SC11b SC12		Artist Quarter, Administration, Education, Dressing rooms, Green rooms	Fleece ceiling tiles with seamless edges	Rockfon Color-all, mounting: System T24 X (hidden profile) Dimensions: 1200x600 mm (SC11a) 600x600 mm (SC11b) 600 x variable (SC12)	Color: Chalk NCS S 1505-Y50R	Rockfon (or acceptable equivalent) Morten Bønnebak morten.boennebaek@rockfo n.com	Size of tiles acc. to drawings
SC13a SC13b		Artists/Staff toilets	Fleece ceiling tiles with seamless edges	Rockfon Blanka, mounting: System T24 X (hidden profile) Dimensions: 1200x600 mm (SC13a) 600x600 mm (SC13b)	Color: White NCS S 0500-N	Rockfon (or acceptable equivalent) Morten Bønnebak morten.boennebaek@rockfo n.com	Size of tiles acc. to drawings
SC14		Kitchen	Standard ceiling system	Rockfon CleanSpace Pure Dimensions: 600x600 mm	Color: White NCS S 1000-N	Rockfon (or acceptable equivalent) Morten Bønnebak morten.boennebaek@rockfo n.com	
SC15 SC16		BOH rooms, toilets, cleaners closets	Standard ceiling system	Ecophon Hygiene Advance A Rockfon CleanSpace Pure, mounting: System T24 X Dimensions: 600x600 mm	Color: White NCS S 1000-N	Ecophon Saudi Arabia(or acceptable equivalent) Juffali Group HQ h.abudaya@ejab.com.sa	
SC17		Public toilets, ceiling recesses	Plasterboard ceiling	Moisture resistant plasterboard for wet areas	Painted finish, flat acrylics Color: NCS S 1505-Y50R	Builder's to specify	
SC21 SC23		LT/MT Foyers, VIP (MT) Cafe, Prayer rooms, Ablution (SC23)	Acoustic plaster with standard finish	Baswa Phon Base Sound absorption class: A (up to αw 0.95) Grain size of layer: 0.7 mm System thickness: 30mm	Color: to match NCS S 1505-Y50R	Baswa(or acceptable equivalent) Contact: Alfredo López Alfredo.Lopez@baswa.com	SC23 with optional impregnation treatment (Ablution)
SC22		LT/MT Foyer, top ceiling	Acoustic plaster with bespoke texture	Baswa Phon Base Sound absorption class: A (up to αw 0.95) Grain size of layer: 0.7 mm System thickness: 30mm	Color: NCS S 3010- Y50R	Baswa(or acceptable equivalent) Contact: Alfredo López Alfredo.Lopez@baswa.com	
SC24		Restaurant	Acoustic plaster with standard finish and custom geometry	Baswa Phon Base Sound absorption class: A (up to αw 0.95) Grain size of layer: 0.7 mm System thickness: 30mm	Color: NCS S 1505- Y50R	Baswa(or acceptable equivalent) Contact: Alfredo López Alfredo.Lopez@baswa.com	Geometry acc. to drawings
SC25		VIP Lounge Midscale Theatre VIP Arrival + Lobby Lyric Theatre	Acoustic plaster with bespoke texture	Baswa Phon Base Sound absorption class: A (up to αw 0.95) Grain size of layer: 0.7 mm System thickness: 30mm	Color: NCS S 1505-Y50R	Baswa(or acceptable equivalent) Contact: Alfredo López Alfredo.Lopez@baswa.com	





Issue for Construction

Date 31.01.2024

Interior Finishes Schedule

Rev.Date 31.01.2024
Rev. No. F00

SC26A		VIP Arrival + Lobby Midscale Theatre	Acoustic plaster with bespoke pattern	Baswa Phon Base Sound absorption class: A (up to αw 0.95) Grain size of layer: 0.7 mm System thickness: 30mm	Color: NCS S 1505- Y50R	Baswa(or acceptable equivalent) Contact: Alfredo López Alfredo.Lopez@baswa.com	
SC26B		VIP Lounge Lyric Theatre	Acoustic plaster with bespoke texture	Baswa Phon Base Sound absorption class: A (up to αw 0.95) Grain size of layer: 0.7 mm System thickness: 30mm	Color: NCS S 1505- Y50R	Baswa(or acceptable equivalent) Contact: Alfredo López Alfredo.Lopez@baswa.com	
SC26C		VIP Meeting Room Lyric Theatre	Acoustic plaster with bespoke texture	Baswa Phon Base Sound absorption class: A (up to αw 0.95) Grain size of layer: 0.7 mm System thickness: 30mm	Color: NCS S 1505- Y50R	Baswa (or acceptable equivalent) Contact: Alfredo López Alfredo.Lopez@baswa.com	
SC31		Loading bay	Expanded metal panel	Lindner LMD-St 213, demountable cassettes	Color: stainless steel		Size of tiles acc. to drawings
SC37		Toilets Entry Portal	Stainless Steel Metal Sheet	5mm thick stainless steel metal sheet	Color: Stainless Steel Finish: Brushed	Builder's to specify	Builder's to specify, provide sample to be approved by architects
SC61		Public Spaces (Niches)	Limestone	Alfurat Creamo Light (or acceptable equivalent)	Color: Royal Beige Finish: Honed Grout: TBC (to match tiles)	Moser & Moser Phone: +45 5353 4422	Size of tiles acc. to drawings All stones to be sealed as per manufactures specifications
SC63		Grand Foyer	Woven resin and fiber mesh	Custom ceiling mesh with 60- 70% transparency	Color: Beige Natural	i-mesh (or acceptable equivalent) Contact: Rodolfo Castelli E: rodolfocastelli@i-mesh.eu	Refer to RCP and detail drawings for hatch system and pattern breakup.