CAPABLE MINDS TUTORIALS (CPM)

Federal university of technology, minna.

PHY 101

PQ

(2023/2024 E-Test questions)
+ Likely E-questions

Compiled and Reviewed by:

Ezenma Emmanuel
Lord Tosin (LT)
E.Isaac (I.O.E)
Yusuf Yunusa
Elijah Joseph

capablemindsonlinetutorials@gmail.com

08147995403

CPM PHY101 E-QUESTIONS

1. Which of the following units is/are fundamental units? i) Kelvin ii) Ampere iii) Mole

A. None
B. ii &iii only
C. I and ii only
D. All of the above

2. Which of the following is not a vector?

A. Direction
B. Displacement
C. Momentum
D. Force

3. Identity the unit of the following physical quantities respectively: speed, velocity and acceleration.

A. m/s, m/s, m/s²…
B. m/s², kgm/s, m³
C. N, Nm, kg
D. m/s, N, Nm

4. Gottfried Leibniz's concept of space is a contradiction of which of the full concept

A. Albert Einstein
B. George Berkeley
C. Immanuel Kant
D. Sir Isaac Newton

5. Dimensional analysis is useful in what ways?

A. To detect whether a physics equation is correct or not
B. To detect whether the quantity is correct or not
C. To detect whether a mathematical equation is correct or not
D. To detect whether the value is correct or not

6. Kgm^2s^{-3} can be fully written as

A. Kilogram meter squared second Cube
B. Kilogram meter squared per Seconds cube
C. Kilogram meter squared per second
D. None of the above

7. A car starts from rest and accelerates uniformly until it reaches a velocity of 30 m/s after 5s. It travels with a uniform velocity of 30 m/s for 15 s and is then brought to rest in 10 s with a uniform retardation. Determine the distance covered after 5s.

A. 77.4 m
B. 66.8 m
C. 82.3 m
D. 75 m

CAPABLE MINDS Tutorials

8. **All measurable parameters in physics are known as _____**

A. Physical quantities
B. Units
C. Measurements
D. Vectors

9. **Which of the following is not a fundamental quantity?**

A. Amount
B. Temperature
C. None of the above
D. length

10. **_____ was the scientist and philosopher that was the first to conceive that space is curved rather than flat.**

A. Bernhard Riemann
B. Albert Einstein
C. Gottfried Leibniz
D. Charles Darwin

ANSWERS

1	2	3	4	5
D	A	A	D	A
6	7	8	9	10
B	D	A	C	A

11. **If you are expected to calculate "how far" a car travels from point A to point B. The unit of your answer will be in _____.**

A. m
B. s
C. kg
D. m^2

12. **Which of the following is the dimension of volume?**

A. m^2
B. v^2
C. m^3
D. v^3

13. **The base unit of power is _____**

A. Watt
B. Kilowatt
C. Newton per seconds
D. Dyne

14. **Identify the unit of the following physical quantities respectively: Length, Breath, Height**

A. m, m, m
B. L, b, h
C. m, L, t
D. m, kg, s

CPM
TAPAT ABLE MINDS
Tutorials

15. **A ball of mass 100 g travelling with a velocity of 100 m/s collides with another ball of mass 400 g moving at 50 m/s in the same direction. If they stick together, what will be their common velocity?**

A. 65 m/s
B. 60 m/s
C. 68 m/s
D. 71 m/s

16. **Which of the following is required to make a measurement complete (I) physical quantity (ii) Unit (iii) Tape**

A. I & ii
B. íi & iii
C. I & iii
D. I

17. **An aircraft is flying Northwest at 300km/hr when a steady wind is blowing Westwards at 80km/hr. What is the actual velocity with which the aircraft travels over the group?**

A. 380.0 km/hr
B. 220.0 km/hr
C. 310.48 km/hr
D. 350.0 km/hr

18. **A car travels 3.0 km due South and then 4.0 km due west. What is its displacement from the starting point?**

A. 5 km Northwest
B. 7 km Southwest
C. 7 km Northwest
D. 5 km Southwest

19. **A body of mass 2 kg undergoes a constant horizontal acceleration of 5 m/s². Calculate the resultant horizontal force acting on the body.**

A. 10 N
B. 2.5 N
C. 0.4 N
D. 8 N

20. **A force of 100 N acts for 20s. What is the change in momentum of the body?**

A. 200 Ns
B. 2500 Ns
C. 2000 Ns
D. 1200 Ns

ANSWERS

11	12	13	14	15
A	C	A	A	B
16	17	18	19	20
A	C	D	A	C

21. **What will be the resultant force on a body of mass 50 kg when it moves with a uniform velocity of 10 m/s?**

A. 500 N
B. 0 N
C. 5 N
D. 25 N

CAPABLE MINDS Tutorials

22. **A body of mass 2 kg moving with velocity of 6 m/s collides with a stationary object of mass 0.5 kg. If the two bodies moves together after the impact, calculate their common velocity.**

A. 24.0 m/s
B. 2.6 m/s
C. 4.8 m/s
D. 8.4 m/s

23. **A car starts from rest and accelerate uniformly until it reaches a velocity of 30 m/s after 5 s. It travels with uniform velocity of 30 m/s for 15 s and it's then brought to rest in 10 s with a uniform retardation. Determine the total the total distance covered.**

A. 566 m
B. 675 m
C. 560 m
D. 660 m

24. **A ball is released from a height of 20 m. calculate the time it take to hit the ground.**

A. 1.5 s
B. 2.0 s
C. 2.5 s
D. 2.8 s

25. **A ball is released from a height of 20 m. calculate the velocity with which it hits the ground.**

A. 12m/s
B. 22.6 m/s
C. 20.0 m/s
D. 35.6 m/s

26. **A ball is thrown up vertically with a velocity 40 m/s. calculate the maximum height reached.**

A. 45.2 m
B. 78.0 m
C. 76.5 m
D. 80 m

27. **What is S.I unit?**

A. International System of Unit
B. System Unit
C. Système International
D. Units of Systems

28. **A ball is thrown up vertically with a velocity 40 m/s. calculate the time to reach the maximum height.**

A. 4.0 s
B. 3.5 s
C. 3.3 s
D. 2.0 s

29. **A ball is thrown up vertically with a velocity of 40 m/s. calculate the time to return to the ground.**

A. 15.0 s
B. 12.2 s
C. 7.8 s
D. 8.0 s

CAPABLE MINDS Tutorials

30. **A comparison of any physical quantity with its standard unit is called _____**

A. Unit
B. S.I Unit
C. Dimension
D. Measurement

ANSWERS

21	22	23	24	25
B	C	B	B	C
26	27	28	29	30
D	C	A	D	D

31. **Calculate the force required to impart an acceleration of 5 m/s² to a mass 10 kg.**

A. 2.0 N
B. 50.0 N
C. 0.2 N
D. 5.0 N

32. **A car is driven Northeast for 40 km, then Northwest for 50 km and then South for 30 km. Determine the resultant displacement of the car.**

A. 38.34 km
B. 34.38 km
C. 58.2 km
D. 43.25 km

33. **A car of mass 600 kg moving with a forward acceleration of 5 m/s² is acted upon by a constant resistive force of 1000 N. Calculate the force exerted from the engine to maintain this forward acceleration.**

A. 2 kN
B. 4 kN
C. 3 kN
D. 5 Kn

34. **A car moves from rest with an acceleration of 0.2 m/s². Find it's velocity when it has moved a distance of 50 m.**

A. 4.47 m/s
B. 10.0 m/s
C. 250.0 m/s
D. 5.45 m/s

35. **A car has a uniform velocity of 108 km/hr. How far does it travel in ½ minute?**

A. 15 km
B. 0.9 km
C. 3240 km
D. 900 km

36. **A train slows from 108 km/hr with a uniform retardation of 5 m/s². How long will it take to reach 18 km/hr?**

A. 18 s
B. 25.2 s
C. 5 s
D. 7 s

37. **Determine the dimension of pressure.**

A. $ML^{-1}T^{-2}$

CAPABLE MINDS Tutorials

B. ML^2T^{-3}
C. ML^2T^{-2}
D. MLT^{-2}

38. A train slows from 108 km/hr. with a uniform retardation of 5 m/s². What is the distance covered when the velocity is 18 km/hr?

A. 450.0 m
B. 630.0 m
C. 95.6 m
D. 87.5 m

39. A car travels 20.0 km due North and then 35.0 km in a direction of 60° west of North. Find the magnitude of the resultant displacement of the car.

A. 48.2 km
B. 30.0 km
C. 82.5 km
D. 15.0 km

40. Units for momentum, force, work are

A. $Kgms^{-1}$,N, Nm
B. Nm, N, $Kgms^{-1}$
C. Nm, Kgms-1, N
D. kgms-1, Nm, N

ANSWERS

31	32	33	34	35
B	B	B	A	B
36	37	38	39	40
C	A	D	A	A

41. A frame of reference fixed in the earth is an inertia reference form _____.

A. When it is rotating
B. When it is fast-moving
C. When the effect of the rotation of the earth is neglected
D. When it is slowly moving

42. A body is projected horizontally from the top of a vertical cliff 40 m high, with a velocity of 20 m/s. calculate the time taken for the body to fall to the ground.

A. 2.83 s
B. 1.22 s
C. 5.52 s
D. 2.21 s

43. A body is projected horizontally from the top of a vertical cliff 40 m high, with a velocity of 20 m/s. calculate the vertical component of the velocity when the body hit the ground.

A. 18.55 m/s
B. 35.52 m/s
C. 28.28 m/s
D. 45.0 m/s

44. A body is projected horizontally from the top of a vertical cliff 40 m high, with a velocity of 20 m/s. calculate the distance from the cliff when it strikes the ground.

A. 56.57 m
B. 57.56 m
C. 65.75 m

CAPABLE MINDS Tutorials

D. 75.65 m

45. A body moving with a constant velocity along a straight line PQR takes 30 s to go from P to Q and 10 s to go from Q to R. if PR = 4 m, find PQ.

A. 3 m
B. 1 m
C. 2 m
D. 4 m

46. An object moves in a straight line, starting from rest. There are two stages in the journey: (A. it gains speed uniformly for 2.0 s and attains a speed of 8.0 m/s. (B. it continues at the speed for a further 1.5 s. find the acceleration in stage (A.

A. 1 m/s^2
B. 2 m/s^2
C. 3 m/s^2
D. 4 m/s^2

47. Determine the dimension of density

A. ML^{-3}
B. ML^2T^{-2}
C. ML^2
D. M^2L^{-3}

48. What is the dimension of energy?

A. ML^2T^{-3}
B. ML^2T^{-2}
C. MLT^{-2}
D. ML^{-3}

49. Find the dimension of power

A. ML^2T^{-2}
B. ML^{-3}
C. ML^2T^{-3}
D. MLT^{-2}

ANSWERS

41	42	43	44	45
C	A	C	B	A
46	47	48	49	50
D	A	B	C	D

50. The dimension of momentum is

A. $ML^{-1}T^{-2}$
B. ML^2T^{-2}
C. ML^2T^{-3}
D. MLT^{-1}

51. A vector of magnitude 5 units in the North direction is combined with another vector to give a zero resultant. What is the other vector?

A. 0 units South
B. 5 units South
C. 5 units North
D. 0 units North

52. Which of the following is not a possible unit for velocity?

A. centimeters/microseconds
B. millimeters/kilowatt
C. decimeters/kilo second
D. kilometers/millisecond

53. What is the average velocity of a bird that files 6 m (south) in 2 s?

CAPABLE MINDS Tutorials

A. 0.33 m/s (south)
B. 6 m/s (south)
C. 3 m/s (south)
D. 12 m/s (south)

54. A BALL IS thrown straight up in the air What happens as the ball travels upward**?**

A. Acceleration is negative and velocity is negative
B. Acceleration is zero and velocity is positive
C. Acceleration is negative and velocity is positive
D. Acceleration is zero and velocity is negative

55. **_____ provide a better model for the shape of spectrum the test of general relatively.**

A. Euclidean geometric
B. flat geometric
C. Non-Euclidean geometric
D. Analytic Geometric

CAPABLE MINDS Tutorials

ANSWERS

51	52	53	54	55
B	B	C	C	C

CPM PHY101 LIKELY E-QUESTIONS

1. How does Special Relativity explain the constancy of the speed of light?

A. The speed of light changes based on the observer's motion
B. The speed of light depends on the observer's location
C. The speed of light is determined by the medium it travels through
D. The speed of light is the same for all observers, regardless of their motion

2. Golfried libniz's concept of space is a contradiction of which of the following concepts

A. Immanuel Kant
B. Albert Einstein
C. Isaac Newton
D. Gorge Berkeley

3. A definte amount of physical quantity is called

A. dimensions
B. units
C. S.I
D. mass

4. Dimension of momentum

A. $ML^{-2}T^{-2}$
B. $ML^{-1}T^{-2}$
C. MLT^{-1}
D. $ML^{-2}T^{2}$

5. Who discovered space time was curved?

A. Michael Faraday
B. Isaac Newton
C. Albert Einstein
D. Harman Minskowski

6. Physical space has how many dimensions?

A. 1
B. 2
C. 4
D. 5

7. Tendency for a body to stay at rest

A. moment
B. Inertia
C. force
D. momentum

8. When is inertia reference of frame not possible

A. when the rotation of earth is ignored
B. when the rotation of the earth is considered
C. When movement is ignored in the reverse
D. When water is moving

9. The Dimension nature of an event is

A. Mass
B. Time
C. Length
D. Interval

10. Which of the following are derived
i.Area ii. Thrust iii. Pressure

A. none of the above
B. I only
C. ii only
D. i, ii and iii

CAPABLE MINDS Tutorials

11. According to sir Isaac Newton space is

A. not empirical
B. non-eucliden
C. absolute
D. Flat

12. What is the name for a region in space-time where gravity is so strong that nothing, not even light, can escape its pull?

A. Solar System
B. Nebula
C. Black Hole
D. White Dwarf

13. A definite amount of a physical quantity is called

A. Measured
B. Dimension
C. Basic
D. Unit

14. $15x10^3$ J can be written as

A.15KJ
B. 2KJ
C. -1.5KJ
D. 150J

15. What is the unit of Pressure?

A. $ML^{-1}T^{-2}$
B. $ML^{-2}T^{2}$
C. $ML^{2}T^{-2}$
D. $ML^{-2}T^{-1}$

16. What is the unit of Density?

A. $ML^{-2}T^{-2}$
B. $ML^{-3}T^{-2}$
C. ML^{-3}
D. $ML^{-4}T^{-2}$

ANSWERS

1	2	3	4	5
B	C	B	C	C
6	7	8	9	10
C	B	B	B	D

17. What is newton's first law of motion?

A. A body stays in a state of rest until it is acted upon by an external force
B. for every action there is an opposite reaction.
C. The force of an object is equal to the rate of change of the momentum
D. A body stays in a state of rest until it is not acted upon by an external force

18. What is the dimension of energy?

A.$ML^{-1}T^{-2}$
B. $ML^{2}T^{-2}$
C. $ML^{-2}T^{-2}$
D. $ML^{-2}T^{-1}$

19. What is newton's second law of motion?

A. force of an object is equal to the rate of change of the momentum
B. A body stays in a state of rest until it is acted upon by an external force
C. for every action there is an opposite reaction
D. A body stays in a state of rest until it is not acted upon by an external force

20. Einstein's first postulate is?

CAPABLE MINDS Tutorials

A. force is equal to the rate of change of momentum
B. The laws of nature are the same in all coordinate systems moving rectilinearly and uniformly relative to each other
C. speed of light is constant
D. speed of light is constant and non-dependent of the speed of the observer

ANSWERS

11	12	13	14	15
C	D	A	C	A
16	**17**	**18**	**19**	**20**
C	A	B	A	B

21. What is S.I unit?

A. International System of Unit
B. System Unit
C. Systeme Internationale
D. Units of Systems

22. What is the unit of watts?

A. ML^1T^{-2}
B. ML^1T^{-2}
C. ML^2T^{-1}
D. ML^2T^{-2}

23. What is dimension of Inertia?

A. ML
B. ML^2T^{-2}
C. M
D. ML^2T^{-3}

24. A unitless quantity

A. has non-zero dimension
B. may have non-zero dimensions
C. always have a non-zero dimension
D. never has a non-zero dimension

25. Which of the following quantities has the same dimensions

A. Impulse and Momentum
B. Moment of inertia and torque
C. specific heat and latent heat
D. force and surface tension

26. Checking the correctness of a physical quantity using dimension analysis is based on

A. Types of systems of units
B. method of measurements
C. principle of homogeneity of dimension
D. Equality of frame reference

27. The joule is the unit of which physical quantity

A. force
B. weight
C. power
D. energy

28. Impulse can be defined as?

A. rate of change of momentum
B. change in momentum
C. none
D. product of force and velocity

29. Which of the following is not a vector?

A. Displacement
B. direction
C. momentum

CAPABLE MINDS Tutorials

D. force

ANSWERS

21	22	23	24	25
C	A	D	D	A
26	27	28	29	30
C	D	A	B	D

30. Which of the following cannot be used to measure speed

A. ms^{-1}
B. kms^{-1}
C. mh^{-1}
D. kgs^{-1}

31. If a particle moves 2m due east and 2m due west in a straight line. What is his displacement?

A. 0
B. 2.59
C. 3
D. 4

32. Which of the following is an example of an object moving in uniform motion?

A. Gas particles
B. A toy car crossing the room at constant speed
C. motor being crashed
D. unbalanced pencil

33. A vector is describe by

A. magnitude and direction only
B. direction only
C. unit, magnitude and direction
D. unit and direction

34. The idea of inertia is postulated by

A. Newton's first law
B. Newton's second law
C. Newton's third law
D. Newton's fourth law

35. Which of the following is not a vector?

A. force
B. direction.
C. momentum
D. displacement

36. Which of the following is not a vector?

A. Displacement
B. acceleration due to gravity.
C. force of gravity
D. work, energy and power

37. Which of the following are scalar quantities?

A. force and gravity
B. work and energy
C. displacement and length
D. frequency and tension

38. In a space-time diagram, what do straight lines represent?**

A. Paths of light
B. Paths of objects at rest
C. Paths of objects in uniform motion
D. Paths of objects under gravity

39. What does the theory of General Relativity explain about gravity?**

A. It's a magnetic force
B. It's a force between masses
C. It's the curvature of space-time caused by mass
D. It's a repulsive force

ANSWERS

31	32	33	34	35
A	B	A	A	B

CAPABLE MINDS Tutorials

36	37	38	39	40
D	B	C	C	C

40. **The QUESTION REMOVED What is the dimension of volume?**

A. L^2
B. L^{-3}
C. L^3
D. $L^2 + L^1$

41. **A car of mass 600kg moving with a forward acceleration of 5 m/s² is acted upon by a constant resistive force of 1000N. Calculate the force exerted from the engine to maintain this forward acceleration**

A. 2KN
B. 4KN
C. 8KN
D. 3KN

42. **A car travels 20.0 km due North and then 35.0 km in a direction of 60° West of North. Find the magnitude of the resultant displacement of the car**

A. 58.2km
B. 48.2 km
C. 30.0 km
D. 82.5 km

43. **A body of mass 2 kg undergoes a constant horizontal acceleration of 5 m/s². Calculate the resultant horizontal force acting on the body.**

A. 10 N
B. 2.5 N
C. 8N
D. 16N,

44. **The major cause of motion is?**

A. Gravitational
B. Pull
C. Force
D. Work

45. **Which of the following is not a factor that affects motion?**

A. Air resistance
B. Viscosity
C. Solid friction
D. Surface tension

46. **Which of the following is not an example of circular motion?**

A. Car cornering
B. aircraft banking
C. Planetary orbit
D. man walking on a bridge

47. **A force acting at 60° to the horizontal has an x-component of 45N.What is the value of the force?**

A. 110N
B. 90N
C. 7ON
D. ON

48. **A car has an acceleration of 12m/s² if its initial velocity is 10ms^{-1} the distance the car covers in 5s is?**

A. 15m
B. 25m
C. 53m
D. 20Om
E.

49. **A car travels at 20km/h for 1.5h and at 3km/h for 2.0h and at 40kmh^{-1} for 0.75h. The car average velocity is approximately**

A. 19kmh^{-1}
B. 21mh^{-1}
C. 20mh^{-1}
D. 15mh^{-1}

ANSWERS

CAPABLE MINDS Tutorials

41	42	43	44	45
B	B	A	C	D
46	47	48	49	50
D	B	D	D	B

50. **A car with its brakes applied has an acceleration of 12m/s² if its initial velocity is 10ms⁻¹ the distance the car covers in 3secs after the acceleration begin is**

A. 15km
B. 84m
C. 47m
D. 40m

51. **A man walks 10km due East and then 20km due South. The displacement of the man from the initial position is**

A. 30km South
B. 27.6km 30°N of East
C. 22.36km 63.4° south of East
D. 22.36km 26.57° south of East

52. **Calculate the force required to impact an acceleration of 5m/s² to mass of 10kg**

A. 50
B. 25,
C. 10
D. 30

53. **A gun fires a shell of mass 5kg in horizontal direction. The gun recoils at 0.4m/s and its mass is 3kg. Calculate the velocity of the shell**

A. 240
B. 420
C. 42
D. 0.24

54. **Quantities that have both magnitude and direction are called**

A. fundamental quantity
B. vector quantity
C. scalar quantity
D. derived quantiy

EDITOR: IQECLOsin

55. **A car weighing 9800N is moving with a speed of 40Km/h. On the application of the brakes, it comes to rest after travelling a distance of 50m. Calculate the average retarding force**

A. 1240N
B. 1230N
C. 1209.3N
D. -1240N

56. **A 10kg bullet is fired into a 100kg gun with a speed of 1000 m/s. What is the speed of recoil of the gun?**

A. 10 m/s
B. 10 m/s
C. 10000 m/s
D. 100 m/s

57. **The change in the position of a body is called?**

A. Speed
B. Motion
C. Displacement
D. Position

58. **The dimension of gravitational constant 'G' is**

A. $M^{-1}L^{3}T^{-2}$
B. $ML^{3}T^{-2}$
C. $M^{-1}L^{2}T^{-1}$
D. $ML^{-1}T^{2}$

59. **The force that acts on a mass of 1g and gives it an acceleration of 1cms⁻² is defined as**

CAPABLE MINDS Tutorials

A. Newton
B. Dyne
C. Pound-force
D. Pascal

ANSWERS

51	52	53	54	55
C	A	D	B	B
56	**57**	**58**	**59**	**60**
D	C	A	B	A

60. The resultant of two forces X and Y will be greatest when the angle between them is

A. 0°
B. 90°
C. 45°
D. 80°

61. A car accelerates uniformly from rest at 5 m/s^2. Determine its speed after 10s

A. 0.5m/s
B. 2.0m/s
C. 25.0m/s
D. 50m/s

62. For a projectile the maximum range is obtained a when the angle of projection is

A. 60
B. 30°
C. 45°
D. 50°

63. Which of the following has the same unit as "moment of a force"?

A. Force
B. Power
C. Momentum
D. Work done

64. A stone is projected at an angle of 60° and an initial velocity of 20 m/s. Determine the time of flight.(Take g = 10 m/s^2)

A. 34.6s
B. 3.46s
C. 1.75s
D. 17.3s

65. A ball is thrown vertically into the air with an initial velocity 'u'. What is the greatest height reached?

A. u^2/g
B. $3u^2/2g$
C. u^2/g
D. $u^2/2g$

66. Which of the following give the correct dimension for radiant flux?

A. $ML^2T^{-2}K^{-1}$
B. $ML^3T^{-3}K^1$
C. $MLT^{-3}K^{-1}$
D. ML^2T^{-3}

67. The following are instrument for measuring the length of a substance except

A. fluid
B. micrometer screw guage
C. beaker
D. vienier caliper

68. The force which tend to oppose the flow of motion is called

A. center force
B. frictional force
C. opposing force
D. centri-petal force

69. If a force of 40N acting in the direction due east and a force of 3ON, acting in the direction due north.Then the magnitude of the resultant of these two forces would be

A. 40N
B. 10N
C. 60N
D. 5ON

CAPABLE MINDS Tutorials

70. **Dimensions of strain are**

A. [L]
B. $[M] [L]^{-1} [T]^{-2}$
C. [L]
D. It's a dimensionless quantity

71. **The following are fundamental quantity EXCEPT,**

A. velocity
B. time
C. mass
D. length

72. **One of the differences between mass and weight is that__,**

A. mass is vector while weight is scalar
B. weight is vector while mass is scalar
C. the unit of mass is Newton while weight is Kilogram
D. both has magnitude and direction

73. **Unit that cannot be derived from any other unit are called**

A. rare
B. units
C. basics unit
D. fundamental unit

74. **The change in the position of a body is called**

A. Speed
B. Velocity
C. Motion
D. Acceleration

ANSWERS

61	62	63	64	65
D	C	D	B	D
66	**67**	**68**	**69**	**70**
B	A	B	D	D

75. **The property of a body to remain at rest or to remain in motion with constant velocity is called**

A. inertia
B. momentum
C. force
D. force stop

76. **A body of mass 5kg move with a velocity of 5m/s for 5s. What force has the body applied**

A. 5N

ANSWERS

71	72	73	74	75
A	B	D	A	A
76	**77**	**78**	**79**	**80**
A	B	C	C	B

B. B.10N
C. 15N
D. 20N

77. **Quantities that have both magnitude and direction are called**

A. fundamental quantity
B. vector quantity
C. scalar quantity
D. basic quantity

78. **The branch of mechanics that deals with particles at rest or in equilibrium is called**

A. Kinematics
B. Dynamics
C. Statics
D. Gravitation

CAPABLE MINDS Tutorials

79. What is the primary concept introduced by Einstein's theory of General Relativity?

A. Quantum Mechanics
B. Dark Matter
C. Space-Time Curvature
D. Atomic Structure

80. According to Special Relativity, how does time behave for an object moving at a high speed?

A. Time speeds up
B. Time slows down
C. Time remains constant
D. Time becomes unpredictable

CAPABLE MINDS
Tutorials