Fadhil Muhamad Pratama

D:\DOC\TELKOM\KULOAH\STRUKDAT\tugas\TP_MOD8_1301213126_IF4511\CSLL.h C/C++

1301213126

IF4511

```
Management X CSLL.cpp X main.cpp X CSLL.h X
Projects Files
                             #ifndef CSLL_H_INCLUDED
                       1
rkspace
                              #define CSLL_H_INCLUDED
TP_MOD8_1301213126
Sources
                             #include <iostream>
CSLL.cpp
main.cpp
                             using namespace std;
                            #define info(P) (P)->info
Headers
                             #define next(P) (P)->next
CSLL.h
                             #define first(L) ((L).first)
                       10
                             #define last(L) ((L).last)
                       11
                       12 struct infotype{
                       13
                                string Artis;
                       14
                                  string Judul;
                                 string Genre;
                       15
                                  int playtime;
                       16
                       17
                       18
                       19
                            typedef struct element *adr;
                       20
                       21 =struct element(
                             infotype info;
                       23
                                  adr next;
                       24
                       25
                       26 =struct listlagu{
                           adr first;
                       27
                       28
                       29
D:\DOC\TELKOM\KULOAH\STRUKDAT\tugas\TP_MOD8_1301213126_IF4511\CSLL.h C/C++
                                                                       Windows (CR+LF) WINDOWS-1252 Line 34, Col 43, Pos 667
                                                                                                                         Insert
                                                                                                                                          Read/Write def
                                                                   _____
                   CSLL.cpp X main.cpp X CSLL.h X
Projects Files
                       11
rkspace
                       12 =struct infotype(
TP_MOD8_1301213126_
                             string Artis;
                       13
                      13
Sources
                                  string Judul;
CSLL.cpp
main.cpp
                      15 16 };
                                  string Genre;
                                  int playtime;
Headers
                       18
CSLL.h
                             typedef struct element *adr;
                       19
                       20
                       21 =struct element{
                              infotype info;
                       22
                                  adr next;
                       23
                       24
                       25
                       26  struct listlagu{
                               adr first;
                       27
                       28
                       29
                            void create list 1301213126(listlagu &L);
                       30
                           adr createElement_1301213126(infotype lagubaru);
void insertlast_1301213126(listlagu &L, adr P);
                       31
                       32
                             adr deletefirst 1301213126(listlagu &L);
                       33
                             void showSemualagu_1301213126(listlagu L);
                       34
                       35
                       36
                       37
                              #endif // CSLL_H_INCLUDED
                       38
```

Windows (CR+LF) WINDOWS-1252 Line 34, Col 43, Pos 667

Insert

Read/Write def

```
Management X CSLL.cpp X main.cpp X CSLL.h X
Projects Files
                        1
                              #include "CSLL.h"
TP_MOD8_1301213126
                              \negvoid create_list_1301213126(listlagu &L){
Sources
                                   first(L) =NULL;
CSLL.cpp
main.cpp
                              adr createElement_1301213126(infotype lagubaru){
Headers
                                  adr P = new element;
info(P) = lagubaru;
next(P) = NULL;
CSLL.h
                        10
                                   return P;
                        11
                        12
                        13
                              void insertlast_1301213126(listlagu &L, adr P) {
    if(first(L) == NULL) {
                                   if(first(L) == NULL) {
  first(L) = P;
                        15
                        16
                        17
                                        next(P) = first(L);
                        18
                        19
                                   else{
                        20
                                       adr q = next(first(L));
                                        \textbf{while} \, (\texttt{next} \, (\texttt{q}) \ ! = \ \texttt{first} \, (\texttt{L}) \, ) \, \{
                        21
                        22
                                          q = next(q);
                        23
                                       next(q) = P;
next(P) = first(L);
                        24
                        26
                        27
                        29
                             □adr deletefirst 1301213126(listlagu &L){
Windows (CR+LF) WINDOWS-1252 Line 54, Col 81, Pos 1194
                                                                                                                           Insert
                                                                                                                                              Read/Write default
                CSLL.cpp X main.cpp X CSLL.h X
Projects Files
                          28
rkspace
                           29
                                 adr deletefirst_1301213126(listlagu &L){
TP_MOD8_1301213126
                           30
                                       adr P;
Sources
                           31
                                       if(next(first(L)) == first(L)){
CSLL.cpp
main.cpp
                                           P = first(L):
                           32
                                            next(P) = NULL;
                          33
                                            first(L) = NULL;
                           34
Headers
                           35
                                            return P;
CSLL.h
                           36
                                       }else{
                           37
                                          adr q = next(first(L));
                           38
                                            while(next(q) != first(L)){
                                              q = next(q);
                           39
                           40
                                           P = first(L);
                           41
                                           first(L) = next(P);
                           42
                                            next(q) = first(L);
                           43
                                            return P;
                           44
                           45
                           46
                           47
                           48
                                \squarevoid showSemualagu_1301213126(listlagu L){
                                      adr P = first(L);
if(P == NULL){
                           49
                           50
                                           cout<<" Data <u>Kosong</u> "<<endl;</pre>
                           51
                           52
                                       } else{
                           53
                                           do{
                                             cout<<info(P).Judul<<" - "<<info(P).Artis<<"("<<info(P).Genre<<") : "<<info(P).playtime<<endl;</pre>
                           54
                           55
                                                 P = next(P);
```

Windows (CR+LF) WINDOWS-1252 Line 54, Col 81, Pos 1194

Read/Write default

Insert

```
Management X CSLL.cpp X main.cpp X CSLL.h X
                                    - · · · - · -
Projects Files
                                       next(P) = NULL;
                        33
 rkspace
                        34
                                       first(L) = NULL;
 TP_MOD8_1301213126_
                        35
                                       return P;
Sources
                        36
                                   }else{
 CSLL.cpp
main.cpp
                        37
                                      adr q = next(first(L));
                        38
                                      while(next(q) != first(L)){
                                      q = next(q);
}
                        39
 Headers
 CSLL.h
                                      P = first(L);
                        41
                                      first(L) = next(P);
next(q) = first(L);
                        42
                        43
                        44
45
                                       return P;
                             []
                        46
                        47
48
                             void showSemualagu 1301213126(listlagu L){
                                   adr P = first(L);
if(P == NULL){
                        50
                                      cout<<" Data Kosong "<<endl;
                        51
                                   } else{
                        53
                                      do{
                                          cout<<info(P).Judul<<" - "<<info(P).Artis<<"("<<info(P).Genre<<") : "<<info(P).playtime<<endl;
                        54
                        55
                                          P = next(P);
                                      }while(P != first(L));
cout<<"---selesai---"<<endl;</pre>
                        56
                        57
                        58
                        59
                        60
Windows (CR+LF) WINDOWS-1252 Line 54, Col 81, Pos 1194
                                                                                                                          Insert
                                                                                                                                           Read/Write
```


```
Management
                     CSLL.cpp X main.cpp X CSLL.h X
                           1 #include "CSLL.h"
 Projects Files
rkspace
                               int main()
TP_MOD8_1301213126
Sources
CSLL.cpp
main.cpp
                                       listlagu L;
                                       create_list_1301213126(L);
                                       infotype q;
  CSLL.h
                                       adr P;
                                       q.Artis = "Neck Deep";
                                       q.Judul = "wish you were here";
q.Genre = "Pop punk";
q.playtime = 408;
                           10
                          11
12
                          13
14
                                       P = createElement_1301213126(q);
insertlast_1301213126(L,P);
                          15
16
                                       q.Artis = "post malone";
                                       q.Arcis = post means
q.Judul = "wow.";
q.Genre = "hip hop";
                          17
18
                                       q.playtime = 229;
P = createElement
                          19
                           20
                                          = createElement_1301213126(q);
                          21
                                       insertlast_1301213126(L,P);
                           22
                                       q.Artis = "Bring Me The Horizon";
                          23
                                       q.Judul = "Drown";
q.Genre = "rock";
                          25
                                       q.playtime = 342;
                           27
                                        P = createElement 1301213126(q);
                                        insertlast_1301213126(L,P);
                           29
Windows (CR+LF) WINDOWS-1252 Line 124, Col 19, Pos 3084
                                                                                                                                         Insert
                                                                                                                                                            Read/Write default
```

```
Management \mathbf{x} CSLL.cpp \times main.cpp \times CSLL.h \times
 Projects Files
                        25
                                    q.Genre = "rock";
 rkspace
                        26
                                    q.playtime = 342;
 TP_MOD8_1301213126_
                                    P = createElement 1301213126(g):
                        27
Sources
                        28
                                    insertlast 1301213126(L,P);
 CSLL.cpp
main.cpp
                        29
                                    q.Artis = "Bring Me The Horizon";
                        30
                                    q.Judul = "Throne";
 Headers
                        31
                                    q.Genre = "rock";
                        32
 CSLL.h
                        33
                                    q.playtime = 311;
                        34
                                    P = createElement_1301213126(q);
                                    insertlast_1301213126(L,P);
                        35
                        36
                        37
                                    q.Artis = "Bring Me The Horizon";
                                    q.Judul = "Happy Song";
                        38
                                    q.Genre = "rock";
                        39
                                    q.playtime = 359;
                        40
                        41
                                    P = createElement_1301213126(q);
                        42
                                    insertlast_1301213126(L,P);
                        43
                                    q.Artis = "The Weeknd";
                                    q.Judul = "The Hills";
q.Genre = "Pop";
                        45
                        46
                                    q.playtime = 402;
                        47
                                    P = createElement_1301213126(q);
                        49
                                    insertlast_1301213126(L,P);
                        50
                                    q.Artis = "The Weeknd";
                        51
                                    q.Judul = "Starboy";

a.Genre = "Pop";
                        52
                        53
Windows (CR+LF) WINDOWS-1252 Line 124, Col 19, Pos 3084
                                                                                                                                             Read/Writ
                                                                                                                            Insert
```

```
Management X CSLL.cpp X main.cpp X CSLL.h X
 Projects Files
                                        q.Judul = "Starboy";
                            52
 rkspace
                                         q.Genre = "Pop";
                            53
 TP_MOD8_1301213126
                                         q.playtime = 350;
P = createElement 1301213126(q);
                            54
                            55
 Sources
 CSLL.cpp
main.cpp
                            56
57
                                         insertlast_1301213126(L,P);
                                         q.Artis = "Khalid";
                            58
 Headers
                                         q.Judul = "American Teen";
  CSLL.h
                            59
                                         q.Genre = "Pop";
                            60
                                         q.playtime = 411;
P = createElement_1301213126(q);
                            61
                            62
                            63
                                         insertlast_1301213126(L,P);
                            64
                            65
66
                                         g.Artis = "Oasis";
                                         q.Artis = "Oasis";
q.Judul = "Don't Look Back In Anger";
q.Genre = "Pop";
                            67
                                         g.playtime = 450;
                            68
                            69
                                         P = createElement_1301213126(q);
                            70
                                         insertlast_1301213126(L,P);
                            71
                            72
73
74
75
                                         g.Artis = "Daniel Caesar":
                                         q.Artis = "Daniel caes
q.Judul = "Best Part";
q.Genre = "Pop";
q.playtime = 431;
                                         P = createElement_1301213126(q);
insertlast_1301213126(L,P);
                            76
77
                            78
                                         q.Artis = "Daniel Caesar";
g.Judul = "Japanese Denim";
                            79
Windows (CR+LF) WINDOWS-1252 Line 124, Col 19, Pos 3084 Insert
                                                                                                                                                                   Read/Write default
```

```
CSLL.cpp X main.cpp X CSLL.h X
Projects Files
                                   q.Artis = "Daniel Caesar";
q.Judul = "Japanese Denim";
                        79
rkspace
                        80
TP_MOD8_1301213126_
                                   q.Genre = "Pop";
                        81
                        82
                                   q.playtime = 431;
Sources
 CSLL.cpp
main.cpp
                        83
                                   P = createElement_1301213126(q);
                                   insertlast_1301213126(L,P);
                        84
                        85
Headers
                                   q.Artis = "Joji";
q.Judul = "Santuary";
q.Genre = "Pop";
 CSLL.h
                        87
                        88
                                   q.playtime = 300;
                        89
                        90
                                   P = createElement_1301213126(q);
                        91
                                   insertlast_1301213126(L,P);
                        92
                        93
                                   q.Artis = "Cigarette after gx";
                                   95
                                   q.playtime = 452;
                        96
                        97
                                   P = createElement_1301213126(q);
                        98
                                   insertlast_1301213126(L,P);
                        99
                                   q.Artis = "Cigarette after &x";
                       100
                       101
                                   q.Judul = "Apocalypse";
                       102
                                   q.Genre = "Indie";
                                   q.playtime = 451;
                       103
                                   P = createElement 1301213126(q);
                       104
                       105
                                   insertlast_1301213126(L,P);
                       106
                       107
                                   g.Artis = "Frank Ocean";
Windows (CR+LF) WINDOWS-1252 Line 124, Col 19, Pos 3084
                                                                                                                                           Read/Wri
                                                                                                                           Insert
```



```
### DAPPOCYTIKNOMARUNOMANST X + V

wish you were here - Neck Deep(Pop punk): 408

wow. - post malone(isp hop): 239

Dow. - post malone(isp hop): 230

Dow. - post malone(isp hop): 230

Dow. - post malone(isp hop): 230

Dow. - post malone(isp hop): 330

Heapy - Bring Nt The Horizon(cock): 311

Heapy - Bring Nt The Survivor (cock): 311

Heapy - Bring Nt The Medical (pop): 402

Startboy - The Weeknd(Pop): 402

Startboy - The Weeknd(Pop): 403

Santuary - Dapi(Pop): 308

Sweet - Ciparette after sx(Indie): 451

Indie - Ciparette after sx(Indie): 451

Indie - Ciparette after sx(Indie): 425

---selesair---

p): 431

Japanese Denia - Daniel Caesar(Pop): 431

Santuary - Joji(Pop): 308

Sweet - Ciparette after sx(Indie): 451

Santuary - Joji(Pop): 308

Sweet - Ciparette after sx(Indie): 425

---selesair---

p): 431

Japanese Denia - Daniel Caesar(Pop): 431

Santuary - Joji(Pop): 308

Nights - Frank Ocean(Pop): 499

Nights - Frank Ocean(Pop): 499

Nights - Frank Ocean(Pop): 490

Nights - Frank Ocean(Pop): 490

Nights - Frank Ocean(Pop): 491

Nights - Frank Ocean(Pop): 492

Drown - Bring Ne The Horizon(rock): 311

Happy Song - Bring Ne The Horizon(rock): 311
```