
2015

STUDENT ACTIVITIES

DATABASE SYSTEMS CSE421



Name Section
Reem Medhat Ernest 2
Rizk Tawfik Rizk 2
Fady Fares Abdel Ahad 2
Sameh Mamdouh 2
Mark Magdy Antoun 2
Ahmed Mohamed Abdelmageed 1

Table of Contents

Project description	3
Software used	3
ER Diagram	4
Assumptions	5
Relational Schema	6
Tables names and constrains	6
Campaign	6
campaign_location	7
committee	7
Member	7
Participant	7
Professor	8
registered_in	8
sa_committee	8
Sponsor	8
sponsored_by	9
student	9
student_activity	9
track	9
track_campaign	10
university	10
SQL Statements	11
Queries	11
activity.php	11
addCampaign.php	11
addMember.php	11
AddSA	11
campaigns.php	11
index.php	12
login.php	12
register.php	12
SA-cmd	12

Report		12
Insert		13
Admin-cmd	d	13
SA-cmd		13
Forms		14
Login		14
Index		14
Dashboard.		15
Activities		15
Events		16
Student activi	ity	17
Add new co	ommittee	18
Add new tra	ack	18
Add new m	nember	19
Add campa	nign	20
Admin view		20
Add activity	у	20
Register the	e activity to a new location (university)	21
Generate re	eports	21

Project description


It is required to design a database for student activities in a certain university to help students keep track of new student activities and their different committees and tracks and to help student activity supervisors enroll new students to their activities. And to help student affairs department to enroll new student activity in the university. It is also required to design a web application that uses this database. The web application has three views:

- 1. Student view: can view different student activities with their tracks and committees
- 2. Student activity head view: can enroll any participant or member to his activity, adding tracks and committees to his student activity.
- 3. Database admin: can enroll new student activities.

Software used

- Xampp
- PhpmyAdmin
- Dreamwaver
- Illustrator
- Notepad++


ER Diagram



Assumptions

- Student may enroll in one or more student Activities.
- Student activity must be in at least one university.
- Student activity must be tracked by only one Dr.
- Students who enroll in student activities must be participants or members or both.
- Participants & members of any student activity must be undergraduate.
- Each student activity has many committees.
- Member has to be in only one committee.
- Participant in a student activity has to be in only one track.
- Each student activity can make a campaign.
- Each campaign has many tracks.
- Each student activity may has one or more sponsor.
- Each campaign must have at least one location.
- Each committee has multiple positions.
- Each member has to be in only one position.

Relational Schema



Tables names and constrains

Campaign

Column	Туре	Attributes	Null	Default	Extra	Links to
SA_ID	int(10)	UNSIGNED	No			-> student_activity.SA_ID ON UPDATE CASCADE ON DELETE CASCADE
Camp_Name	varchar(100		No			
Start_Date	date		No	-		
End Date	date		No			

• PK(SA_ID,Camp_Name).

campaign_location

Column	Туре	Attributes	Null	Default	Extra	Links to
SA_ID	int(10)	UNSIGNED	No			-> campaign.SA_ID ON UPDATE CASCADE ON DELETE CASCADE
Camp_Name	varchar(100		No			-> campaign.Camp_Name ON UPDATE CASCADE ON DELETE CASCADE
location	varchar(100		No			A 1000000000000000000000000000000000000

• PK (SA_ID,Camp_Name,location).

committee

Column	Туре	Attributes	Null	Default	Extra	Links to
Com_ID	int(10)	UNSIGNED	No		auto_increment	
Name	varchar(100		No			
description	text		Yes	NULL		

• PK(Com_ID).

Member

Column	Туре	Attributes	Null	Default	Extra	Links to
S_ID	char(7)		No			-> student.Code ON UPDATE CASCADE ON DELETE CASCADE
SA_ID	int(10)	UNSIGNED	No			-> sa_committee.SA_ID ON UPDATE CASCADE ON DELETE CASCADE
Com_ID	int(10)	UNSIGNED	No			-> sa_committee.Com_ID ON UPDATE CASCADE ON DELETE CASCADE
Pos	varchar(100		No			

• PK(S_ID,SA_ID).

Participant

Column	Туре	Attributes	Null	Default	Extra	Links to
S_ID	char(7)		No			-> student.Code ON UPDATE CASCADE ON DELETE CASCADE
SA_ID	int(10)	UNSIGNED	No			-> student_activity.SA_ID ON UPDATE CASCADE ON DELETE CASCADE
T_ID	int(10)	UNSIGNED	No			-> track.T_ID ON UPDATE CASCADE ON DELETE CASCADE

• PK(S_ID,SA_ID).

Professor

Column	Туре	Attributes	Null	Default	Extra	Links to
code	int(10)	UNSIGNED	No			
name	varchar(100		No			

• PK(code).

registered_in

Column	Туре	Attributes	Null	Default	Extra	Links to
SA_ID	int(10)	UNSIGNED	No			-> student_activity.SA_ID ON UPDATE CASCADE ON DELETE CASCADE
U_ID	int(10)	UNSIGNED	No			-> university.U_ID ON UPDATE CASCADE ON DELETE CASCADE

• PK(SA_ID,U_ID).

sa_committee

Column	Туре	Attributes	Null	Default	Extra	Links to
SA_ID	int(10)	UNSIGNED	No			-> student_activity.SA_ID ON UPDATE CASCADE ON DELETE CASCADE
Com_ID	int(10)	UNSIGNED	No			-> committee.Com_ID ON UPDATE CASCADE ON DELETE CASCADE

• PK(S_ID,SA_ID).

Sponsor

Column	Туре	Attributes	Null	Default	Extra	Links to
SP_ID	int(10)	UNSIGNED	No			
Name	varchar(100		No			

• PK(SP_ID).

sponsored_by

Column	Туре	Attributes	Null	Default	Extra	Links to
SA_ID	int(10)	UNSIGNED	No			-> student_activity.SA_ID ON UPDATE CASCADE ON DELETE CASCADE
SP_ID	int(10)	UNSIGNED	No			-> sponsor.SP_ID ON UPDATE CASCADE ON DELETE CASCADE

• PK(SP_ID,SA_ID).

student

Column	Туре	Attributes	Null	Default	Extra	Links to
Code	char(7)		No			
Name	varchar(100)		No			
E-mail	varchar(100		No			
Phone_No	char(11)		Yes	NULL		

• PK(code).

student_activity

Column	Туре	Attributes	Null	Default	Extra	Links to
SA ID	int(10)	UNSIGNED	No		auto increment	
Name	varchar(100		No			
Desc	text		Yes	NULL		
imgPath	text	5	Yes	NULL		
password	varchar(50)		No			
website	varchar(100		Yes	NULL		
prof_code	int(10)	UNSIGNED	No			-> professor.code ON UPDATE RESTRICT ON DELETE RESTRICT

• PK(SA_ID).

track

Column	Туре	Attributes	Null	Default	Extra	Links to
T_ID	int(10)	UNSIGNED	No		auto_increment	
Name	varchar(100		No			
Description	text		No			

PK(T_ID).

track_campaign

Column	Туре	Attributes	Null	Default	Extra	Links to
SA_ID	int(10)	UNSIGNED	No			-> campaign.SA_ID ON UPDATE CASCADE ON DELETE CASCADE
Camp_Name	varchar(100		No			-> campaign.Camp_Name ON UPDATE CASCADE ON DELETE CASCADE
T_ID	int(10)	UNSIGNED	No			-> track.T_ID ON UPDATE CASCADE ON DELETE CASCADE

• PK(SA_ID,Camp_Name,T_ID).

university

Column	Туре	Attributes	Null	Default	Extra	Links to
U_ID	int(10)	UNSIGNED	No		auto_increment	
Name	varchar(100		No			

• PK(U_ID).

SQL Statements

Queries

activity.php

```
    SELECT `student`. `Name` as SName, `Code`, `E-mail`, `Phone_No`, `committee`.` Name` as CName, `Pos`
    FROM `student`, `committee`, `member`
    WHERE `committee`. `Com_ID`= `member`. `Com_ID` AND `student`. `Code`= `member`. `S_ID` AND `member`. `SA_ID`=$SA_ID
```

•

```
    SELECT `campaign`.`Camp_Name`, `Start_Date`, `End_Date`, `location`
    FROM `campaign`, `campaign_location`
    WHERE `campaign`.`Camp_Name`=`campaign_location`.`Camp_Name` AND `campaign`.`SA_ID`=$SA_ID
```

•

 SELECT COUNT(*) AS total FROM `campaign`;
 WHERE `SA_ID`=\$SA_ID

•

 SELECT COUNT(*) AS total FROM `member`
 WHERE `SA_ID`=\$SA_ID

addCampaign.php

SELECT * FROM `track`

addMember.php

SELECT `committee`.`Com_ID`,`Name`
 FROM `committee`,`sa_committee`
 WHERE `committee`.`Com_ID`=`sa_committee`.`Com_ID` AND `SA_ID`=".\$_SESSION['SA_admin']

AddSA

SELECT `code`, `name`
 FROM `professor`

•

SELECT * FROM `university`

•

campaigns.php

• SELECT student_activity.SA_ID,student_activity.Name,campaign.Camp_Name,campaign_location.locati

```
on,campaign.Start_Date,campaign.End_Date,student_activity.imgPath FROM `student_activity`,`campaign`,`campaign_location` WHERE `student_activity`.`SA_ID`=`campaign`.`SA_ID` AND `campaign`.`SA_ID`=`campaign_location`.`SA_ID` AND `campaign`.`Camp_Name`=`campaign_location`.`Camp_Name`
```

index.php

- SELECT `SA_ID`, `Name`, `imgPath` FROM `student_activity` ORDER BY RAND() LIMIT 3
- •
- SELECT

```
student_activity.SA_ID,student_activity.Name,campaign.Camp_Name,campaign_location.location,campaign.Start_Date,campaign.End_Date,student_activity.imgPath FROM `student_activity`,`campaign`,`campaign_location` WHERE `student_activity`.`SA_ID`=`campaign`.`SA_ID` AND `campaign`.`SA_ID`=`campaign_location`.`SA_ID` AND `campaign`.`Camp_Name`=`campaign_location`.`Camp_Name` ORDER BY RAND() LIMIT 3
```

login.php

SELECT `SA_ID` FROM `student_activity` WHERE `Name`='\$user' AND `password`='\$pass'

register.php

- SELECT `Name`, `SA_ID` FROM `student_activity`
- SELECT `name`, `U ID` FROM `university`

SA-cmd

- SELECT `Code` FROM `student` WHERE `Name` = '\$student'
- SELECT `Com ID` FROM `committee` WHERE `Name` = '\$com'
- SELECT 'Com ID' FROM 'committee' WHERE 'Name'='\$comname'

Report

- SELECT COUNT(*) as total "; FROM `student`
- DROP VIEW IF EXISTS `students_in_activities`
 CREATE VIEW `students_in_activities` AS ";
 (SELECT `S_ID`, `SA_ID` FROM `member`) UNION (SELECT DISTINCT `S_ID`, `SA_ID` FROM `participant`)
- SELECT COUNT(DISTINCT `S_ID`) as total ";
 FROM `students in activities`

- SELECT COUNT(DISTINCT `S_ID`) as total ";
 FROM `member`
- •
- SELECT COUNT(DISTINCT `S_ID`) as total "; FROM `participant`
- SELECT COUNT(*) as total "; FROM `student_activity`
- SELECT `SA_ID`, COUNT(*) as total ";
 FROM `students_in_activities` ";
 GROUP BY `SA_ID`
- SELECT `Name` FROM `student_activity` WHERE `SA_ID` = \$sa_id

Insert

Admin-cmd

- INSERT INTO `student_activity`(`SA_ID`, `Name`, `Desc`, `imgPath`, `password`, `website`, `prof_code`) VALUES (NULL, '\$name', '\$desc', NULL, '\$password', '\$web', '\$prof_code')
- UPDATE `student_activity` SET `imgPath`='".\$uploadResult['value']."' WHERE `SA_ID`=\$index
- INSERT INTO 'registered_in'('SA_ID', 'U_ID') VALUES ('\$index','\$uni')


SA-cmd

- INSERT INTO `member`(`S_ID`, `SA_ID`, `Com_ID`, `Pos`) VALUES ('\$code','".\$_SESSION['SA_admin']."','\$com','\$pos')
- INSERT INTO 'track' ('T ID', 'Name', 'Description') VALUES (NULL, '\$tname', '\$description')
- INSERT INTO `committee`(`Com_ID`,`Name`,`Description`) VALUES (NULL,'\$comname','\$description')
- INSERT INTO `sa_committee`(`SA_ID`, `Com_ID`) VALUES ('".\$_SESSION['SA_admin']."','\$id')
- INSERT INTO `campaign`(`SA_ID`, `Camp_Name`, `Start_Date`, `End_Date`) VALUES ('".\$_SESSION['SA_admin']."','\$name','\$start','\$end')
- INSERT INTO 'campaign_location' ('SA_ID', 'Camp_Name', 'location') VALUES
- "INSERT INTO `track_campaign`(`SA_ID`, `Camp_Name`, `T_ID`) VALUES

Forms

Our website is built with simple, elegant and responsive design to view it on several devices.

Login




- Login is required for student activity head (with registered username and password inserted by the admin) and database admin with fixed username: Admin and password: 0159.
- Student doesn't need to login.
- Admin login by going directly to "login.php" page.
- Student activity head will be initially viewing student view and can be redirected to the login page by pressing on "I'm Student Activity" button.

Index

We know that your time is valuable so with the aid of navigation bar you can go anywhere through the website easily and in no time.


- It's split into 3 main parts:
 - Dashboard: where you can see all activities and events in a glance and you can press more to see all.
 - Activities: where you can see all the activities available
 - Events: where you can see all events posted by any student activity.
 - It's mainly for the student view and is used in other views as well.

Dashboard




- Pressing on "I'm student activity" will redirect you to the login page.
- Pressing on any event or activity will redirect you to the details page.

Activities




Pressing on any activity will redirect you to the details page.

Events



• Pressing on any event will redirect you to the details page.




Student activity


This is your activity home page and you can easily find all members and events and add or delete any of them.

- By pressing on "+New Committee" you will be redirected to special form to add your committee
 details.
- By pressing on "+New track" you will be redirected to special form to add your track details.
- By pressing on "+New Member" you will be redirected to special form to add your member details.
- By pressing on "+New Event" you will be redirected to special form to add your event details.
- Notice that 2 new buttons are added to your view:
 - Home button: you can press it anytime to get back to this page.
 - Logout button: so that you end this session.


Add new committee




Add new track



Add new member




Add new participant




• You should select one of the committees associated by your student activity.

Add campaign



You should insert each location separated by enter.


Admin view Add activity



- You must enter the name and a password for the new activity.
- You can use "Generate Password" to give you random password.

- You should upload your logo
- You must select one professor and initial location for the activity.
- You can add a website link.

Register the activity to a new location (university).



Generate reports

