## **Operator Related Problems**

## (Total 15 questions)

		Problem statement	Difficult levels
1.		pers <b>X</b> and <b>Y</b> as inputs, then calculate and print the values ultiplication, division (quotient and reminder).	*
	Sample input (X,Y)	Sample output	
	5 10	Addition: 15 Subtraction: -5 -14 % 3 = -2 -14 % -3 = -2	
		Multiplication: 50 Quotient: 0	
		Reminder: 5	
	-5 10.5	Addition: 5.5	
		Subtraction: -15.5	
		Multiplication: -52.5	
		Quotient: 0	
		Reminder: -48	
<u>.</u>	Program that will calculate the c	ircumference of a circle having radius <b>r</b>	*
	Program that will calculate the c	ircumference of a circle having radius <b>r.</b> Area, A = 2 * Pi * r	*
•	Program that will calculate the c		*
•		Area, A = 2 * Pi * r	*
	Sample input (r)	Area, A = 2 * Pi * r  Sample output	*
	Sample input (r) 5 10.5  Program that will take two number – (Without using math.h)	Area, A = 2 * Pi * r  Sample output  Area: 31.4	*
	Sample input (r) 5 10.5  Program that will take two number – (Without using math.h)	Area, A = 2 * Pi * r  Sample output Area: 31.4 Area: 65.94  Deers (a, b) as inputs and compute the value of the equation	
	Sample input (r) 5 10.5  Program that will take two number – (Without using math.h)  X = (3.31 *	Area, A = 2 * Pi * r  Sample output Area: 31.4 Area: 65.94  Deers (a, b) as inputs and compute the value of the equation $a^2 + 2.01 * b^3) / (7.16 * b^2 + 2.01 * a^3)$	

	ple input(X)	Sample output	
5		X++: 5	
		++X: 6	
		X: 5	
		X : 4	
-5		X++: -5	
		++X: -4	
		X: -5	
		X : -6	
Progra	am that will incr	ement and decrement a number $\mathbf{X}$ by $\mathbf{Y}$ . (Use += and	d -= operators) *
Samı	ole input(X,Y)	Sample output	
	10	Incremented Value: 10	
		Decremented Value: -5	
-5	5	Incremented Value: 0	
		Decremented Value: -10	
56	ple input(X,Y)  10	Sample output  Multiplication: 560  Division: 5	
-56	-10	Multiplication: 560 Division: 5	
		DIVISIOII. 3	
Program that will declare and initialize an integer and a floating point number. Then it will perform floating to integer and integer to floating conversions using  (a) Assignment operation  (b) Type casting			mber. Then it will **
perfor (a)			
perfor (a) (b)		Sample output	
perfor (a) (b)	Type casting	Sample output Assignment: 123.125000 assigned to an int pro	oduces 123
perfor (a) (b)	Type casting		
perfor (a) (b)	Type casting	Assignment: 123.125000 assigned to an int pro	-150.000000
perfor (a) (b)	Type casting	Assignment: 123.125000 assigned to an int produces Assignment: -150 assigned to a float produces	-150.000000

	Sample input (x, y)	Sample output		
	20 100	Max: 100		
	50 -20	Max: 50		
	Program that will evaluate the following equations -			
	X = a - b / 3 + c * 2 - 1			
		Z = a - ( b / ( 3 + c ) * 2) - 1 Z = a - ( ( b / 3) + c * 2) - 1		
	Sample input (a, b, c)	Sample output		
	9 12 3	X = 10		
		Y = 4		
		Z = -1		
	(0)	a) $(a + b) \le 80$ b) $!(a + c)$ c) $a! = 0$		
	Sample input (a, b, c)	Sample output		
	10 -10 0	a) 1		
		b) 0		
		c) 1		
	Drogram that will take a b 0 acc	inputs and decide if the statements are True (1) of False	***	
•	(0)			
•	(0)	a) $(a + b) \le 80 \&\& b \ge 0$ 2) $(a - b) == 0   c! = 0$ a! = b   (b < a) &&c > 0		
	(0)	2) $(a-b) == 0   c! = 0 $		
	(0)	2) $(a - b) == 0    c! = 0$ a! = b    (b < a) & & c > 0 Sample output 1) 0		
	(0)  1 3)  Sample input (a, b, c)	2) $(a - b) == 0    c! = 0$ a! = b    (b < a) &&c > 0 Sample output		

$\mathbf{root} = \frac{-\mathbf{b} \pm \mathbf{sqrt}(\mathbf{b}^2)}{2.\mathbf{a}}$	<u>-4. a. c)</u>		
Sample input (a, b, c) 2 4 -16	Sample output 2.00 -4.00		
1 2 3	Imaginary		
Program that will evaluate $2\cos^2 x - \sqrt{3}\sin x + \sin^2 x$	v	***	
	2 where 1<= x <=180 [No checking needed]		
Sample input (x)	Sample output		
30	1.810066		
		1	
120	0.778151		
180  Program that will take a f	3.954243  loating point number <b>X</b> as input and evaluate <b>A,B,C</b> where-	**	
Program that will take a f  A = Val  B = Val	3.954243	**	
Program that will take a f  A = Val  B = Val  C = Abs	3.954243  loating point number <b>X</b> as input and evaluate <b>A,B,C</b> whereue when <b>X</b> is rounded up to the nearest integer ue when <b>X</b> is rounded down to the nearest integer solute value of <b>X</b>	**	
Program that will take a f A = Val B = Val C = Abs	3.954243  loating point number <b>X</b> as input and evaluate <b>A,B,C</b> whereue when <b>X</b> is rounded up to the nearest integer ue when <b>X</b> is rounded down to the nearest integer solute value of <b>X</b> Sample output	**	
Program that will take a f  A = Val  B = Val  C = Abs	3.954243  loating point number <b>X</b> as input and evaluate <b>A,B,C</b> whereue when <b>X</b> is rounded up to the nearest integer ue when <b>X</b> is rounded down to the nearest integer solute value of <b>X</b>	**	
Program that will take a f A = Val B = Val C = Abs  Sample input(X)  10.6 -77.9	3.954243  loating point number <b>X</b> as input and evaluate <b>A,B,C</b> whereue when <b>X</b> is rounded up to the nearest integer ue when <b>X</b> is rounded down to the nearest integer solute value of <b>X</b> Sample output  A = 11, B = 10, C = 10.6	**	
Program that will take a f A = Val B = Val C = Abs  Sample input(X)  10.6 -77.9	3.954243  loating point number <b>X</b> as input and evaluate <b>A,B,C</b> whereue when <b>X</b> is rounded up to the nearest integer ue when <b>X</b> is rounded down to the nearest integer solute value of <b>X</b> Sample output  A = 11, B = 10, C = 10.6  A = 78, B = 77, C = 77.9		
Program that will take a f A = Val B = Val C = Abs  Sample input(X)  10.6 -77.9  Program to find size of interpretations.	3.954243  loating point number <b>X</b> as input and evaluate <b>A,B,C</b> where- ue when <b>X</b> is rounded up to the nearest integer ue when <b>X</b> is rounded down to the nearest integer solute value of <b>X</b> Sample output  A = 11, B = 10, C = 10.6  A = 78, B = 77, C = 77.9  t, float, double and char of the system.		
Program that will take a f A = Val B = Val C = Abs  Sample input(X)  10.6 -77.9  Program to find size of interpretations.	Sample output   A = 78, B = 77, C = 77.9   Sample output   A = 78, B = 77, C = 77.9   Sample output   C = 77.9   Sample output		
Program that will take a f A = Val B = Val C = Abs  Sample input(X)  10.6 -77.9  Program to find size of interpretations.	Sample output   A = 78, B = 77, C = 77.9     Sample output   Sample output   Size of int in byte(s) = 4		