



Graduation Project, Part-I (SWE 496)
Software Engineering Department
CCIS, KSU

Project Advisor:
L.Nouf Al-Mubarak

Submitted by

SN	Name	ID
1	Asma Alameer	444200350
2	Fatemah Sharfo	444200083
3	Tarfah Aldosari	442201743
4	Asma abd alqawi	444200110
5	Aljohrah Alsadoun	444200376

Date submitted
Dec 14, 2025

ABSTRACT

This report outlines the development process of the **FAYDH** system, a unified digital solution designed to manage and optimize in-kind donations (such as food, clothing, and furniture) across charitable organizations. Current donation processes frequently suffer from fragmentation across different categories and a lack of real-time transparency and tracking, which compromises efficiency. The FAYDH project introduces an integrated mobile and web application that automates and enhances the entire donation workflow. By leveraging real-time tracking mechanisms, QR code verification for delivery, and smart matching algorithms, the system ensures that donations are safely and efficiently transferred. FAYDH minimizes resource waste, enhances donor trust, and delivers a faster, more organized charitable experience, supporting the digital transformation of the non-profit sector.

Table of Contents

1. INTRODUCTION.....	1
2. DOMAIN ANALYSIS.....	2
3. RISK/CONSTRAINTS.....	7
4. PROJECT PLAN.....	8
5. QUALITY ASSURANCE PLAN.....	9
6. REQUIREMENTS.....	10
6.1 Requirement Elicitation.....	10
6.2 FUNCTIONAL REQUIREMENTS.....	11
6.3 NON-FUNCTIONAL REQUIREMENTS.....	16
6.4 Design Constraint.....	16
7. PROBLEM COMPLEXITY.....	17
8. SYSTEM USE CASES.....	18
8.1 Use Case Diagram.....	18
8.1.1 Donor Use Case Diagram.....	18
8.1.2 Charity Use Case Diagram.....	19
8.1.3 Driver Use Case Diagram.....	20
8.1.4 Administrator Use Case Diagram.....	21
8.1.5 Full Use case.....	22
8.2 Use Case Descriptions.....	23
8.2.1 Create Donation Post Use Case description.....	23
8.2.2 Choose Pickup Available Time Use Case Description.....	25
8.2.3 Join chat Use Case Description.....	26
8.2.4 Reserve donation post Use case description.....	27
8.2.5 Cancel donation reservation post Use case description.....	29
8.2.6 View available donation post details Use Case description.....	30
8.2.7 Choose Available Time Slots for Delivery Use Case Description.....	31
8.2.8 Request to join charity Use Case Description.....	32
8.2.9 Update delivery status Use Case description.....	33
8.2.10 Sign Up charity Use Case Description.....	34
9. ANALYSIS CLASS.....	35
9.1 Create donation post.....	35
9.2 Choose pickup available time.....	35
9.3 Join chat.....	36
9.4 Reserve donation post.....	36
9.5 Cancel donation reservation post.....	37
9.6 View available donation post details.....	37
9.7 Choose available time slots for delivery.....	38
9.8 Request to join charity.....	39
9.9 Update delivery status.....	39

9.10 Sign up charity.....	39
9.11 Full analysis class.....	40
10. INTERACTION DIAGRAM.....	41
10.1 Create Donation Post.....	42
10.2 Choose pickup available time.....	43
10.3 Join chat.....	44
10.4 Reserve donation post.....	45
10.5 Cancel donation reservation post.....	46
10.6 View available donation post details.....	47
10.7 Choose available time slots for delivery.....	48
10.8 Request to join charity.....	49
10.9 Update delivery status.....	50
10.10 Sign Up charity.....	51
11. DESIGN CLASS.....	52
12. SYSTEM ARCHITECTURE.....	53
12.1 MVVM Architecture style.....	53
12.2 MVVM Architecture for Admin Website.....	55
12.3 Architecture Constraints.....	55
12.4 MVVM Architecture compared to other Architectures.....	55
13. User Interface Mockup.....	57
13.1 Welcome Page & Sign In.....	57
13.2 Sign Up for charity.....	58
13.3 Create Donation Post.....	58
13.4 Join Chat.....	60
13.5 Choose Available Pick-up time.....	61
13.6 Reserve donation post.....	62
13.7 Cancel Donation Reservations.....	63
13.8 Accept/Reject Drivers' Request.....	63
13.9 Update delivery status.....	64
13.10 Driver Request to join.....	67
14. DATABASE.....	68
14.1 Database Schema.....	68
15. ALGORITHMS.....	70
15.1 delivery tasks Haversine.....	70
16. EXPECTED DEPLOYMENT.....	71
17. TEST SCENARIO.....	72
17.1 Create donation post test cases.....	72
17.1.1 Invalid scenario.....	72
17.1.2 Valid scenario.....	72
17.2 Choose pickup available time test case.....	73
17.2.1 Valid scenario.....	73
17.3 Join chat test cases.....	74
17.3.1 Valid scenario.....	74
17.3.2 Invalid scenario.....	74

17.4 Reserve donation post test cases.....	75
17.4.1 Valid scenario.....	75
17.4.2 Invalid scenario.....	75
17.5 Cancel donation reservation post.....	76
17.5.1 Valid scenario.....	76
17.5.2 Invalid scenario.....	77
17.6 view available donation post details.....	78
17.6.1 valid scenario.....	78
17.6.2 Invalid scenario.....	78
17.6.3 Invalid scenario.....	79
17.6.4 Invalid scenario.....	79
17.7 Choose available time slots for delivery.....	80
17.7.1 valid scenario.....	80
17.7.2 invalid scenario.....	80
17.8 Request to join charity.....	81
17.8.1 Valid scenario.....	81
17.8.1 Invalid scenario.....	82
17.9 Update delivery status.....	82
17.9.1 Valid scenario.....	82
17.9.2 Invalid scenario.....	83
17.10 Sign Up charity.....	84
17.10.1 Valid Sign up.....	84
17.10.2 Invalid Email Sign up.....	84
17.10.3 Invalid Password Sign up.....	85
17.10.4 Invalid Phone number Sign up.....	86
17.10.5 Invalid license number Sign up.....	86
18. PROJECT STATUS.....	87
19.Future Work.....	89
20. CONCLUSION.....	90
21. REFERENCE.....	91
22.Appendix.....	93
Appendix 1.....	93
Appendix 2.....	94
Appendix 3.....	99
Appendix 4.....	100

List of Figures

Figure 1. Kasa platform.....	2
Figure 2. Khiyrat platform.....	2
Figure 3. Al-Bir charitable society.....	3
Figure 4. Al-Inayah association.....	3
Figure 5. Irgah charitable association.....	4
Figure 6. Tadweer charitable association.....	4
Figure 7. Project plan.....	8
Figure 8. Donor use case diagram.....	18
Figure 9. Charity use case diagram.....	19
Figure 10. Driver use case diagram.....	20
Figure 11. Admin use case diagram.....	21
Figure 12. Full use case diagram.....	22
Figure 13. Create donation post VOPC.....	35
Figure 14. Choose pickup available time VOPC.....	36
Figure 15. Join chat VOPC.....	36
Figure 16. Reserve donation VOPC.....	37
Figure 17. Cancel donation reservation VOPC.....	37
Figure 18. View available donation post details VOPC.....	38
Figure 19. Choose available time slots for delivery VOPC.....	38
Figure 20. Request to join charity VOPC.....	39
Figure 21. Update delivery status VOPC.....	39
Figure 22. Sign up charity VOPC.....	40
Figure 23. Full analysis class.....	41
Figure 24. Create donation post sequence diagram.....	42
Figure 25. Choose pickup available time sequences diagram.....	43
Figure 26. Join chat sequences diagram.....	44
Figure 27. Reserve donation post sequences diagram.....	45
Figure 28. Cancel donation reservation post sequences diagram.....	46
Figure 29. View available donation post details sequences diagram.....	47
Figure 30. Choose available time slots for delivery sequences diagram.....	48
Figure 31. Request to join charity sequences diagram.....	49
Figure 32. Update delivery status sequences diagram.....	50
Figure 33. Sign up charity sequences diagram.....	51
Figure 34. FAYDH design class.....	52
Figure 35. FAYDH Architecture Diagram.....	56
Figure 36. Welcome and sign in page.....	58
Figure 37. Sign up for charity.....	58
Figure 38. Donor Homepage, Donor clicks on New Donation to create a donation post.....	58
Figure 39. The donor fills in a form with the relevant type.....	59

Figure 40. The donor can choose an existing location or add a new Location, after confirming the donation post the message will be received by who(Driver).....	59
Figure 41. The donor can join a chat with the charity to give them more details about the donation.....	60
Figure 42. The donor can choose the available time for delivery pick up.....	61
Figure 43. Confirmation steps and view the donation post details with scheduled pickup.....	61
Figure 44. Charity Home page and receive notification for donation post, charity can view details and reserve a donation post and publish the time for donation pick- up.....	62
Figure 45. Confirmation message for reserved donation post.....	62
Figure 46. Charity can cancel reserved donation.....	63
Figure 47. Charity view driver request and can accept or reject them.....	64
Figure 48. Driver mark himself to available to get assigned a delivery from the system.....	65
Figure 49. Driver can view active delivery and delivery history.....	65
Figure 50. Driver view delivery details and enters the verification code.....	65
Figure 51. Driver view and navigate to Drop-off location,and receive notification.....	66
Figure 52. Driver request to join charity.....	67
Figure 53. Conformation message for requested successfully.....	67
Figure 54. FAYDH database schema.....	70
Figure 55. FAYDH Algorithm.....	71
Figure 56. FAYDH deployment diagram.....	72
Figure 57. FAYDH Questionnaire.....	93
Figure 58. FAYDH Questionnaire Result.....	95
Figure 59. FAYDH Interview Question.....	99
Figure 60 . FAYDH Interview Answer.....	100

List of Tables

Table 1.Proposed systems vs. existing applications.....	6
Table 2.Risks.....	8
Table 3.Create Donation Post use case description.....	24
Table 4.Choose Pickup Available Timet use case description.....	26
Table 5.Join chat use case description.....	27
Table 6. Reserve donor post use case description.....	28
Table 7.Cancel donation reservation post use case description.....	30
Table 8.View available donation post details use case description.....	31
Table 9.Choose Available Time Slots for Delivery use case description.....	32
Table 10.Request to join charity use case description.....	33
Table 11.Update delivery status use case description.....	34
Table 12.Sign up charity use case description.....	35
Table 13.Create donation post test case.....	72
Table 14.Create donation post test case.....	73
Table 15.Choose pickup available time test case.....	73
Table 16.Join chat test case.....	74
Table 17.Join chat test case.....	75
Table 18.Reserve donation post test case.....	75
Table 19.Reserve donation post test case.....	76
Table 20.Cancel donation reservation post test case.....	77
Table 21.Cancel donation reservation post test case.....	77
Table 22.View available donation post details test case.....	78
Table 23.View available donation post details test case.....	78
Table 24.View available donation post details test case.....	79
Table 25.View available donation post details test case.....	80
Table 26.Choose available time slots for delivery test case.....	80
Table 27.Choose available time slots for delivery test case.....	81
Table 28.Request to join test case.....	81
Table 29.Request to join test case.....	82
Table 30.Update delivery status test case.....	83
Table 31.Update delivery status test case.....	83
Table 32.Sign up test case.....	84
Table 32.Sign up test case.....	85
Table 33.Sign up test case.....	85
Table 34.Sign up test case.....	86
Table 35.Sign up test case.....	87
Table 36.Project status.....	89

1. Introduction

Driven by a humanitarian vision that upholds the values of solidarity and social cooperation, this project aims to develop a digital application that unifies charitable organizations within a single platform. The application streamlines the process of channeling donations from donors to beneficiaries in a secure and transparent manner, fostering trust and minimizing delays or misallocation of resources.

The platform provides continuous initiatives and engagement opportunities to encourage participation and maximize social impact. It offers user-friendly interfaces, robust data management tools, and real-time reporting that enable both charities and donors to track outcomes and improve future initiatives.

Through this approach, the application advances the digital transformation of charitable work, supporting sustainable development goals by leveraging modern technology to strengthen community solidarity and efficiently meet the needs of the most vulnerable populations.

In this report, we first present the background of charitable work and highlight the common challenges facing both organizations and donors. We then explore similar applications and compare them with the proposed model. The remaining sections describe the development of the application, including requirements, analysis and design, database structure, graphical user interface mockups, project plan, and risk assessment.

2. Domain Analysis

Individual donations in Saudi Arabia still face challenges, particularly when it comes to in-kind contributions such as food, clothing, or flowers from social events. Although several platforms and initiatives exist, most focus on specific types of donations or rely on traditional methods, leaving gaps in integration, real-time tracking, and user engagement. This highlights the need for a comprehensive and intelligent system that unifies the donation process and provides efficiency, transparency, and sustainability. [1]

Existing Solutions

- **Kasa platform**



Figure 1. Kasa platform

Kasa is a project that collects used clothing and delivers it to partner charities. These organizations then sort and recycle the clothes in a sustainable and hygienic way, and collect used clothing to sort and sustainably recycle it.[2]

- **Khiyrat platform**



Figure 2.Khiyrat platform

This is a non-profit organization established in 2015 that specializes in preserving surplus food from banquets held at hotels, restaurants, palaces, resorts, and homes. A specialized field team sorts and repackages this surplus food before distributing it to families in need.[3]

- **Al-Bir Charitable Society**



Figure 3. Al-Bir charitable society

The Al-Bir Charitable Society in Riyadh is one of the oldest and most well-known charitable organizations in the Kingdom. It provides a variety of services, including receiving financial and in-kind donations, such as clothing and food, in addition to programs to sponsor orphans and support needy families. What distinguishes it is its high credibility, given its long history and closeness to the local community through its widespread branches and centers.[4]

- **Al-Inayah association**



Figure 4. Al-Inayah association

Al-Inayah Association is a non-profit organization dedicated to improving the lives of individuals and families. It collects clean, used clothing for reuse and sells damaged clothing to generate income. This income is then used to provide shopping vouchers to beneficiaries, which preserves their dignity and gives them the freedom to choose what they need. The association also promotes a culture of reducing waste and builds effective community partnerships with businesses, donors, and philanthropists to achieve sustainable development.[5]

- **Irqah charitable association**



Figure 5.Irqah charitable association

Irqah Charitable Association is one of the leading organizations in Riyadh that collects furniture and distributes it to families in need. You can visit their website or contact them directly to arrange a donation. It is a non-profit organization located in Riyadh that provides financial and in-kind assistance to families in need. It was founded in 2009 by Sheikh Mohammed Al-Rawwaf (may he rest in peace) and operates under the supervision of the National Center for the Development of the Non-Profit Sector.[6]

- **Tadweer charitable association**



Figure 6.Tadweer charitable association

Tadweer Association is a non-profit organization dedicated to promoting sustainability and reducing waste through recycling and community awareness. Its vision is to lead in recycling through a sustainable work system, ensuring that surplus food and resources are reused safely and effectively. Tadweer also educates the community on responsible consumption and environmental preservation, contributing to a more sustainable future across the Kingdom.[7]

Table below presents a comparison of existing donation platforms listed above and the proposed system based on their key features and functionalities.

Feature/Platform	Kesaa	Khiyrat	Al-Bir	Al-Inayah	Irqah	Tadweer	Proposed System
In-kind donations (food, clothes, flowers, furniture)	✓ clothes	✓ food	✓ food, clothes	✓ clothes	✓ furniture	✓ food	✓ all types
Real-time tracking of donations	✗	✗	✗	✗	✗	✗	✓
Seasonal / campaign management	✗	✓ food drives	✓ traditional	✗	✗	✓ "Naqa'a-Ramadan Campaign"	✓
Integration with delivery / verification	✗	✗	✗	✗	✗	✗	✓
Donor engagement (badges, certificates, gamification)	✗	✗	✗	✗	✗	✗	✓
AI technologies (image recognition, predictive analytics, smart matching)	✗	✗	✗	✗	✗	✗	✓
Bilingual support (Arabic/English)	✗	✗	✗	✗	✗	✓	✓
Reporting & analytics	✗	Limited	Limited manual reports	Limited (vouchers)	Limited	Limited manual reports	✓ real-time dashboard & smart reports)

Table 1. Proposed systems vs. existing applications

The proposed system involves multiple user categories: donors can submit electronic donation forms and schedule pickups or drop-offs via QR verification; drivers handle collection and delivery; beneficiaries access organized lists to receive their needs; and administrators manage campaigns and track donations through a real-time dashboard. While existing platforms in Saudi Arabia mainly focus on financial donations and lack integrated digital solutions for in-kind contributions, this system addresses the gap by supporting diverse donations and ensuring transparency to enhance efficiency and engagement. While existing platforms in Saudi Arabia mainly focus on financial donations and lack integrated digital solutions for in-kind contributions, this system addresses the gap by supporting diverse donations and ensuring transparency to enhance efficiency and engagement.

3. Risk/Constraints

Most enterprises ignore the risks that are associated with any stages of the software development life cycle (SDLC). Risks and constraints must be analyzed otherwise they will create unforeseen challenges. In our project, we will go through different stages of the SDLC where risks are encountered. For that reason, we created a risk analysis table to try avoiding these risks.

NO.	Risk	Type	Severity	Likelihood	Risk Management Strategy
1	Complexity in third-party API integration	Technical	High	High	Use open-source libraries, conduct thorough compatibility testing, and develop a clear API integration plan.
2	Team communication and coordination breakdown	Organizational	High	Medium	Establish a clear project management tool (e.g., Trello, Asana), define roles and responsibilities, and schedule regular team meetings.
3	Timeline and deadline management	Organizational	High	Medium	Break the project into smaller, manageable milestones, and create a detailed Gantt chart or project schedule.
4	Budget limitations restricting tools and services	Financial	High	High	Rely on open-source frameworks and free APIs, and explore alternative, cost-effective solutions.
5	Compliance with food safety and local charity laws	Legal/Policy	High	High	Consult with local authorities or legal experts and incorporate a compliance checklist into the project plan.
6	Data security breaches	Technical	High	Medium	Implement robust data encryption protocols, adhere to best practices for data handling, and conduct regular security audits.
7	Performance issues due to limited hosting resources	Infrastructure	Medium	High	Optimize the application code for efficiency, and use a reliable, scalable cloud hosting service that offers a free tier.
8	Cross-platform compatibility issues during testing	Technical	Medium	High	Use a cross-platform development framework (e.g., Flutter, React Native), and conduct extensive testing on various devices and operating systems.

Table 2.Risks

4. Project Plan

A **project plan**, also known as a **project management plan**, is a document that outlines how a project will be executed, monitored, controlled, and closed. It acts as a roadmap that visualizes milestones, activities, timelines, and task dependencies—commonly represented through **Gantt charts** that illustrate the project’s progress from initiation to completion using Microsoft’s project plan.

For this project, **FAYDH** will follow a **structured, phase-based development approach** aligned with the **Waterfall methodology**, as the **Graduation Project Committee (GPC)** has predetermined the project’s deadlines and milestones. This ensures that each stage is completed and reviewed before proceeding to the next, providing clarity, traceability, and organized progress.

The project plan establishes the foundation for **FAYDH’s** software development process. It begins with defining objectives, conducting domain research, identifying potential risks, and outlining a **quality assurance strategy**.

Subsequent phases focus on **system analysis and design**, including the specification of functional and non-functional requirements, complexity assessment, and the creation of **use case diagrams**, **class diagrams**, and **system architecture**. It also involves designing **user interface mockups**, developing **database schemas**, and defining **algorithms**, **testing procedures**, and **deployment plans**.

Overall, this plan ensures a smooth and systematic transition from initial planning to final implementation, maintaining consistency with the structured workflow defined by the project’s methodology.




Figure 7. Project plan

5. Quality Assurance Plan

This section outlines the activities we will perform during the project lifecycle to ensure that the system meets high standards of quality, reliability, and transparency.

A. Formal Reviews

Should follow an inspection and should be used at the end of each major phase and/or iteration (Requirements specs, design, test plan, etc.). Formal reviews should be conducted in a formal way with the presence of students and the adviser (and eventually the exam committee). There must be a written report documenting all findings from the formal review session. The adviser is responsible to follow up with students. The report must be filled by the advisor and eventually the member of the exam committee.

B. Inspections

Inspections will be performed at the team level as a structured peer-review activity. Each artifact (e.g., requirements documents, UI mock-ups, database schema, and code modules) will be examined systematically to detect defects, inconsistencies, and non-compliance with project standards. This process ensures early detection of issues, reduces rework, and increases the reliability of the app.

C. Training Team Members

Each team member will strengthen their technical and domain knowledge through online courses and tutorials relevant to the project's technologies. Training will focus on:

- **Mobile and Web Development** (Flutter/Dart, or equivalent frameworks).
- **Database Design & Security** (SQL, secure authentication, encryption techniques).
- **Real-time Data & Reporting** (APIs, dashboards, data visualization).
- **Charity and Donation Systems Best Practices** to align with humanitarian values and regulatory requirements.

D. Testing & Validation

A systematic testing process will be applied:

- **Unit Testing** for individual modules (e.g., login, reporting, dashboard).
- **Integration Testing** to verify interactions between system components (e.g., donor → platform → charity → beneficiary).
- **System Testing** to ensure the platform functions as intended under real-world conditions.
- **User Acceptance Testing (UAT)** with simulated donors and charity staff to confirm usability, transparency, and trust in the donation process.

Walkthrough

Walkthrough is an informal type of review to evaluate the documentation and code without planning for that. The team members will give comments on the work and change any parts based on these comments [8].

6. Requirements

The **requirements phase** is the second stage of the software development life cycle. It defines the features and functionalities that the system will provide to its stakeholders. For **FAYDH**, this phase focuses on identifying and documenting what the system should do and how it should perform.

There are two main categories of requirements: **functional requirements**, which specify the system's behaviors and services, and **non-functional requirements**, which describe the quality attributes such as performance, usability, and security.

6.1 Requirement Elicitation

To accurately identify and define the system requirements for the **FAYDH** smart donation management platform, multiple requirement elicitation techniques were employed, including questionnaires, interviews, and domain analysis. The integration of these methods ensured a comprehensive understanding of user needs, technical constraints, and existing gaps in the current donation processes.

The **questionnaire** was designed to gather insights from both donors and beneficiaries regarding their experiences with charitable giving and receiving. It explored several aspects such as preferred donation types, current donation methods, challenges in the delivery or receipt process, and attitudes toward adopting smart solutions like mobile applications, real-time notifications, and AI-based recommendations. The collected responses revealed a strong demand for more transparent, efficient, and user-friendly donation management systems. Participants emphasized the importance of trust, real-time tracking, and simplified logistics to enhance their overall experience.

In parallel, **interviews** were conducted with representatives from various charitable organizations. These sessions provided a deeper understanding of the operational structures, technological capabilities, and data management practices of existing charities. The interviews also uncovered practical challenges, such as limited digital integration and inefficiencies in managing beneficiary information.

Furthermore, **domain analysis** was performed by examining existing charitable applications with similar objectives. This analysis highlighted their strengths and limitations, enabling the identification of improvement opportunities. Based on these findings, the proposed **FAYDH** application was designed to integrate and enhance successful features while introducing new functionalities aimed at addressing the identified challenges.

Through this systematic approach combining user input, expert insights, and comparative analysis, the development process ensured that the **FAYDH** platform not only meets but exceeds stakeholder expectations. The outcome is a user-centered solution that simplifies the donation process, strengthens transparency, and fosters effective collaboration between donors, beneficiaries, and charitable organizations.

6.2 Functional Requirements

- **Donor Requirements**

BR1. The donor shall be able to sign up using first name, last name, phone number, email, password, profile picture(optional), and location.

BR2. The donor shall be able to sign in using email and password.

BR3. The donor shall be able to sign out.

BR4. The donor shall be able to reset their password using an OTP sent to their email.

BR5. The donor shall be able to view their profile information that includes first name, last name, phone number, location, email, and profile picture.

BR6. The donor shall be able to edit their profile information that includes first name, last name, picture, phone number, email, and location.

BR7. The donor shall be able to view a list of charities.



BR8. The donor shall be able to search for charity.

BR9. The donor shall be able to view the charities' information, including the charity's name, brief description, profile picture, policies, email, phone number, location, and working times.

BR10. The donor shall be able to create a donation post.

BR11. The donor shall be able to select the type of donation that includes (food, clothes, flowers, and furniture.

BR12. the donor shall be able fill forms:

BR12.1 The donor shall be able to fill out a food donation form that includes Food item name, Quantity, photo(s), food description.

BR12.2 The donor shall be able to fill out a clothes donation form with title , clothing type (men, women, children, unisex), condition (new, gently used, used), season (summer, winter, all seasons), category (shirt, pants, jacket, shoes,other), and photo(s).

BR12.3 The donor shall be able to fill out a flowers donation form that includes title, flower type (roses, tulips, mixed bouquet, artificial), quantity / number of bouquets, occasion (wedding, funeral, general), freshness level (fresh, dried, artificial), photo(s).

BR12.4 The donor shall be able to fill in a furniture donation form that includes title, furniture type, condition (new, gently used, used), photo(s).

BR13. The donor shall be able to add a new location when creating a new donation post.

BR14. The donor shall be able to select the location from the saved location list when they create a new donation post.

BR15. The donor shall be able to view the list of their donation posts.

BR16. The donor shall be able to view the status of their submitted donation posts if they are (available, reserved, delivered, expired).

BR17. The donor shall be able to view the charity's information on who has reserved their post, including name of charity, phone number, email, available date and time slots for pick-up and profile picture.

BR18. The donor shall be able to choose the Pick-up available date and time after the charity reserves their post.

BR19. The donor shall be able to edit a donation post before the charity reserves it.

BR20. The donor shall be able to delete a donation post before the charity reserves it.

BR21. The donor shall be able to track the driver's location while waiting for donation pickup.

BR22. The donor shall be able to view the verification code to confirm the delivery from Whatsapp.

BR23. The donor shall be able to join a chat session with charity after their donation post has been reserved by a charity.

- **Charity Requirements**

BR24. The charity shall be able to sign up using the charity name, license number, profile picture(optional), phone number, email, password, brief description, policies, working times, and location.

BR25. The charity shall be able to sign in using email and password.

BR26. The charity shall be able to sign out.

BR27. The charity shall be able to reset their password using an OTP sent to their email.

BR28. The charity shall be able to view its profile information, including charity name, license number, profile picture, phone number, email, password, brief description, policies, working times and location.

BR29. The charity shall be able to edit its profile information, including charity name, license number, profile picture, phone number, email, password, brief description, policies, working times and location.

BR30. The charity shall be able to view a dashboard that includes the total number of donations received, and number of driver requests, and visual charts for donation trends over time.

BR31. The charity shall be able to view a list of available donation posts.

BR32. The charity shall be able to view donation post details, including donor name, phone number, email, donation type, and the donation form relevant to the donation type.

BR33. The charity shall be able to reserve a donation post from the donor.

BR34. The charity shall be able to view a list of their reserved donations posts.

BR35. The charity shall be able to view reservation donation post details

BR36. The charity shall be able to choose the available date and time slots for delivery to the donor while the post is reserved.

BR37. The charity shall be able to edit the published time slots before the donor selects pick-up date and time.

BR38. The charity shall be able to start a chat session with the donor after the post is reserved.

BR39. The charity shall be able to cancel the reservation of a donation post.

BR40. The charity shall be able to view a list of driver requests.

BR41. The charity shall be able to accept drivers' requests.

BR42. The charity shall be able to reject drivers' requests.

- **Admin Requirements**

BR43. The admin shall be able to sign in.

BR44. The admin shall be able to sign out.

BR45. The admin shall be able to reset the password using an OTP sent to his/ her email.

BR46. The admin shall be able to view a list of charity requests.

BR47. The admin shall be able to accept charity requests.

BR48. The admin shall be able to reject charity requests.

BR49. The admin shall be able to view system statistics (total donations, number of charities, number of donors, and number of drivers).

- **Driver Requirements**

BR50. The driver shall be able to sign up using first name, last name, phone number, email, password, profile picture(optional), and city.

BR51. The driver shall be able to sign in using email and password.

BR52. The driver shall be able to sign out.

BR53. The driver shall be able to reset their password using an OTP sent to their email.

BR54. The driver shall be able to view their profile information that includes first name, last name, phone number, location, email,profile picture and city.

BR55. The driver shall be able to edit their profile information that includes first name, last name, picture, phone number, email, and city.

BR56. The driver shall be able to view a list of charities.

BR57. The driver shall be able to view the charity's profile information, including charity name, license number, profile picture, phone number, brief description, working times and location.

BR58. The driver shall be able to request to join a charity.

BR59. The driver shall be able to mark themselves as available or unavailable for deliveries,

BR60. The driver shall be able to attach their live location when they are available.

BR61. The driver shall be able to update the status of a delivery (Active, picked up, delivered).

BR62. The driver shall be able to enter a verification code from the donor to confirm successful pickup.

BR63. The driver shall navigate to donor and charity locations using Google Maps.

BR64. The driver shall be able to view all assigned delivery tasks, including donation pickups and drop-off locations, date, and time.

BR65. The driver shall be able to view their complete delivery history.

- **System Requirements**

SR66. The system shall automatically delete food donation posts that remain in an available state for more than 2 days.

SR67. The system shall be able to give a diamond reward when the donor donates up to 100 posts.

SR68. The system shall be able to give a gold reward when the donor donates up to 50 posts.

SR69. The system shall be able to give a bronze reward when the donor donates up to 20 posts.

SR70. The system shall be able to send a notification to all charities when the donor submits the post.

SR71. The system shall be able to send a notification to all charities when the status of the donation post turns from reserved to available.

SR72. The system shall be able to send a notification to the donor when the charity reserves their donation post.

SR73. The system shall be able to send a notification to the donor when the charity cancels the donation post-reservation.

SR74. The system shall be able to send an assignment notification to the driver for donation post pickup.

SR75. The system shall be able to assign delivery tasks to the nearest available driver.

6.3 Non-Functional Requirements

6.3.1 Performance

NR1. The system shall respond to user interactions such as login and donation requests within maximum 3 seconds to maintain a smooth user experience.

6.3.2 Security

NR2. The system shall be able to automatically terminate inactive user sessions after 15 minutes of inactivity to prevent unauthorized access from unattended devices.

NR3. The system shall be able to validate and sanitize all user text inputs, ensuring each input is limited to 300 characters and properly sanitized before being stored.

NR4. The system shall be able to validate and restrict all image uploads to PNG or JPEG formats with a maximum size of 3 MB to prevent malicious files from being stored.

NR5. The User shall be authenticated using a password to access their accounts.

NR6. The User passwords shall have a minimum length of 8 characters.

6.3.3 Maintainability

NR7. Maintenance and updates shall cause within maximum time 10 minutes of downtime per week.

6.3.4 Interoperability

NR 8. The system shall integrate with Google Maps.

6.3.5 Reliability

NR 9. The system shall automatically recover from minor within maximum time 10 seconds without data loss.

6.3.6 Ease of use

NR 10. The new user shall be able to learn how to use the system within maximum 10-20 minutes.

NR 11. After training, users shall be able to perform any task with a maximum of 5 minutes.

6.3.7 Legal & Ethical Compliance

NR 12. The system shall comply with Saudi data protection and charity regulations.

6.4 Design Constraint

DC1. The system shall support the English language.

DC2. The system shall be available in 10 months.

DC3. The system shall support Android mobile applications for donors, charities and drivers.

DC4. The system shall be able to integrate with Google Maps API.

DC5: The system shall be developed as a web based application for admin.

DC6: The system's data shall be stored in the Cloud Firestore database.

DC7: The system's database shall be a real-time database.

7. Problem Complexity

The **FAYDH** donation management system presents a high level of complexity due to the wide range of technical, organizational, and social factors involved in its development and operation. Several aspects contribute to this complexity:

- o **Multi-User Environment**

The system serves diverse user categories donors, charities and drivers, each requiring distinct interfaces, workflows, and permissions. Managing interactions and data flow between these user groups increases both design and implementation complexity.

- o **Integration with External Services**

The system integrates with third-party systems, including Google Maps APIs for location and navigation. Ensuring smooth interoperability, compatibility, and reliability across these external components presents a significant technical challenge.

- o **Real-Time Tracking and Notifications**

The system must handle **real-time updates** for donation status, pickup scheduling, and delivery verification using **verification codes**. Synchronizing these events across all users without data loss or delay requires efficient backend design and real-time database handling.

- o **Data Security and Privacy Concerns**

Protecting sensitive user data, including identity documents and personal information of donors, charities and drivers is critical. Implementing strong encryption, secure authentication, and privacy-preserving mechanisms introduces complexity in both the architectural and operational layers.

- o **Regulatory and Ethical Compliance**

Since the project operates within Saudi Arabia's charitable sector, it must comply with local charity regulations, data protection policies, and safety standards for various types of donations, including food, clothing, furniture, and flowers. Ensuring that the technical implementation adheres to these legal and ethical frameworks while maintaining humanitarian integrity adds a layer of complexity that goes beyond purely technical challenges. This includes verifying that donated items are safe, hygienic, and suitable for use or consumption, protecting donors', charities', and drivers' data, and respecting local laws and organizational policies for all types of donations.

- o **Scalability and Performance Management**

The system is expected to handle **hundreds of concurrent users** performing various operations, ensuring consistent performance, minimal downtime, and high availability requires careful system optimization and infrastructure design.

- o **Cross-Disciplinary Nature**

The project involves multiple disciplines—software engineering, data security, UX design, and humanitarian domain knowledge—making coordination and integration among these areas a complex task.

8. System Use Cases

The use case diagram illustrates the functional interactions between users Donor, Charity, Driver, and Admin and the **FAYDH** system.

8.1 Use Case Diagram

8.1.1 Donor Use Case Diagram




Figure 8. Donor use case diagram

8.1.2 Charity Use Case Diagram




Figure 9. Charity use case diagram

8.1.3 Driver Use Case Diagram



Figure 10. Driver use case diagram

8.1.4 Administrator Use Case Diagram




Figure 11. Admin use case diagram

8.1.5 Full Use case




Figure 12. Full use case diagram

8.2 Use Case Descriptions

This section provides a detailed and structured explanation of how specific system functions operate from the perspective of both the actors and the system. It describes the interactions between the primary actor, secondary actors, and the system, while clarifying the relationships, preconditions, and postconditions that govern the execution of each scenario.

8.2.1 Create Donation Post Use Case description

Use Case Descriptions		
System: <u>FAYDH</u> Application		
Use Case Name: Create Donation Post		
Primary Actor: Donor	Secondary Actor(s): Google map,charity	
Description: This case describes how a donor creates a new donation post.		
Relationships: Includes: None. Extends: Add a new location. Generalization: None.		
Pre-conditions: 1- The donor is signed in into the system.		
Steps:		
Primary Actor (Donor)	System	Secondary actor(s)
1. The donor selects “New donation”. 3. The donor selects a donation type. 5.The donor fills in the required donation post form. 7. The donor selects an existing location. 8.The donor submits the donation post. 10. The donor confirms the message. 13.The donor views the successful message.	2. The system displays available donation types (Food, Clothes, Flowers, Furniture). 4.The system displays the relevant donation form. 6.The system validates the input. 9.The system displays confirmation messages. 11. The system saves the donation post. 12.The system displays a successful message.	

	14. The system sends a notification to all charities indicating that the new donation post has been available.	
Alternative and Exceptional Flows: In step 6: if the donor does not have an existing location or wants to use a new one: The donor executes the “Add a new location” use case. In step 7: If required fields are empty or contain invalid data: The system highlights errors and displays an appropriate error message (e.g., “Photo required”, “Invalid quantity”).		
Post-conditions: Successful Condition: The donation post is stored in the database, and the post appears in the donor’s “My Donation Posts” list with status available and a notification sent to charities. Failure Condition: The donation post is not created due to an error (missing data or system failure), an error message displayed (the donation post cannot be created due to system issues).		

Table 3.Create Donation Post use case description

8.2.2 Choose Pickup Available Time Use Case Description

Use Case Descriptions		
System: FAYDH Application		
Use Case Name: Choose Pickup Available Time		
Primary Actor: Donor	Secondary Actor(s): None	
Description: This use case allows the donor to choose a specific time slot from charity for when their donation can be picked up.		
Relationships: Includes: None Extends: None Generalization: None		
Pre-conditions: 1- The donor is signed into the system. 2- The charity has already reserved a donation post.		
Steps:		
Primary Actor (donor)	System	Secondary actor(s)
1-The donor selects a donation post already reserved by charity. 3-The donor selects a preferred pickup date and time. 4-The donor submits a pickup date and time. 6-The donor confirms the selected pickup date and time. 10- The donor views the successful message.	2-The system displays available pickup time slots. 5- The system displays a confirmation message. 7-The system stores the chosen time. 8-The system updates the donation post with the scheduled pickup. 9-The system displays a successful message.	
Alternative and Exceptional Flows:		
In any step before confirmation(step 6): if the Donor Cancels the Process		
1. The system does not save any changes. 2. The system returns to the donation post or previous page.		
Successful Condition: The donor’s selected pickup time is successfully saved in the system, and the donation post is updated with the chosen pickup schedule.		
Failure Condition: The selected time is not stored due to a system error or internet issue.		

Table 4.Choose Pickup Available Timet use case description

8.2.3 Join chat Use Case Description

Use Case Descriptions		
System: FAYDH Application		
Use Case Name: Join chat		
Primary Actor: Donor	Secondary Actor(s): None	
Description: This Use case describes how a donor can join a chat with the charity after the post is reserved by charity.		
Relationships: Includes: None Extends: None. Generalization: None.		
Pre-conditions: 1-The donor is signed in into the system. 2-The charity executes the “Start chat” use case for reserved posts. 3-The donor receive the notification about new chat session.		
Steps:		
Primary Actor (Donor)	System	Secondary actor(s)
1- The donor selects a chat tab 3- The donor selects a Specific chat. 6- The donor views the chat screen.	2-The system retrieve and displays all chat session 4-The system retrieve and validate Donation PostStatus for selected chat if it still reserved or turn to delivered. 5- The system displays the chat screen in real time and synchronizes subsequent messages between both parties Charity and Donor.	
Alternative and Exceptional Flows: In step 4: if the status of the donation post is already turn to delivered: 1. The system closes the chat and displays : “this chat is no longer available”. 2. The donor can't be able to send new messages to charity.		
Post-conditions: Successful Condition: The donor can join a chat successfully; both charity and donor can exchange messages, Failure Condition: The donor could not be join to a chat due to an invalid chat room or system error.		
If the system fails to open the chat due to errors (network, permission, or database issue), it displays an error message: “Unable to open chat. Please try again later.”		

Table 5.Join chat use case description

8.2.4 Reserve donation post Use case description

Use Case Description		
System: FAYDH Application		
Use Case Name: Reserve donation post		
Primary Actor: Charity	Secondary Actor(s): None	
Description: This Use case describes how a charity reserves available donation posts from donors.		
Relationships: Includes: Select the available time slots for delivery. Extends: None. Generalization: None.		
Pre-conditions: 1-The charity is signed in into the system. 2- The charity executes “View donation post details” use cases.		
Steps:		
Primary Actor (Charity)	System	Secondary actor(s)
1-The charity selects “Reserve post”. 3-The charity executes “choose available time slots for delivery” use case. 5-The charity confirms the reservation. 9- The charity views a successful message.	2- The system validates the donation post status. 4-The system displays a confirmation message for post reservation. 6- The system updates the post status to “Reserved”. 7-. The system removes the post from other charities. 8- The system displays a successful reservation message. 10- The system sends a reservation notification to the donor.	
Alternative and Exceptional Flows:		
In step 2: if the charity attempts to reserve a post that is reserved by another charity.		
1.The system displays a message: “This donation post has already been reserved by another charity.” 2.The reservation process is terminated.		
In step 2: if the charity attempts to reserve a post that is expired.		

1.The system displays a message: "This donation post has expired". 2.The reservation process is terminated. In step 2: if the charity attempts to reserve a post that is deleted. 1.The system displays a message: "This donation post has been deleted". 2.The reservation process is terminated. In step 4: if the charity cancels the reservation before confirmation. 1.The reservation process ends without saving any changes.
Post-conditions: Successful Condition: The post status is updated to"Reserved",it is no longer available to other charities,the selected date and time are published successfully and the donor is notified about the reservation. Failure Condition: If the system fails to process reservation requests, it displays an error message (Reservation cannot be completed due to system issues). And the post status remains "Available".

Table 6. Reserve donor post use case description

8.2.5 Cancel donation reservation post Use case description

Use Case Descriptions		
System: FAYDH Application		
Use Case Name: Cancel donation reservation post		
Primary Actor: Charity	Secondary Actor(s):None	
Description: This Use case describes how a charity can cancel a previously reserved donation post from a donor before delivery.		
Relationships: Includes: None. Extends: None. Generalization: None.		
Pre-conditions: 1-The charity is signed in into the system. 3- The charity executes the " View reservation donation post details " use case.		
Steps:		
Primary Actor (Charity)	System	Secondary actor(s)
1-The charity selects “Cancel Reservation”. 3-The charity confirms the cancellation. 7- The charity views a success message.	2-The system displays a confirmation message. 4-The system updates the donation post status to “Available.” 5-The system removes the post from the “My Reservations" page. 6- The system displays a successful cancellation message. 8- The system sends a notification to the donor indicating that the reservation has been canceled.	
Alternative and Exceptional Flows: In step 2: if the system fails to retrieve the donor post details: 1. The system displays a message: “Unable to load donation post details. Please try again later.”		
Post-conditions: Successful Condition: The donation post is updated to “Available,” and the donor is notified that the charity has canceled the reservation. Other charities can now view and reserve the post again. Failure Condition: If the system fails to cancel the reservation due to a system error (network or database issue), it displays an error message (Cancellation cannot be completed due to system issues), and the post status remains “reserved”		

Table 7.Cancel donation reservation post use case description

8.2.6 View available donation post details Use Case description

Use Case Descriptions		
System: FAYDH Application		
Use Case Name: View available donation post details		
Primary Actor: Charity	Secondary Actor(s): None	
Description: This Use case describes how a charity can view available donation post details including donor name, phone number, email, and donation form relevant to donation type.		
Relationships: Includes: None. Extends: None. Generalization: None.		
Pre-conditions: 1-The charity is signed in into the system. 2- The charity executes a “View list of available donation post” use case.		
Steps:		
Primary Actor (Charity)	System	Secondary actor(s)
1- The charity selects a specific donation post to view.	2- The system retrieves and displays detailed information about the selected post, including: donor information (name, phone number, email) , donation type, donation form relevant to donation type.	
Alternative and Exceptional Flows:		
In step 2: If the donor deleted the post when the charity views it: 1. The system displays a message (This donation post is no longer available). 2. The system redirects the charity to the donation posts list.		
In step 2: If the post status is turn to “reserved” when the charity views it: 1. The system displays a message (This donation post is no longer available). 2. The system redirects the charity to the donation posts list.		
In step 2: If the post expired when the charity views it: 1. The system displays a message (This donation post is no longer available). 2. The system redirects the charity to the donation posts list.		
Post-conditions:		
Successful Condition: The charity successfully views all details of the donation post including donor name, phone number, email, donation type and donation form.		
Failure Condition: If the post is unavailable due to a system error (network or database issue), an error message is displayed (post details cannot be viewed due to system issues).		

Table 8.View available donation post details use case description

8.2.7 Choose Available Time Slots for Delivery Use Case Description

Use Case Descriptions		
System: FAYDH Application		
Use Case Name: Choose Available Time Slots for Delivery.		
Primary Actor: Charity	Secondary Actor(s): None	
Description: This use case describes how the charity chooses available dates and time slots for delivery to the donor after reserving a donation post.		
Relationships: Includes: None. Extends: None. Generalization: None.		
Pre-conditions: 1- The charity is signed in. 2- The charity is in the reservation process.		
Steps:		
Primary Actor (Charity)	System	Secondary actor(s)
2- The charity chooses suitable dates and time ranges for delivery.	1- The system displays the dates and time ranges.	
Alternative and Exceptional Flows:		
In step 2: Overlapping Time Slots		
1. The charity chooses date and time slots that overlap with previously published slots.		
2. The system detects the invalid selection.		
3. The system displays an error message prompting the charity to adjust the time slots.		
Post-conditions:		
Successful Condition: The time slots are successfully selected.		
Failure Condition: If the selection failed due to a system error (network or database issue), an error message displayed (selection failed due to system issues).		

Table 9.Choose Available Time Slots for Delivery use case description

8.2.8 Request to join charity Use Case Description

Use Case Descriptions		
System: <u>FAYDH</u> Application.		
Use Case Name: Request to join charity		
Primary Actor: Driver	Secondary Actor(s): charity	
Description: This use case describes how a driver requests to join a charity.		
Relationships: Includes: None. Extends: None. Generalization: None.		
Pre-conditions: 1- The driver is signed in into the system. 2- The driver already views a list of charity.		
Steps:		
Primary Actor (Driver)	System	Secondary actor(charity)
1.The driver selects a charity to view the charity profile. 3.The driver requests to join a charity. 5-The driver confirms the message. 8-The driver views a successful message.	2.The system displays the charity profile. 4. The system displays a confirmation message. 6- The system stores the driver's request to the database 7-The system displays a successful message. 9-The system sends a notification to the requested charity.	
Alternative and Exceptional Flows: In Step 3: if the driver already has a pending request for the same charity: The system displays a message: "Request already pending. Please wait for approval." In Step 3: if the driver's request has already been declined by the charity: The system displays a message: "Request has been rejected by charity."		
Post-conditions: Successful Condition: The join request is saved in the database and is sent to the charity with pending status. Failure Condition: The join request is not sent due to an error (missing data or system failure), an error message displayed (the request cannot be created due to system issues).		

Table 10.Request to join charity use case description

8.2.9 Update delivery status Use Case description

Use Case Descriptions		
System: FAYDH Application		
Use Case Name: Update delivery status		
Primary Actor: driver	Secondary Actor(s): None	
Description: This use case describes how a driver updates the status of an assigned delivery.		
Relationships: Includes: Enter a verification code. Extends: None. Generalization: None.		
Pre-conditions: 1- The driver is signed into the system. 2- The driver selects a delivery assignment.		
Steps:		
Primary Actor (driver)	System	Secondary actor(s)
2- The driver views the details. 3- When the driver arrives at the donor location to pick up, execute the “Enter a verification code” use case from the donor. 5- When the driver arrives at the charity drop-off, the driver selects “Delivered”.	1- The system displays the active delivery details including the donor name and phone number, the pick-up (donor location) and drop-off locations. 4- The system updates delivery status to “Picked Up”. 6-. The system updates the status from Picked Up to Delivered.	
Alternative and Exceptional Flows: In step 5, The driver taps “Delivered” without previously completing the pick-up step. 1. The system displays a warning: “You must pick up the delivery before marking it as Delivered”. 2. The driver is redirected to the pick-up verification step.		
Post-conditions: Successful Condition: The system successfully updates the delivery status from Active → Picked Up → Delivered. Failure Condition: The delivery status is not updated due to an error (missing data or system failure), an error message displayed (the delivery status can not be updated due to system issues).		

Table 11.Update delivery status use case description

8.2.10 Sign Up charity Use Case Description

Use Case Descriptions		
System: FAYDH Application		
Use Case Name: Sign up Charity		
Primary Actor:, Charity	Secondary Actor(s): None	
Description: This use case describes how new Charities create an account in the system.		
Relationships: Includes: None. Extends: None. Generalization: None.		
Pre-conditions: 1- The charity is not already registered in the system. 2- The charity has already selected his Sign up role.		
Steps:		
Primary Actor (Charity)	System	Secondary actor(s)
2- The charity fills in the required information: charity name, license number, Phone number, Email, password, profile picture (optional), Brief Description, and Location. 4- The charity selects Sign Up.	1- The system displays the Sign up form. 3- The system validates the format of required entered data. 5- The system stores the account in the database as a “pending” account.	
Alternative and Exceptional Flows		
In step 3 : missing input The system displays an error message and asks the user to fill the empty field.		
In step 3: Email, License Number, or Phone Number already exists The system notifies the user that the email is already in use and prompts them to use another email or sign in.		
In step 3: invalid format for required input The system displays an error message and asks the user to refill the fields with the correct format specified.		
Post-conditions:		
Successful Condition: The charity account is created and stored in the system database as “pending”.		
Failure Condition: The account is not created due to an error (missing data or system failure), an error message displayed (the charity is not created due to system issues).		

Table 12.Sign up charity use case description

9. Analysis Class

This section contains the analysis class diagrams which includes all necessary boundary, control, and entity classes of important use-cases and their relationships.

9.1 Create donation post




Figure 13. Create donation post VOPC

9.2 Choose pickup available time




Figure 14. Choose pickup available time VOPC

9.3 Join chat




Figure 15. Join chat VOPC

9.4 Reserve donation post




Figure 16. Reserve donation VOPC

9.5 Cancel donation reservation post




Figure 17. Cancel donation reservation VOPC

9.6 View available donation post details




Figure 18. View available donation post details VOPC

9.7 Choose available time slots for delivery




Figure 19. Choose available time slots for delivery VOPC

9.8 Request to join charity




Figure 20. Request to join charity VOPC

9.9 Update delivery status




Figure 21. Update delivery status VOPC

9.10 Sign up charity




Figure 22. Sign up charity VOPC

10. Interaction Diagram

This section contains the interaction diagrams of the system. The interaction diagram shows the basic flow between the system's actors and objects using sequence diagrams.

10.1 Create Donation Post




Figure 24. Create donation post sequence diagram

10.2 Choose pickup available time




Figure 25. Choose pickup available time sequences diagram

10.3 Join chat




Figure 26. Join chat sequences diagram

10.4 Reserve donation post




Figure 27. Reserve donation post sequences diagram

10.5 Cancel donation reservation post




Figure 28. Cancel donation reservation post sequences diagram

10.6 View available donation post details




Figure 29. View available donation post details sequences diagram

10.7 Choose available time slots for delivery




Figure 30. Choose available time slots for delivery sequences diagram

10.8 Request to join charity




Figure 31. Request to join charity sequences diagram

10.9 Update delivery status




Figure 32. Update delivery status sequences diagram

10.10 Sign Up charity




Figure 33. Sign up charity sequences diagram

All the Interaction diagrams above were illustrated in Google Drive [].

12. System Architecture

In this section, we will illustrate the architectural style chosen for the FAYDH application and define the structure, behavior, and views of the system. The architectural style is a critical factor in shaping the application's foundation, influencing how its components interact, communicate, and operate under varying conditions. Our primary objective is to establish a robust and organized structure that ensures seamless availability, reliable performance, and a fluid user experience. Given the multi-role nature of FAYDH—with donors, charities, drivers, and administrators interacting simultaneously—the architecture must support real-time updates, dynamic data processing, and efficient handling of concurrent operations. By clearly defining the system's structure, behavior, and views, we aim to create a framework that allows smooth coordination of all features, such as donation management, reservations, deliveries, and notifications, while maintaining flexibility for future expansion and scalability. This foundational approach will guide the development process and ensure that FAYDH remains responsive, maintainable, and capable of supporting its humanitarian objectives effectively.

12.1 MVVM Architecture style

The architecture chosen for the FAYDH application is the Model-View-ViewModel (MVVM) design pattern, which is a modern and efficient architecture commonly used in complex, data-driven, and real-time applications. MVVM organizes the system into three core components that separate responsibilities clearly and promote clean, maintainable programming practices.

The **Model** represents the core data and business logic of the application. It manages operations such as tracking donation posts, verifying reservation status, updating driver information, handling authentication, and maintaining user profiles. The Model is responsible for retrieving and storing data and responding to state changes triggered by system rules.

The **View** displays the user interface for donors, charities, drivers, and administrators. It presents information such as available donation posts, reservation status, delivery progress, notifications, and dashboard summaries. The View remains focused purely on UI layout and visual presentation without containing business logic.

The **ViewModel** acts as the intermediary between the Model and the View. It exposes data from the Model in a way that the View can easily display, and it handles user actions such as making a reservation, generating verification codes, or approving driver requests. In MVVM, the View observes changes in the ViewModel, enabling automatic UI updates without manual refreshes—an essential capability for FAYDH's real-time features.

MVVM is particularly beneficial for the FAYDH application because different team members can work on separate layers in parallel. Developers can improve backend logic in the Model without affecting UI layout, while designers and frontend developers can adjust the View independently. Meanwhile, the ViewModel ensures the two layers interact smoothly. MVVM architecture was selected because it can promote the non-functional requirements for the system as follows:

- **Maintainability:**

MVVM makes the application easier to maintain by separating logic into independent layers. Each ViewModel contains focused business logic, making it simple to update donation rules, modify reservation logic, or adjust driver-tracking behavior without impacting UI components. This maintainability is crucial for a multi-role humanitarian

system like FAYDH.

- **Scalability:**

MVVM supports modular expansion. As the number of users increases—or as new features such as additional donation types or new verification methods are introduced—the system can grow without restructuring the entire codebase. New ViewModels and Models can be added easily to support additional modules.

- **Extensibility:**

Clear separation of concerns allows the FAYDH platform to evolve over time. Future enhancements like AI-based matching, advanced analytics for charities, or expanded delivery options can be integrated by introducing new Models and ViewModels with minimal disruption to existing views.

- **Testability:**

MVVM greatly improves testability because ViewModels contain the core system logic without being tied to the UI. This allows developers to test rules such as validating donation expiry, calculating rewards, assigning drivers, or sending notifications in isolation. Reliable testability ensures that FAYDH remains consistent and trustworthy as a humanitarian platform.

While MVVM offers numerous benefits, it also has challenges when applied to applications like FAYDH. For example, implementing MVVM can introduce additional complexity because it requires careful planning to structure Models, Views, and ViewModels correctly. It may also lead to a larger number of files, which can feel overwhelming for small teams. Additionally, developers unfamiliar with reactive programming or data binding may initially find MVVM more challenging to implement than simpler architectures. However, the advantages of clarity, scalability, and responsiveness outweigh these limitations for a large, real-time system like **FAYDH**. [9]

12.2 MVVM Architecture for Admin Website

In addition to the mobile application used by donors, charities, and drivers, the administrator interacts with FAYDH through a web-based platform that also follows the MVVM architectural style. Although the admin interface is delivered through a browser, the underlying structure remains consistent with the mobile application. The web version separates the interface (View), business logic (Model), and state-handling layer (ViewModel) just like the mobile app. This allows administrators to manage users, monitor donations, review reports, verify charities, and oversee system activity efficiently using a clean and structured architecture. By applying MVVM to the admin's web portal, FAYDH ensures unified behavior across both mobile and web environments, enabling real-time updates, consistent data handling, and seamless maintainability. It also ensures that any backend changes—such as modifying approval workflows or adjusting reporting mechanisms—will automatically reflect in both the app and the admin dashboard without redundant development effort.

12.3 Architecture Constraints

Several constraints influence the overall architecture of the FAYDH system. First, the platform must support real-time updates for donations, reservations, and deliveries, which imposes a constraint on how data flows between components. Second, strict security and privacy constraints require controlled access to user roles, encrypted communication, and safe handling of sensitive information. Third, the system must operate efficiently across different devices and unstable network conditions, creating performance constraints that limit how much processing can be done on the client side. Fourth, FAYDH must remain scalable as the number of donations, users, and concurrent operations increases, placing constraints on how data is structured and how modules communicate. Finally, maintainability constraints arise from the multi-role environment (donor, charity, driver, admin), which requires the architecture to isolate logic and avoid tightly coupled components to prevent errors when features evolve.[10]

12.4 MVVM Architecture compared to other Architectures

Compared to other architectural styles, MVVM provides clearer separation of concerns and better state management for modern applications. Unlike MVC, where controllers are often tightly coupled with views, MVVM isolates UI logic within the ViewModel, improving maintainability and testability. Compared to MVP, MVVM avoids overly complex presenters by managing UI state more efficiently, which enhances scalability as the system grows. While VIPER offers strong separation, it introduces significant complexity and development overhead that is unnecessary for applications like FAYDH. Similarly, Clean Architecture provides high abstraction but can be excessive for client-side logic. Overall, MVVM achieves a balance between simplicity, modularity, and testability, making it a practical choice for real-time, multi-role systems.[12]




Figure 35. **FAYDH** Architecture Diagram

13. User Interface Mockup

Provide screenshots of the developed user interfaces, or mockups to illustrate the looks and feel of the system for critical scenarios.

13.1 Welcome Page & Sign In



Figure 36. Welcome and sign in page

13.2 Sign Up for charity




Figure 37. Sign up for charity

13.3 Create Donation Post




Figure 38. Donor Homepage, Donor clicks on New Donation to create a donation post.




Figure 39. The donor fills in a form with the relevant type




Figure 40. The donor can choose an existing location or add a new Location, after confirming the donation post the message will be received by who(Driver)

13.4 Join Chat




Figure 41. The donor can join a chat with the charity to give them more details about the donation.

13.5 Choose Available Pick-up time




Figure 42. The donor can choose the available time for delivery pick up




Figure 43. Confirmation steps and view the donation post details with scheduled pickup

13.6 Reserve donation post




Figure 44. Charity Home page and receive notification for donation post, charity can view details and reserve a donation post and publish the time for donation pick- up




Figure 45. Confirmation message for reserved donation post

13.7 Cancel Donation Reservations




Figure 46. Charity can cancel reserved donation

13.8 Accept/Reject Drivers' Request




Figure 47. Charity view driver request and can accept or reject them

13.9 Update delivery status




Figure 48. Driver mark himself to available to get assigned a delivery from the system




Figure 49. Driver can view active delivery and delivery history




Figure 50. Driver view delivery details and enters the verification code




Figure 51. Driver view and navigate to Drop-off location, and receive notification.

13.10 Driver Request to join




Figure 52. Driver request to join charity




Figure 53. Conformation message for requested successfully


14. Database

Databases are structured collections of electronically stored information, managed by a Database Management System (DBMS), which facilitates data retrieval, updates, and efficient management. For **FAYDH**, a robust database is essential to track and manage system data seamlessly. To meet its dynamic and evolving requirements, Firebase Firestore, a NoSQL cloud-hosted database, has been chosen. Our prior experience with Firestore also influenced this choice, ensuring we can implement and optimize it effectively for **FAYDH**.

Firestore offers real-time synchronization, scalability, and flexibility, ensuring **FAYDH** can handle increasing data volumes and adapt to changing needs without structural complexities. Its document-oriented storage simplifies data organization, while its seamless integration with Firebase services like Authentication and Storage creates a unified backend ecosystem.

By leveraging Firebase Firestore, **FAYDH** gains a powerful and scalable backend solution that aligns with its goal of delivering a fast, responsive, and user-centric system. This decision ensures a streamlined development process while setting the foundation for future growth.[12]

14.1 Database Schema






Figure 54. **FAYDH** database schema

15. Algorithms

15.1 delivery tasks Haversine

Since delivery tasks must be assigned to the nearest available driver relative to the donor's location, the system integrates **Google Maps services** to obtain accurate real-time geographic coordinates for both donors and drivers. To compute the actual distance between these coordinates, the system applies the **Haversine formula**, a mathematical equation used to calculate great-circle distances between two points on the Earth using latitude and longitude. The Haversine formula accounts for the Earth's curvature, making it more precise for GPS-based applications. This combination of **Google Maps for location data** and **Haversine for distance calculation** ensures that driver assignment is accurate, efficient, and optimized for real-world navigation[13].

```
(( FUNCTION haversineDistance(lat1, lon1, lat2, lon2):

  R = 6371 # Earth's radius in km
  (dLat = (lat2 - lat1) * (PI / 180
  ( dLon = (lon2 - lon1) * (PI / 180
  a = SIN(dLat/2)^2 +
  ( COS(lat1 * (PI / 180)) * COS(lat2 * (PI / 180)) *
  SIN(dLon/2)^2
  ( c = 2 * ATAN2( SQRT(a), SQRT(1 - a) )
  distance = R * c
  RETURN distance
FUNCTION assignNearestDriver(taskLat, taskLon, driversList):
  nearestDriver = NULL
  minDistance = INFINITY
  FOR EACH driver IN driversList:
    IF driver.status == "AVAILABLE":

      distance = haversineDistance(
      taskLat,
      taskLon,
      driver.lat,
      driver.lon
      )
      IF distance < minDistance:
        minDistance = distance
        nearestDriver = driver

  IF nearestDriver != NULL:
    nearestDriver.assignTask()
  RETURN nearestDriver
  ELSE:
  RETURN "No available drivers"
```

Figure 55. **FAYDH** Algorithm

16. Expected Deployment

The deployment diagram shows how the FAYDH system is distributed across three main environments: the mobile app for donors, charities, and drivers (Android), the admin web interface (Windows/Mac browsers), and the Firebase backend. All user devices communicate with Firebase through secure HTTPS to access authentication, Firestore database, storage for images, and real-time notifications. The system also integrates with external services such as Google Maps for navigation and WhatsApp through deep links, while the reset password will handle using email via SMTP. Each user role interacts with the same backend but through different interfaces designed for their specific tasks.

The application follows the MVVM architecture. The **View** displays the UI for each user role—for example, donors see screens for creating donation posts, charities see reservation and dashboard interfaces, drivers see delivery-task and map screens, and admins view approval and statistics pages. The **ViewModel** handles the logic behind these actions: donors submitting posts, charities reserving and scheduling pickups, drivers updating delivery status, and admins approving charity accounts. It validates input, manages UI state, and communicates with Firebase. The **Model** stores the structured data for each role, such as donor profiles and posts, charity policies and reservations, driver tasks and locations, and system-wide metrics for admin. This separation ensures clean logic, real-time updates, and scalable performance for all users.




Figure 56. FAYDH deployment diagram

17. Test Scenario

17.1 Create donation post test cases

17.1.1 Invalid scenario

TC ID	TC1
Title	Create Donation Post - Missing Mandatory Photo Field
Description	To verify that the system prevents post submission when a mandatory field (Photos) is left empty, and displays the correct error message.
Precondition	1. The Donor is signed in to the.
Test Steps	1. Select "New Donation". 2. Select "Next" with donation type: Clothes. 3. Fill in all mandatory fields except the 'Photo(s)' field. 4. Click the "Continue" button.
Test Data	Clothes Type: "Women", Title: "Winter Jackets", Condition: "gently used", Season: "Winter", Category : "Jacket", Photo(s): Empty.
Expected Result	1. The system prevents the post from being submitted. 2. The missing 'Photo(s)' field is highlighted. 3. The system displays a clear error message ("Photo required"). 4. No notification is sent to charities.

Table 13. Create donation post test case

17.1.2 Valid scenario

TC ID	TC2
Title	Create Donation Post Successfully (Food Type)
Description	To verify that the Donor can successfully create and submit a new 'Food' donation post with valid data, and that the post is marked as "Available" and charities are notified.
Precondition	1. The Donor is signed in to the system.
Test Steps	1. Select "New Donation". 2. Select "Next" with donation type: Food. 3. Fill in all required fields in the Food form (Food Item Name, Quantity, Food Description, Photos). 4. Select "Continue". 5. Select an existing saved location. 6. Click the "Create donation post" button and confirm the submission message.
Test Data	Food Item Name: "Canned Goods", Quantity: 10, Food description: "I have a canned goods that is very good and it can be taken", Photos: 1 Valid JPEG file, Location: Saved

	Address A.
Expected Result	1. The system displays a success message ("created successfully"). 2. The new post appears in the Donor's "My Donations" list with the status "Available". 3. All charities receive an automatic notification about the new available post.

Table 14.Create donation post test case

17.2 Choose pickup available time test case

17.2.1 Valid scenario

TC ID	TC3
Title	User selects and schedules an available pickup date and time
Description	Verify that the donor can open a reserved donation post, select an available pickup date and time, confirm it, and successfully schedule the donation pickup.
Precondition	
Test Steps	1. Donor navigates to the Donations tab. 2. Donor selects the "Reserved" filter. 3. Donor opens a reserved donation post. 4. Donor taps "Schedule Pickup". 5. Donor selects a date from the displayed calendar. 6. Donor selects one available time slot. 7. Donor taps "Confirm Pickup". 8. Donor views the confirmation dialog with date & time details. 9. Donor taps "Yes, Confirm Pickup".
Test Data	Donation Post: "Jackets (Children)" Available Date: December 7, 2025 Available Time: 1:00 PM
Expected Result	1.The system displays a final success message confirming the scheduled pickup. 2.The donors are returned to the donation post details page with the updated scheduled pickup time.

Table 15.Choose pickup available time test case

17.3 Join chat test cases

17.3.1 Valid scenario

TC ID	TC4
Title	Join Chat Successfully
Description	This test case aims to test how the system will behave when the donor joins a valid chat room after the charity starts the chat.
Precondition	1-The charity is signed into the system. 2-The charity Start chat with donors for a reserved donation post. 3-The donor is signed into the system. 4-The donor receives a chat notification from the system. 5-A valid chat session exists and is active for this donation post.
Test Steps	1-Donor navigates to the “Chat” tab. 2-Donor selects the specific chat from list of chat sessions to join it
Test Data	None
Expected Result	The system opens the chat session and displays the chat screen in real time.

Table 16.Join chat test case

17.3.2 Invalid scenario

TC ID	TC5
Title	Join Chat When Donation Post Is Delivered
Description	This test case aims to test how the system will behave when the donor tries to join a chat after the donation post status has changed to “Delivered”.
Precondition	1.The charity is signed into the system. 2.The charity starts to chat with donors for a reserved donation post. 3.The donor is signed in to the system. 4.The donor receives a chat notification from the system. 5.A chat session exists for the donation post. 6.The related donation post status is turned to Delivered.

Test Steps	1.Donor navigates to the “Chat” tab. 2.The donor selects the chat that relates to a donation that has been delivered.
Test Data	None
Expected Result	1.The system closes the chat and displays a message:” the chat is no longer available.” 2.The donor cannot send new messages to the charity.

Table 17.Join chat test case

17.4 Reserve donation post test cases

17.4.1 Valid scenario

TC ID	TC6
Title	Reserve a donation post successfully.
Description	This test case verifies that a charity can successfully reserve an available donation post, select delivery time slots, and receive confirmation.
Precondition	1. Charity is signed in. 2. Charity has opened “View donation post details” for an available post.
Test Steps	1. Charity clicks “Reserve Post” 2. Charity selects available time slots using “Choose available time slots for delivery” 3. Charity confirms the reservation. 6. Charity views successful reservation message.
Test Data	Donation Post: “Jackets (Children)” Available Date: December 7, 2025 Available Time: 1:00 PM
Expected Result	The post status becomes “Reserved”, it disappears from other charity accounts, a confirmation message appears saying “Reservation completed successfully.”, and the donor receives a reservation notification.

Table 18.Reserve donation post test case

17.4.2 Invalid scenario

TC ID	TC8
Title	Attempt to reserve a donation post that is already reserved
Description	This test case verifies that the system prevents a charity from reserving a post that was already reserved by another charity.
Precondition	1. Charity is signed in. 2. Charity has opened "View donation post details". 3. Donation post status = Reserved by another charity.
Test Steps	1. Charity clicks "Reserve Post". 2. Charity sees an error message indicating the post is already reserved.
Test Data	Donation Post: "Jackets (Children)" Available Date: December 7, 2025 Available Time: 1:00 PM
Expected Result	The system displays "This donation post has already been reserved by another charity.", the reservation process stops, and the post remains unavailable.

Table 19. Reserve donation post test case

17.5 Cancel donation reservation post

17.5.1 Valid scenario

TC ID	TC7
Title	Cancel a reserved donation post successfully
Description	This test case verifies that a charity can successfully cancel a previously reserved donation post and that the system updates the post status accordingly
Precondition	1. The Charity is signed in. 2. The charity has opened the "View reservation donation post details" page. 3. Donation post is currently Reserved by this charity
Test Steps	1. Charity selects "Cancel Reservation". 2. Charity confirms the cancellation. 3. Charity views the success message.
Test Data	Donation Post: "Jackets (Children)" Available Date: December 7, 2025 Available Time: 1:00 PM
Expected Result	The post status changes to "Available", the post is removed from the charity's My Reservations, the donor receives a cancellation notification, and the charity sees the message "Reservation canceled successfully."

Table 20.Cancel donation reservation post test case

17.5.2 Invalid scenario

TC ID	TC8
Title	Fail to cancel reservation due to inability to load donation post details
Description	This test case verifies that cancellation fails when the system cannot load the reserved donation post details.
Precondition	1. Charity is signed in. 2. Charity attempts to open "View reservation donation post details". 3. System fails to retrieve donation post information
Test Steps	1. Charity selects "Cancel Reservation". 2.Charity sees an error message indicating the post details cannot be loaded.
Test Data	Donation Post: "Jackets (Children)" Available Date: December 7, 2025 Available Time: 1:00 PM
Expected Result	The system displays the message "Unable to load donation post details. Please try again later.", the post remains in Reserved status, no changes are saved, and the donor does not receive any notification.

Table 21.Cancel donation reservation post test case

17.6 view available donation post details

17.6.1 valid scenario

TC ID	TC9
Title	View Available Donation Post Details Successfully
Description	This test case aims to test how the system will behave when the charity selects an available .donation post to view its details
Precondition	1-The charity is signed into the system. 2-There are available donation posts.
Test Steps	1-Charity navigates to the notification tab 2-Select donation post from list of available donation posts.
Test Data	None
Expected Result	The system retrieves and displays all details of the selected donation post, including donor name, phone number, email, donation type, and donation form.

Table 22.View available donation post details test case

17.6.2 Invalid scenario

TC ID	TC10
Title	Donor deletes the post while the charity is viewing its details
Description	This test case aims to stop viewing the donation post details,when donor deletes a donation post while the Charity is viewing the donation post details.
Precondition	1-The charity is signed into the system. 2-There are available donation posts.
Test Steps	1-Charity navigates to the notification tab. 2-Select donation post from list of available donation posts. 3-The donor deletes the donation post currently being viewed by the charity.
Test Data	None
Expected Result	The system will display a message: "This donation post is no longer available." Then the system redirects the charity back to the donation posts list.

Table 23.View available donation post details test case

17.6.3 Invalid scenario

TC ID	TC11
Title	Another charity reserves the post while it's being viewed
Description	This test case aims to stop the charity from viewing the donation post details ,when another charity reserved the same donation post at the same time while viewing it .
Precondition	1-The charity is signed into the system. 2-There is an available donation posts.
Test Steps	1-Charity navigates to the notification tab. 2-Select donation post from list of available donation posts to view its details. 3-Another charity reserved the same donation post currently being viewed by the first charity.
Test Data	None
Expected Result	The system will displays a message: "This donation post is no longer available." Then the system redirects the charity back to the donation posts list.

Table 24.View available donation post details test case

17.6.4 Invalid scenario

TC ID	TC12
Title	Donation Post will expires while charity viewing its details.
Description	This test case aims to stop the charity from viewing the donation post details , when a donation post expires while the charity is viewing the donation post details.
Precondition	1-The charity is signed into the system. 2-There is an available donation posts.
Test Steps	1-Charity navigates to the notification tab. 2-Select donation post from list of available donation posts to view its details. 3-The donation post will expiring while its being viewed by the charity.

Test Data	None.
Expected Result	The system will display a message: "This donation post is no longer available." Then the system redirects the charity back to the donation posts list.

Table 25.View available donation post details test case

17.7 Choose available time slots for delivery

17.7.1 valid scenario

TC ID	TC13
Title	Charity selects an available delivery date and time slots for the donation
Description	Verify that the charity can select an available delivery date and time while completing the reservation process.
Precondition	1. The charity is signed in. 2. The charity is currently in the reservation process for a donation post.
Test Steps	1. Navigate to the Donations Posts List. 2. Select a donation post to view its details. 3. Click Reserve to start the reservation process. 4. Select one or more available delivery dates from the calendar. 5. For each selected date, choose one or more available time slots. 6. Confirm the reservation.
Test Data	Delivery Dates: e.g., 2025-12-8, 2025-12-9, 2025-12-10 Time Slots per Date: 09:00–11:00, 11:00–13:00, 14:00–16:00
Expected Result	Charity can complete the reservation process

Table 26.Choose available time slots for delivery test case

17.7.2 invalid scenario

TC ID	TC14
Title	System prevents charity from selecting overlapping delivery time slots
Description	Verify that the system detects and rejects overlapping time slots when the charity selects multiple dates and time slots during the reservation process.
Precondition	1.The charity is signed in. 2. The charity is currently in the reservation process for a donation post.
Test Steps	1.Navigate to the Donations Posts List. 2.Select a donation post to view its details. 3.Click Reserve to start the reservation process. 4.Select one or more available delivery dates from the calendar. 5.For each selected date, choose one or more available time slots. 6.Confirm the reservation.
Test Data	Delivery Dates: e.g., 2025-12-8, 2025-12-10, 2025-12-11 Time Slots per Date: 09:00–11:00, 11:00–13:00, 14:00–16:00
Expected Result	1.The system detects the overlapping time slots. 2.The system displays a clear error message specifying the exact conflict: “The selected time slot (11:00–13:00) on 2025-12-11 overlaps with an existing slot (10:00–12:00). Please choose a different time slot.”

Table 27.Choose available time slots for delivery test case

17.8 Request to join charity

17.8.1 Valid scenario

TC ID	TC15
Title	Request to Join Charity Successfully
Description	To verify that a Driver can successfully send a join request to a Charity, and that the request is recorded in the system and the Charity is notified.
Precondition	1. The Driver is signed in. 2. The Driver has not previously sent a request to the target Charity,
Test Steps	1. The Driver views the list of available charities. 2. The Driver selects “View Details” for the target Charity. 3. The Driver clicks the "Request to join" button. 4. The Driver confirms the confirmation message.

Test Data	Driver ID: #DR-2024-001, Charity Name: Kiswa Charity Association.
Expected Result	1. The system displays a success message ("Requested successfully"). 2. The system saves the request in the database with the status "Pending". 3. The system sends an automatic notification to the Charity about the new driver rst .

Table 28.Request to join test case

17.8.1 Invalid scenario

TC ID	TC16
Title	Request to Join Charity - Already Pending
Description	To verify the system's behavior when a Driver attempts to send a second join request to a Charity while their first request is still awaiting approval (pending).
Precondition	1. The Driver is signed in. 2. The Driver has an existing, pending request to the target Charity.
Test Steps	1. The Driver views the list of available charities. 2. The Driver selects "View Details" with the target Charity again. 3. The Driver attempts to click the "Request to join" button.
Test Data	Driver ID: #DR-2024-001, Charity Name: Kiswa Charity Association.Current Status: Pending.
Expected Result	1. The system prevents the submission of the new request. 2. The system displays the specific error message: "Request already pending. Please wait for approval." 3. No new record or notification is generated.

Table 29.Request to join test case

17.9 Update delivery status

17.9.1 Valid scenario

TC ID	TC17
Title	Update Delivery Status

Description	This test case aims to verify how the system behaves when a driver updates the delivery status through all required stages (Picked Up → Delivered).
Precondition	1- The driver is signed into the system. 2- The driver has an assigned active delivery.
Test Steps	1- The driver signs in and opens the assigned delivery. 2- The driver views the delivery details. 3- The driver arrives at the donor location and enters the verification code. 4- The driver submits the correct code. 5- The driver arrives at the charity and taps “Delivered.”
Test Data	Verification Code: “5482”
Expected Result	1- The system displays delivery details correctly. 2- Verification code is accepted. 3- Status changes from Active → Picked Up . 4- When “Delivered” is tapped, status changes to Delivered . 5- Confirmation message appears: “Delivery completed successfully.” 6- Delivery is removed from the driver’s active list.

Table 30.Update delivery status test case

17.9.2 Invalid scenario

TC ID	TC18
Title	Invalid Attempt to Mark Delivery Without Pick-Up
Description	Verify that the system prevents the driver from marking a delivery as “Delivered” before completing the pick-up verification.
Precondition	1- The driver is logged into the application. 2- Delivery is still in Active status (pick-up not verified).
Test Steps	1- The driver signs in and opens the delivery. 2- The driver views the delivery details. 3- The driver skips the donor verification step. 4- The driver taps “Delivered” at the charity location.
Test Data	Verification Code: None / Not entered
Expected Result	1- system displays a warning message: “You must pick up the delivery before marking it as Delivered.” 2- The System redirects the driver back to the pick-up verification step.

TC ID	TC19
Title	Sign up
Description	This test validates the charity sign-up process with valid inputs.
Precondition	-
Test Steps	1-The user enters the application. 2- the user clicks on the “New her? Join Us!”. 3- The user choose charity role 4- The user enters the charity name, license number, Phone number, Email, password, profile picture (optional), Brief Description, and Location. 5- The user clicks on “Sign Up”.
Test Data	charity name:”AL-bar” license number: “39864750152” Phone number: “0538746513” Email: “ Albar@gmail.com ” Brief Description: “jjjjjjjjjjjjjjjjjjjjjjjjjjjjjjjjj” Location:” Riyadh, Almulab street “ Password: Al1234@ Confirm password :Al1234@
Expected Result	The system will change sign up status to pending and send the notification to admin to accept the registration.

TC ID	TC20
Title	Invalid email format
Description	This test ensures that the system validates the email field and prevents sign-up processes with an incorrect email format.
Precondition	-

	3- The user choose charity role 4- The user enters the charity name, license number, Phone number, Email, password, profile picture (optional), Brief Description, and Location. 5- The user clicks on “Sign Up”.
Test Data	charity name: "AL-bar" license number: "39864750152" Phone number: "0538746513" Email: "<u>Albar@gmail.com</u>" Brief Description: "jjjjjjjjjjjjjjjjjjjjjjjjjjjjjjjjj" Location: "Riyadh, Almulab street " Password: Al1234@ Confirm password :Al1234@
Expected Result	The system will prevent the user from completing the sign up process and display an error message indicating that the Licence number already exists .

Table 35. Sign up test case

18. Project Status

This section presents the project status, providing insights into the project's current state and the various stages it navigated through. It represents the current state or condition of a project at a specific point in time. It encompasses an assessment of the progress and overall health of the project. Understanding the project status is crucial for various stakeholders, including team members, project managers, sponsors, and other relevant parties. It provides a snapshot of where the project stands in relation to its goals and objectives.

Phase	Status	Start Date	End Date	Description
GP1				
Phase 1 Project Proposal	Completed	14/9/2025	24/9/2025	The team conducted a thorough domain analysis of similar charitable platforms to identify key risks and constraints. Based on these findings, a structured project plan with clear milestones was developed, along with a basic quality assurance framework. Although predicting risks was challenging due to system complexity and multiple user roles, collaboration helped reduce uncertainties. This phase provided a solid foundation and a clear roadmap for the next stages of development.
Phase 2 Requirement analysis	Completed	26/9/2025	15/10/2025	In this phase, the team focused on eliciting and defining the functional and non-functional requirements of the FAYDH application. Use case diagrams, analysis classes, and interaction diagrams were developed to clarify system behavior and form the foundation for later design work. The team faced challenges due to differing viewpoints, the complexity of coordinating requirements for four user roles, and the effort involved in creating accurate analysis diagrams. Gathering requirements through interviews and observations also required significant time. Through collaboration and refinement, the team

				produced a clear and accurate analysis that effectively guided the next project stages.
Phase 3 System Design and Architecture	Completed	16/10/2025	10/12/2025	In this phase, the team progressed to the design stage, creating detailed design classes and defining the system's overall architectural structure. User interface mock-ups were developed to visualize the layout and interactions for all user roles on the FAYDH platform. Algorithms were designed to support core functions such as donation processing, reservation management, and driver assignment. The team also built the database schema to organize and manage the system's diverse data efficiently. Key challenges included choosing an appropriate architecture for multiple user roles with differing workflows and ensuring mock-ups balanced functionality with ease of use. The team also worked to keep the design aligned with project goals and avoid unnecessary complexity. Overall, this phase produced a complete blueprint to guide the implementation of the FAYDH application.
GP 2				
Phase 4 Implementation	Not started	TBD	TBD	In this phase, the team will implement Faydh application.
Phase 5 Testing	Not started	TBD	TBD	In this phase, the team will design the test cases to test the system to ensure we cover functional and nonfunctional requirements as specified previously. by using different testing techniques

Table 36. Project status

19. Future Work

While the FYDH system provides a strong foundation for unified and transparent donation management, several opportunities exist for further enhancement and expansion:

Integration of Advanced Analytics:

Future iterations may incorporate predictive analytics to forecast donation patterns, identify urgent cases, and optimize distribution strategies for beneficiaries.

AI-Driven Matching Algorithms:

Intelligent algorithms could be implemented to automatically match donor preferences with beneficiary needs, improving efficiency and personalization.

Multilingual Features:

Expanding language support to include Arabic would broaden the platform's reach and improve inclusivity.

By advancing these areas, the FYDH system can evolve into a more comprehensive, intelligent, and socially impactful platform capable of supporting the long-term digital transformation of charitable ecosystems.

20. Conclusion

The FYDH system was conceived to address persistent challenges within the charitable sector by providing a unified digital platform that connects donors, beneficiaries, and charitable organizations with transparency and efficiency. Guided by a humanitarian vision rooted in solidarity and social responsibility, the system demonstrates how modern technology can enhance trust, reduce operational delays, and ensure that resources reach those most in need.

Through its streamlined donation workflows, real-time reporting mechanisms, and user-centric interface, the platform contributes to the digital transformation of charitable services while aligning with broader sustainable development goals. By consolidating multiple charitable entities within a single ecosystem, FYDH strengthens collaboration among organizations and promotes wider community engagement. The system's architecture, analysis and design components, and database structure collectively support an integrated environment capable of improving decision-making, optimizing resource allocation, and maximizing social impact.

Ultimately, the FYDH application represents a scalable model for technology-driven charitable work, highlighting the potential of digital platforms to address logistical and administrative challenges and to enhance transparency across all stages of the donation cycle.

21. Reference

- العربية, "انطلاق منصة لحوكمة التبرعات وضمن الشفافية", العربية [1]
<https://www.alarabiya.net/saudi-today/2025/03/21/%D8%A7%D9%86%D8%B7%D9%84%D8%A7%D9%82-%D9%85%D9%86%D8%B5%D8%A9-%D9%84%D8%AD%D9%88%D9%83%D9%85%D8%A9-%D8%A7%D9%84%D8%AA%D8%A8%D8%B1%D8%B9%D8%A7%D8%AA-%D9%88%D8%B6%D9%85%D8%A7%D9%86-%D8%A7%D9%84%D8%B4%D9%81%D8%A7%D9%81%D9%8A%D8%A9?>
- [2] "Kasa," Kasa, 2023. <https://www.kasa-sa.com/>
- [3] "جمعية خيرات لحفظ النعمة", Khayat.org.sa, 2025. <https://khayat.org.sa/>
- [4] كسوة وهدية العيد - جمعية البر الأهلية بالرياض, "جمعية البر الأهلية بالرياض - نستقبل صدقاتكم وزكاتكم" Jan. 23, 2020. <https://albr.org/project/177/>
- [5] "جمعية العناية لإعادة استخدام الملابس", Careclothesstore.org.sa, 2025. <https://careclothesstore.org.sa/>
- [6] جمعية عرفة الخيرية, "جمعية عرفة الخيرية", جمعية عرفة الخيرية, 2025. <https://www.irqahorg.sa/>
- [7] الرئيسية - جمعية تدوير الفائض وحفظ النعمة, جمعية تدوير الفائض وحفظ النعمة, Oct. 22, 2025. <https://tadweerneamah.org.sa/>
- [8] "Guide to app architecture," Flutter.dev, 2025. <https://docs.flutter.dev/app-architecture/guide>
- [9] Microsoft Learn, "Model-View-ViewModel (MVVM)," Microsoft, Sep. 10, 2024. [Online]. Available: <https://learn.microsoft.com/en-us/dotnet/architecture/maui/mvvm>. [Accessed: 13-Dec-2025].
:contentReference[oaicite:0]{index=0}
- [10] Proxify Content Team, "MVC vs MVVM Architecture: Understanding the key differences and benefits," *Proxify*, Jan. 17, 2022. [Online]. Available: <https://proxify.io/articles/mvc-vs-mvvm-architecture>. [Accessed: 13-Dec-2025].
:contentReference[oaicite:1]{index=1}
- [11] A. Rehman, "MVVM vs Other Architectures," *DEV Community*, Jun. 8, 2025. [Online]. Available: https://dev.to/abdul_rehman_2050/mvvm-vs-other-architectures-2740. [Accessed: 13-Dec-2025]. :contentReference[oaicite:2]{index=2}
- [12] فايربيس. تاريخ الوصول: 13 ديسمبر 2025. [متوفر على الإنترنت]. الرابط "Firestore جوجل", وثائق [12]
<https://firebase.google.com/docs/firestore?hl=ar>.
- [13] GeeksforGeeks, "Program to Calculate Distance Between Two Points on Earth." [Online]. Available <https://www.geeksforgeeks.org/dsa/program-distance-two-points-earth/>

22.Appendix

Appendix 1





Figure 57. FAYDH Questionnaire

نسخ الرسم البياني

4. هل يهملك أن تعرف كيف تم استخدام تبرعك بالضبط؟


222 ردًا



نسخ الرسم البياني

5. هل تفضل وجود خدمة استلام التبرعات من المنزل عبر التوصيل؟


222 ردًا



نسخ الرسم البياني

6. هل ترغب باستلام إشعارات أو تقارير توضح أثر تبرعاتك؟


221 ردًا



نسخ الرسم البياني

7. ما الذي يحفزك أكثر للتبرع بانتظام؟


222 ردًا



نسخ الرسم البياني

8. ما رأيك في فكرة منصة ذكية لإدارة التبرعات تشمل (التبرع، التتبع، إدارة الحملات، التحفيز)؟


222 ردًا



نسخ الرسم البياني

9. هل تفضل أن يكون التطبيق ثنائي اللغة (عربي / إنجليزي)؟


222 ردًا



نسخ الرسم البياني

10. هل تجد إضافة تقنيات مثل المساعد الذكي (Chatbot) أو التوصيات حسب اهتمامات تبرعاتك ميزة مفيدة؟


222 ردًا



نسخ الرسم البياني

10. هل تجد إضافة تقنيات مثل المساعد الذكي (Chatbot) أو التوصيات حسب اهتمامات تبرعاتك ميزة مفيدة؟

222 ردًا



11. ما اقتراحاتك لتحسين طرق التبرع، وهل تستخدم تطبيق أو منصة للتبرع، اذكرها؟

42 ردًا

سهولة شروط التبرع وسرعتها

الراجحي

ان يكون متوفر 24 ساعة لسرعه وسهولة نقل التبرعات للمحتاجين مع مراعات جودة المواد المتبرع بها ونتمنى لكم التوفيق

ا

احسان

السرعة في استلام التبرعات خصوصا الاكل(عشان ما يخرب)

نشر الوعي اكثر بين الجيل الجديد / اتيبرع لمنصة احسان

الأمانة في توزيع التبرعات للمستحقين وان تكون في مكانها الصحيح وان لا تستخدم الا لمن هم أولى بها ويكون هناك متابعة حقيقية وفعلية للأشخاص الذي يقومون بتوزيع التبرعات لضمان وصولها لمن يستحقونها

استخدام تطبيق، دعم تحديد الموقع، استخدام اتمتة التبرع

Figure 58. FAYDH Questionnaire Result

Appendix 3

أسئلة المقابلة

التعريف بنفسى

الأسئلة العامة

- ١- ممكن تعطوني لمحة عن الجمعية وأهدافها الرئيسية؟
 - ٢- كيف يتم حالياً استقبال التبرعات والتواصل مع المستفيدين؟
 - ٣- مين هم الأطراف التي غالباً تتعاملون معهم (مكبرعين، مستفيدين، مندوبين... الخ)؟
2. العمليات الحالية والمشاكل
- وش أبرز التحديات التي تواجهكم في إدارة التبرعات حالياً؟
 - هل تواجهون صعوبات في توثيق ومتابعة وصول التبرعات للمستفيدين؟
 - كيف يتم حالياً اختيار أو تعيين المندوبين وتوزيع المهام عليهم؟
 - هل في مشاكل متكررة مع المكبرعين أو المستفيدين (مثل التواصل، المصادقية، تأخير التوصيل)؟
- كيف يتم فرز التبرعات عندكم داخل الجمعية هل تفصلون كل تبرع لحال ولا تصون لهم فرز بناء على وش
3. الجانب التقني والرقمي
- هل تستخدمون حالياً أي نظام أو تطبيق لإدارة التبرعات؟ ولو نعم، وش عيوبه؟
 - وش المميزات التي تكتنون وجودها في منصة أو تطبيق سهل صمكم؟
 - هل تحتاجون خاصية لتتبع الطلبات (من التبرع إلى وصولها للمستفيد)؟
4. الأمان والمصادقية
- كيف تضمنون حالياً وصول التبرعات لمستحقيها؟
 - هل عندكم حاجة لآلية تحقق من المكبرعين أو المستفيدين أو المندوبين؟
 - هل في تقارير أو إشادات معينة تحبون تظهر للتبرع بعد تنفيذ التبرع؟
5. المتطلبات الإضافية
- هل تحتاجون إلى تقارير دورية (مالية أو إحصائية) من المنصة؟
 - هل ترون أن وجود نظام تقييم (للمندوب أو للمستفيد أو للتبرع) مفيد؟
 - ما القنوات التي تفضلون أن يكون فيها إشعارات (داخل التطبيق، SMS، إيميل)؟
 - هل تحبون أن التطبيق يدعم أكثر من لغة (مثلاً: عربي/إنجليزي)؟
6. التطلعات المستقبلية
- لو وفرنا لكم منصة مثالية، وش أول 3 مشاكل تتوقعون تحظى من صمكم؟
 - هل في خطط مستقبلية للجمعية تحبون أن التطبيق يدعمها (مثلاً: التوسع الجغرافي، أنواع تبرعات جديدة)؟

Figure 59. FAYDH Interview Question

Appendix 4

11:37

<
كيف يكون التطبيق زوائد
>

بسم الله الرحمن الرحيم

يتكون التطبيق من •

- 1- العميل
- 2- المسوقين
- 3- الكنترول
- 4- السواقين
- 5- المستودع

أولاً : العميل

أي عميل لقا اعلان المشروع الخاص بزوائد او حمل التطبيق يدخل على قائمه كالاتي

طلب نقليات صغيره سائق واحد

الاسم	\$ مابيس \$ اواني \$ احديه وشنط \$ بطاطين وبغارش وسجاد \$ اجهزه كهربائيه والكثريه \$ مكيفات \$ جلسه اسفنج	رقم الجوال
نوع الاغراض	عربيه ارضيه	
الكيشين	(هنا يضور بالكنترول المنطقه والحي حسب الكيشين) عشان يضور بالتقرير	
آخر شي	حجز موعد حسب التسلسل	حجز موعد حسب التسلسل
	يطلب ارسال الصور	يطلب ارسال الصور
	كاش	فيزا

تواصل مباشر مع الدعم

\$ رساله وات ساب \$ بروشور \$ وسائل التواصل نوعها () \$ صديق .. هل تقترح لنا \$ اشخاص تقنعهم بالمشروع ولك كيف عرفت عن الامر كمربع لادخال الأرقام المقترحه

يصوره العميل بكل الإجراءات يصدر له رقم تسلسلي مع اسمه وتعتبر هي رقم العضويه وترسل اتوماتيل لرقمه الوات ساب ويضاف رمز على رقم العضويه مثلاً / 1 يعني بدون مسوق / ب تعني المسوق رقم 1 وهكذا ويحفظ في العميل اتوماتيك اسم العميل كالتالي (00001/ محمد علي علي الغزوي)

طلب نقليات كبير سائق وفني عمال تحميل

الاسم	\$ غرفه نوم (مفكوك او محتاج فني) \$ كتب \$ مطبخ \$ أخرى ()	رقم الجوال
نوع الاغراض		
صور الاغراض	(هنا يصور بالكنترول المنطقه والحي حسب الكيشين) عشان يصور بالتقرير	
الكيشين	حسب المدخلات والفني يصور المبلغ	
المبلغ	الدفع	كاش
	ارسال	ارسال

تواصل مباشر مع الدعم

\$ رساله وات ساب \$ بروشور \$ وسائل التواصل نوعها () \$ صديق .. هل تقترح لنا \$ اشخاص تقنعهم بالمشروع ولك كيف عرفت عن الامر كمربع لادخال الأرقام المقترحه

يصوره العميل بكل الإجراءات يصدر له رقم تسلسلي مع اسمه وتعتبر هي رقم العضويه وترسل اتوماتيل لرقمه الوات ساب ويضاف رمز على رقم العضويه مثلاً / 1 يعني بدون مسوق / ب تعني المسوق رقم 1 وهكذا ويحفظ في العميل اتوماتيك اسم العميل كالتالي (00001/ محمد علي علي الغزوي)

عمل زوائد تم عمل شراكه مجتمعيه فيما يخص اللائح بالاتفاق مع نقليات شركه سائق كم بحيث الجميعه تدفع نصف التكاليف وفاعل الخير يدفع النصف الآخر لاكمال الاجراءات ادخل البيانات وبعد موافقه الجميعه على اغراضك سيتم ارسال بياناتكم لشركه النقليات وفي حال رغبتكم بدفع كل التكاليف الضغط على رابط تطبيق نقليات شركه سائق كم وSSSS

ملاحظه: نريد العميل يسجل جميع بياناته من صور وغيره ولا يعرف عن الدفع او التطبيق الا بعد ان حفضنا بياناته ثم لاكمال الحجز يصور له العيارات التي نكرناها

علامه دولار تعني مربع

سترفق قائمه الأسعار

بخصوص تقارير أولًا يكون اسم العميل ورقمه واغراضه والمسوق والمنطقه والحي وهل

استمله الكنترول وهل حوله للسائق ولن حوله

ثانياً / المسوقين

رقم جوال التي يستقبل منه اسم المسوق
0505355436
فلان الفلاح
عبدالفتاح

كيفية حفظ عملاء كل مسوق لى حده -
يقوم المسوق بإدخال عمله للتطبيق او يعطي العميل رابط يدخل بياناته بحيث يعرف -
هذا الرابط انه للمسوق رقم كذا
امكانيه اضافته مسبقه على الكنترول اعطاه مسبقه بصلاحيات محدده -
حفظت على الاغراض كذا - مسوقه حفظت في جوال المسوق 6 - مسوقه حفظت في جوال المسوق 6 - مسوقه حفظت في جوال المسوق 6 -

Figure 60 . FAYDH Interview Answer