


UNITED STATES DEPARTMENT OF AGRICULTURE ANIMAL AND PLANT HEALTH INSPECTION SERVICE	CASE NO. SD11005
 <p align="center">OFFICIAL WARNING VIOLATION OF FEDERAL REGULATIONS</p>	VIOLATOR
	Merlin Konechne 46-A-0329 / 25098
	ADDRESS (Street, City, State, Zip Code) 37280 246 St White Lake, SD 57383

The Department of Agriculture has evidence that on or about **January 21, 2009, December 28, 2010, and February 8, 2011** you or your organization committed the following violation of Federal Regulations:

2.40 (b)(2) Attending Veterinarian and Adequate Veterinary Care -- DIRECT


.... failure to provide adequate veterinary care that uses the appropriate methods to prevent, control, diagnose, and treat diseases and injuries

2.126(b) Access and inspection of records and property....repeated failure to make a responsible adult available to accompany APHIS officials during the inspection process

3.3(a) Shelter Housing Facilities -- DIRECT

....failure to provide adequate dry bedding, solid resting boards, or other methods to conserve body heat when the temperatures are below 50[deg]F (10[deg] C)

Titles 7 & 9 Code of Federal Regulations were promulgated to help prevent the spread of animal and plant pests and diseases and assure the humane treatment of animals. Since violations of the regulations can have serious and costly impact detrimental to the public interest, you are warned of this violation. Any further violation of these regulations may result in the assessment of a civil penalty or criminal prosecution. If you have any questions concerning this warning or violation, please contact the listed APHIS Official.

APHIS OFFICIAL (Name and Title) 		OFFICE ADDRESS: 2150 Centre Ave. Building B Fort Collins, CO 80526	
	DATE ISSUED 3/1/11	TELEPHONE NO. AC	(970) 494-7478
	DATE RECEIVED:		
FOR PERSONAL SERVICE - RECEIVED BY: (Name and signature)			
FOR CERTIFIED MAIL - RECEIPT NO: 7010 1870 0001 1863 1374			
APHIS FORM 7060 (JUN 91) PART 1 - VIOLATOR Previous editions may be used			