CoinRoutes Docs

APIs / OTC Rest & Websocket

OTC API

Version: v3.5.2

- Security
- Rest APIS
  - /customer/
  - /customer/{id}/
  - /order/
    - Create Order
  - /order/{order_id}/
  - /order/{order_id}/cancel/
  - Models
    - OtcCurrencyPair
    - Customer
    - ExternalClientOrder
- WebSocket API (Market Data)
  - /api/streaming/otc/
    - Connecting
    - Sample Market data message

Security

Bearer

apiKey	*API Key*
Description	Send the Authorization HTTP header with the value "Token yourauthtokenhere"
In	header

apiKey	*API Key*
Name	Authorization

Note: you may also authenticate by adding ?token=TOKEN to the URL querystring.

Rest APIS

The REST APIS allow order entry, as well as fetching balances and tradeable pairs.

/otc/api/customer/

GET

Description

The Customer Object contains information about balances, credit and tradable currency pairs.

Parameters

Name	Located in	Description	Required	Schema

Responses

Code	Description	Schema
200		[Customer]

/otc/api/customer/{id}/

GET

Description

The Customer Object contains information about balances, credit and tradable currency pairs.

Parameters

Name	Located in	Description	Required	Schema
id	path		Yes	string

Responses

Code	Description	Schema
200		Customer

/otc/api/order/

GET

Description

List All OTC orders

Parameters

Name	Located in	Description	Required	Schema
limit	query	Number of results to return per page.	No	integer
offset	query	The initial index from which to return the results.	No	integer

Responses

Code	Description	Schema
200		object

POST

Description

Create OTC Order

POST Order Parameters

Name	Located in	Description	Required	Schema
data	body		Yes	ExternalClientOrder

Responses

Code	Description	Schema
201		ExternalClientOrder

Sample send order JSON

```
{
  "quantity": "0.01",
  "currency_pair": "BTC-USD",
  "limit_price": "9230.2575",
  "side": "buy",
  "use_funding_currency": false,
  "order_type": "IOC"
} ##### Sample response:
{
  "side": "buy",
  "limit_price": "9230.25750000",
  "currency_pair": "BTC-USD",
  "quantity": "0.0100000000",
  "order_type": "IOC",
  "discretion_bps": "0.00",
  "use_funding_currency": false,
  "executed_price": null,
  "executed_qty": null,
  "order_status": "open",
  "net_consideration": null,
  "order_id": "57b722fe-1738-4a50-aada-5af7870b5430",
  "created_at": "2020-07-15T04:01:50.996493Z"
}
```

/otc/api/order/{order_id}/

GET

Description

Read OTC order

Parameters

Name	Located in	Description	Required	Schema
order_id	path		Yes	string

Responses

Code	Description	Schema
200		ExternalClientOrder

/otc/api/order/{order_id}/cancel/

POST

Description

Cancels the given order. Parameters other than order ID will be ignored. Note that any SOR orders currently being routed may still end up executing.

Parameters

Name	Located in	Description	Required	Schema
order_id	path		Yes	string
data	body		Yes	ExternalClientOrder

Responses

Code	Description	Schema
201		ExternalClientOrder

Models

OTCCURRENCYPAIR

Name	Type	Description	Required
id	integer		No
slug	string	EX: “BTC-USD”	Yes

CUSTOMER

Name	Type	Description	Required
pairs	[OtcCurrencyPair]		No
credit_limit	string (decimal)	Credit limit available for unsettled trades denominated in USD(more currencies coming soon)	No
credit_used	string (decimal)	Amount of credit used by the customer.	No
discretion_bps	string (decimal)	Default basis points of discretion in OTC UI	No
balances	object	Mapping of Currency -> balances. *Example:* `{"BTC":1,"EUR":100}`	No
name	string		No
credit_limit_since	dateTime	If specified, all balances / credit limits will be zerod out from this timestamp. This can be left blank unless the client has many orders and credit calculations become slow.	No

EXTERNALCLIENTORDER

Name	Type	Description	Required
side	string	*Enum:* `"buy"`, `"sell"`	Yes
limit_price	string (decimal)	Requited for `IOC` Order type	No
currency_pair	string		Yes
quantity	string (decimal)		Yes
order_type	string	*Enum:* `"IOC"`, `"PEG"`, `"TWAP"`	No
discretion_bps	string (decimal)	Optional Discretion in Basis points to allow beyond price in limit price.	No
use_funding_currency	boolean	If True, the quantity specified is in the funding currency. The default is	No

Name	Type	Description	Required
		False, which means the quantity is in target currency.	
quantity_currency	string	Specifies which currency the order is priced in. Can be either the funding or target currency.	No
order_id	string (slug)		No
end_offset	number	Time Offset for TWAP orders	No
owner	integer	Read only trader ID that submitted the order	No
executed_price	string (decimal)	Read-only Price trade was executed at	No
executed_qty	string (decimal)		No
order_status	string	*Enum:* `"closed"`, `"cancelled"`, `"pending"`, `"open"`	No
net_consideration	string (decimal)	Read-only cost or proceeds of the order in funding currency	No
created_at	dateTime		No
mark_price	string (decimal)	Price used to calculate credit / balance utilization for open orders without a limit price.	No

WebSocket API

The Websocket API is for streaming prices.

/api/streaming/otc/

CONNECTING

Use the Authentication token scheme above to authenticate. Once connected, send MarketDataRequest objects to subscribe.

MarketDataRequest

Name	Type	Description
currency_pair	string	string(OtcCurrencyPair.slug)

Example:

```
{"currency_pair":"USDT-USD"}
```

MARKET DATA SCHEMA

Top level messages returned from websocket API

Name	Type	Description
symbol	string(OtcCurrencyPair.slug)	slug from OtcCurrencyPair
message	object(MarketDataMessage)	see MarketDataMessage Schema

MarketDataMessage

Name	Type	Description
bids	object()	Mapping of order size(in target currency) -> sell price. *Example:* `{"5":"300", "50":"299", "250":"296", "500":"294"}`
asks	object()	Mapping of order size(in target currency) -> buy price. *Example:* `{"5":"301", "50":"302", "250":"304", "500":"307"}`
bids_funding	object()	Mapping of order size(in funding currency) -> sell price. *Example:* `{"1500":"300", "14950":"299", "74000":"296", "147000":"294"}`
asks_funding	object()	Mapping of order size(in funding currency) -> buy price. *Example:* `{"1505":"301", "15100":"302", "76000":"304", "153500":"307"}`

SAMPLE MESSAGE

```
{
 "symbol": "BCH-USD",
 "message": {
   "bids": {
```

```
        "5": "229.9394304000000000",
        "50": "229.845367776731128920",
        "250": "229.6255229011254471480",
        "500": "229.4339467146322567860"
      },
      "asks": {
        "5": "230.9612305000000000",
        "50": "230.9612305000000000",
        "250": "231.1369329368403023720",
        "500": "231.4030705664959461180"
      },
      "symbol": "BCH-USD",
      "asks_funding": {
        "1153.652500000000": "230.9612305000000000",
        "11536.525000000000": "230.9612305000000000",
        "57726.506727482593000": "231.1369329368403023720",
        "115585.949333914059000": "231.4030705664959461180"
      },
      "bids_funding": {
        "1150.848000000000": "229.9394304000000000",
        "11503.77216099755400": "229.845367776731128920",
        "57463.844569851213000": "229.6255229011254471480",
        "114831.805162478607000": "229.4339467146322567860"
      }
    }
  }
```


© CoinRoutes Inc.