AUTHORIZED LEAVE MANAGEMENT SYSTEM

A Mini Project Report Submitted
In partial fulfillment of the requirements for the award of the degree of

Bachelor of Technology
in
Computer Science and Engineering
by

Rohith Kumar	**17N31A0598**
Venkatteja	**17N31A05A0**
Fahad Abdul Faheem	**17N31A0561**

Under the esteemed guidance of

Mr. SIVA RATNA SAI

Associate Professor

Department of Computer Science and Engineering

Malla Reddy College of Engineering & Technology

(Autonomous Institution- UGC, Govt. of India)

(Affiliated to JNTUH, Hyderabad, Approved by AICTE, NBA &NAAC with 'A' Grade)Maisammaguda, Kompally, Dhulapally, Secunderabad – 500100
website: www.mrcet.ac.in
2020-2021

i

Malla Reddy College of Engineering & Technology

(Autonomous Institution- UGC, Govt. of India)

(Affiliated to JNTUH, Hyderabad, Approved by AICTE, NBA &NAAC with 'A' Grade)

Maisammaguda, Kompally, Dhulapally, Secunderabad – 500100
website: www.mrcet.ac.in

CERTIFICATE

This is the bonafide record of the project entitled "Authorized Leave Management System", submitted by Rohith Kumar (17N31A0598), Venkatteja (17N31A05A0) and Fahad Abdul Faheem (17N31A0561) of B.Tech in the partial fulfillment of the requirements for the degree of Bachelor of Technology in Computer Science and Engineering, Department of CSE during the year 2020-2021. The results embodied in this project report have not been submitted to any other university or institute for the award of any degree or diploma.

Internal Guide   **Project Co-ordinator**

Mr. Siva Ratna Sai   **Dr. S. Shanthi**

Associate Professor   **Professor**

Head of the Department   **EXTERNAL EXAMINER**

Dr. D. Sujatha

Professor

DECLARATION

We hereby declare that the project titled "Authorized Leave Management System" submitted to Malla Reddy College of Engineering and Technology (UGC Autonomous), affiliated to Jawaharlal Nehru Technological University Hyderabad (JNTUH) for the award of the degree of Bachelor of Technology in Computer Science and Engineering is a result of original research carried-out in this thesis. It is further declared that the project report or any part thereof has not been previously submitted to any University or Institute for the award of degree or diploma.

Rohith Kumar   **- 17N31A0598**

Venkatteja   **- 17N31A05A0**

Fahad Abdul Faheem   **- 17N31A0561**

ACKNOWLEDGEMENT

We feel ourselves honored and privileged to place our warm salutation to our college Malla Reddy College of Engineering and Technology (UGC-Autonomous) and our Principal **Dr. VSK Reddy** who gave us the opportunity to have experience in engineering and profound technical knowledge.

We express our heartiest thanks to our Head of the Department **Dr. D. Sujatha** for encouraging us in every aspect of our project and helping us realize our full potential.

We would like to thank our internal guide **Mr. Siva Ratna Sai**, Associate Professor and Project Coordinator **Dr.S.Shanthi**, for their regular guidance and constant encouragement. We are extremely grateful to her valuable suggestions and unflinching co-operation throughout project work.

We would like to thank our Class Incharge **Dr. Jayapal Medida** who in spite of being busy with his duties took time to guide and keep us on the correct path.

We would also like to thank all the supporting staff of the Department of CSE and all other departments who have been helpful directly or indirectly in making our project a success.

We are extremely grateful to our parents for their blessings and prayers for the completion of our project that gave us strength to do our project.

With regards and gratitude,

Rohith Kumar   **- 17N31A0598**
Venkatteja   **- 17N31A05A0**
Fahad Abdul Faheem   **- 17N31A0561**

ABSTRACT

The Project entitled 'Authorized Leave Management System/ ALMS' is an application that is of utmost importance for an organization or college. The leave management application will allow the users to apply for the leaves through the online mode by specifying a valid reason for the leave. This can also be implemented at the school and the college levels where the students can apply for the leave. The user interface must be simple and easy to understand. The leave application and the approvals are done manually. This work can be automated through the use of this application. This application can also allow the user to check the pending leaves that they have.

With the help of HTML, CSS, PHP, JavaScript, jQuery, we can create this project. For database server, we use SQLite (XAMPP Server- phpMyAdmin) and Visual Studio Code for writing the code. Operating system will be any Windows platform.
.

Software Requirements are:
- HTML, CSS, JavaScript, PHP.
- XAMPP Server
- Visual Studio Code
- Operating System can be Windows XP.

Hardware Requirements are:
- Ram : 1GB Ram and above
- Hard Disk : 50GB and above
- Processor : Dual core and above

To run this application, we need to install XAMPP server in our Windows OS.

TABLE OF CONTENTS

LIST OF FIGURES

LIST OF SCREEN SHOTS

Chapter 1: INTRODUCTION

This application is an application that is of utmost importance for an organization or college. The leave management application will allow the users to apply for the leaves through the online mode by specifying a valid reason for the leaves. This can also be implemented at the school and the college levels where the can apply for the leave.

1.1 PURPOSE   OF THE PROJECT

A leave management system automates the entire process revolved around leave within a company, saving time and resources by letting employees focus on the important tasks before them and eliminating the traditional need to record and file leave documents.

1.2 SCOPE OF THE PROJECT

In the proposed system, the user overcomes the disadvantage in existing leave management system. Using this application, the user can apply leaves through the online mode by specifying a valid reason for the leaves.

1.3 FEATURES OF THE PROJECT

The features that can included in this application are as follow:

1. **Reason Specified**: There should be a reason specified for the leave that is applied for.
2. **Easy to use**: The interface must be simple and easy to use.
3. **Reports**: The reports of the worked days and the leaves taken can be shown in a well-organized way.
4. **Change password**: This application can allow the user to change the password after logging into the application with great ease.
5. **Leave balance**: One can check the leaves that are present in one's account without any difficulty.
6. **Leave approval**: The managers/admin can approve the leaves easily through the use of this application.
7. **Leave cancellation**: This application can also allow cancelling the leaves that are being applied already with great ease.

Chapter 2: SYSTEM ANALYSIS AND DESCRIPTION

2.1 EXISTING SYSTEM

In the current system, students have to suffer lot of problems and formalities for the approval of leaves. They have to write a letter to respective faculties regarding leave then they will be in waiting queue for leave. Sometimes, their leaves might get rejected or approved.

2.2 PROPOSED SYSTEM

The proposed system automates the existing system. It decreases the paper work and easier record maintenance by having a database for leave maintenance.

The Leave Management System (LMS) reduces the over work and time duration. It provides a easy, maintained and systematic environment for the higher panel (HOD/Principal) for the approval of leave.

2.2.1 Advantages

1) A good leave management system benefits both the company and its employee.
2) It enables the intelligent planning of an employee's absence in advance.
3) In this way, employees can also plan their leave according to the company's personal requirements at a specific point in time.

2.3 MODULES
The activities in the application are divided into modules as mentioned below:

1. User interface
2. User defined schedules
3. Login
4. Registration
5. SQLite

2.4 FEASIBILITY STUDY:

The next step in analysis is to verify the feasibility of the proposed system. "All projects are feasible given unlimited resources and infinite time". But in reality both resources and time are scarce. Project should confirm to time bounce and should be optimal in their consumption of resources. This place a constant is approval of any project.
There are 3 types of feasibilities:

- Technical feasibility
- Operational feasibility
- Economic feasibility

2.4.1 Technical Feasibility:

The proposed system will be developed in web bases completely and its required to use web technologies appropriately. Technology to build the overall system is available. Currently available web technologies are PHP, JSP and Servlets, ASP.net, Perl/Cgi.

2.4.2 Operational Feasibility:

It is the measure of how well a proposed system solves the problems and takes advantage of the opportunities identified during the scope definition and problem analysis phases. And how well it satisfies the system requirements identified in the requirement analysis phase.

2.4.3 Economic Feasibility:

Economic feasibility is the most frequently used method for evaluating the effectiveness of a new system. More commonly known as cost/benefit analysis, the procedure is to determine the benefits and savings that are expected from a candidate system and compare them with costs. If benefits outweigh costs, then the decision is made to design and implement the system.

2.5 SDLC (SOFTWARE DEVELOPMENT LIFE CYCLE)

2.5.1 SDLC Methodologies

This document play a vital role in the development of life cycle (SDLC) as it describes the complete requirement of the system. It means for use by developers and will be the basic during testing phase. Any changes made to the requirements in the future will have to go through formal change approval process.

2.5.2 WATERFALL MODEL: The waterfall model is a breakdown of project activities into linear sequential phases, where each phase depends on the deliverables of the previous one and corresponds to a specialization of tasks. The approach is typical for certain areas of engineering design. In software development, it tends to be among the less iterative and flexible approaches, as progress flows in largely one direction through the phase of conception, initiation, analysis, design, construction, testing, deployment and maintenance.

The waterfall development model originated in the manufacturing and construction industries; where the highly structured physical environments meant that design changes became prohibitively expensive much sooner in the development process. When first adopted for software development, there were no recognized alternatives for knowledge-based creative work.

In Royce's original waterfall model, the following phases are followed in order:

1) **System and software requirements**: captured in a product requirements document.
2) **Analysis**: resulting in models, schema and business rules.
3) **Design**: resulting in the software architecture.
4) **Coding**: the development, proving and integration of software
5) **Testing**: the systematic discovery and debugging of defects.
6) **Operation**: the installation, migration, support and maintenance of complete systems.

Thus, the waterfall model maintains that one should move to a phase only when its preceding phase is reviewed and verified.

Various modified waterfall models (including Royce's final model), however, can include slight or major variations on this process. These variations included returning to the previous cycle after flaws were found downstream, or returning all the way to the design phase if downstream phases deemed insufficient.

The waterfall model provides a structured approach; the model itself progresses linearly through discrete, easily understandable and explainable phases and thus is easy to understand; it also provides easily identifiable milestones in the development process.

It is perhaps for this reason that the waterfall model is used as a beginning example of a development model in many software engineering texts and courses. It is argued that the waterfall model can be suited to projects where requirements and scope are fixed, the product itself is firm and stable, and the technology is clearly understood.

Designers may not be aware of future difficulties when designing a new software product or feature, in which case it is better to revise the design than persist in a design that doesn't account for any newly discovered constraints, requirements or problems.

Clients may not know exactly what their requirements are before they see working software and so change their requirements, leading to redesign, redevelopment, and retesting, and increased costs.

In response to the perceived problems with the pure waterfall model, modified waterfall models were introduced, such as "Sashimi (Waterfall with Overlapping Phases), waterfall with Subprojects, and Waterfall with risk reduction.

The following diagram shows how a spiral model acts like:

PLANNING
- Project Selection
- Preparations of Documents for interviews and Survey Questionnaires for requirement

REQUIREMENT GATHERING AND
- Data Collection about the current system (available files and transactions) and about Client Requirements
- Conduct Interview (HR officer)
- Survey (Employees)

DESIGN
- Create/Prepare System Design Data Flow Diagram (Input Design, Output Design, Processing Design)
- Submission of Designs for Approval
- Acceptance of Design

DEVELOPMENT/IMPLEMENTATION
- Develop the system planned on the design phase
- Integration of The Leave Management System

TESTING
- User-Training Site Preparation
- Test for any errors
- File Conversion
- User Acceptance Testing and gathering

POST-IMPLEMENTATION AND
- System enhancements due to organizational change
- Hardware requires periodic maintenance

Fig.2.5 Waterfall Model

- **Requirement Gathering and analysis:** All possible requirements of the system to be developed are captured in this phase and documented in a requirement specification document.

- **System Design:** The requirement specifications from first phase are studied in this phase and the system design is prepared. This system design helps in specifying hardware and system requirements and helps in defining the overall system architecture.

- **Implementation:** With inputs from the system design, the system is first developed in small programs called units, which are integrated in the next phase. Each unit is developed and tested for its functionality which is referred to as Unit testing.

- **Integration and Testing:** All the units developed in the implementation phase are integrated into a system after testing of each unit:

- **Deployment of system:** Once the functional and non-functional testing is done; the product is deployed in the customer environment or released into the market.

- **Maintenance:** There are some issues which come up in the client environment. To fix those issues, patches are released. Also, to enhance the product some better versions are released. Maintenance is done to deliver these changes in the customer environment.

Chapter 3: SYSTEM DESIGN

System design is transition from a user oriented document to programmers or data base personnel. The design is a solution, how to approach to the creation of a new system. This is composed of several steps. It provides the understanding and procedural details necessary for implementing the system recommended in the feasibility study. Designing goes through logical and physical stages of development, logical design reviews the present physical system, prepare input and output specification, details of implementation plan and prepare a logical design walkthrough.

The database tables are designed by analyzing functions involved in the system and format of the fields is also designed. The fields in the database tables should define their role in the system. The unnecessary fields should be avoided because it affects the storage areas of the system. Then in the input and output screen design, the design should be made user friendly. The menu should be precise and compact.

3.1 SOFTWARE DESIGN

In designing the software following principles are followed:

- **Single Responsibility Principle (SRP)**: This principle state that you should design your classes in such a way that each class should have a single purpose.
- **Interface Segregation Principle (ISP):** This principle states that clients should not be forced to depend upon interfaces that they don't use.
- **DRY (Don't Repeat Yourself):** This principle states that each small pieces of code may only occur exactly once in the entire system.
- **KISS (Keep it simple, Stupid):** This principle states that try to keep each small piece of software simple and unnecessary complexity should be avoided.

3.1.1 System Architecture Design

Fig.3.1.1 System Architecture Design

3.2 INPUT/OUTPUT DESIGN

3.2.1 Input Design:

Considering the requirements, procedures to collect the necessary

input data in most efficiently designed. The input design has been done keeping in view that, the interaction of the user with the system being the most effective and simplified way.

Also the measures are taken for the following

- Controlling the amount of input
- Avoid unauthorized access to the classroom.
- Eliminating extra steps
- Keeping the process simple
- At this stage, the input forms and screens are designed.

3.2.2 Output Design:

All the screens of the system are designed with a view to provide the user with easy operations in simpler and efficient way, minimum key strokes possible. Instructions and important information is emphasized on the screen. Almost every screen is provided with no error and important messages and option selection facilitates. Emphasis is given for speedy processing and speedy transaction between the screens. Each screen assigned to make it as much user friendly as possible by using interactive procedures. So to say user can operate the system without much help from the operating manual.

3.3 SOFTWARE REQUIREMENT SPECIFICATION

3.3.1What is SRS?

Software Requirement Specification (SRS) is the starting point of the software developing activity. As system grew more complex it became evident that the goal of the entire system cannot be easily comprehended. Hence the need for the requirement phase arose. The software project is initiated by the client needs. The SRS is the means of translating the ideas of the minds of clients (the input) into a formal document (the output of the requirement phase.)

The SRS phase consists of two basic activities:

3.3.1.1 Problem/Requirement Analysis:

The process is order and more nebulous of the two, deals with understand the problem, the goal and constraints.

3.3.1.2 Requirement Specification:

Here, the focus is on specifying what has been found giving analysis such as representation, specification languages and tools, and checking the specifications are addressed during this activity.

The Requirement phase terminates with the production of the validate SRS document. Producing the SRS document is the basic goal of this phase.

1.4 DOCUMENT CONVENTIONS

We have used Times New Roman (text size 12).Bold Font is used for Main Headings (text size of 16). Normal font is used for sub headings (text size of 14).

Font: Times New Roman

Main Heading: Bold Font

3.5 INTENDED AUDIENCE AND READING SUGGESTIONS

This document is for better understanding for Remote desktop control. Mainly intended for Head of the Dept., Internal guide, External guide, Staff members, Users and colleagues. This detail given below guides every normal user to how to go through this document for better understanding. The sequence to follow for better understanding is here Purpose, Scope, Features, Operating requirements, Modules present in the project, Advantages, References etc.

3.5.1 Role of SRS:

The purpose of the Software Requirement Specification is to reduce the communication gap between the clients and the developers. Software Requirement Specification is the medium though which the client and user needs are accurately specified. It forms the basis of software development. A good SRS should satisfy all the parties involved in the system.

3.5.2 Scope:

Automatic mode converter is an Android application for automatic profile switching. This application helps the user to schedule his profiles so that the user will be able to switch his device to the 'Silent Mode' automatically by default and there will be no need to set them manually. This application is also user friendly in which the user can schedule his profile so that, it can switch to 'user defined profile mode' by using user defined settings.

.

3.6 UML CONCEPTS:

The Unified Modeling Language (UML) is a standard language for writing software blue prints. The UML is a language for

- Visualizing
- Specifying
- Constructing
- Documenting the artifacts of a software intensive system.

The UML is a language which provides vocabulary and the rules for combining words in that vocabulary for the purpose of communication. A modeling language is a language whose vocabulary and the rules focus on the conceptual and physical representation of a system. Modeling yields an understanding of a system.

3.6.1 Building Blocks of the UML:

The vocabulary of the UML encompasses three kinds of building blocks:

- Things
- Relationships
- Diagrams

Things are the abstractions that are first-class citizens in a model; relationships tie these things together; diagrams group interesting collections of things.

3.6.1.1 Things in the UML:

There are four kinds of things in the UML:

- Structural things
- Behavioral things
- Grouping things
- Annotational things

  - **Structural things** are the nouns of UML models. The structural things used in the project design are first, a **class** is a description of a set of objects that share the same attributes, operations, relationships and semantics.

Window
Origin
Size
open()
close()
move()
display()

Fig: Classes

12

Second, a **use case** is a description of set of sequence of actions that a system performs that yields an observable result of value to particular actor.


Fig: Use Cases

Third, a node is a physical element that exists at runtime and represents a computational resource, generally having at least some memory and often processing capability.


Fig: Nodes

- **Behavioral things** are the dynamic parts of UML models. The behavioral thing used is:

Interaction:

An interaction is a behavior that comprises a set of messages exchanged among a set of objects within a particular context to accomplish a specific purpose. An interaction involves a number of other elements, including messages, action sequences (the behavior invoked by a message, and links (the connection between objects).


Fig: Messages

3.6.1.2 Relationships in the UML:

There are four kinds of relationships in the UML:

- Dependency
- Association
- Generalization
- Realization

A **dependency** is a semantic relationship between two things in which a change to one thing may affect the semantics of the other thing (the dependent thing).

Fig: Dependencies

An **association** is a structural relationship that describes a set links, a link being a connection among objects. Aggregation is a special kind of association, representing a structural relationship between a whole and its parts.

Fig: Association

A **generalization** is a specialization/ generalization relationship in which objects of the specialized element (the child) are substitutable for objects of the generalized element (the parent).

Fig: Generalization

A **realization** is a semantic relationship between classifiers, where in one classifier specifies a contract that another classifier guarantees to carry out.


Fig: Realization

3.6.1.3 Sequence Diagrams:

UML sequence diagrams are used to represent the flow of messages, events and actions between the objects or components of a system. Time is represented in the vertical direction showing the sequence of interactions of the header elements, which are displayed horizontally at the top of the diagram.

Sequence Diagrams are used primarily to design, document and validate the architecture, interfaces and logic of the system by describing the sequence of actions that need to be performed to complete a task or scenario. UML sequence diagrams are useful design tools because they provide a dynamic view of the system behavior which can be difficult to extract from static diagrams or specifications.

- **Actor**

Represents an external person or entity that interacts with the system

- **Object**

Represents an object in the system or one of its components

aStudent

- **Unit**

Represents a subsystem, component, unit, or other logical entity in the system (may or may not be implemented by objects)

Unit

- **Separator**

Represents an interface or boundary between subsystems, components or units (e.g., air interface, Internet, network)

Separator

- **Group**

Groups related header elements into subsystems or components

Group

Obj1   Unit

3.6.1.4 Sequence Diagram Body Elements

- **Action**

Represents an action taken by an actor, object or unit

Action

- **Asynchronous Message**

An asynchronous message between header elements

- **Block**

A block representing a loop or conditional for a particular header element

- **Call Message**

A call (procedure) message between header elements

- **Create Message**

A "create" message that creates a header element (represented by lifeline going from dashed to solid pattern)

- **Diagram Link**

Represents a portion of a diagram being treated as a functional block. Similar to a procedure or function call that abstracts functionality or details not shown at this level. Can optionally be linked to another diagram for elaboration.

Else Block Represents an "else" block portion of a diagram block

- **Message**

A simple message between header elements

Message

- **Return Message**

A return message between header elements

return

UML DIAGRAMS

Class:

interacting with system, Applicant and Recruitment committee. Applicant apply for job, recruitment committee process it until applicant is accepted or rejected.

Figure 2.3 shows Activity diagram for EMS Employee Registration part

Figure 2.4 shows Activity diagram for EMS Employee attendance part

Figure 2.3 shows employee registration process. We have three actors in it,

Fig.3.6.2.1 Class Diagram

Class is a description of a set of objects that share the same attributes, operations, relationships and semantics. For an instance, Menu is a class. It has attributes like time schedule, view time, exit and operations like edit, update and cancel.

18

Use case:

Fig.3.6.2.2 Use Case Diagram

Use Case is a description of set of sequence of actions that a system performs that yields an observable result of value to particular actor. Here, the sequence of actions are registration, login, creating time schedule, view time schedule and exit.

Activity:

Fig.3.6.2.3 Activity Diagram

Activity Diagram shows the sequence of activities that takes place in the application. It starts with the registration of the user, followed by login. It follows the forking of time schedule into create, view, which are further forked into starting time, ending time, edit, update. These are joined into save details activity. It is, then followed by exit activity.

Sequence:

Fig.3.6.2.4 Sequence Diagram

State chart:

interacting with system, Applicant and Recruitment committee. Applicant apply for job, recruitment committee process it until applicant is accepted or rejected.

Figure 2.3 shows Activity diagram for EMS Employee Registration part

Figure 2.4 shows Activity diagram for EMS Employee attendance part

Figure 2.3 shows employee registration process. We have three actors in it,

Fig.3.6.2.5 State Chart Diagram

State Chart Diagram has a sequence of steps as registration, login, create timings, view timings and exit.

Deployment:

Fig.3.6.2.6 Deployment Diagram

Deployment diagram shows the configuration of run time processing nodes and the components of the application. It is a kind of structure diagram used in modeling the physical aspects of an object-oriented system.

3.7 HARDWARE AND SOFTWARE REQUIREMENTS:

3.7.1 Software Interfaces:

We use Java, JSP and Servlets as Programming language for writing the code for the project. JavaScript for creating the web pages SQLite database server is used for creating the local and global database (server). ECLIPSE IDE for writing the programs. Operating system will be Windows XP.

3.7.2 Software Requirements

- HTML, CSS, JavaScript and PHP
- XAMPP Server
- Visual Studio Code
- Operating System can be Windows XP.

3.7.3 Hardware Requirements

- Ram   :   1GB Ram and above

- Hard Disk   :   50GB and above

- Processor   :   Dual core and above

    Note: To run this application, you need to install Xampp Server from Google chrome.

Chapter 4: IMPLEMENTATION

4.1 XAMPP SERVER

XAMPP is a free and open-source cross-platform web server solution package developed by Apache Friends, consisting mainly of the Apache HTTP Server, MariaDB database, and interpreters for scripts written in the PHP and Perl programming languages. Since most actual web server deployments use the same component as XAMPP, it makes transitioning from a local test server to a live server possible.

XAMPP's ease of deployment means a WAMP or LAMP stack can be installed quickly and simply on an operating system by a developer, with the advantage that common add-in applications such as WordPress and Joomla! Can also be installed with similar ease using Bitnami.

4.2 FEATURES

XAMPP is regularly updated to the latest release of Apache, MariaDB, PHP and Perl. It also comes with a number of other modules including OpenSSL, phpMyAdmin, MediaWiki, Joomla, WordPress and more. Self-contained, multiple instances of XAMPP can exist on a single computer, and any given instance can be copied from one computer to another. XAMPP is offered in both a full and a standard version (Smaller Version).

4.3 HARDWARE RUNNING XAMPP

There is no minimum requirement, If windows runs (or Linux) Xampp will run as well, If you decide to use Linux, you may use old hardware (like Pentium 2 or older), 128MB RAM will be sufficient and a 20GB HD will be big enough.

4.4 CODING

Index.php:

```php
<?php
session_start();
include('includes/config.php');
if(isset($_POST['signin']))
{
$uname=$_POST['username'];
$password=md5($_POST['password']);
$sql ="SELECT UserName,Password FROM admin WHERE UserName=:uname and Password=:password";
```

```php
$query= $dbh -> prepare($sql);

$query-> bindParam(':uname', $uname, PDO::PARAM_STR);

$query-> bindParam(':password', $password, PDO::PARAM_STR);

$query-> execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

if($query->rowCount() > 0)

{

$_SESSION['alogin']=$_POST['username'];

echo "<script type='text/javascript'> document.location = 'changepassword.php'; </script>";

} else{


  echo "<script>alert('Invalid Details');</script>";



}



}



?>



<!DOCTYPE html>
<html lang="en">
  <head>


    <!-- Title -->
    <title>Employee leave management system |  Admin</title>
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/>

<meta charset="UTF-8">

<meta name="description" content="Responsive Admin Dashboard Template" />

<meta name="keywords" content="admin,dashboard" />

<meta name="author" content="Steelcoders" />


<!-- Styles -->

<link type="text/css" rel="stylesheet" href="../assets/plugins/materialize/css/materialize.min.css"/>

<link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

<link href="../assets/plugins/material-preloader/css/materialPreloader.min.css" rel="stylesheet">

<link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

<link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>

</head>

<body class="signin-page">


<div class="mn-content valign-wrapper">


<main class="mn-inner container">

<h4 align="center"><a href="../index.php">Employee Leave

Management System | Admin Login</a></h4>

<div class="valign">

<div class="row">


<div class="col s12 m6 l4 offset-l4 offset-m3">
```

```html
<div class="card white darken-1">
  <div class="card-content ">
    <span class="card-title">Sign In</span>
    <div class="row">
      <form class="col s12" name="signin" method="post">
        <div class="input-field col s12">
          <input id="username" type="text" name="username" class="validate" autocomplete="off" required >
          <label for="email">Username</label>
        </div>
        <div class="input-field col s12">
          <input id="password" type="password" class="validate" name="password" autocomplete="off" required>
          <label for="password">Password</label>
        </div>
        <div class="col s12 right-align m-t-sm">

          <input type="submit" name="signin" value="Sign in" class="waves-effect waves-light btn teal">
        </div>
      </form>
    </div>
  </div>
</div>
```

</div>

      </main>

    </div>

    <!-- Javascripts -->

    <script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

    <script src="../assets/plugins/materialize/js/materialize.min.js"></script>

    <script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

    <script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

    <script src="../assets/js/alpha.min.js"></script>

  </body>

</html>

adddepartment.php:

```php
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
  {
header('location:index.php');
}
else{
if(isset($_POST['add']))
```

```php
{

$deptname=$_POST['departmentname'];

$deptshortname=$_POST['departmentshortname'];

$deptcode=$_POST['deptcode'];

$sql="INSERT INTO tbldepartments(DepartmentName,DepartmentCode,DepartmentShortName)
VALUES(:deptname,:deptcode,:deptshortname)";

$query = $dbh->prepare($sql);

$query->bindParam(':deptname',$deptname,PDO::PARAM_STR);

$query->bindParam(':deptcode',$deptcode,PDO::PARAM_STR);

$query->bindParam(':deptshortname',$deptshortname,PDO::PARAM_STR);

$query->execute();

$lastInsertId = $dbh->lastInsertId();

if($lastInsertId)

{

$msg="Department Created Successfully";

}

else

{

$error="Something went wrong. Please try again";

}


}


   ?>
```

<!DOCTYPE html>

```html
<html lang="en">
   <head>


      <!-- Title -->

      <title>Admin | Add Department</title>


      <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

      <meta charset="UTF-8">

      <meta name="description" content="Responsive Admin Dashboard Template" />

      <meta name="keywords" content="admin,dashboard" />

      <meta name="author" content="Steelcoders" />


      <!-- Styles -->
      <link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

      <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

      <link href="../assets/plugins/material-preloader/css/materialPreloader.min.css"
rel="stylesheet">

      <link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

      <link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>
 <style>
      .errorWrap {
   padding: 10px;
   margin: 0 0 20px 0;
   background: #fff;
   border-left: 4px solid #dd3d36;
```

```css
    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

    padding: 10px;

    margin: 0 0 20px 0;

    background: #fff;

    border-left: 4px solid #5cb85c;

    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

    </style>

  </head>

  <body>

 <?php include('includes/header.php');?>


    <?php include('includes/sidebar.php');?>

      <main class="mn-inner">

        <div class="row">

          <div class="col s12">

            <div class="page-title">Add Department</div>

          </div>

          <div class="col s12 m12 l6">

            <div class="card">

              <div class="card-content">
```

```
<div class="row">

        <form class="col s12" name="chngpwd" method="post">

            <?php if($error){?><div
class="errorWrap"><strong>ERROR</strong>:<?php echo htmlentities($error); ?> </div><?php }

        else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>

            <div class="row">

                <div class="input-field col s12">

<input id="departmentname" type="text"  class="validate" autocomplete="off"
name="departmentname"  required>

                    <label for="deptname">Department Name</label>

                </div>




        <div class="input-field col s12">

<input id="departmentshortname" type="text"  class="validate" autocomplete="off"
name="departmentshortname"  required>

                    <label for="deptshortname">Department Short Name</label>

                </div>

  <div class="input-field col s12">

 <input id="deptcode" type="text" name="deptcode" class="validate" autocomplete="off"
required>

                    <label for="password">Department Code</label>

                </div>
```

```html
<div class="input-field col s12">

<button type="submit" name="add" class="waves-effect waves-light btn indigo m-b-xs">ADD</button>


</div>

                              </div>

                          </form>

                      </div>

                  </div>

              </div>

          </div>

      </main>

  </div>

  <div class="left-sidebar-hover"></div>

  <!-- Javascripts -->

  <script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

  <script src="../assets/plugins/materialize/js/materialize.min.js"></script>

  <script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

  <script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

  <script src="../assets/js/alpha.min.js"></script>

  <script src="../assets/js/pages/form_elements.js"></script>

  </body>

</html>
```

```php
<?php } ?>
```

Addemployee.php:

```php
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
{
header('location:index.php');
}
else{
if(isset($_POST['add']))
{
$empid=$_POST['empcode'];
$fname=$_POST['firstName'];
$lname=$_POST['lastName'];
$email=$_POST['email'];
$password=md5($_POST['password']);
$gender=$_POST['gender'];
$dob=$_POST['dob'];
$department=$_POST['department'];
$address=$_POST['address'];
$city=$_POST['city'];
$country=$_POST['country'];
$mobileno=$_POST['mobileno'];
```

```php
$status=1;

$sql="INSERT INTO
tblemployees(EmpId,FirstName,LastName,EmailId,Password,Gender,Dob,Department,Address,City,Country,Phonenumber,Status)
VALUES(:empid,:fname,:lname,:email,:password,:gender,:dob,:department,:address,:city,:country,:mobileno,:status)";

$query = $dbh->prepare($sql);

$query->bindParam(':empid',$empid,PDO::PARAM_STR);

$query->bindParam(':fname',$fname,PDO::PARAM_STR);

$query->bindParam(':lname',$lname,PDO::PARAM_STR);

$query->bindParam(':email',$email,PDO::PARAM_STR);

$query->bindParam(':password',$password,PDO::PARAM_STR);

$query->bindParam(':gender',$gender,PDO::PARAM_STR);

$query->bindParam(':dob',$dob,PDO::PARAM_STR);

$query->bindParam(':department',$department,PDO::PARAM_STR);

$query->bindParam(':address',$address,PDO::PARAM_STR);

$query->bindParam(':city',$city,PDO::PARAM_STR);

$query->bindParam(':country',$country,PDO::PARAM_STR);

$query->bindParam(':mobileno',$mobileno,PDO::PARAM_STR);

$query->bindParam(':status',$status,PDO::PARAM_STR);

$query->execute();

$lastInsertId = $dbh->lastInsertId();

if($lastInsertId)

{

$msg="Employee record added Successfully";

}
```

```php
                else
                {
                    $error="Something went wrong. Please try again";
                }
            }
        ?>
```

```html
<!DOCTYPE html>

<html lang="en">

<head>

<!-- Title -->

<title>Admin | Add Employee</title>

<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/>

<meta charset="UTF-8">

<meta name="description" content="Responsive Admin Dashboard Template" />

<meta name="keywords" content="admin,dashboard" />

<meta name="author" content="Steelcoders" />

<!-- Styles -->

<link type="text/css" rel="stylesheet" href="../assets/plugins/materialize/css/materialize.min.css"/>

<link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

<link href="../assets/plugins/material-preloader/css/materialPreloader.min.css" rel="stylesheet">

<link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

<link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>

<style>

.errorWrap {
```

```css
                padding: 10px;

                margin: 0 0 20px 0;

                background: #fff;

                border-left: 4px solid #dd3d36;

                -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

                box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

                }

                .succWrap{

                padding: 10px;

                margin: 0 0 20px 0;

                background: #fff;

                border-left: 4px solid #5cb85c;

                -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

                box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

                }

                </style>

                <script type="text/javascript">

                function valid()

                {

if(document.addemp.password.value!= document.addemp.confirmpassword.value)

                {

alert("New Password and Confirm Password Field do not match  !!");

                document.addemp.confirmpassword.focus();

                return false;

                }
```

```
                    return true;

                        }

                    </script>

                    <script>

function checkAvailabilityEmpid() {

        $("#loaderIcon").show();

            jQuery.ajax({

    url: "check_availability.php",

data:'empcode='+$("#empcode").val(),

        type: "POST",

    success:function(data){

$("#empid-availability").html(data);

    $("#loaderIcon").hide();

                },

        error:function (){}

                });

                }

            </script>


                    <script>

function checkAvailabilityEmailid() {

        $("#loaderIcon").show();

            jQuery.ajax({

    url: "check_availability.php",

data:'emailid='+$("#email").val(),
```

```
                type: "POST",

            success:function(data){

    $("#emailid-availability").html(data);

        $("#loaderIcon").hide();

                },

            error:function (){}

                });

                }

            </script>

              </head>

              <body>
```

<?php include('includes/header.php');?>

<?php include('includes/sidebar.php');?>

```
            <main class="mn-inner">

                <div class="row">

                <div class="col s12">

        <div class="page-title">Add employee</div>

                </div>

            <div class="col s12 m12 l12">

                <div class="card">

                <div class="card-content">
```

<form id="example-form" method="post" name="addemp">

```
                <div>

                <h3>Employee Info</h3>

                    <section>
```

```
<div class="wizard-content">

    <div class="row">

        <div class="col m6">

            <div class="row">

<?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo
htmlentities($error); ?> </div><?php }

else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>

                <div class="input-field col  s12">

        <label for="empcode">Employee Code(Must be unique)</label>

<input  name="empcode" id="empcode" onBlur="checkAvailabilityEmpid()" type="text"
autocomplete="off" required>

        <span id="empid-availability" style="font-size:12px;"></span>

                </div>

                <div class="input-field col m6 s12">

                <label for="firstName">First name</label>

            <input id="firstName" name="firstName" type="text" required>

                </div>

                <div class="input-field col m6 s12">

                <label for="lastName">Last name</label>

    <input id="lastName" name="lastName" type="text" autocomplete="off" required>

                </div>

                <div class="input-field col s12">

                <label for="email">Email</label>

<input  name="email" type="email" id="email" onBlur="checkAvailabilityEmailid()"
autocomplete="off" required>

        <span id="emailid-availability" style="font-size:12px;"></span>
```

```html
                                        </div>
                          <div class="input-field col s12">
                    <label for="password">Password</label>
      <input id="password" name="password" type="password" autocomplete="off" required>
                                        </div>
                          <div class="input-field col s12">
             <label for="confirm">Confirm password</label>
<input id="confirm" name="confirmpassword" type="password" autocomplete="off" required>
                                        </div>
                                        </div>
                                        </div>
                               <div class="col m6">
                               <div class="row">
                    <div class="input-field col m6 s12">
                  <select  name="gender" autocomplete="off">
                     <option value="">Gender...</option>
                     <option value="Male">Male</option>
                   <option value="Female">Female</option>
                    <option value="Other">Other</option>
                                     </select>
                                        </div>
                    <div class="input-field col m6 s12">
                 <label for="birthdate">Birthdate</label>
<input id="birthdate" name="dob" type="date" class="datepicker" autocomplete="off" >
                                        </div>
```

42

```php
<div class="input-field col m6 s12">

<select  name="department" autocomplete="off">

<option value="">Department...</option>

<?php $sql = "SELECT DepartmentName from tbldepartments";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{   ?>

<option value="<?php echo htmlentities($result->DepartmentName);?>"><?php echo
htmlentities($result->DepartmentName);?></option>

<?php }} ?>

</select>

</div>

<div class="input-field col m6 s12">

<label for="address">Address</label>

<input id="address" name="address" type="text" autocomplete="off" required>

</div>

<div class="input-field col m6 s12">

<label for="city">City/Town</label>

<input id="city" name="city" type="text" autocomplete="off" required>

</div>
```

```html
<div class="input-field col m6 s12">

<label for="country">Country</label>

<input id="country" name="country" type="text" autocomplete="off" required>

</div>

<div class="input-field col s12">

<label for="phone">Mobile number</label>

<input id="phone" name="mobileno" type="tel" maxlength="10" autocomplete="off" required>

</div>

<div class="input-field col s12">

<button type="submit" name="add" onclick="return valid();" id="add" class="waves-effect waves-light btn indigo m-b-xs">ADD</button>

</div>

</div>

</div>

</div>

</div>

</section>

</section>

</div>

</form>

</div>

</div>

</div>

</div>

</main>
```

```
                                    </div>

                        <div class="left-sidebar-hover"></div>

                            <!-- Javascripts -->

            <script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

        <script src="../assets/plugins/materialize/js/materialize.min.js"></script>

    <script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

        <script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

                <script src="../assets/js/alpha.min.js"></script>

            <script src="../assets/js/pages/form_elements.js"></script>

                                    </body>

                                    </html>

                                <?php } ?>
```

addleavetype:

```php
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
  {
header('location:index.php');
}
else{
if(isset($_POST['add']))
{
$leavetype=$_POST['leavetype'];
```

```php
$description=$_POST['description'];

$sql="INSERT INTO tblleavetype(LeaveType,Description) VALUES(:leavetype,:description)";

$query = $dbh->prepare($sql);

$query->bindParam(':leavetype',$leavetype,PDO::PARAM_STR);

$query->bindParam(':description',$description,PDO::PARAM_STR);

$query->execute();

$lastInsertId = $dbh->lastInsertId();

if($lastInsertId)

{

$msg="Leave type added Successfully";

}

else

{

$error="Something went wrong. Please try again";

}

}
   ?>
```

```html
<!DOCTYPE html>

<html lang="en">

   <head>

      <!-- Title -->

      <title>Admin | Add Leave Type</title>

      <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

      <meta charset="UTF-8">

      <meta name="description" content="Responsive Admin Dashboard Template" />
```

```html
<meta name="keywords" content="admin,dashboard" />

<meta name="author" content="Steelcoders" />

<!-- Styles -->

<link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

<link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

<link href="../assets/plugins/material-preloader/css/materialPreloader.min.css"
rel="stylesheet">

<link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

<link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>

<style>

    .errorWrap {

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #dd3d36;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #5cb85c;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
    }

      </style>

  </head>

  <body>

<?php include('includes/header.php');?>

    <?php include('includes/sidebar.php');?>

       <main class="mn-inner">

          <div class="row">

            <div class="col s12">

               <div class="page-title">Add Leave Type</div>

            </div>

            <div class="col s12 m12 l6">

               <div class="card">

                  <div class="card-content">

                     <div class="row">

                        <form class="col s12" name="chngpwd" method="post">

                           <?php if($error){?><div class="errorWrap"><strong>ERROR</strong> :
<?php echo htmlentities($error); ?> </div><?php }

        else if($msg){?><div class="succWrap"><strong>SUCCESS</strong> : <?php echo
htmlentities($msg); ?> </div><?php }?>

                           <div class="row">

                           <div class="input-field col s12">

<input id="leavetype" type="text"  class="validate" autocomplete="off" name="leavetype"
required>

                              <label for="leavetype">Leave Type</label>

                           </div>
```

48

```html
<div class="input-field col s12">

<textarea id="textarea1" name="description" class="materialize-textarea" name="description" length="500"></textarea>

    <label for="deptshortname">Description</label>

</div>

<div class="input-field col s12">

<button type="submit" name="add" class="waves-effect waves-light btn indigo m-b-xs">ADD</button>

</div>

                </div>

            </form>

        </div>

      </div>

    </div>

  </div>

</main>

</div>

<div class="left-sidebar-hover"></div>

<!-- Javascripts -->

<script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

<script src="../assets/plugins/materialize/js/materialize.min.js"></script>

<script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

<script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

<script src="../assets/js/alpha.min.js"></script>
```

```
<script src="../assets/js/pages/form_elements.js"></script>

    </body>

</html>

<?php } ?>
```

approvedleave-history.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

  {

header('location:index.php');

}

else{

 ?>
```
```html
<!DOCTYPE html>

<html lang="en">

   <head>

     <!-- Title -->

     <title>Admin | Approved Leaves </title>

     <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

     <meta charset="UTF-8">

     <meta name="description" content="Responsive Admin Dashboard Template" />

     <meta name="keywords" content="admin,dashboard" />

     <meta name="author" content="Steelcoders" />
```

```html
<!-- Styles -->

<link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

<link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

<link href="../assets/plugins/material-preloader/css/materialPreloader.min.css"
rel="stylesheet">

<link href="../assets/plugins/datatables/css/jquery.dataTables.min.css" rel="stylesheet">

    <link href="../assets/plugins/google-code-prettify/prettify.css" rel="stylesheet"
type="text/css"/>

<!-- Theme Styles -->

<link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

<link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>
<style>

    .errorWrap {

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #dd3d36;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #5cb85c;
```

```
-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

    </style>

  </head>

  <body>

    <?php include('includes/header.php');?>

    <?php include('includes/sidebar.php');?>

      <main class="mn-inner">

        <div class="row">

          <div class="col s12">

            <div class="page-title">Approved Leave History</div>

          </div>

          <div class="col s12 m12 l12">

            <div class="card">

              <div class="card-content">

                <span class="card-title">Approved Leave History</span>

                <?php if($msg){?><div class="succWrap"><strong>SUCCESS</strong> :
<?php echo htmlentities($msg); ?> </div><?php }?>

                <table id="example" class="display responsive-table ">

                  <thead>

                    <tr>

                      <th>#</th>

                      <th width="200">Employe Name</th>

                      <th width="120">Leave Type</th>
```

```
                                <th width="180">Posting Date</th>

                                <th>Status</th>

                                <th align="center">Action</th>

                        </tr>

                </thead>

                <tbody>

<?php

$status=1;

$sql = "SELECT tblleaves.id as
lid,tblemployees.FirstName,tblemployees.LastName,tblemployees.EmpId,tblemployees.id,tblleaves
.LeaveType,tblleaves.PostingDate,tblleaves.Status from tblleaves join tblemployees on
tblleaves.empid=tblemployees.id where tblleaves.Status=:status order by lid desc";

$query = $dbh -> prepare($sql);

$query->bindParam(':status',$status,PDO::PARAM_STR);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{

    ?>

                        <tr>

                                <td> <b><?php echo htmlentities($cnt);?></b></td>

                                <td><a href="editemployee.php?empid=<?php echo
htmlentities($result->id);?>" target="_blank"><?php echo htmlentities($result->FirstName."
".$result->LastName);?>(<?php echo htmlentities($result->EmpId);?>)</a></td>
```

```php
                    <td><?php echo htmlentities($result->LeaveType);?></td>

                    <td><?php echo htmlentities($result->PostingDate);?></td>

                            <td><?php $stats=$result->Status;

if($stats==1){

                    ?>

                        <span style="color: green">Approved</span>

                        <?php } if($stats==2)  { ?>

                        <span style="color: red">Not Approved</span>

                        <?php } if($stats==0)  { ?>

<span style="color: blue">waiting for approval</span>

<?php } ?>

                        </td>

    <td>

    <td><a href="leave-details.php?leaveid=<?php echo htmlentities($result->lid);?>"
class="waves-effect waves-light btn blue m-b-xs"  > View Details</a></td>

                </tr>

                    <?php $cnt++;} }?>

                </tbody>

            </table>

        </div>

        </div>

    </div>

    </div>

    </main>

    </div>

    <div class="left-sidebar-hover"></div>
```

```html
<!-- Javascripts -->

<script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

<script src="../assets/plugins/materialize/js/materialize.min.js"></script>

<script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

<script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

<script src="../assets/plugins/datatables/js/jquery.dataTables.min.js"></script>

<script src="../assets/js/alpha.min.js"></script>

<script src="../assets/js/pages/table-data.js"></script>

 <script src="assets/js/pages/ui-modals.js"></script>

<script src="assets/plugins/google-code-prettify/prettify.js"></script>

  </body>

</html>
```

```php
<?php } ?>
```

changepassword.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

  {

header('location:index.php');

}

else{

// Code for change password
```

```php
if(isset($_POST['change']))

   {

$password=md5($_POST['password']);

$newpassword=md5($_POST['newpassword']);

$username=$_SESSION['alogin'];

   $sql ="SELECT Password FROM admin WHERE UserName=:username and
Password=:password";

$query= $dbh -> prepare($sql);

$query-> bindParam(':username', $username, PDO::PARAM_STR);

$query-> bindParam(':password', $password, PDO::PARAM_STR);

$query-> execute();

$results = $query -> fetchAll(PDO::FETCH_OBJ);

if($query -> rowCount() > 0)

{

$con="update admin set Password=:newpassword where UserName=:username";

$chngpwd1 = $dbh->prepare($con);

$chngpwd1-> bindParam(':username', $username, PDO::PARAM_STR);

$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM_STR);

$chngpwd1->execute();

$msg="Your Password succesfully changed";

}

else {

$error="Your current password is wrong";

}

}

?>
```

```html
<!DOCTYPE html>

<html lang="en">

    <head>

        <!-- Title -->

        <title>Admin | Change Password</title>


        <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

        <meta charset="UTF-8">

        <meta name="description" content="Responsive Admin Dashboard Template" />

        <meta name="keywords" content="admin,dashboard" />

        <meta name="author" content="Steelcoders" />

        <!-- Styles -->

        <link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

        <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

        <link href="../assets/plugins/material-preloader/css/materialPreloader.min.css"
rel="stylesheet">

        <link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

        <link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>

    </head>

    <body>

  <?php include('includes/header.php');?>

    <?php include('includes/sidebar.php');?>

        <main class="mn-inner">

            <div class="row">
```

```html
<div class="col s12">

  <div class="page-title">Change Password</div>

</div>

<div class="col s12 m12 l6">

  <div class="card">

    <div class="card-content">

      <div class="row">

        <form class="col s12" name="chngpwd" method="post">

          <?php if($error){?><div
class="errorWrap"><strong>ERROR</strong>:<?php echo htmlentities($error); ?> </div><?php }

  else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>

          <div class="row">

          <div class="input-field col s12">

<input id="password" type="password"  class="validate" autocomplete="off" name="password"
required>

          <label for="password">Current Password</label>

          </div>

  <div class="input-field col s12">

 <input id="password" type="password" name="newpassword" class="validate"
autocomplete="off" required>

          <label for="password">New Password</label>

          </div>

<div class="input-field col s12">

<input id="password" type="password" name="confirmpassword" class="validate"
autocomplete="off" required>

 <label for="password">Confirm Password</label>
```

```
</div>

<div class="input-field col s12">

<button type="submit" name="change" class="waves-effect waves-light btn indigo m-b-xs"
onclick="return valid();">Change</button>

</div>

                                </div>

                            </form>

                        </div>

                    </div>

                </div>

            </div>

        </main>

    </div>

    <div class="left-sidebar-hover"></div>

    <!-- Javascripts -->

    <script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

    <script src="../assets/plugins/materialize/js/materialize.min.js"></script>

    <script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

    <script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

    <script src="../assets/js/alpha.min.js"></script>

    <script src="../assets/js/pages/form_elements.js"></script>

  </body>

</html>

<?php } ?>
```

Check_availabilty.php:

```php
<?php

require_once("includes/config.php");

// code for empid availablity

if(!empty($_POST["empcode"])) {

        $empid=$_POST["empcode"];

$sql ="SELECT EmpId FROM tblemployees WHERE EmpId=:empid";

$query= $dbh->prepare($sql);

$query-> bindParam(':empid',$empid, PDO::PARAM_STR);

$query-> execute();

$results = $query -> fetchAll(PDO::FETCH_OBJ);

if($query->rowCount() > 0)

{

echo "<span style='color:red'> Employee id already exists .</span>";

 echo "<script>$('#add').prop('disabled',true);</script>";

} else{

echo "<span style='color:green'> Employee id available for Registration .</span>";

echo "<script>$('#add').prop('disabled',false);</script>";

}

}

// code for emailid availablity

if(!empty($_POST["emailid"])) {

$empid= $_POST["emailid"];

$sql ="SELECT EmailId FROM tblemployees WHERE EmailId=:emailid";

$query= $dbh -> prepare($sql);
```

```php
$query-> bindParam(':emailid',$empid, PDO::PARAM_STR);

$query-> execute();

$results = $query -> fetchAll(PDO::FETCH_OBJ);

if($query -> rowCount() > 0)

{

echo "<span style='color:red'> Email id already exists .</span>";

 echo "<script>$('#add').prop('disabled',true);</script>";

} else{

echo "<span style='color:green'> Email id available for Registration .</span>";

echo "<script>$('#add').prop('disabled',false);</script>";

}

}

?>
```

dashboard.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

  {

header('location:index.php');

}

else{

?>
```

```html
<!DOCTYPE html>

<html lang="en">

   <head>

      <!-- Title -->

      <title>Admin | Dashboard</title>

      <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

      <meta charset="UTF-8">

      <meta name="description" content="Responsive Admin Dashboard Template" />

      <meta name="keywords" content="admin,dashboard" />

      <meta name="author" content="Steelcoders" />

      <!-- Styles -->

      <link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

      <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

      <link href="../assets/plugins/metrojs/MetroJs.min.css" rel="stylesheet">

      <link href="../assets/plugins/weather-icons-master/css/weather-icons.min.css"
rel="stylesheet">

      <!-- Theme Styles -->

      <link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

      <link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>

   </head>

   <body>

      <?php include('includes/header.php');?>

   <?php include('includes/sidebar.php');?>

      <main class="mn-inner">

         <div class="middle-content">
```

```html
            <div class="row no-m-t no-m-b">

            <div class="col s12 m12 l4">

               <div class="card stats-card">

                  <div class="card-content">

                     <span class="card-title">Totle Regd Employee</span>

                     <span class="stats-counter">
```
```php
<?php

$sql = "SELECT id from tblemployees";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$empcount=$query->rowCount();

?>
```
```html
                        <span class="counter"><?php echo
htmlentities($empcount);?></span></span>

                  </div>

                  <div id="sparkline-bar"></div>

               </div>

            </div>

               <div class="col s12 m12 l4">

               <div class="card stats-card">

                  <div class="card-content">

                     <span class="card-title">Listed Departments </span>
```
```php
   <?php

$sql = "SELECT id from tbldepartments";

$query = $dbh -> prepare($sql);
```

```php
$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$dptcount=$query->rowCount();

?>
```

```html
                <span class="stats-counter"><span class="counter"><?php echo
htmlentities($dptcount);?></span></span>

            </div>

            <div id="sparkline-line"></div>

          </div>

        </div>

        <div class="col s12 m12 l4">

          <div class="card stats-card">

            <div class="card-content">

              <span class="card-title">Listed leave Type</span>

                <?php
```

```php
$sql = "SELECT id from  tblleavetype";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$leavtypcount=$query->rowCount();

?>
```

```html
                <span class="stats-counter"><span class="counter"><?php echo
htmlentities($leavtypcount);?></span></span>

            </div>

            <div class="progress stats-card-progress">

              <div class="determinate" style="width: 70%"></div>
```

```
                    </div>

                </div>

            </div>

        </div>

            <div class="row no-m-t no-m-b">

                <div class="col s12 m12 l12">

                    <div class="card invoices-card">

                        <div class="card-content">

                            <span class="card-title">Latest Leave Applications</span>

                        <table id="example" class="display responsive-table ">

                            <thead>

                                <tr>

                                    <th>#</th>

                                    <th width="200">Employe Name</th>

                                    <th width="120">Leave Type</th>

                                     <th width="180">Posting Date</th>

                                    <th>Status</th>

                                    <th align="center">Action</th>

                                </tr>

                            </thead>

                            <tbody>
```
<?php $sql = "SELECT tblleaves.id as
lid,tblemployees.FirstName,tblemployees.LastName,tblemployees.EmpId,tblemployees.id,tblleaves
.LeaveType,tblleaves.PostingDate,tblleaves.Status from tblleaves join tblemployees on
tblleaves.empid=tblemployees.id order by lid desc limit 6";

$query = $dbh -> prepare($sql);

$query->execute();

```php
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{

    ?>
                        <tr>
                            <td> <b><?php echo htmlentities($cnt);?></b></td>
                             <td><a href="editemployee.php?empid=<?php echo
htmlentities($result->id);?>" target="_blank"><?php echo htmlentities($result->FirstName."
".$result->LastName);?>(<?php echo htmlentities($result->EmpId);?>)</a></td>
                            <td><?php echo htmlentities($result->LeaveType);?></td>
                            <td><?php echo htmlentities($result->PostingDate);?></td>
                                <td><?php $stats=$result->Status;

if($stats==1){

                        ?>
                            <span style="color: green">Approved</span>
                            <?php } if($stats==2)  { ?>
                            <span style="color: red">Not Approved</span>
                            <?php } if($stats==0)  { ?>
 <span style="color: blue">waiting for approval</span>
 <?php } ?>
                            </td>
     <td>
     <td><a href="leave-details.php?leaveid=<?php echo htmlentities($result->lid);?>"
class="waves-effect waves-light btn blue m-b-xs"  > View Details</a></td>
```

```
            </tr>

               <?php $cnt++;} }?>

            </tbody>

         </table>

      </div>

    </div>

  </div>

 </div>

</main>

</div>

<!-- Javascripts -->

<script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

<script src="../assets/plugins/materialize/js/materialize.min.js"></script>

<script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

<script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

<script src="../assets/plugins/waypoints/jquery.waypoints.min.js"></script>

<script src="../assets/plugins/counter-up-master/jquery.counterup.min.js"></script>

<script src="../assets/plugins/jquery-sparkline/jquery.sparkline.min.js"></script>

<script src="../assets/plugins/chart.js/chart.min.js"></script>

<script src="../assets/plugins/flot/jquery.flot.min.js"></script>

<script src="../assets/plugins/flot/jquery.flot.time.min.js"></script>

<script src="../assets/plugins/flot/jquery.flot.symbol.min.js"></script>

<script src="../assets/plugins/flot/jquery.flot.resize.min.js"></script>

<script src="../assets/plugins/flot/jquery.flot.tooltip.min.js"></script>
```

```
<script src="../assets/plugins/curvedlines/curvedLines.js"></script>

<script src="../assets/plugins/peity/jquery.peity.min.js"></script>

<script src="../assets/js/alpha.min.js"></script>

<script src="../assets/js/pages/dashboard.js"></script>

  </body>

</html>

<?php } ?>
```

editdepartment.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

  {

header('location:index.php');

}

else{

if(isset($_POST['update']))

{

$did=intval($_GET['deptid']);

$deptname=$_POST['departmentname'];

$deptshortname=$_POST['departmentshortname'];

$deptcode=$_POST['deptcode'];

$sql="update tbldepartments set
DepartmentName=:deptname,DepartmentCode=:deptcode,DepartmentShortName=:deptshortname
where id=:did";
```

```php
$query = $dbh->prepare($sql);

$query->bindParam(':deptname',$deptname,PDO::PARAM_STR);

$query->bindParam(':deptcode',$deptcode,PDO::PARAM_STR);

$query->bindParam(':deptshortname',$deptshortname,PDO::PARAM_STR);

$query->bindParam(':did',$did,PDO::PARAM_STR);

$query->execute();

$msg="Department updated Successfully";

}

?>
```

```html
<!DOCTYPE html>

<html lang="en">

  <head>

    <!-- Title -->

    <title>Admin | Update Department</title>

    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

    <meta charset="UTF-8">

    <meta name="description" content="Responsive Admin Dashboard Template" />

    <meta name="keywords" content="admin,dashboard" />

    <meta name="author" content="Steelcoders" />

    <!-- Styles -->

    <link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

    <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

    <link href="../assets/plugins/material-preloader/css/materialPreloader.min.css"
rel="stylesheet">

    <link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>
```

```html
<link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>
<style>
    .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
    </style>
  </head>
  <body>
 <?php include('includes/header.php');?>
    <?php include('includes/sidebar.php');?>
        <main class="mn-inner">
            <div class="row">
```

```
<div class="col s12">

    <div class="page-title">Update Department</div>

</div>

<div class="col s12 m12 l6">

    <div class="card">

        <div class="card-content">

            <div class="row">

                <form class="col s12" name="chngpwd" method="post">

                    <?php if($error){?><div
class="errorWrap"><strong>ERROR</strong>:<?php echo htmlentities($error); ?> </div><?php }

        else if($msg){?><div class="succWrap"><strong>SUCCESS</strong> : <?php echo
htmlentities($msg); ?> </div><?php }?>

<?php

$did=intval($_GET['deptid']);

$sql = "SELECT * from tbldepartments WHERE id=:did";

$query = $dbh -> prepare($sql);

$query->bindParam(':did',$did,PDO::PARAM_STR);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{           ?>

                    <div class="row">

                        <div class="input-field col s12">
```

71

```html
<input id="departmentname" type="text"  class="validate" autocomplete="off"
name="departmentname" value="<?php echo htmlentities($result->DepartmentName);?>"
required>

                            <label for="deptname">Department Name</label>

                    </div>

        <div class="input-field col s12">

<input id="departmentshortname" type="text"  class="validate" autocomplete="off" value="<?php
echo htmlentities($result->DepartmentShortName);?>" name="departmentshortname"  required>

                            <label for="deptshortname">Department Short Name</label>

                    </div>

  <div class="input-field col s12">

 <input id="deptcode" type="text" name="deptcode" class="validate" autocomplete="off"
value="<?php echo htmlentities($result->DepartmentCode);?>" required>

                            <label for="password">Department Code</label>

                    </div>

<?php }} ?>

<div class="input-field col s12">

<button type="submit" name="update" class="waves-effect waves-light btn indigo m-b-
xs">UPDATE</button>

</div>

                        </div>

                    </form>

                </div>

            </div>

        </div>
```

```
        </div>

      </div>

    </main>

  </div>

  <div class="left-sidebar-hover"></div>

  <!-- Javascripts -->

  <script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

  <script src="../assets/plugins/materialize/js/materialize.min.js"></script>

  <script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

  <script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

  <script src="../assets/js/alpha.min.js"></script>

  <script src="../assets/js/pages/form_elements.js"></script>

  </body>

</html>

<?php } ?>
```

editemployee.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

  {

header('location:index.php');

}
```

```php
else{

$eid=intval($_GET['empid']);

if(isset($_POST['update']))

{

$fname=$_POST['firstName'];

$lname=$_POST['lastName'];

$gender=$_POST['gender'];

$dob=$_POST['dob'];

$department=$_POST['department'];

$address=$_POST['address'];

$city=$_POST['city'];

$country=$_POST['country'];

$mobileno=$_POST['mobileno'];

$sql="update tblemployees set
FirstName=:fname,LastName=:lname,Gender=:gender,Dob=:dob,Department=:department,Address
=:address,City=:city,Country=:country,Phonenumber=:mobileno where id=:eid";

$query = $dbh->prepare($sql);

$query->bindParam(':fname',$fname,PDO::PARAM_STR);

$query->bindParam(':lname',$lname,PDO::PARAM_STR);

$query->bindParam(':gender',$gender,PDO::PARAM_STR);

$query->bindParam(':dob',$dob,PDO::PARAM_STR);

$query->bindParam(':department',$department,PDO::PARAM_STR);

$query->bindParam(':address',$address,PDO::PARAM_STR);

$query->bindParam(':city',$city,PDO::PARAM_STR);

$query->bindParam(':country',$country,PDO::PARAM_STR);

$query->bindParam(':mobileno',$mobileno,PDO::PARAM_STR);
```

```php
$query->bindParam(':eid',$eid,PDO::PARAM_STR);

$query->execute();

$msg="Employee record updated Successfully";

}

?>
```

```html
<!DOCTYPE html>

<html lang="en">

  <head>

    <!-- Title -->

    <title>Admin | Update Employee</title>

    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

    <meta charset="UTF-8">

    <meta name="description" content="Responsive Admin Dashboard Template" />

    <meta name="keywords" content="admin,dashboard" />

    <meta name="author" content="Steelcoders" />

    <!-- Styles -->

    <link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

    <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

    <link href="../assets/plugins/material-preloader/css/materialPreloader.min.css"
rel="stylesheet">

    <link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

    <link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>

  <style>

    .errorWrap {

  padding: 10px;
```

```css
    margin: 0 0 20px 0;

    background: #fff;

    border-left: 4px solid #dd3d36;

    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

    padding: 10px;

    margin: 0 0 20px 0;

    background: #fff;

    border-left: 4px solid #5cb85c;

    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}
```

```html
      </style>

   </head>

   <body>

 <?php include('includes/header.php');?>


     <?php include('includes/sidebar.php');?>

 <main class="mn-inner">

         <div class="row">

           <div class="col s12">

              <div class="page-title">Update employee</div>

           </div>
```

```html
<div class="col s12 m12 l12">

    <div class="card">

        <div class="card-content">

            <form id="example-form" method="post" name="updatemp">

                <div>

                    <h3>Update Employee Info</h3>

                    <?php if($error){?><div
class="errorWrap"><strong>ERROR</strong>:<?php echo htmlentities($error); ?> </div><?php }

        else if($msg){?><div class="succWrap"><strong>SUCCESS</strong> : <?php echo
htmlentities($msg); ?> </div><?php }?>

                    <section>

                        <div class="wizard-content">

                            <div class="row">

                                <div class="col m6">

                                    <div class="row">

<?php

$eid=intval($_GET['empid']);

$sql = "SELECT * from  tblemployees where id=:eid";

$query = $dbh -> prepare($sql);

$query -> bindParam(':eid',$eid, PDO::PARAM_STR);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)
```

```php
{           ?>
```

```html
 <div class="input-field col  s12">

<label for="empcode">Employee Code(Must be unique)</label>

<input  name="empcode" id="empcode" value="<?php echo htmlentities($result->EmpId);?>" type="text" autocomplete="off" readonly required>

<span id="empid-availability" style="font-size:12px;"></span>

</div>

<div class="input-field col m6 s12">

<label for="firstName">First name</label>

<input id="firstName" name="firstName" value="<?php echo htmlentities($result->FirstName);?>" type="text" required>

</div>

<div class="input-field col m6 s12">

<label for="lastName">Last name </label>

<input id="lastName" name="lastName" value="<?php echo htmlentities($result->LastName);?>" type="text" autocomplete="off" required>

</div>

<div class="input-field col s12">

<label for="email">Email</label>

<input  name="email" type="email" id="email" value="<?php echo htmlentities($result->EmailId);?>" readonly autocomplete="off" required>

<span id="emailid-availability" style="font-size:12px;"></span>

</div>

<div class="input-field col s12">

<label for="phone">Mobile number</label>

<input id="phone" name="mobileno" type="tel" value="<?php echo htmlentities($result->Phonenumber);?>" maxlength="10" autocomplete="off" required>
```

```html
 </div>

</div>

</div>

<div class="col m6">

<div class="row">

<div class="input-field col m6 s12">

<select  name="gender" autocomplete="off">

<option value="<?php echo htmlentities($result->Gender);?>"><?php echo htmlentities($result->Gender);?></option>

<option value="Male">Male</option>

<option value="Female">Female</option>

<option value="Other">Other</option>

</select>

</div>

<div class="input-field col m6 s12">

<label for="birthdate">Date of Birth</label>

<input id="birthdate" name="dob"  class="datepicker" value="<?php echo htmlentities($result->Dob);?>" >

</div>

<div class="input-field col m6 s12">

<select  name="department" autocomplete="off">

<option value="<?php echo htmlentities($result->Department);?>"><?php echo htmlentities($result->Department);?></option>

<?php $sql = "SELECT DepartmentName from tbldepartments";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);
```

```php
$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $resultt)

{   ?>

<option value="<?php echo htmlentities($resultt->DepartmentName);?>"><?php echo
htmlentities($resultt->DepartmentName);?></option>

<?php }} ?>

</select>

</div>

<div class="input-field col m6 s12">

<label for="address">Address</label>

<input id="address" name="address" type="text"  value="<?php echo htmlentities($result-
>Address);?>" autocomplete="off" required>

</div>

<div class="input-field col m6 s12">

<label for="city">City/Town</label>

<input id="city" name="city" type="text"  value="<?php echo htmlentities($result->City);?>"
autocomplete="off" required>

 </div>

<div class="input-field col m6 s12">

<label for="country">Country</label>

<input id="country" name="country" type="text"  value="<?php echo htmlentities($result-
>Country);?>" autocomplete="off" required>

</div>
```

```php
<?php }}?>
```

```html
<div class="input-field col s12">

<button type="submit" name="update" id="update" class="waves-effect waves-light btn indigo m-b-xs">UPDATE</button>

</div>

                                    </div>

                                </div>

                            </div>

                        </div>

                    </section>

                </section>

            </div>

        </form>

    </div>

</div>

</div>

</div>

</main>

</div>

<div class="left-sidebar-hover"></div>

<!-- Javascripts -->

<script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

<script src="../assets/plugins/materialize/js/materialize.min.js"></script>

<script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

<script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

<script src="../assets/js/alpha.min.js"></script>
```

```php
        <script src="../assets/js/pages/form_elements.js"></script>

    </body>

</html>

<?php } ?>
```

editleavetype.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

    {

header('location:index.php');

}

else{

if(isset($_POST['update']))

{

$lid=intval($_GET['lid']);

$leavetype=$_POST['leavetype'];

$description=$_POST['description'];

$sql="update tblleavetype set LeaveType=:leavetype,Description=:description where id=:lid";

$query = $dbh->prepare($sql);

$query->bindParam(':leavetype',$leavetype,PDO::PARAM_STR);

$query->bindParam(':description',$description,PDO::PARAM_STR);

$query->bindParam(':lid',$lid,PDO::PARAM_STR);

$query->execute();
```

```php
$msg="Leave type updated Successfully";

}

?>
```

```html
<!DOCTYPE html>

<html lang="en">

  <head>

    <!-- Title -->

    <title>Admin | Edit Leave Type</title>

    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/>

    <meta charset="UTF-8">

    <meta name="description" content="Responsive Admin Dashboard Template" />

    <meta name="keywords" content="admin,dashboard" />

    <meta name="author" content="Steelcoders" />

    <!-- Styles -->

    <link type="text/css" rel="stylesheet" href="../assets/plugins/materialize/css/materialize.min.css"/>

    <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

    <link href="../assets/plugins/material-preloader/css/materialPreloader.min.css" rel="stylesheet">

    <link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

    <link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>

  <style>

    .errorWrap {

  padding: 10px;

  margin: 0 0 20px 0;
```

```
 background: #fff;

   border-left: 4px solid #dd3d36;

   -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

   box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

   padding: 10px;

   margin: 0 0 20px 0;

   background: #fff;

   border-left: 4px solid #5cb85c;

   -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

   box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

     </style>

   </head>

   <body>

 <?php include('includes/header.php');?>

     <?php include('includes/sidebar.php');?>

       <main class="mn-inner">

         <div class="row">

           <div class="col s12">

             <div class="page-title">Edit Leave Type</div>

           </div>

           <div class="col s12 m12 l6">
```

```
            <div class="card">

                <div class="card-content">

                    <div class="row">

                        <form class="col s12" name="chngpwd" method="post">

                            <?php if($error){?><div class="errorWrap"><strong>ERROR</strong> :
<?php echo htmlentities($error); ?> </div><?php }

        else if($msg){?><div class="succWrap"><strong>SUCCESS</strong> : <?php echo
htmlentities($msg); ?> </div><?php }?>

<?php

$lid=intval($_GET['lid']);

$sql = "SELECT * from tblleavetype where id=:lid";

$query = $dbh -> prepare($sql);

$query->bindParam(':lid',$lid,PDO::PARAM_STR);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{           ?>

                        <div class="row">

                            <div class="input-field col s12">

<input id="leavetype" type="text"  class="validate" autocomplete="off" name="leavetype"
value="<?php echo htmlentities($result->LeaveType);?>"  required>

                                <label for="leavetype">Leave Type</label>

                            </div>
```

```
                        <div class="input-field col s12">

<textarea id="textarea1" name="description" class="materialize-textarea" name="description"
length="500"><?php echo htmlentities($result->Description);?></textarea>

                                <label for="deptshortname">Description</label>

                        </div>

<?php }} ?>

<div class="input-field col s12">

<button type="submit" name="update" class="waves-effect waves-light btn indigo m-b-
xs">Update</button>

</div>

                                </div>

                            </form>

                        </div>

                    </div>

                </div>

            </div>

        </main>

    </div>

    <div class="left-sidebar-hover"></div>

    <!-- Javascripts -->

    <script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

    <script src="../assets/plugins/materialize/js/materialize.min.js"></script>

    <script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

    <script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>
```

```php
        <script src="../assets/js/alpha.min.js"></script>

        <script src="../assets/js/pages/form_elements.js"></script>

    </body>

</html>

<?php } ?>
```

leave-details.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

    {

header('location:index.php');

}

else{

// code for update the read notification status

$isread=1;

$did=intval($_GET['leaveid']);

date_default_timezone_set('Asia/Kolkata');

$admremarkdate=date('Y-m-d G:i:s ', strtotime("now"));

$sql="update tblleaves set IsRead=:isread where id=:did";

$query = $dbh->prepare($sql);

$query->bindParam(':isread',$isread,PDO::PARAM_STR);

$query->bindParam(':did',$did,PDO::PARAM_STR);

$query->execute();
```

```php
// code for action taken on leave

if(isset($_POST['update']))

{

$did=intval($_GET['leaveid']);

$description=$_POST['description'];

$status=$_POST['status'];

date_default_timezone_set('Asia/Kolkata');

$admremarkdate=date('Y-m-d G:i:s ', strtotime("now"));

$sql="update tblleaves set
AdminRemark=:description,Status=:status,AdminRemarkDate=:admremarkdate where id=:did";

$query = $dbh->prepare($sql);

$query->bindParam(':description',$description,PDO::PARAM_STR);

$query->bindParam(':status',$status,PDO::PARAM_STR);

$query->bindParam(':admremarkdate',$admremarkdate,PDO::PARAM_STR);

$query->bindParam(':did',$did,PDO::PARAM_STR);

$query->execute();

$msg="Leave updated Successfully";

}

?>
<!DOCTYPE html>

<html lang="en">

  <head>

    <!-- Title -->

    <title>Admin | Leave Details </title>
```

```html
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

<meta charset="UTF-8">

<meta name="description" content="Responsive Admin Dashboard Template" />

<meta name="keywords" content="admin,dashboard" />

<meta name="author" content="Steelcoders" />

<!-- Styles -->

<link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

<link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

<link href="../assets/plugins/material-preloader/css/materialPreloader.min.css"
rel="stylesheet">

<link href="../assets/plugins/datatables/css/jquery.dataTables.min.css" rel="stylesheet">

<link href="../assets/plugins/google-code-prettify/prettify.css" rel="stylesheet"
type="text/css"/>

<!-- Theme Styles -->

<link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

<link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>

<style>

    .errorWrap {

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #dd3d36;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}
```

```css
.succWrap{

   padding: 10px;

   margin: 0 0 20px 0;

   background: #fff;

   border-left: 4px solid #5cb85c;

   -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

   box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

    </style>

  </head>

  <body>

    <?php include('includes/header.php');?>

    <?php include('includes/sidebar.php');?>

      <main class="mn-inner">

        <div class="row">

          <div class="col s12">

            <div class="page-title" style="font-size:24px;">Leave Details</div>

          </div>

          <div class="col s12 m12 l12">

            <div class="card">

              <div class="card-content">

                <span class="card-title">Leave Details</span>

                <?php if($msg){?><div class="succWrap"><strong>SUCCESS</strong> :
<?php echo htmlentities($msg); ?> </div><?php }?>

                <table id="example" class="display responsive-table ">
```

```php
                              <tbody>

<?php

$lid=intval($_GET['leaveid']);

$sql = "SELECT tblleaves.id as
lid,tblemployees.FirstName,tblemployees.LastName,tblemployees.EmpId,tblemployees.id,tblemplo
yees.Gender,tblemployees.Phonenumber,tblemployees.EmailId,tblleaves.LeaveType,tblleaves.ToD
ate,tblleaves.FromDate,tblleaves.Description,tblleaves.PostingDate,tblleaves.Status,tblleaves.Admi
nRemark,tblleaves.AdminRemarkDate from tblleaves join tblemployees on
tblleaves.empid=tblemployees.id where tblleaves.id=:lid";

$query = $dbh -> prepare($sql);

$query->bindParam(':lid',$lid,PDO::PARAM_STR);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{

    ?>

                              <tr>

                                  <td style="font-size:16px;"> <b>Employe Name :</b></td>

                                  <td><a href="editemployee.php?empid=<?php echo
htmlentities($result->id);?>" target="_blank">

                                     <?php echo htmlentities($result->FirstName." ".$result-
>LastName);?></a></td>

                                  <td style="font-size:16px;"><b>Emp Id :</b></td>

                                  <td><?php echo htmlentities($result->EmpId);?></td>
```

```html
                           <td style="font-size:16px;"><b>Gender :</b></td>

                           <td><?php echo htmlentities($result->Gender);?></td>

                       </tr>

                       <tr>

                        <td style="font-size:16px;"><b>Emp Email id :</b></td>

                        <td><?php echo htmlentities($result->EmailId);?></td>

                        <td style="font-size:16px;"><b>Emp Contact No. :</b></td>

                        <td><?php echo htmlentities($result->Phonenumber);?></td>

                        <td> </td>

                        <td> </td>

                       </tr>

  <tr>

                           <td style="font-size:16px;"><b>Leave Type :</b></td>

                           <td><?php echo htmlentities($result->LeaveType);?></td>

                            <td style="font-size:16px;"><b>Leave Date . :</b></td>

                           <td>From <?php echo htmlentities($result->FromDate);?> to <?php
echo htmlentities($result->ToDate);?></td>

                           <td style="font-size:16px;"><b>Posting Date</b></td>

                          <td><?php echo htmlentities($result->PostingDate);?></td>

                       </tr>

<tr>

                           <td style="font-size:16px;"><b>Employe Leave Description :
</b></td>

                           <td colspan="5"><?php echo htmlentities($result-
>Description);?></td>

                       </tr>
```

```php
<tr>

<td style="font-size:16px;"><b>leave Status :</b></td>

<td colspan="5"><?php $stats=$result->Status;

if($stats==1){

?>

<span style="color: green">Approved</span>

 <?php } if($stats==2)  { ?>

<span style="color: red">Not Approved</span>

<?php } if($stats==0)  { ?>

 <span style="color: blue">waiting for approval</span>

 <?php } ?>

</td>

</tr>

<tr>

<td style="font-size:16px;"><b>Admin Remark: </b></td>

<td colspan="5"><?php

if($result->AdminRemark==""){

  echo "waiting for Approval";

}

else{

echo htmlentities($result->AdminRemark);

}

?></td>

 </tr>
```

```php
<tr>
<td style="font-size:16px;"><b>Admin Action taken date : </b></td>
<td colspan="5"><?php
if($result->AdminRemarkDate==""){
 echo "NA";
}
else{
echo htmlentities($result->AdminRemarkDate);
}
?></td>
 </tr>
<?php
if($stats==0)
{
?>
<tr>
 <td colspan="5">
  <a class="modal-trigger waves-effect waves-light btn" href="#modal1">Take Action</a>
<form name="adminaction" method="post">
<div id="modal1" class="modal modal-fixed-footer" style="height: 60%">
   <div class="modal-content" style="width:90%">
     <h4>Leave take action</h4>
      <select class="browser-default" name="status" required="">
                      <option value="">Choose your option</option>
                      <option value="1">Approved</option>
```

```html
                    <option value="2">Not Approved</option>

                  </select></p>

                  <p><textarea id="textarea1" name="description" class="materialize-
textarea" name="description" placeholder="Description" length="500" maxlength="500"
required></textarea></p>

  </div>

  <div class="modal-footer" style="width:90%">

    <input type="submit" class="waves-effect waves-light btn blue m-b-xs" name="update"
value="Submit">

  </div>

</div>

 </td>

</tr>

<?php } ?>

  </form>                              </tr>

                        <?php $cnt++;} }?>

                  </tbody>

              </table>

          </div>

        </div>

      </div>

    </div>

    </main>

  </div>

  <div class="left-sidebar-hover"></div>


  <!-- Javascripts -->
```

```php
    <script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

    <script src="../assets/plugins/materialize/js/materialize.min.js"></script>

    <script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

    <script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

    <script src="../assets/plugins/datatables/js/jquery.dataTables.min.js"></script>

    <script src="../assets/js/alpha.min.js"></script>

    <script src="../assets/js/pages/table-data.js"></script>

     <script src="assets/js/pages/ui-modals.js"></script>

    <script src="assets/plugins/google-code-prettify/prettify.js"></script>

  </body>

</html>

<?php } ?>
```

leaves.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

  {

header('location:index.php');

}

else{

 ?>
<!DOCTYPE html>

<html lang="en">
```

```html
<head>

    <!-- Title -->

    <title>Admin | Total Leave </title>

    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

    <meta charset="UTF-8">

    <meta name="description" content="Responsive Admin Dashboard Template" />

    <meta name="keywords" content="admin,dashboard" />

    <meta name="author" content="Steelcoders" />

    <!-- Styles -->

    <link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

    <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

    <link href="../assets/plugins/material-preloader/css/materialPreloader.min.css"
rel="stylesheet">

    <link href="../assets/plugins/datatables/css/jquery.dataTables.min.css" rel="stylesheet">

        <link href="../assets/plugins/google-code-prettify/prettify.css" rel="stylesheet"
type="text/css"/>

    <!-- Theme Styles -->

    <link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

    <link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>

<style>

    .errorWrap {

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #dd3d36;
```

```css
    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

    padding: 10px;

    margin: 0 0 20px 0;

    background: #fff;

    border-left: 4px solid #5cb85c;

    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

    </style>

</head>

<body>

  <?php include('includes/header.php');?>


  <?php include('includes/sidebar.php');?>

    <main class="mn-inner">

      <div class="row">

        <div class="col s12">

          <div class="page-title">Leave History</div>

        </div>

        <div class="col s12 m12 l12">

          <div class="card">

            <div class="card-content">
```

```
                    <span class="card-title">Leave History</span>

                    <?php if($msg){?><div class="succWrap"><strong>SUCCESS</strong> :
<?php echo htmlentities($msg); ?> </div><?php }?>

                    <table id="example" class="display responsive-table ">

                <thead>

                    <tr>

                        <th>#</th>

                        <th width="200">Employe Name</th>

                        <th width="120">Leave Type</th>


                         <th width="180">Posting Date</th>

                        <th>Status</th>

                        <th align="center">Action</th>

                    </tr>

                </thead>

                <tbody>

<?php $sql = "SELECT tblleaves.id as
lid,tblemployees.FirstName,tblemployees.LastName,tblemployees.EmpId,tblemployees.id,tblleaves
.LeaveType,tblleaves.PostingDate,tblleaves.Status from tblleaves join tblemployees on
tblleaves.empid=tblemployees.id order by lid desc";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)
```

```php
{
    ?>
                    <tr>
                        <td> <b><?php echo htmlentities($cnt);?></b></td>
                        <td><a href="editemployee.php?empid=<?php echo
htmlentities($result->id);?>" target="_blank"><?php echo htmlentities($result->FirstName."
".$result->LastName);?>(<?php echo htmlentities($result->EmpId);?>)</a></td>
                        <td><?php echo htmlentities($result->LeaveType);?></td>
                        <td><?php echo htmlentities($result->PostingDate);?></td>
                            <td><?php $stats=$result->Status;
if($stats==1){
                        ?>
                            <span style="color: green">Approved</span>
                            <?php } if($stats==2)  { ?>
                            <span style="color: red">Not Approved</span>
                            <?php } if($stats==0)  { ?>
 <span style="color: blue">waiting for approval</span>
 <?php } ?>
                            </td>


    <td>

    <td><a href="leave-details.php?leaveid=<?php echo htmlentities($result->lid);?>"
class="waves-effect waves-light btn blue m-b-xs"  > View Details</a></td>
                </tr>
                <?php $cnt++;} }?>
            </tbody>
        </table>
```

```
                    </div>

                </div>

            </div>

        </div>

      </main>

    </div>

    <div class="left-sidebar-hover"></div>


    <!-- Javascripts -->

    <script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

    <script src="../assets/plugins/materialize/js/materialize.min.js"></script>

    <script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

    <script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

    <script src="../assets/plugins/datatables/js/jquery.dataTables.min.js"></script>

    <script src="../assets/js/alpha.min.js"></script>

    <script src="../assets/js/pages/table-data.js"></script>

     <script src="assets/js/pages/ui-modals.js"></script>

    <script src="assets/plugins/google-code-prettify/prettify.js"></script>

  </body>

</html>
<?php } ?>
```

logout.php:

```php
<?php

session_start();

$_SESSION = array();
```

```php
if (ini_get("session.use_cookies")) {

    $params = session_get_cookie_params();

    setcookie(session_name(), '', time() - 60*60,

        $params["path"], $params["domain"],

        $params["secure"], $params["httponly"]

    );

}

unset($_SESSION['alogin']);

session_destroy(); // destroy session

header("location:../index.php");

?>
```

Managedepartments,php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

    {

header('location:index.php');

}

else{

if(isset($_GET['del']))

{

$id=$_GET['del'];

$sql = "delete from  tbldepartments  WHERE id=:id";
```

```php
$query = $dbh->prepare($sql);

$query -> bindParam(':id',$id, PDO::PARAM_STR);

$query -> execute();

$msg="Department record deleted";

}

?>
```

```html
<!DOCTYPE html>

<html lang="en">

  <head>

    <!-- Title -->

    <title>Admin | Manage Departments</title>

    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

    <meta charset="UTF-8">

    <meta name="description" content="Responsive Admin Dashboard Template" />

    <meta name="keywords" content="admin,dashboard" />

    <meta name="author" content="Steelcoders" />

    <!-- Styles -->

    <link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

    <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

    <link href="../assets/plugins/material-preloader/css/materialPreloader.min.css"
rel="stylesheet">

    <link href="../assets/plugins/datatables/css/jquery.dataTables.min.css" rel="stylesheet">

    <!-- Theme Styles -->

    <link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

    <link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>
```

```html
<style>
    .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
    </style>
  </head>
  <body>
    <?php include('includes/header.php');?>
    <?php include('includes/sidebar.php');?>
      <main class="mn-inner">
        <div class="row">
          <div class="col s12">
```

```html
                    <div class="page-title">Manage Departments</div>

                </div>

                <div class="col s12 m12 l12">

                    <div class="card">

                        <div class="card-content">

                            <span class="card-title">Departments Info</span>

                             <?php if($msg){?><div class="succWrap"><strong>SUCCESS</strong> :
<?php echo htmlentities($msg); ?> </div><?php }?>

                            <table id="example" class="display responsive-table ">

                                <thead>

                                    <tr>

                                        <th>Sr no</th>

                                        <th>Dept Name</th>

                                        <th>Dept Short Name</th>

                                        <th>Dept Code</th>

                                        <th>Creation Date</th>

                                        <th>Action</th>

                                    </tr>

                                </thead>

                                <tbody>

<?php $sql = "SELECT * from tbldepartments";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)
```

```php
{

foreach($results as $result)

{            ?>

                            <tr>

                                <td> <?php echo htmlentities($cnt);?></td>

                                <td><?php echo htmlentities($result->DepartmentName);?></td>

                                <td><?php echo htmlentities($result->DepartmentShortName);?></td>

                                <td><?php echo htmlentities($result->DepartmentCode);?></td>

                                <td><?php echo htmlentities($result->CreationDate);?></td>

                                <td><a href="editdepartment.php?deptid=<?php echo
htmlentities($result->id);?>"><i class="material-icons">mode_edit</i></a><a
href="managedepartments.php?del=<?php echo htmlentities($result->id);?>" onclick="return
confirm('Do you want to delete');"> <i class="material-icons">delete_forever</i></a></td>

                            </tr>

                            <?php $cnt++;} }?>

                        </tbody>

                    </table>

                </div>

            </div>

        </div>

    </main>

    </div>

    <div class="left-sidebar-hover"></div>

    <!-- Javascripts -->

    <script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

    <script src="../assets/plugins/materialize/js/materialize.min.js"></script>
```

```html
<script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

<script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

<script src="../assets/plugins/datatables/js/jquery.dataTables.min.js"></script>

<script src="../assets/js/alpha.min.js"></script>

<script src="../assets/js/pages/table-data.js"></script>

    </body>

</html>
```

```php
<?php } ?>
```

manageemployees.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

    {

header('location:index.php');

}

else{

// code for Inactive  employee

if(isset($_GET['inid']))

{

$id=$_GET['inid'];

$status=0;

$sql = "update tblemployees set Status=:status  WHERE id=:id";

$query = $dbh->prepare($sql);
```

```php
$query -> bindParam(':id',$id, PDO::PARAM_STR);

$query -> bindParam(':status',$status, PDO::PARAM_STR);

$query -> execute();

header('location:manageemployee.php');

}

//code for active employee

if(isset($_GET['id']))

{

$id=$_GET['id'];

$status=1;

$sql = "update tblemployees set Status=:status  WHERE id=:id";

$query = $dbh->prepare($sql);

$query -> bindParam(':id',$id, PDO::PARAM_STR);

$query -> bindParam(':status',$status, PDO::PARAM_STR);

$query -> execute();

header('location:manageemployee.php');

}

?>
```

```html
<!DOCTYPE html>

<html lang="en">

   <head>

      <!-- Title -->

      <title>Admin | Manage Employees</title>


      <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>
```

```html
<meta charset="UTF-8">

<meta name="description" content="Responsive Admin Dashboard Template" />

<meta name="keywords" content="admin,dashboard" />

<meta name="author" content="Steelcoders" />

<!-- Styles -->

<link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

<link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

<link href="../assets/plugins/material-preloader/css/materialPreloader.min.css"
rel="stylesheet">

<link href="../assets/plugins/datatables/css/jquery.dataTables.min.css" rel="stylesheet">

<!-- Theme Styles -->

<link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

<link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>
<style>

    .errorWrap {

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #dd3d36;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

  padding: 10px;

  margin: 0 0 20px 0;
```

```
        background: #fff;

        border-left: 4px solid #5cb85c;

        -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

        box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

    }

        </style>

    </head>

    <body>

        <?php include('includes/header.php');?>


        <?php include('includes/sidebar.php');?>

            <main class="mn-inner">

                <div class="row">

                    <div class="col s12">

                        <div class="page-title">Manage EmployesWWW</div>

                    </div>

                    <div class="col s12 m12 l12">

                        <div class="card">

                            <div class="card-content">

                                <span class="card-title">Employees Info</span>

                                <?php if($msg){?><div class="succWrap"><strong>SUCCESS</strong> :
<?php echo htmlentities($msg); ?> </div><?php }?>

                                <table id="example" class="display responsive-table ">

                                    <thead>

                                        <tr>

                                            <th>Sr no</th>
```

110

```
                    <th>Emp Id</th>

                    <th>Full Name</th>

                    <th>Department</th>

                     <th>Status</th>

                     <th>Reg Date</th>

                    <th>Action</th>

                </tr>

            </thead>

            <tbody>

<?php $sql = "SELECT EmpId,FirstName,LastName,Department,Status,RegDate,id from
tblemployees";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{          ?>

                    <tr>

                    <td> <?php echo htmlentities($cnt);?></td>

                    <td><?php echo htmlentities($result->EmpId);?></td>

                    <td><?php echo htmlentities($result->FirstName);?> <?php echo
htmlentities($result->LastName);?></td>

                    <td><?php echo htmlentities($result->Department);?></td>

                     <td><?php $stats=$result->Status;
```

```php
if($stats){
?>
                        <a class="waves-effect waves-green btn-flat m-b-xs">Active</a>
                        <?php } else { ?>
                        <a class="waves-effect waves-red btn-flat m-b-xs">Inactive</a>
                        <?php } ?>
                    </td>
                     <td><?php echo htmlentities($result->RegDate);?></td>
                    <td><a href="editemployee.php?empid=<?php echo
htmlentities($result->id);?>"><i class="material-icons">mode_edit</i></a>
                    <?php if($result->Status==1)
 {?>
<a href="manageemployee.php?inid=<?php echo htmlentities($result->id);?>" onclick="return
confirm('Are you sure you want to inactive this Employe?');'"' > <i class="material-icons"
title="Inactive">clear</i>
<?php } else {?>
                        <a href="manageemployee.php?id=<?php echo htmlentities($result-
>id);?>" onclick="return confirm('Are you sure you want to active this employee?');'"'><i
class="material-icons" title="Active">done</i>
                    <?php } ?> </td>
                </tr>
                <?php $cnt++;} }?>
            </tbody>
        </table>
    </div>
  </div>
 </div>
```

```
        </div>

      </main>

    </div>

    <div class="left-sidebar-hover"></div>

    <!-- Javascripts -->

    <script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

    <script src="../assets/plugins/materialize/js/materialize.min.js"></script>

    <script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

    <script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

    <script src="../assets/plugins/datatables/js/jquery.dataTables.min.js"></script>

    <script src="../assets/js/alpha.min.js"></script>

    <script src="../assets/js/pages/table-data.js"></script>

  </body>

</html>

<?php } ?>
```

manageleavetype:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

  {

header('location:index.php');

}

else{
```

```php
if(isset($_GET['del']))

{

$id=$_GET['del'];

$sql = "delete from  tblleavetype  WHERE id=:id";

$query = $dbh->prepare($sql);

$query -> bindParam(':id',$id, PDO::PARAM_STR);

$query -> execute();

$msg="Leave type record deleted";

}

 ?>
```

```html
<!DOCTYPE html>

<html lang="en">

  <head>

     <!-- Title -->

     <title>Admin | Manage Leave Type</title>

     <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

     <meta charset="UTF-8">

     <meta name="description" content="Responsive Admin Dashboard Template" />

     <meta name="keywords" content="admin,dashboard" />

     <meta name="author" content="Steelcoders" />

     <!-- Styles -->

     <link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

     <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

     <link href="../assets/plugins/material-preloader/css/materialPreloader.min.css"
rel="stylesheet">
```

```html
<link href="../assets/plugins/datatables/css/jquery.dataTables.min.css" rel="stylesheet">
<!-- Theme Styles -->
<link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>
<link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>
<style>
    .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
    </style>
  </head>
  <body>
    <?php include('includes/header.php');?>
```

```php
<?php include('includes/sidebar.php');?>

    <main class="mn-inner">

      <div class="row">

        <div class="col s12">

          <div class="page-title">Manage Leave Type</div>

        </div>

        <div class="col s12 m12 l12">

          <div class="card">

            <div class="card-content">

              <span class="card-title">Leave Type Info</span>

              <?php if($msg){?><div class="succWrap"><strong>SUCCESS</strong> :
<?php echo htmlentities($msg); ?> </div><?php }?>

              <table id="example" class="display responsive-table ">

                <thead>

                  <tr>

                    <th>Sr no</th>

                    <th>Leave Type</th>

                    <th>Description</th>

                    <th>Creation Date</th>

                    <th>Action</th>

                  </tr>

                </thead>

                <tbody>

<?php $sql = "SELECT * from tblleavetype";

$query = $dbh -> prepare($sql);
```

116

```php
$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{          ?>
```
```html
                    <tr>

                        <td> <?php echo htmlentities($cnt);?></td>

                        <td><?php echo htmlentities($result->LeaveType);?></td>

                        <td><?php echo htmlentities($result->Description);?></td>

                        <td><?php echo htmlentities($result->CreationDate);?></td>

                        <td><a href="editleavetype.php?lid=<?php echo htmlentities($result->id);?>"><i class="material-icons">mode_edit</i></a>

                        <a href="manageleavetype.php?del=<?php echo htmlentities($result->id);?>" onclick="return confirm('Do you want to delete');"> <i class="material-icons">delete_forever</i></a> </td>

                    </tr>

                    <?php $cnt++;} }?>
                </tbody>

            </table>

        </div>

    </div>

    </div>

    </main>
```

```
        </div>

        <div class="left-sidebar-hover"></div>

        <!-- Javascripts -->

        <script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

        <script src="../assets/plugins/materialize/js/materialize.min.js"></script>

        <script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

        <script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

        <script src="../assets/plugins/datatables/js/jquery.dataTables.min.js"></script>

        <script src="../assets/js/alpha.min.js"></script>

        <script src="../assets/js/pages/table-data.js"></script>

    </body>

</html>

<?php } ?>
```

notapproved-leaves.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

    {

header('location:index.php');

}

else{
```

?>

<!DOCTYPE html>

<html lang="en">

  <head>

    <!-- Title -->

    <title>Admin | Not Approved Leaves </title>

    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/>

    <meta charset="UTF-8">

    <meta name="description" content="Responsive Admin Dashboard Template" />

    <meta name="keywords" content="admin,dashboard" />

    <meta name="author" content="Steelcoders" />

    <!-- Styles -->

    <link type="text/css" rel="stylesheet" href="../assets/plugins/materialize/css/materialize.min.css"/>

    <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

    <link href="../assets/plugins/material-preloader/css/materialPreloader.min.css" rel="stylesheet">

    <link href="../assets/plugins/datatables/css/jquery.dataTables.min.css" rel="stylesheet">

        <link href="../assets/plugins/google-code-prettify/prettify.css" rel="stylesheet" type="text/css"/>

    <!-- Theme Styles -->

    <link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

    <link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>

<style>

    .errorWrap {

```css
    padding: 10px;

    margin: 0 0 20px 0;

    background: #fff;

    border-left: 4px solid #dd3d36;

    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

    padding: 10px;

    margin: 0 0 20px 0;

    background: #fff;

    border-left: 4px solid #5cb85c;

    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

    </style>

</head>

<body>

    <?php include('includes/header.php');?>

    <?php include('includes/sidebar.php');?>

        <main class="mn-inner">

          <div class="row">

            <div class="col s12">

                <div class="page-title"> Not Approved Leave History</div>

            </div>
```

```html
<div class="col s12 m12 l12">

    <div class="card">

        <div class="card-content">

            <span class="card-title">Not Approved Leave History</span>

            <?php if($msg){?><div class="succWrap"><strong>SUCCESS</strong> :
<?php echo htmlentities($msg); ?> </div><?php }?>

            <table id="example" class="display responsive-table ">

                <thead>

                    <tr>

                        <th>#</th>

                        <th width="200">Employe Name</th>

                        <th width="120">Leave Type</th>

                         <th width="180">Posting Date</th>

                        <th>Status</th>

                        <th align="center">Action</th>

                    </tr>

                </thead>

                <tbody>
```

```php
<?php

$status=2;

$sql = "SELECT tblleaves.id as
lid,tblemployees.FirstName,tblemployees.LastName,tblemployees.EmpId,tblemployees.id,tblleaves
.LeaveType,tblleaves.PostingDate,tblleaves.Status from tblleaves join tblemployees on
tblleaves.empid=tblemployees.id where tblleaves.Status=:status order by lid desc";

$query = $dbh -> prepare($sql);

$query->bindParam(':status',$status,PDO::PARAM_STR);
```

```php
$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{

    ?>

                            <tr>

                        <td> <b><?php echo htmlentities($cnt);?></b></td>

                         <td><a href="editemployee.php?empid=<?php echo
htmlentities($result->id);?>" target="_blank"><?php echo htmlentities($result->FirstName."
".$result->LastName);?>(<?php echo htmlentities($result->EmpId);?>)</a></td>

                        <td><?php echo htmlentities($result->LeaveType);?></td>

                        <td><?php echo htmlentities($result->PostingDate);?></td>

                                <td><?php $stats=$result->Status;

if($stats==1){

                        ?>

                          <span style="color: green">Approved</span>

                          <?php } if($stats==2)  { ?>

                          <span style="color: red">Not Approved</span>

                          <?php } if($stats==0)  { ?>

 <span style="color: blue">waiting for approval</span>

 <?php } ?>
```

```
                                    </td>

       <td>

        <td><a href="leave-details.php?leaveid=<?php echo htmlentities($result->lid);?>"
class="waves-effect waves-light btn blue m-b-xs"  > View Details</a></td>

                      </tr>

                         <?php $cnt++;} }?>

                      </tbody>

                   </table>

                </div>

             </div>

          </div>

       </div>

    </main>

  </div>

  <div class="left-sidebar-hover"></div>

  <!-- Javascripts -->

  <script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

  <script src="../assets/plugins/materialize/js/materialize.min.js"></script>

  <script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

  <script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

  <script src="../assets/plugins/datatables/js/jquery.dataTables.min.js"></script>

  <script src="../assets/js/alpha.min.js"></script>

  <script src="../assets/js/pages/table-data.js"></script>

   <script src="assets/js/pages/ui-modals.js"></script>

  <script src="assets/plugins/google-code-prettify/prettify.js"></script>
```

```php
  </body>

</html>

<?php } ?>
```

pending-leavehistory.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['alogin'])==0)

  {

header('location:index.php');

}

else{

 ?>
```

```html
<!DOCTYPE html>

<html lang="en">

   <head>

      <!-- Title -->

      <title>Admin | Not Approved Leaves </title>

      <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

      <meta charset="UTF-8">

      <meta name="description" content="Responsive Admin Dashboard Template" />

      <meta name="keywords" content="admin,dashboard" />

      <meta name="author" content="Steelcoders" />
```

```html
<!-- Styles -->

<link type="text/css" rel="stylesheet"
href="../assets/plugins/materialize/css/materialize.min.css"/>

<link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

<link href="../assets/plugins/material-preloader/css/materialPreloader.min.css"
rel="stylesheet">

<link href="../assets/plugins/datatables/css/jquery.dataTables.min.css" rel="stylesheet">

<link href="../assets/plugins/google-code-prettify/prettify.css" rel="stylesheet"
type="text/css"/>

<!-- Theme Styles -->

<link href="../assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

<link href="../assets/css/custom.css" rel="stylesheet" type="text/css"/>

<style>

    .errorWrap {

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #dd3d36;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #5cb85c;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

    </style>

  </head>

  <body>

    <?php include('includes/header.php');?>

    <?php include('includes/sidebar.php');?>

      <main class="mn-inner">

        <div class="row">

          <div class="col s12">

            <div class="page-title"> Not Approved Leave History</div>

          </div>

          <div class="col s12 m12 l12">

            <div class="card">

              <div class="card-content">

                <span class="card-title">Not Approved Leave History</span>

                <?php if($msg){?><div class="succWrap"><strong>SUCCESS</strong> :
<?php echo htmlentities($msg); ?> </div><?php }?>

                <table id="example" class="display responsive-table ">

                  <thead>

                    <tr>

                      <th>#</th>

                      <th width="200">Employe Name</th>

                      <th width="120">Leave Type</th>


                      <th width="180">Posting Date</th>
```

```
<th>Status</th>

<th align="center">Action</th>

</tr>

</thead>

<tbody>
```
```php
<?php

$status=2;

$sql = "SELECT tblleaves.id as
lid,tblemployees.FirstName,tblemployees.LastName,tblemployees.EmpId,tblemployees.id,tblleaves
.LeaveType,tblleaves.PostingDate,tblleaves.Status from tblleaves join tblemployees on
tblleaves.empid=tblemployees.id where tblleaves.Status=:status order by lid desc";

$query = $dbh -> prepare($sql);

$query->bindParam(':status',$status,PDO::PARAM_STR);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{

    ?>
```
```
<tr>

<td> <b><?php echo htmlentities($cnt);?></b></td>

<td><a href="editemployee.php?empid=<?php echo
htmlentities($result->id);?>" target="_blank"><?php echo htmlentities($result->FirstName."
".$result->LastName);?>(<?php echo htmlentities($result->EmpId);?>)</a></td>

<td><?php echo htmlentities($result->LeaveType);?></td>
```

```php
<td><?php echo htmlentities($result->PostingDate);?></td>
                    <td><?php $stats=$result->Status;

if($stats==1){

                    ?>
                        <span style="color: green">Approved</span>

                        <?php } if($stats==2)  { ?>

                        <span style="color: red">Not Approved</span>

                        <?php } if($stats==0)  { ?>

 <span style="color: blue">waiting for approval</span>

 <?php } ?>

                        </td>

    <td>

     <td><a href="leave-details.php?leaveid=<?php echo htmlentities($result->lid);?>"
class="waves-effect waves-light btn blue m-b-xs"  > View Details</a></td>

                    </tr>

                        <?php $cnt++;} }?>

                    </tbody>

                    </table>

                </div>

              </div>

            </div>

          </div>

        </main>

     </div>

     <div class="left-sidebar-hover"></div>
```

```html
<!-- Javascripts -->

<script src="../assets/plugins/jquery/jquery-2.2.0.min.js"></script>

<script src="../assets/plugins/materialize/js/materialize.min.js"></script>

<script src="../assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

<script src="../assets/plugins/jquery-blockui/jquery.blockui.js"></script>

<script src="../assets/plugins/datatables/js/jquery.dataTables.min.js"></script>

<script src="../assets/js/alpha.min.js"></script>

<script src="../assets/js/pages/table-data.js"></script>

 <script src="assets/js/pages/ui-modals.js"></script>

<script src="assets/plugins/google-code-prettify/prettify.js"></script>

</body>

</html>
```

```php
<?php } ?>
```

alpha.css:

```css
/* Global Styles */


html, body, .mn-content {

  font-size: 14px;

  height: 100%;

  width: 100%;

}


html {

  font-weight: 500;

  color: rgba(0,0,0,0.6);
```

```css
}


body {

    background-color: #F4F4F4;

    overflow-y: auto!important;

    overflow-x: hidden;

}


a {

    color: #0277bb;

}


text {

    font-family: "Roboto", sans-serif;

}


mark {

    background: #fff9c4;

    color: rgba(0,0,0,0.8);

}


a:hover,

a:active,

a:focus {

    outline: none!important;
```

```css
}


.btn,

.btn-flat {

   font-weight: 500;

   font-size: 13px;

}


.btn-flat.disabled:hover {

   background: transparent;

}


.btn-flat.waves-grey {

   color: #343434;

}


.btn-flat.waves-purple {

   color: #9c27b0;

}


.btn-flat.waves-green {

   color: #4caf50;

}


.btn-flat.waves-blue {
```

```css
  color: #2196f3;

}


.btn-flat.waves-orange {

  color: #ff9800;

}


.btn-flat.waves-red {

  color: #f44336;

}


.btn.white {

  color: #343434;

}


.waves-effect.waves-light .waves-ripple {

  background-color: rgba(255, 255, 255, 0.2);

}


.waves-effect.waves-grey .waves-ripple {

  background-color: rgba(158, 158, 158, 0.2);

}


.waves-effect.waves-red .waves-ripple {

  background-color: rgba(244, 67, 54, 0.2);
```

```
}


.waves-effect.waves-yellow .waves-ripple {

   background-color: rgba(255, 235, 59, 0.2);

}


.waves-effect.waves-orange .waves-ripple {

   background-color: rgba(255, 152, 0, 0.2);

}


.waves-effect.waves-purple .waves-ripple {

   background-color: rgba(156, 39, 176, 0.2);

}


.waves-effect.waves-green .waves-ripple {

   background-color: rgba(76, 175, 80, 0.2);

}


.waves-effect.waves-blue .waves-ripple {

   background-color: rgba(33, 150, 243, 0.2);

}


.waves-effect.waves-teal .waves-ripple {

   background-color: rgba(0, 150, 136, 0.2);

}
```

```css
.collection a.collection-item {

    color: #343434;

}


/* Button */


.fixed-action-btn {

    z-index: 996;

}



/* Toasts */


.toast {

    border-radius: 2px;

    background-color: #323232;

    padding: 10px 25px;

    font-size: 14px;

    font-weight: 300;

    color: #fff;

}



/* Loading */
```

```css
body:not(.loaded) .mn-content {

    opacity: 0;

}


.mn-content {

    opacity: 1;

    -webkit-transition: opacity .3s;

    -moz-transition: opacity .3s;

    -o-transition: opacity .3s;

    transition: opacity .3s;

}


.loader {

    position: fixed;

    top: 50%;

    left: 50%;

    margin-left: -32px;

    margin-top: -35px;

}


.loader-bg {

    position: fixed;

    background: #fff;

    top: 0;
```

```css
    bottom: 0;

    left: 0;

    right: 0;

    -webkit-transition: opacity .3s;

    -moz-transition: opacity .3s;

    -o-transition: opacity .3s;

    transition: opacity .3s;

    opacity: 1;

}


.loaded .loader-bg {

    opacity: 0;

    position: relative;

}



/* Header */

.mn-header {

    z-index: 999;

    height: 60px!important;

}


.header-title {

    font-size: 15px;
```

```css
    font-weight: bold;

    text-transform: uppercase;

    line-height: 60px;

    float: left;

    color: #fff;

    margin-left: 8px;

    position: relative;

    cursor: pointer;

}


.header-title span {

    margin: 1px 0;

    display: block;

}


.navbar-fixed .header-title {

    margin-left: 56px;

}


nav {

    position: relative;

    padding: 0 16px;

    height: 60px!important;

    line-height: 60px!important;

}
```

```css
.mn-header.navbar-fixed nav .nav-wrapper {

   padding-left: 44px;

}


nav .nav-wrapper {

   padding-right: 44px;

}


.nav-right-menu {

   margin-right: -55.25px;

}


.nav-right-menu li {

   float: right;

}


.navbar-fixed nav .navigation-toggle {

   position: fixed;

   left: 12px;

}


nav .nav-wrapper > ul > li > a {

   padding: 0 12px;

   position: relative;
```

```css
}


nav i,

nav [class^="mdi-"],

nav [class*="mdi-"],

nav i.material-icons {

    line-height: 60px;

}


nav ul li:hover,

nav ul a:hover {

    background-color: transparent;

}


nav .nav-wrapper i {

    font-size: 22px;

    color: rgba(255,255,255,0.9);

}


nav .nav-wrapper .dropdown-content {

    width: auto!important;

    white-space: nowrap;

    padding: 5px 0;

}
```

```css
@media (min-width: 993px) {

    .mn-content.fixed-sidebar .mn-inner {

        padding-left: 245px;

        width: 100%;

    }


    .mn-content.fixed-sidebar .page-footer {

        padding-left: 245px;

        padding-right: 25px;

        width: 100%;

    }


    .mn-content.fixed-sidebar-on-hidden .page-footer {

        padding-left: 25px!important;

        padding-right: 25px!important;

        width: 100%;

    }

}


nav .nav-wrapper ul li img {

    width: 34px;

    height: 34px;

    margin-top: 15px;

    float: left;

}
```

```css
nav .nav-wrapper ul li img + span {

    line-height: 60px;

    float: left;

    margin-left: 10px;

    font-size: 13px;

}


nav .nav-wrapper ul li span.badge {

    position: absolute;

    top: 10px;

    right: 5px;

    min-width: 1px!important;

    line-height: 1.5;

    background: #ff8f00;

    border-radius: 100%;

    font-size: 12px;

    color: #fff;

}


.material-design-hamburger a {

    display: block;

    border: none;

    background: none;

    outline: 0;
```

```css
    padding-top: 30px;

}


.material-design-hamburger__icon {

    padding: 3rem 1rem;

    cursor: pointer;

}


.material-design-hamburger__layer {

    display: block;

    width: 13px;

    height: 1.5px;

    background: rgba(255,255,255,0.9);

    position: relative;

    animation-duration: 200ms;

    animation-timing-function: ease-in-out;

}


.material-design-hamburger__layer:before, .material-design-hamburger__layer:after {

    display: block;

    width: inherit;

    height: 2px;

    position: absolute;

    background: inherit;

    left: 0;
```

```css
  content: '';

  animation-duration: 200ms;

  animation-timing-function: ease-in-out;

}


.material-design-hamburger__layer:before {

  bottom: 300%;

}


.material-design-hamburger__layer:after {

  top: 300%;

}


.material-design-hamburger__icon--to-arrow {

  animation-name: material-design-hamburger__icon--slide;

  animation-fill-mode: forwards;

}


.material-design-hamburger__icon--to-arrow:before {

  animation-name: material-design-hamburger__icon--slide-before;

  animation-fill-mode: forwards;

  bottom: 200%;

}


.material-design-hamburger__icon--to-arrow:after {
```

```css
    animation-name: material-design-hamburger__icon--slide-after;

    animation-fill-mode: forwards;

    top: 200%;

}


.material-design-hamburger__icon--from-arrow {

    animation-name: material-design-hamburger__icon--slide-from;

}


.material-design-hamburger__icon--from-arrow:before {

    animation-name: material-design-hamburger__icon--slide-before-from;

}


.material-design-hamburger__icon--from-arrow:after {

    animation-name: material-design-hamburger__icon--slide-after-from;

}


@keyframes material-design-hamburger__icon--slide {

    0% {

    }

    100% {

        transform: rotate(180deg);

    }

}
```

```css
@keyframes material-design-hamburger__icon--slide-before {

  0% {

  }

  100% {

    transform: rotate(45deg);

    margin: 3% 37%;

    width: 75%;

  }

}


@keyframes material-design-hamburger__icon--slide-after {

  0% {

  }

  100% {

    transform: rotate(-45deg);

    margin: 3% 37%;

    width: 75%;

  }

}


@keyframes material-design-hamburger__icon--slide-from {

  0% {

    transform: rotate(-180deg);

  }

  100% {
```

```css
    }

}


@keyframes material-design-hamburger__icon--slide-before-from {

 0% {

    transform: rotate(45deg);

    margin: 3% 37%;

    width: 75%;

  }

  100% {

  }

}


@keyframes material-design-hamburger__icon--slide-after-from {

  0% {

    transform: rotate(-45deg);

    margin: 3% 37%;

    width: 75%;

  }

  100% {

  }

}


.right-sidebar-button .material-design-hamburger__icon--to-arrow,

.reverse-icon .material-design-hamburger__icon--to-arrow {
```

```css
    animation-name: right-material-design-hamburger__icon--slide;

    animation-fill-mode: forwards;

}


.right-sidebar-button .material-design-hamburger__icon--to-arrow:before,

.reverse-icon .material-design-hamburger__icon--to-arrow:before {

    animation-name: right-material-design-hamburger__icon--slide-before;

    animation-fill-mode: forwards;

    bottom: 200%;

}


.right-sidebar-button .material-design-hamburger__icon--to-arrow:after,

.reverse-icon .material-design-hamburger__icon--to-arrow:after {

    animation-name: right-material-design-hamburger__icon--slide-after;

    animation-fill-mode: forwards;

    top: 200%;

}


.right-sidebar-button .material-design-hamburger__icon--from-arrow,

.reverse-icon .material-design-hamburger__icon--from-arrow {

    animation-name: right-material-design-hamburger__icon--slide-from;

}


.right-sidebar-button .material-design-hamburger__icon--from-arrow:before,

.reverse-icon .material-design-hamburger__icon--from-arrow:before {
```

```css
    animation-name: right-material-design-hamburger__icon--slide-before-from;

}


.right-sidebar-button .material-design-hamburger__icon--from-arrow:after,

.reverse-icon .material-design-hamburger__icon--from-arrow:after {

    animation-name: right-material-design-hamburger__icon--slide-after-from;

}


@keyframes right-material-design-hamburger__icon--slide {

    0% {

    }

    100% {

      transform: rotate(-180deg);

    }

}


@keyframes right-material-design-hamburger__icon--slide-before {

    0% {

    }

    100% {

        transform: rotate(-45deg);

        margin: 3% -10%;

        width: 75%;

    }

}
```

```css
@keyframes right-material-design-hamburger__icon--slide-after {

  0% {

  }

  100% {

    transform: rotate(45deg);

    margin: 3% -10%;

    width: 75%;

  }

}


@keyframes right-material-design-hamburger__icon--slide-from {

  0% {

    transform: rotate(180deg);

  }

  100% {

  }

}


@keyframes right-material-design-hamburger__icon--slide-before-from {

  0% {

    transform: rotate(-45deg);

    margin: 3% -10%;

    width: 75%;

  }
```

```css
  100% {

  }

}


@keyframes right-material-design-hamburger__icon--slide-after-from {

  0% {

    transform: rotate(45deg);

    margin: 3% -10%;

    width: 75%;

  }

  100% {

  }

}


.notifications-dropdown {

  overflow-y: visible;

  top: 60px!important;

  padding: 0!important;

}


.notificatoins-dropdown-container {

  width: 300px!important;

  max-height: 420px;

  overflow-y: auto;

  padding: 5px 0;
```

```css
  cursor: auto!important;

}


.notificatoins-dropdown-container:hover {

  background-color: transparent!important;

}


.notification-drop-title {

  color: #ADADAD;

  font-size: 12px;

  padding: 8px 20px;

  cursor: auto!important;

  font-weight: bold;

}


.notification-drop-title:hover {

  background-color: transparent!important;

}


.notifications-dropdown li a {

  overflow: hidden;

}


.notifications-dropdown .notification .notification-icon {

  width: 36px;
```

```css
  height: 36px;

  text-align: center;

  display: inline-block;

  vertical-align: middle;

}


.notifications-dropdown .notification .notification-icon i {

  line-height: 36px;

  width: auto;

  color: #fff;

}


.notifications-dropdown .notification .notification-text {

  display: inline-block;

  vertical-align: middle;

}


.notifications-dropdown .notification .notification-text p {

  margin: 0 0 0 10px;

  color: #9E9E9E;

  font-size: 13px;

}


.notifications-dropdown .notification .notification-text p b {

  color: #333;
```

```css
}

.notifications-dropdown .notification .notification-text span {

    margin: 0 0 0 10px;

    color: #BDBDBD;

    font-size: 12px;

}


/* Dropdown */


.dropdown-content li {

    min-height: 0px;

}


.dropdown-content li > a,
.dropdown-content li > span {

    padding: 8px 20px;

    font-size: 13px;

    color: #4C4C4C;

}


.dropdown-content li a i {

    display: inline-block;

    height: auto;

    line-height: inherit;
```

```css
    font-size: 18px;

    vertical-align: top;

    width: 28px;

    text-align: left;

}


.divider {

    height: 1px;

    margin: 8px 0;

    overflow: hidden;

    background-color: #EEEEEE;

}


/* Titles */

.card-title small {

    color: rgba(0,0,0,0.54);

    font-weight: bold;

    float: right;

}


.heading-title {

    line-height: 24px;

    font-size: 17px;
```

```
    font-weight: normal;

    display: block;

    margin-bottom: 20px;

}
```

```
/* Colors */

.dynamic-color .red,

.dynamic-color .pink,

.dynamic-color .purple,

.dynamic-color .deep-purple,

.dynamic-color .indigo,

.dynamic-color .blue,

.dynamic-color .light-blue,

.dynamic-color .cyan,

.dynamic-color .teal,

.dynamic-color .green,

.dynamic-color .light-green,

.dynamic-color .lime,

.dynamic-color .yellow,

.dynamic-color .amber,

.dynamic-color .orange,

.dynamic-color .deep-orange,

.dynamic-color .brown,
```

```css
.dynamic-color .grey,

.dynamic-color .blue-grey,

.dynamic-color .black,

.dynamic-color .white,

.dynamic-color .transparent {

    height: 55px;

    line-height: 55px;

    padding: 0 15px;

    font-weight: 500;

    font-size: 12px;

    display: block;

    -webkit-box-sizing: border-box;

    -moz-box-sizing: border-box;

    box-sizing: border-box;

}



/* Collections */


.collection .collection-item.active {

    background-color: #DDDDDD;

    color: #343434;

}


.collection a.collection-item:not(.active):hover {
```

```css
    background-color: #f2f2f2;

}


/* CSS Utilities */

/* Typography */


.f-thin {

    font-weight: 300;

}


.f-normal {

    font-weight: normal;

}


.f-bold {

    font-weight: 600;

}


.f-s-10 {

    font-size: 10px;

}


.f-s-11 {

    font-size: 11px;
```

```css
}

.f-s-12 {
  font-size: 12px;
}

.f-s-13 {
  font-size: 13px;
}

.f-s-14 {
  font-size: 14px;
}

.f-s-15 {
  font-size: 15px;
}

.f-s-16 {
  font-size: 16px;
}

.f-s-17 {
  font-size: 17px;
}
```

```css
.f-s-18 {
    font-size: 18px;
}


.f-s-20 {
    font-size: 20px;
}


.f-s-22 {
    font-size: 22px;
}


.f-s-24 {
    font-size: 24px;
}


.f-s-26 {
    font-size: 26px;
}


.f-s-28 {
    font-size: 28px;
}
```

```css
.f-s-30 {
    font-size: 30px;
}


.f-s-32 {
    font-size: 32px;
}


.secondary-link {
    font-size: 13px;
    color: #2196f3;
    font-weight: bold;
}



/* Position */


.position-top-right,
.position-top-left,
.position-bottom-right,
.position-bottom-left {
    position: absolute;
}


.position-top-right {
```

```css
    top: 0;

    right: 0;

}


.position-top-left {

    top: 0;

    left: 0;

}


.position-bottom-right {

    bottom: 0;

    right: 0;

}


.position-bottom-left {

    bottom: 0;

    right: 0;

}



/* Box Shadow */


.bs-n {

    -webkit-box-shadow: none;

    -moz-box-shadow: none;
```

```css
    box-shadow: none;

}


.bs-dark {

    -webkit-box-shadow: 0 0 3px rgba(0, 0, 0, .6);

    -moz-box-shadow: 0 0 3px rgba(0, 0, 0, .6);

    box-shadow: 0 0 3px rgba(0, 0, 0, .6);

}


.bs-light {

    -webkit-box-shadow: 0 0 3px rgba(0, 0, 0, .3);

    -moz-box-shadow: 0 0 3px rgba(0, 0, 0, .3);

    box-shadow: 0 0 3px rgba(0, 0, 0, .3);

}


.bs-t {

    -webkit-box-shadow: 0 -1px 1px rgba(0, 0, 0, .05);

    -moz-box-shadow: 0 -1px 1px rgba(0, 0, 0, .05);

    box-shadow: 0 -1px 1px rgba(0, 0, 0, .05);

}


.bs-r {

    -webkit-box-shadow: 1px 0 1px rgba(0, 0, 0, .05);

    -moz-box-shadow: 1px 0 1px rgba(0, 0, 0, .05);

    box-shadow: 1px 0 1px rgba(0, 0, 0, .05);
```

```css
}


.bs-b {

  -webkit-box-shadow: 0 1px 1px rgba(0, 0, 0, .05);

  -moz-box-shadow: 0 1px 1px rgba(0, 0, 0, .05);

  box-shadow: 0 1px 1px rgba(0, 0, 0, .05);

}


.bs-l {

  -webkit-box-shadow: -1px 0 1px rgba(0, 0, 0, .05);

  -moz-box-shadow: -1px 0 1px rgba(0, 0, 0, .05);

  box-shadow: -1px 0 1px rgba(0, 0, 0, .05);

}



/* Margins & Paddings */


.no-s {

  margin: 0px!important;

  padding: 0px!important;

}


.no-m {

  margin: 0!important;

}
```

```css
.no-m-t {

  margin-top: 0!important;

}


.no-m-r {

  margin-right: 0!important;

}


.no-m-b {

  margin-bottom: 0!important;

}


.no-m-l {

  margin-left: 0!important;

}

.no-p {

  padding: 0!important;

}


.m {

  margin: 15px;

}


.m-t-xxs {
```

```css
  margin-top: 5px;

}


.m-r-xxs {

  margin-right: 5px;

}


.m-b-xxs {

  margin-bottom: 5px;

}


.m-l-xxs {

  margin-left: 5px;

}


.m-t-xs {

  margin-top: 10px;

}


.m-r-xs {

  margin-right: 10px;

}


.m-b-xs {

  margin-bottom: 10px;
```

```css
}

.m-l-xs {
    margin-left: 10px;
}

.m-t-sm {
    margin-top: 15px;
}

.m-r-sm {
    margin-right: 15px;
}

.m-b-sm {
    margin-bottom: 15px;
}

.m-l-sm {
    margin-left: 15px;
}

.m-t-md {
    margin-top: 20px;
}
```

```css
.m-r-md {

   margin-right: 20px;

}


.m-b-md {

   margin-bottom: 20px;

}


.m-l-md {

   margin-left: 20px;

}


.m-t-lg {

   margin-top: 25px;

}


.m-r-lg {

   margin-right: 25px;

}


.m-b-lg {

   margin-bottom: 25px;

}
```

```css
.m-l-lg {

   margin-left: 25px;

}


.m-t-xxl {

   margin-top: 30px;

}


.m-r-xxl {

   margin-right: 30px;

}


.m-b-xxl {

   margin-bottom: 30px;

}


.m-l-xxl {

   margin-left: 30px;

}


.m-t-n-xxs {

   margin-top: -5px;

}


.m-r-n-xxs {
```

```css
  margin-right: -5px;

}


.m-b-n-xxs {

  margin-bottom: -5px;

}


.m-l-n-xxs {

  margin-left: -5px;

}


.m-t-n-xs {

  margin-top: -10px;

}


.m-r-n-xs {

  margin-right: -10px;

}


.m-b-n-xs {

  margin-bottom: -10px;

}


.m-l-n-xs {

  margin-left: -10px;
```

```css
}

.m-t-n-sm {
    margin-top: -15px;
}

.m-r-n-sm {
    margin-right: -15px;
}

.m-b-n-sm {
    margin-bottom: -15px;
}

.m-l-n-sm {
    margin-left: -15px;
}

.m-t-n-md {
    margin-top: -20px;
}

.m-r-n-md {
    margin-right: -20px;
}
```

```css
.m-b-n-md {

  margin-bottom: -20px;

}


.m-l-n-md {

  margin-left: -20px;

}


.m-t-n-lg {

  margin-top: -25px;

}


.m-r-n-lg {

  margin-right: -25px;

}


.m-b-n-lg {

  margin-bottom: -25px;

}


.m-l-n-lg {

  margin-left: -25px;

}
```

```css
.m-t-n-xxl {

    margin-top: -30px;

}


.m-r-n-xxl {

    margin-right: -30px;

}


.m-b-n-xxl {

    margin-bottom: -30px;

}


.m-l-n-xxl {

    margin-left: -30px;

}


.p {

    padding: 15px;

}


.p-h-xxs {

    padding-left: 5px;

    padding-right: 5px;

}
```

```css
.p-h-xs {

  padding-left: 10px;

  padding-right: 10px;

}


.p-h-sm {

  padding-left: 15px;

  padding-right: 15px;

}


.no-p-h {

  padding-left: 0!important;

  padding-right: 0!important;

}


.no-p-v {

  padding-top: 0;

  padding-bottom: 0;

}


.p-h-md {

  padding-left: 20px;

  padding-right: 20px;

}
```

```css
.p-h-lg {

    padding-left: 25px;

    padding-right: 25px;

}


.p-h-xxl {

    padding-left: 30px;

    padding-right: 30px;

}


.p-v-xxs {

    padding-top: 5px;

    padding-bottom: 5px;

}


.p-v-xs {

    padding-top: 10px;

    padding-bottom: 10px;

}


.p-v-sm {

    padding-top: 15px;

    padding-bottom: 15px;

}
```

```css
.p-v-md {

  padding-top: 20px;

  padding-bottom: 20px;

}


.p-v-lg {

  padding-top: 25px;

  padding-bottom: 25px;

}


.p-v-xxl {

  padding-top: 30px;

  padding-bottom: 30px;

}



/* Header */


.header-text {

  font-size: 15px;

  font-weight: bold;

}



/* Search */
```

```css
.search {

    margin-top: 6px;

    margin-left: -44px;

    line-height: 48px;

    height: 48px;

    border-radius: 2px;

    overflow: hidden;

}


.input-field input[type=search]:focus {

    background: rgba(255,255,255,0.18);

    color: #fff;

}


.search input::-webkit-input-placeholder {

    color: rgba(255,255,255,0.75)!important;

    -webkit-transition: all .3s;

    -moz-transition: all .3s;

    -o-transition: all .3s;

    transition: all .3s;

}


.search input:-moz-placeholder {

    color: rgba(255,255,255,0.75)!important;
```

```css
}

.search input::-moz-placeholder {

    color: rgba(255,255,255,0.75)!important;

}


.search input:-ms-input-placeholder {

    color: rgba(255,255,255,0.75)!important;

}


.search input:focus::-webkit-input-placeholder {

    color: #fff!important;

}


.search input:focus:-moz-placeholder {

    color: #fff!important;

}


.search input:focus::-moz-placeholder {

    color: #fff!important;

}


.search input:focus:-ms-input-placeholder {

    color: #fff!important;

}
```

```css
.search-icon {

  line-height: 48px!important;

  font-size: 20px!important;

  color: rgba(255,255,255,0.75)!important;

}


.search .input-field {

  margin-left: -44px;

  height: 48px;

}


.input-field input[type=search]+label {

  left: 50px;

}


.input-field input[type=search]:focus+label .search-icon {

  color: #fff!important;

}


.search input {

  padding: 0;

  margin: 0;

  font-size: 15px!important;

  background: rgba(255,255,255,0.18);
```

```
}


.input-field input[type=search] {

   font-size: 15px!important;

   width: 100%;

   padding-left: 85px;

}



@media (max-width: 600px) {

   .search {

      position: absolute;

      z-index: 999;

      float: none!important;

      background: #fff;

      margin: 0;

      padding: 0!important;

      left: -16px!important;

      height: 60px;

      right: -16px!important;

      border-radius: 0;

      width: calc(100% + 32px)!important;

   }


   .search.hide-on-small-and-down {
```

```css
}


.search .input-field {

   height: 60px;

}


.input-field input[type=search] {

   color: rgba(0,0,0,0.6)!important;

   line-height: 60px;

   padding: 0 54.5px 0 76.5px!important;

   font-weight: normal;

   width: calc(100% - 130.5px);

}


.input-field input[type=search]:focus {

   color: #333!important;

}


.search input::-webkit-input-placeholder {

   color: rgba(0,0,0,0.6)!important;

   -webkit-transition: all .3s;

   -moz-transition: all .3s;

   -o-transition: all .3s;

   transition: all .3s;

}
```

```css
.search input:focus::-webkit-input-placeholder {

    color: rgba(0,0,0,0.75)!important;

  }


  .search input[type=search]:focus:not([readonly]) {

    border-bottom: none;

    box-shadow: none;

  }


  .close-search {

    display: block!important;

  }

}


.close-search {

  right: 32.5px;

  position: absolute;

  top: 0;

  display: none;

}


.close-search i {

  color: rgba(0,0,0,.5)!important;

}
```

```css
/* Container */

@media screen and (min-width: 1240px) {

  .container {

    margin: auto;

    max-width: 1200px;

  }

}


/* Page Title */

.page-title {

  float: left;

  margin: 0 8px 5px 8px;

  color: #555;

  line-height: 37px;

  text-transform: uppercase;

}


.page-title-buttons {

  float: right;

  margin: 0 10px 5px 10px;
```

```css
}


.page-title-buttons a {

  box-shadow: none!important;

}


.page-title-buttons a i {

  color: #555;

}



/* Drag Target */


.drag-target {

  z-index: 996;

}



/* Menu */


@media only screen and (max-width: 992px) {

  .side-nav.fixed {

    -webkit-transform: translateX(0%);

    transform: translateX(0%);

  }
```

```css
    }

    .side-nav {

        padding: 0!important;

        height: calc(100% - 60px)!important;

        margin-top: 60px;

        z-index: 997;

        width: 220px;

    }

    #sidenav-overlay {

        display: none;

    }

    .sidebar-menu {

        padding-top: 15px!important;

        padding-bottom: 15px!important;

    }

    @media (min-width: 600px) {

        .drag-target {

            display: none;

        }

    }
```

```css
.side-nav-wrapper {

   min-height: 100%!important;

   padding-bottom: 96px;

   position: relative;

}


.side-nav ul li,

.side-nav.fixed ul li {

   padding: 0;

   -webkit-transition: all .3s;

   -moz-transition: all .3s;

   -o-transition: all .3s;

   transition: all .3s;

}


.nav-drop-icon {

   float: right!important;

   -webkit-transition: all .3s;

   -moz-transition: all .3s;

   -o-transition: all .3s;

   transition: all .3s;

}


li.active .nav-drop-icon {

   -webkit-transform: rotate(90deg);
```

```css
   -moz-transform: rotate(90deg);

   -ms-transform: rotate(90deg);

   -o-transform: rotate(90deg);

   filter: progid:DXImageTransform.Microsoft.BasicImage(rotation=-3);

}


.side-nav ul li a,

.side-nav.fixed ul li a {

   font-size: 13px;

   height: auto!important;

   color: rgba(0,0,0,0.7);

   padding: 15px 0 15px 24px!important;

   line-height: 1em!important;

}


.side-nav ul li a.active:hover,

.side-nav.fixed ul li a.active:hover {

   background: transparent!important;

}


.side-nav ul li a span.badge,

.side-nav.fixed ul li a span.badge {

   padding: 3px 6px;

   margin-top: -3px;

   font-size: 12px;
```

```css
    min-width: auto!important;

    margin-right: 5px;

}


.side-nav ul li a span.badge.new:after,

.side-nav.fixed ul li a span.badge.new:after {

    content: ""!important;

}


.side-nav ul li a.active-page,

.side-nav.fixed ul li a.active-page {

    font-weight: 500;

    color: rgba(0,0,0,0.9);

}


.side-nav ul ul li a,

.side-nav.fixed ul ul li a {

    border-left: 2px solid transparent;

    color: rgba(0,0,0,.9);

    display: block;

    font-weight: 400;

    letter-spacing: 0.1px;

    padding: 11.5px 24px 11.5px 60px!important;

    white-space: nowrap;

    margin: 0!important;
```

```css
}

.side-nav ul ul li a:hover,
.side-nav.fixed ul ul li a:hover {
    background-color: #E3E3E3!important;
}

.side-nav ul li:hover,
.side-nav.fixed ul li:hover {
    background: none;
}

.side-nav ul li.divider:hover,
.side-nav.fixed ul li.divider:hover {
    background-color: #ECECEC;
}

.side-nav li a {
    -webkit-transition: all 0s;
    -moz-transition: all 0s;
    -o-transition: all 0s;
    transition: all 0s;
}

.side-nav li a:hover {
```

```css
    background-color: #ECECEC!important;

    -webkit-transition: all 0s;

    -moz-transition: all 0s;

    -o-transition: all 0s;

    transition: all 0s;

}


.side-nav ul li:focus,

.side-nav.fixed ul li:focus,

.side-nav ul li.active,

.side-nav.fixed ul li.active {

    background-color: #F3F3F3!important;

}


.side-nav.fixed ul li.active > a.collapsible-header,

.side-nav.fixed ul li.active > a {

    font-weight: 500;

}


.side-nav ul li a i {

    font-size: 19px;

    vertical-align: middle;

    margin-right: 20px;

    color: #67696A;

}
```

```css
.side-nav ul li a i.material-icons {

  line-height: inherit;

  margin: 0 20px 0 0;

  width: auto;

}


.side-nav .collapsible-header {

  margin: 0;

  line-height: 1em;

}


.side-nav .collapsible-body,

.side-nav.fixed .collapsible-body {

  background-color: transparent;

}

.collapsible-header i {

  width: auto;

  font-size: 20px;

  line-height: inherit;

  display: inline-block;

  text-align: left;

  margin-right: 15px;

}
```

```css
.side-nav .sidenav-logo {

  position: relative;

}


.side-nav .sidenav-logo a {

  padding: 12px 0 11px 24px;

  color: #767676;

  line-height: 40px;

  font-size: 24px;

  font-weight: bold;

  border-bottom: 1px solid #E0E0E0;

}


@media (max-width: 600px) {

  .side-nav .sidenav-logo a {

    height: 56px;

    padding: 8px 0 7px 24px;

  }

}


.footer {

  border-top: 1px solid #e0e0e0;

  bottom: 0;

  color: #212121;

  font-size: 13px;
```

```css
    height: 96px;

    line-height: 24px;

    padding: 24px;

    position: absolute;

    width: 100%;

}


.footer .copyright {

    margin: 0;

}


.footer a {

    color: #0277bb!important;

    display: inline-block!important;

    font-size: 13px;

    height: auto;

    line-height: 24px;

    padding: 0!important;

}


.footer a:hover {

    background: transparent;

}


.sidebar-profile {
```

```
    padding: 25px 24px;

    background: url('../images/profile_bg.png');

    background-size: cover;

}



.sidebar-profile .sidebar-profile-image img {

    width: 50px;

    height: 50px;

}



.sidebar-profile .sidebar-profile-info {

    margin-top: 5px;

}



.sidebar-profile .sidebar-profile-info p {

    color: #000;

    font-size: 14px;

    margin: 0;

    font-weight: bold;

}



.sidebar-profile .sidebar-profile-info span {

    color: #555;

    font-size: 13px;

}
```

```css
.sidebar-profile .sidebar-profile-info i {

    color: #555;

    font-size: 19px;

}


.sidebar-profile .sidebar-profile-info a {

    height: auto;

    line-height: 1.5;

    padding: 0;

}


.sidebar-profile .sidebar-profile-info a:hover {

    background: transparent;

}


.left-sidebar-hover {

    position: fixed;

    background: transparent;

    width: 13.25px;

    left: 0;

    top: 0;

    bottom: 0;

}
```

```css
.left-sidebar-hover.right-sidebar {

   right: 0;

   left: auto;

}



/* Content */



.middle-content {

   padding-top: 25px;

   padding-right: 25px;

   float: left;

   width: calc(100% - 220px)!important;

}



.mn-inner {

   padding: 25px 25px 9.5px 25px;

   min-height: calc(100% - 181px);

}



.mn-inner.hidden-fixed-sidebar {

   padding-left: 25px!important;

}



.mn-inner.inner-active-sidebar {
```

```css
    padding-top: 0;

    padding-right: 0;

    padding-bottom: 0;

    overflow: hidden;

}


.signin-page .mn-inner,

.signup-page .mn-inner {

    min-height: 0px!important;

}



/* Inner Sidebar */


@media only screen and (min-width: 993px) and (max-width: 1200px) {

    .inner-sidebar {

        display: none!important;

    }


    .middle-content {

        width: 100%!important;

    }

}


@media only screen and (max-width: 600px)  {
```

```
    .inner-sidebar {

        display: none!important;

    }


    .middle-content {

        width: 100%!important;

    }

}


.inner-sidebar {

    display: block;

    background: #e8e8ea;

    width: 220px;

    float: right;

    min-height: calc(100% - 156px);

    padding: 5px 25px 5px 25px;

}


.inner-sidebar-title {

    line-height: 24px;

    font-size: 13px;

    font-weight: bold;

    display: block;

    text-transform: uppercase;

    margin: 30px -25px 20px -25px;
```

```css
  padding: 4px 25px;

  color: rgba(0,0,0,0.54);

}


.inner-sidebar .inner-sidebar-title:first-child {

  margin-top: 20px!important;

}


.inner-sidebar-title i {

  font-size: 16px;

  float: right;

  line-height: 24px;

}


.inner-sidebar-divider {

  width: 100%;

  height: 1px;

  background: rgba(0,0,0,.07);

  margin: 8px 0;

}


.inner-sidebar .info-item {

  overflow: hidden;

  display: block;

  width: 100%;
```

```css
  font-size: 13px;

}


.inner-sidebar .info-item .message-info {

  float: left;

  margin-left: 15px;

}


.inner-sidebar .info-item .message-info small {

  font-size: 12px;

  color: rgba(0,0,0,0.45);

}


.inner-sidebar .info-item.message-item {

  padding-bottom: 10px;

  padding-top: 10px;

}


.inner-sidebar .message-list .info-item.message-item:first-child {

  padding-top: 0!important;

}


.inner-sidebar .message-list .info-item.message-item:last-child {

  padding-bottom: 0!important;

}
```

```css
.inner-sidebar .info-item img {

    float: left;

    width: 40px;

    box-shadow: 0 2px 5px 0 rgba(0,0,0,0.08),0 2px 10px 0 rgba(0,0,0,0.06);

}


.inner-sidebar .info-item.disabled {

    opacity: 0.5;

}


.inner-sidebar .info-item .badge {

    min-width: auto!important;

    font-size: 11px;

    padding: 3px 6px;

}


.inner-sidebar .info-item .badge:after {

    content: ";

}


.sidebar-radar-chart {

    padding-bottom: 15px;

}
```

```css
/* Cards */

.card,
.card-panel {
  box-shadow: 0 2px 2px 0 rgba(0, 0, 0, 0.05),
    0 3px 1px -2px rgba(0, 0, 0, 0.08),
    0 1px 5px 0 rgba(0, 0, 0, 0.08);
  position: relative;
}

.card.card-transparent {
  background: transparent;
  box-shadow: none;
}

.card > .card-content > .card-title,
.card-panel > .card-content > .card-title,
.card > .card-reveal > .card-title {
  line-height: 24px;
  font-size: 13px;
  font-weight: bold;
  display: block;
  margin-bottom: 20px;
  text-transform: uppercase;
```

```css
    color: rgba(0,0,0,0.54);
}


.card .card-image .card-title {

    color: #fff;
}


.card.white-text .card-title {

    color: #fff;
}


.card .card-title i {

    font-size: 22px;

    line-height: 24px;

    vertical-align: top;

    margin-right: 10px;
}


.card .card-options .badge {

    right: 15px;

    top: 20px;

    color: #fff;

    font-size: 11px;

    font-weight: 600;

    padding: 2px 6px;
```

```css
    text-shadow: none;

    min-width: auto;

}


/* Code */


code {

    font-size: 85%;

    display: inline-block;

    background-color: rgba(0,0,0,.06);

    border-radius: 3px;

    white-space: pre-wrap;

}


code:before,

code:after {

    letter-spacing: -.2em;

    content: "\00a0";

}


/* Shadow */


.shadow-demo {

    background-color: #607d8b;
```

```css
  width: 100px;

  height: 100px;

  margin: 20px auto!important;

}




/* Blockquote */


blockquote {

  border-left: 5px solid #607d8b;

}




/* Modals */


.modal .modal-content h4 {

  line-height: 24px;

  font-size: 13px;

  font-weight: bold;

  display: block;

  margin-bottom: 20px;

  text-transform: uppercase;

  color: rgba(0,0,0,0.54);

}
```

```css
.modal .modal-content p {

    margin: 15px 0;

}




/* Collapsible */




.collapsible {

    -webkit-box-shadow: 0 1px 2px rgba(0,0,0,0.15);

    box-shadow: 0 1px 2px rgba(0,0,0,0.15);

}




/* Card Options */




.card-options {

    position: absolute;

    top: 0;

    right: 0;

    z-index: 9;

    padding: 20px;

}




.card-options > ul {

    margin: 0;
```

```css
  overflow: hidden;

}


.card-options > ul > li {

  display: inline-block;

  color: rgba(0,0,0,0.54);

  font-weight: bold;

  font-size: 13px;

}


.card-options > ul > li > a {

  color: #aaa;

  -webkit-transition: all .3s;

  -moz-transition: all .3s;

  -o-transition: all .3s;

  transition: all .3s;

}


.card-options > ul > li > a:hover {

  color: #333;

}


.card-options > ul > li > a > i {

  font-size: 17px;

  line-height: 24px;
```

```css
}

.card-image .card-options > ul > li > a {

    color: #ccc;

}


.card-image .card-options > ul > li > a:hover {

    color: #fff;

}


.card-options > ul > li > span {

    padding: 5px;

    border-radius: 2px;

    font-size: 12px;

}


.card .card-action a:not(.btn):not(.btn-large):not(.btn-floating) {

    color: #EE3182;

}


.card .card-action a:not(.btn):not(.btn-large):not(.btn-floating):hover {

    color: #f48fb1;

}
```

```css
/* Right Sidebar */

#chat-sidebar {

    overflow: hidden;

}


#chat-sidebar .side-nav-wrapper {

    height: 100% !important;

    min-height: 100% !important;

    padding-bottom: 48px;

}


.right-sidebar-heading {

    margin: 15px;

    font-weight: bold;

    font-size: 12px;

    text-align: center;

}


#chat-sidebar .tabs .tab a {

    font-size: 11px;

    line-height: 18px !important;

    padding: 15px 0 15px 5px !important;

    text-align: center;
```

```css
    color: #555;

    font-weight: 500;

}


#chat-sidebar .tabs .tab a:hover {

    background: none!important;

}


#chat-sidebar .tabs {

    border-bottom: 1px solid #eee;

    background: #f7f7f7;

    box-shadow: none!important;

}


.right-sidebar-panel {

    overflow-y: auto;

    position: relative;

    height: 100%;

}


.sidebar-notifications .notifications-list .notification {

    padding: 10px 15px;

    border-top: 1px solid #eee;

    overflow: hidden;

}
```

```css
.sidebar-notifications .notifications-list .notification.unread {

   background: #f7f7f7;

}


.sidebar-notifications .notifications-list .notification .notification-icon i.circle {

   font-size: 12px;

   padding: 7px;

   color: #fff;

   margin-right: 5px;

}


.sidebar-notifications .notifications-list .notification .notification-icon {

   float: left;

   display: block;

}


.sidebar-notifications .notifications-list .notification .notification-text {

   padding-left: 40px;

}


.sidebar-notifications .notifications-list .notification .notification-text p {

   margin: 0;

   font-size: 14px;

   padding-top: 3px;
```

```css
}

.sidebar-notifications .notifications-list .notifications-load-more {

    text-align: center;

}


.sidebar-notifications .notifications-list .notifications-load-more a:hover {

    background: none;

}


.sidebar-notifications .notifications-list .notifications-load-more a {

    color: #0277bb;

    font-size: 13px;

}


.sidebar-messages .chat-list {

    overflow-y: auto;

    height: calc(100% - 101px);

}


.sidebar-messages .chat-list .chat-item {

    padding: 10px 15px;

    border-top: 1px solid #eee;

    overflow: hidden;

}
```

```css
.sidebar-messages .chat-list .chat-item .chat-item-image {

    float: left;

    display: block;

}


.sidebar-messages .chat-list .chat-item .chat-item-image img {

    width: 40px;

}


.sidebar-messages .chat-list .chat-item .chat-item-info {

    padding-left: 50px;

}


.sidebar-messages .chat-list .chat-item .chat-item-info .chat-name {

    margin: 0;

    color: rgba(0,0,0,0.75);

}


.sidebar-messages .chat-list .chat-item .chat-item-info .chat-message {

    color: rgba(0,0,0,0.54);

    font-size: 12px;

}


.sidebar-messages .chat-list a {
```

```css
    height: auto;

    line-height: 1.5;

    padding: 0;

}


.sidebar-messages .chat-list a:hover {

    background: #f7f7f7;

}


.sidebar-messages {

    position: relative;

}


.sidebar-messages .chat-sidebar-options {

    position: absolute;

    bottom: 0;

    left: 0;

    right: 0;

}


.chat-sidebar-options a {

    color: #AAAAAA;

    height: auto;

    line-height: 1em;

    padding: 10px 5px;
```

```css
    margin: 0 15px

}


.chat-sidebar-options a:hover {

    background: none!important;

}


.chat-sidebar-options a i {

    font-size: 20px;

}


@media only screen and (max-width: 601px) {

    #chat-messages {

        width: 100%!important;

    }

}


#chat-messages .sidebar-chat-name {

    border-bottom: 1px solid #eee;

    padding-left: 25px;

    padding-right: 25px;

    padding-bottom: 20px;

    padding-top: 10px;

}
```

```css
#chat-messages .sidebar-chat-name a {

    float: right;

    color: #444;

    display: inline;

    font-size: 19px;

    height: auto;

    line-height: 1.5;

    padding: 0;

}


#chat-messages .sidebar-chat-name a:hover {

    background: none;

}


.message-wrapper {

    position: relative;

    overflow: hidden;

    width: 100%;

    margin: 8px 0;

    padding: 8px 0;

}


.message-wrapper .circle-wrapper {

    height: 38px;

    width: 38px;
```

```css
    background: none!important;

}


.message-wrapper .circle-wrapper a {

    height: auto;

    line-height: 1.5;

    padding: 0;

}


.message-wrapper .circle-wrapper img {

    height: 38px;

    width: 38px;

}


.message-wrapper .text-wrapper {

    padding: 10px;

    min-height: 38px;

    max-width: 60%;

    margin: 0 10px;

    box-shadow: 0 1px 2px rgba(0,0,0,0.15);

    position: relative;

    font-size: 13px;

    font-weight: 400;

    line-height: 1.8;

}
```

```css
.message-wrapper .text-wrapper + .text-wrapper {

  margin-top: 5px;

  clear: both;

}


.message-wrapper.them .text-wrapper + .text-wrapper {

  margin-left: 48px;

}


.message-wrapper.me .text-wrapper + .text-wrapper {

  margin-right: 48px;

}


.message-wrapper .text-wrapper + .text-wrapper:before {

  border-color: transparent!important;

}


.message-wrapper .text-wrapper:before {

  content: '';

  width: 0;

  height: 0;

  border-style: solid;

}
```

```css
.message-wrapper.them .circle-wrapper, .message-wrapper.them .text-wrapper {

    background: #607d8b;

    float: left;

    color: #ffffff;

}


.message-wrapper.them .text-wrapper:before {

    border-width: 0 10px 10px 0;

    border-color: transparent #607d8b transparent transparent;

    position: absolute;

    top: 0;

    left: -9px;

}


.message-wrapper.me .circle-wrapper, .message-wrapper.me .text-wrapper {

    background: #eceff1;

    float: right;

    color: #333333;

}


.message-wrapper.me .text-wrapper {

    background: #eceff1;

}


.message-wrapper.me .text-wrapper:before {
```

```css
  border-width: 10px 10px 0 0;

  border-color: #eceff1 transparent transparent transparent;

  position: absolute;

  top: 0;

  right: -9px;

}


#chat-messages {

  overflow-y: hidden;

}


.messages-container {

  padding: 10px 25px;

  overflow-y: auto;

  height: calc(100% - 147px);

}


.message-compose-box {

  position: absolute;

  bottom: 0;

  left: 0;

  right: 0;

  z-index: 99999;

  padding: 0 20px;

  width: 100%;
```

```css
    background: #fff;

}


.settings-list .setting-item {

    border-top: 1px solid #eee;

    padding: 15px 15px;

    overflow: hidden;

}


.settings-list .setting-item .setting-text {

    float: left;

    font-size: 13px;

}


.settings-list .setting-item .setting-set {

    float: right;

}


/* Search Results */


.search-results {

    position: fixed;

    top: 60px;

    left: 0;
```

```
    bottom: 0;

    right: 0;

    background: rgba(255,255,255,.98);

    z-index: 998;

    overflow-y: auto;

    display: none;

}


.search-container {

    padding: 57px 13.25px 9.5px 13.25px;

}


.search-head {

    margin-bottom: 50px;

}


.search-results-title {

    margin: 0;

    font-size: 18px;

    font-weight: 500;

    line-height: 37px;

    color: rgba(0,0,0,0.6);

}


.search-filter [type="checkbox"].filled-in:not(:checked)+label:after {
```

```css
    height: 15px;

    width: 15px;

}


.search-filter [type="checkbox"].filled-in:checked+label:before {

    width: 6px;

    height: 9.75px;

}


.search-filter [type="checkbox"]+label {

    position: relative;

    padding-left: 25px;

    cursor: pointer;

    display: inline-block;

    height: 18px;

    line-height: 18px;

    font-size: 13px;

}


.search-filter [type="checkbox"].filled-in:checked+label:after {

    width: 15px;

    height: 15px;

}


.search-filter [type="checkbox"]:checked+label:before {
```

```css
    border-right: 2px solid #fff;

    border-bottom: 2px solid #fff;

}


.search-filter [type="checkbox"].filled-in:checked+label:after {

    border: 2px solid #616161;

    background-color: #616161;

}


.search-result-highlight {

    font-weight: bold;

    color: #333;

}


.search-result-text {

    color: rgba(0,0,0,0.7)!important;

}


.search-result-container .row {

    margin-bottom: 70px;

}


.search-result-container img {

    width: 50px;

}
```

```css
.secondary-search-text {

    clear: both;

    color: #a6a8ab;

    font-size: 13px!important;

    font-weight: 400;

    display: block;

}


.secondary-search-text a:hover {

    text-decoration: underline;

}


.search-result-container .col.s3 img {

    margin-top: 6px;

    margin: auto;

    display: block;

}


.search-result-container .col.s3 .search-circle {

    margin-top: 6px;

    margin-bottom: 6px;

    margin: auto;

    display: block;

}
```

```css
.search-result-container .search-circle {

  width: 50px;

  height: 50px;

  display: inline-block;

  vertical-align: middle;

  font-size: 15px;

  color: #fff;

  font-weight: 300;

  padding-top: 14px;

  padding-left: 19.5px;

  font-weight: 500;

}


.search-file .circle {

  width: 100%;

  height: 100%;

}


.search-container .card-content,

.search-container .card-action {

  padding: 20px 20px 20px 0;

}


.search-container .card-content.first {
```

```css
    padding-top: 0px;

}


.res-not-found {

    color: #ccc;

    font-size: 32px;

    font-weight: bold;

    margin-top: -60px;

}



/* Dashboard */


.stats-counter {

    float: left;

    font-size: 24px;

    font-weight: 400;

    color: rgba(0,0,0,0.6);

    margin-bottom: 0px!important;

    display: block;

}


.stats-counter small {

    color: rgba(0,0,0,0.55);

    font-size: 13px;
```

```css
    margin-top: 5px;

    margin-left: 8px;

    font-weight: 500;

}


#sparkline-bar {

    height: 40px;

    margin-top: -30px;

}


#sparkline-line {

    height: 42px;

    margin-top: -32px;

}


#sparkline-line canvas {

    margin-left: -2px;

    margin-right: -2px;

}


#sparkline-bar canvas {

    z-index: 1;

}


.stats-card-progress {
```

```css
    background: #b2ebf2;

    border-bottom-left-radius: 2px!important;

    border-bottom-right-radius: 2px!important;

}


.stats-card-progress .determinate {

    background: #26c6da;

    border-bottom-left-radius: 2px;

}


.stats-card .card-content {

    z-index: 2;

    position: relative;

    overflow: hidden;

}


.stats-card .percent-info {

    margin-top: 12px;

}


.percent-info {

    float: right;

    font-size: 13px;

    font-weight: bold;

}
```

```css
.percent-info i {

    font-size: 18px;

    vertical-align: top;

}


.stats-info {

    margin-bottom: 22px;

}


.stats-info h5 {

    margin-left: 20px;

    text-transform: uppercase;

    font-size: 13px;

    font-weight: bold;

    color: rgba(0,0,0,0.6)

}


.stats-info ul li {

    padding: 12px 0;

    border-bottom: 1px solid #E0E0E0;

    font-size: 13px;

}


.stats-info ul li:last-child {
```

```css
    border-bottom: 0;

}


.stats-info ul {

    margin: 0px;

}


input.expand-search {

    border-radius: 20px;

    background: #f1f1f1;

    border: 0!important;

    font-size: 13px;

    padding: 2px 10px;

    height: 24px;

    width: 40px;

    margin-top: -2px;

}


input.expand-search::-webkit-input-placeholder {

    color: #aaa!important;

}


input.expand-search:-moz-placeholder {

    color: #aaa!important;

}
```

```css
input.expand-search::-moz-placeholder {

  color: #aaa!important;

}


input.expand-search:-ms-input-placeholder {

  color: #aaa!important;

}


input.expand-search.open-search {

  width: 100px;

  padding: 2px 15px;

}


input.expand-search[type=text]:focus:not([readonly]), input.expand-
search[type=password]:focus:not([readonly]), input.expand-
search[type=email]:focus:not([readonly]), input.expand-search[type=url]:focus:not([readonly]),
input.expand-search[type=time]:focus:not([readonly]), input.expand-
search[type=date]:focus:not([readonly]), input.expand-search[type=datetime-
local]:focus:not([readonly]), input.expand-search[type=tel]:focus:not([readonly]), input.expand-
search[type=number]:focus:not([readonly]), input.expand-
search[type=search]:focus:not([readonly]) {

  border-bottom: none!important;

  box-shadow: none!important;

}


#flotchart1 {

  width: 100%;
```

```css
  height: 330px;

}


#flotchart2 {

  width: 100%;

  height: 120px;

}


#flotTip {

  border-radius: 0;

  background: rgba(51,51,51,0.8);

  color: #fff;

  padding: 5px;

  font-size: 13px!important;

  z-index: 999;

}


.server-load > .server-stat {

  display: inline-block;

  margin-bottom: 5px;

  padding-left: 0;

  margin-top: 10px;

}


.server-load .server-stat span {
```

```css
    font-size: 13px;

    margin-top: 3px;

    font-weight: 400;

    color: #aaa;

}


.server-load .server-stat p {

    font-weight: 600;

    font-size: 16px;

    color: rgba(0,0,0,0.6);

}


.secondary-title {

    font-size: 12px;

    text-transform: none;

    display: block;

    font-weight: normal;

    color: #aaa;

}


.invoices-card table tbody tr:last-child {

    border: 0;

}


.invoices-card table tbody tr td.status {
```

```css
    font-weight: bold;

}


.invoices-card table i {

    font-size: 18px;

    vertical-align: middle;

    color: #555;

}


/* Progress */


.progress {

    border-radius: 0px;

}


/* Media */


.media-iframe-example {

    frameborder: 0;

}


/* Icons */
```

```css
.material-icons.icon-demo {

   line-height: 50px;

}


.icon-container i {

   font-size: 3em;

   margin-bottom: 10px;

   overflow: hidden;

   display: block;

}


.icon-container span {

   display: block;

}


.icon-container .icon-preview {

   height: 120px;

   text-align: center;

}



/* Grid */


.dynamic-color .col {
```

```css
  margin-bottom: 55px;

}


.grid-showcase .card-content {

  padding: 20px 0;

}



/* Masonry */


.grid-item {

  margin-bottom: 25px;

  width: 300px;

}



/* Helpers */


.valign-demo {

  height: 345px;

  background-color: #F2F2F2;

}


.talign-demo {

  height: 100px;
```

```css
    background-color: #F2F2F2;

    padding-left: 20px;

    padding-right: 20px;

}




/* Waves */




.waves-color-demo .btn:not(.waves-light), .waves-color-demo .btn-large:not(.waves-light) {

    background-color: #FFFFFF;

    color: #212121;

}




.waves-color-demo .collection-item {

    height: 57px;

}




/* Slider */




.slider .indicators .indicator-item.active {

    background-color: #607d8b;

}
```

```css
/* Tabs */

.tabs {
  box-shadow: 0 1px 2px rgba(0,0,0,0.15);
}

.tabs .tab a {
  color: #26a69a;
}

.tabs .tab a:hover {
  color: #b0bec5;
}

.tabs .tab.disabled a {
  color: #b0bec5;
  cursor: default;
}

.tabs .indicator {
  background-color: #26a69a;
}

/* Form Elements */
```

```css
input:not([type]), input[type=text], input[type=password], input[type=email], input[type=url],
input[type=time], input[type=date], input[type=datetime], input[type=datetime-local],
input[type=tel], input[type=number], input[type=search], textarea.materialize-textarea {

  border-bottom: 1px solid #BCBCBC;

}


input[type=text]:focus:not([readonly]), input[type=password]:focus:not([readonly]),
input[type=email]:focus:not([readonly]), input[type=url]:focus:not([readonly]),
input[type=time]:focus:not([readonly]), input[type=date]:focus:not([readonly]),
input[type=datetime-local]:focus:not([readonly]), input[type=tel]:focus:not([readonly]),
input[type=number]:focus:not([readonly]), input[type=search]:focus:not([readonly]),
textarea.materialize-textarea:focus:not([readonly]) {

  border-bottom: 1px solid #26a69a;

  box-shadow: 0 1px 0 0 #26a69a;

}


input[type=text]:focus:not([readonly])+label, input[type=password]:focus:not([readonly])+label,
input[type=email]:focus:not([readonly])+label, input[type=url]:focus:not([readonly])+label,
input[type=time]:focus:not([readonly])+label, input[type=date]:focus:not([readonly])+label,
input[type=datetime-local]:focus:not([readonly])+label,
input[type=tel]:focus:not([readonly])+label, input[type=number]:focus:not([readonly])+label,
input[type=search]:focus:not([readonly])+label, textarea.materialize-
textarea:focus:not([readonly])+label {

  color: #26a69a;

}


.input-field .prefix.active {

  color: #26a69a;

}
```

```css
.input-field label.error {

    color: #F44336;

    position: static;

    top: 0.8rem;

    left: 0.75rem;

    font-size: 0.8rem;

    cursor: text;

    -webkit-transition: .2s ease-out;

    -moz-transition: .2s ease-out;

    -o-transition: .2s ease-out;

    -ms-transition: .2s ease-out;

    transition: .2s ease-out;

}


.autocomplete-content li img {

    height: 28px;

    width: 28px;

    margin: 5px 15px;

}


.dropdown-content {

    max-height: 420px;

}
```

```css
[type="radio"]:checked+label:after {

    border: 2px solid #26a69a;

    background-color: #26a69a;

}


[type="radio"].with-gap:checked+label:before {

    border: 2px solid #26a69a;

}


[type="radio"].with-gap:checked+label:after {

    border: 2px solid #26a69a;

    background-color: #26a69a;

}


.switch label input[type=checkbox]:checked+.lever {

    background-color: #80cbc4;

}


.switch label input[type=checkbox]:checked+.lever:after {

    background-color: #26a69a;

}


[type="checkbox"]:checked+label:before {

    border-right: 2px solid #26a69a;

    border-bottom: 2px solid #26a69a;
```

```css
}


[type="checkbox"].filled-in:checked+label:after {

   border: 2px solid #26a69a;

   background-color: #26a69a;

}


.picker__date-display {

   background-color: #26a69a;

}


.picker__weekday-display {

   background-color: #00796b;

}


.picker__day.picker__day--today {

   color: #26a69a ;

}


.picker__day--selected, .picker__day--selected:hover, .picker--focused .picker__day--selected {

   background-color: #e0e0e0;

   color: #595959;

}


.picker__day.picker__day--today.picker__day--selected {
```

```css
  color: #595959;

}


.picker__close, .picker__today {

  color: #26a69a;

}


button.picker__today:focus, button.picker__clear:focus, button.picker__close:focus {

  background-color: #b2dfdb;

}


.picker__nav--prev:hover, .picker__nav--next:hover {

  background: #80cbc4;

}


input[type=range]+.thumb {

  background-color: #26a69a;

}


input[type=range] + .thumb .value {

 color: #26a69a;

}


input[type=range]::-webkit-slider-thumb {

  background-color: #26a69a;
```

```css
}


input[type=range]::-moz-range-thumb {

   background: #26a69a;

}


input[type=range]::-ms-thumb {

   background: #26a69a;

}


/* Wizard */


.wizard > .content > .title,

.tabcontrol > .content > .title {

   position: absolute;

   left: -999em;

}


.wizard .actions {

   position: relative;

   display: block;

   text-align: right;

   width: 100%;

}
```

```css
.wizard .actions ul li {

   display: inline-block;

}


.wizard .actions ul li {

   display: inline-block;

}


.wizard .steps ul li a .current-info,

.wizard .steps ul li a .number {

   display: none;

}


.wizard .tabs {

   box-shadow: none;

}


.wizard-content {

   padding: 50px 0;

}


.wizard-content img {

   display: block;

   width: 100%;

}
```

```css
.wizardTerms {

    height: 300px;

    overflow-y: scroll;

    padding: 20px;

    border: 1px solid #f1f1f1;

    margin-bottom: 40px;

}



/* Material Preloader */


#materialPreloader {

    z-index: 9999;

}



/* Image Cropper */


.img-preview {

    overflow: hidden;

    width: 240px;

    height: 240px;

}
```

```css
/* Datatables */

.datatable-example {

   cellspacing: 0;

   width: 100%;

}


.dataTable,

.dataTable th,

.dataTable td {

   border-radius: 0;

}


.dataTable th,

.dataTable td {

   padding: 15px 5px!important;

   display: table-cell;

   text-align: left;

   vertical-align: middle;

   background: none;

}


.dataTable.display tr.odd,

.dataTable.hover tr.odd {
```

```css
    background-color: transparent!important;

}


.dataTable.display tbody tr:hover,

.dataTable.hover tbody tr:hover {

    background-color: #EEEEEE!important;

}


.dataTable.display tr .sorting_1,

.dataTable.hover tr .sorting_1 {

    background-color: transparent!important;

}


table.dataTable thead th,

table.dataTable thead td {

    padding: 15px 5px!important;

    border-bottom: 1px solid #E6E6E6;

}


table.dataTable tfoot th,

table.dataTable tfoot td {

    padding: 15px 5px!important;

    border-top: 1px solid #E6E6E6;

}
```

```css
.dataTable.display tr,
.dataTable.hover tr {

  background-color: transparent!important;

  border-bottom: 1px solid #E6E6E6;

}


.dataTables_filter input {

  width: 250px;

}


table.dataTable.row-border tbody th,

table.dataTable.row-border tbody td,

table.dataTable.display tbody th,

table.dataTable.display tbody td {

  border-top: 1px solid #E6E6E6;

}


.dataTables_wrapper .dataTables_paginate .paginate_button,

.dataTables_wrapper .dataTables_paginate .paginate_button:hover,

.dataTables_wrapper .dataTables_paginate .paginate_button:focus,

.dataTables_wrapper .dataTables_paginate .paginate_button:active {

  display: inline-block;

  font-size: 1.2rem;

  padding: 0 10px;

  line-height: 30px;
```

```css
    border-radius: 2px;

    text-align: center;

    background: none;

    border: 0;

    color: #444!important;

    box-shadow: none;

}


.dataTables_wrapper .dataTables_paginate .paginate_button.current,

.dataTables_wrapper .dataTables_paginate .paginate_button.current:hover,

.dataTables_wrapper .dataTables_paginate .paginate_button.current:focus,

.dataTables_wrapper .dataTables_paginate .paginate_button.current:active {

    background: #607d8b;

    border: 0;

    color: #fff!important;

    box-shadow: none;


}


.dataTables_wrapper .dataTables_paginate .paginate_button i {

    font-size: 2.2rem;

    vertical-align: middle;

}


.dataTables_wrapper .dataTables_paginate .paginate_button {
```

```css
    color: #444;

}


.dataTables_wrapper .dataTables_paginate .paginate_button.disabled {

    color: #999;

}


.dataTables_wrapper label select,

.dataTables_wrapper label input {

    color: #333;

}


table.dataTable.row-border tbody tr:first-child th,

table.dataTable.row-border tbody tr:first-child td,

table.dataTable.display tbody tr:first-child th,

table.dataTable.display tbody tr:first-child td {

    border-top: 1px solid #E6E6E6;

}


@media only screen and (max-width: 992px) {

    .dataTable.display tbody td {

        border-top: 0!important;

    }

    table.dataTable thead .sorting_asc,

    table.dataTable thead .sorting_desc,
```

```css
    table.dataTable thead .sorting {

        background: none;

    }

}


@media only screen and (max-width: 992px) {

table.dataTable thead .sorting {

    width: auto!important;

}

}


/* Tables */

table.bordered > thead > tr,

table.bordered>tbody > tr {

    border-bottom: 1px solid #E0E0E0;

}


@media only screen and (max-width: 992px) {

    .responsive-table tfoot {

        display: none;

    }

}
```

```css
.comparison-table {

   padding: 0 0 0 220px!important;

}


.comparison-table + .page-footer {

   margin-top: 0!important;

}


.comparison-table-options {

   display: block;

   width: 100%;

   overflow: hidden;

   padding: 20px;

}


.comparison-table-options span {

   margin: 0;

   line-height: 36px;

}



/* NVD3 */


#nvd1,

#nvd2,
```

```css
#nvd3,

#nvd4,

#nvd5,

#nvd6 {

   height: 400px;

}

.nvd3 .nv-x.nv-axis line {

   stroke: none;

   fill: none;

}


.nvd3 line.nv-guideline {

   stroke-width: 1px;

   stroke-opacity: .1;

   stroke: #000;

}


.tick text,

.nvd3 .nv-axis .nv-axisMaxMin text {

   fill: rgba(0,0,0,0.54);

   font-weight: bold;

}


.domain {

   opacity: 0;
```

```css
}

.nvtooltip table {

  margin: 12px 10px 14px 15px;

  display: block;

}


.nvtooltip.xy-tooltip.nv-pointer-events-none {

  border-color: rgba(0, 0, 0, 0);

  box-shadow: 0 2px 5px 0 rgba(0,0,0,0.16),0 2px 10px 0 rgba(0,0,0,0.12);

  background: #fff;

}


.nv-axislabel {

  fill: rgba(0,0,0,0.54);

  font-weight: bold!important;

  width: 0px;

}


.nv-indexLine {

  fill: #9e9e9e;

}


.nvtooltip table td.legend-color-guide div {

  border: 0;
```

```
    border-radius: 50%;

}



/* Nestable */



.nestable-container {

    overflow: hidden;

}



.dd { position: relative; display: block; margin: 0; padding: 0; max-width: 600px; list-style: none;
font-size: 13px; line-height: 20px; }



.dd-list { display: block; position: relative; margin: 0; padding: 0; list-style: none; }

.dd-list .dd-list { padding-left: 30px; }

.dd-collapsed .dd-list { display: none; }



.dd-item,

.dd-empty,

.dd-placeholder { display: block; position: relative; margin: 0; padding: 0; min-height: 20px; font-
size: 13px; line-height: 20px; }



.dd-handle { display: block; height: 30px; margin: 5px 0; padding: 5px 10px; color: #333; text-
decoration: none; font-weight: bold;

    box-sizing: border-box; -moz-box-sizing: border-box;

    background: #f9f9f9;

    border: 1px solid #ddd;
```

```
    border-radius: 0;

    -webkit-transition: all .3s;

    -moz-transition: all .3s;

    -o-transition: all .3s;

    transition: all .3s;

}

.dd-handle:hover { color: #2ea8e5;

    box-shadow: 0 2px 2px 0 rgba(0, 0, 0, 0.05),

  0 3px 1px -2px rgba(0, 0, 0, 0.08),

  0 1px 5px 0 rgba(0, 0, 0, 0.08);}
```

```
.dd-item > button { display: block; position: relative; cursor: pointer; float: left; width: 25px; height: 20px; margin: 5px 0; padding: 0; text-indent: 100%; white-space: nowrap; overflow: hidden; border: 0; background: transparent; font-size: 12px; line-height: 1; text-align: center; font-weight: bold; }

.dd-item > button:before { content: '+'; display: block; position: absolute; width: 100%; text-align: center; text-indent: 0; }

.dd-item > button[data-action="collapse"]:before { content: '-'; }
```

```
.dd-placeholder,

.dd-empty { margin: 5px 0; padding: 0; min-height: 30px; background: #f2fbff; border: 1px dashed #b6bcbf; box-sizing: border-box; -moz-box-sizing: border-box; }

.dd-empty { border: 1px dashed #bbb; min-height: 100px; background-color: #e5e5e5;

    background-image: -webkit-linear-gradient(45deg, #fff 25%, transparent 25%, transparent 75%, #fff 75%, #fff),

                -webkit-linear-gradient(45deg, #fff 25%, transparent 25%, transparent 75%, #fff 75%, #fff);
```

```css
    background-image:   -moz-linear-gradient(45deg, #fff 25%, transparent 25%, transparent 75%,
#fff 75%, #fff),

                 -moz-linear-gradient(45deg, #fff 25%, transparent 25%, transparent 75%, #fff 75%,
#fff);

    background-image:      linear-gradient(45deg, #fff 25%, transparent 25%, transparent 75%, #fff
75%, #fff),

                 linear-gradient(45deg, #fff 25%, transparent 25%, transparent 75%, #fff 75%,
#fff);

    background-size: 60px 60px;

    background-position: 0 0, 30px 30px;

}


.dd-dragel { position: absolute; pointer-events: none; z-index: 9999; }

.dd-dragel > .dd-item .dd-handle { margin-top: 0; }

.dd-dragel .dd-handle {

    -webkit-box-shadow: 2px 4px 6px 0 rgba(0,0,0,.1);

        box-shadow: 2px 4px 6px 0 rgba(0,0,0,.1);

}


/**
 * Nestable Extras
 */


.nestable-lists { display: block; clear: both; padding: 30px 0; width: 100%; border: 0; border-top:
2px solid #ddd; border-bottom: 2px solid #ddd; }


#nestable-menu { padding: 0; margin: 20px 0; }
```

```css
#nestable-output,

#nestable2-output { width: 100%; height: 7em; font-size: 0.75em; line-height: 1.333333em; font-family: Consolas, monospace; padding: 5px; box-sizing: border-box; -moz-box-sizing: border-box; }


#nestable2 .dd-handle {

    color: #fff;

    border: 1px solid #999;

    background: #bbb;

    background: -webkit-linear-gradient(top, #bbb 0%, #999 100%);

    background:    -moz-linear-gradient(top, #bbb 0%, #999 100%);

    background:        linear-gradient(top, #bbb 0%, #999 100%);

}

#nestable2 .dd-handle:hover { background: #bbb; }

#nestable2 .dd-item > button:before { color: #fff; }


@media only screen and (min-width: 700px) {


    .dd { float: left; width: 100%; }

    .dd + .dd { margin-left: 2%; }


}


.dd-hover > .dd-handle { background: #2ea8e5 !important; }
```

```css
/**

 * Nestable Draggable Handles

 */


.dd3-content { display: block; height: 30px; margin: 5px 0; padding: 5px 10px 5px 40px; color:
#333; text-decoration: none; font-weight: bold; border: 1px solid #ccc;

   background: #fafafa;

   background: -webkit-linear-gradient(top, #fafafa 0%, #eee 100%);

   background:   -moz-linear-gradient(top, #fafafa 0%, #eee 100%);

   background:       linear-gradient(top, #fafafa 0%, #eee 100%);

   -webkit-border-radius: 3px;

       border-radius: 3px;

   box-sizing: border-box; -moz-box-sizing: border-box;

}

.dd3-content:hover { color: #2ea8e5; background: #fff; }


.dd-dragel > .dd3-item > .dd3-content { margin: 0; }


.dd3-item > button { margin-left: 30px; }


.dd3-handle { position: absolute; margin: 0; left: 0; top: 0; cursor: pointer; width: 30px; text-indent:
100%; white-space: nowrap; overflow: hidden;

   border: 1px solid #aaa;

   background: #ddd;

   background: -webkit-linear-gradient(top, #ddd 0%, #bbb 100%);

   background:   -moz-linear-gradient(top, #ddd 0%, #bbb 100%);
```

```css
    background:      linear-gradient(top, #ddd 0%, #bbb 100%);

    border-top-right-radius: 0;

    border-bottom-right-radius: 0;

}

.dd3-handle:before { content: '≡'; display: block; position: absolute; left: 0; top: 3px; width: 100%;
text-align: center; text-indent: 0; color: #fff; font-size: 20px; font-weight: normal; }

.dd3-handle:hover { background: #ddd; }


/**
 * Socialite
 */


.socialite { display: block; float: left; height: 35px; }




/* Flotchart */


#flot1,

#flot2 {

    height: 400px;

}


#flot4 {

    height: 300px;

}
```

```css
#flot3{

    width: 300px;

    height: 300px;

    margin: 0 auto;

}


#flotTip {

    border-radius: 0;

    background: rgba(51,51,51,0.8);

    box-shadow: 0 2px 5px 0 rgba(0,0,0,0.16),0 2px 10px 0 rgba(0,0,0,0.12);

    color: #fff;

    padding: 5px;

    font-size: 13px!important;

}


#flot3 .pie-chart-legend {

    padding: 5px;

}


#flot3 table {

    display: block;

    width: auto!important;

}
```

```css
#flot3 table td {

   padding: 5px;

}



/* Sparkline */



#sparkline2,

#sparkline3,

#sparkline4,

#sparkline5,

#sparkline6 {

   text-align: center;

}



.jqstooltip {

   box-sizing: content-box;

}



/* Maps */



#map-canvas {

   position: absolute;

   top: 60px;
```

```css
    bottom: 0;

    left: 0;

    right: 0;

}


.jvectormap-container {

    background: transparent!important;

}


.jvectormap-tip {

    border-radius: 0;

    background: rgba(51,51,51,0.8);

    border: 0;

    box-shadow: 0 2px 5px 0 rgba(0,0,0,0.16),0 2px 10px 0 rgba(0,0,0,0.12);

    color: #fff;

    padding: 5px;

    font-size: 13px!important;

    font-family: "Roboto", sans-serif;

}


.jvectormap-zoomout {

    left: 30px;

    top: 10px;

}
```

```css
/* Tooltips */

.material-tooltip {

    font-size: 13px;

}



/* Error Pages */

.error-page {

    padding-top: 30px;

    height: 100%;

    width: 100%;

}



.error-page.page-404 {

    background: url("../images/mountains5.png") no-repeat;

    background-size: cover;

}



.error-page.page-500 {

    background: url("../images/mountains4.png") no-repeat;

    background-size: cover;

}
```

```css
.error-page.page-coming-soon {

    background: url("../images/mountains2.jpg") no-repeat;

    background-size: cover;

}


.error-page h1 {

    font-size: 120px;

}


.error-page span.text-white {

    font-size: 22px;

}


.error-page span {

    color: #fff;

    text-shadow: 2px 2px 2px rgba(0, 0, 0, 0.3);

}


@media only screen and (max-width: 530px) {

    .page-coming-soon #countdown {

        font-size: 72px;

    }

}
```

```css
/* Invoice */

.invoice-relative-content {

    position: relative;

}


.invoice-edit-btn {

    position: absolute;

    top: -47.75px;

    right: 20px;

}


.invoice-signature {

    display: block;

    max-width: 250px;

}


/* Search */

body.search-app .search-input input::-webkit-input-placeholder {

    color: #b3e5fc!important;

}
```

```css
body.search-app .search-input input:-moz-placeholder {

    color: #b3e5fc!important;

}


body.search-app .search-input input::-moz-placeholder {

    color: #b3e5fc!important;

}


body.search-app .search-input input:-ms-input-placeholder {

    color: #b3e5fc!important;

}


.search-app .mn-content:not(.fixed-sidebar) .mn-inner,

.search-app .fixed-sidebar .mn-inner.hidden-fixed-sidebar {

    padding-top: 0;

    padding-right: 0;

    padding-left: 0!important;

}


.search-app .fixed-sidebar .mn-inner {

    padding-top: 0;

    padding-right: 0;

    padding-left: 220px!important;

}
```

```css
@media only screen and (max-width: 900px) {

  .search-app .fixed-sidebar .mn-inner {

    padding-top: 0;

    padding-right: 0;

    padding-left: 0px!important;

  }

}


.search-bg {

  margin-top: -60px;

  padding-top: 60px;

}


.search-input-container {

  margin-top: 60px;

}


.search-input input[type=text]:focus:not([readonly]), .search-input
input[type=password]:focus:not([readonly]), .search-input input[type=email]:focus:not([readonly]),
.search-input input[type=url]:focus:not([readonly]), .search-input
input[type=time]:focus:not([readonly]), .search-input input[type=date]:focus:not([readonly]),
.search-input input[type=datetime-local]:focus:not([readonly]), .search-input
input[type=tel]:focus:not([readonly]), .search-input input[type=number]:focus:not([readonly]),
.search-input input[type=search]:focus:not([readonly]),.search-input  textarea.materialize-
textarea:focus:not([readonly]) {

  border-color: #b3e5fc;

}
```

```css
.search-input input[type=text]:focus:not([readonly])+label, .search-input
input[type=password]:focus:not([readonly])+label, .search-input
input[type=email]:focus:not([readonly])+label, .search-input
input[type=url]:focus:not([readonly])+label, .search-input
input[type=time]:focus:not([readonly])+label, .search-input
input[type=date]:focus:not([readonly])+label, .search-input input[type=datetime-
local]:focus:not([readonly])+label, .search-input input[type=tel]:focus:not([readonly])+label,
.search-input input[type=number]:focus:not([readonly])+label, .search-input
input[type=search]:focus:not([readonly])+label, .search-input textarea.materialize-
textarea:focus:not([readonly])+label {

    color: #333;

}


.search-input .input-field .prefix.active {

    color: #333;

}


.search-input label {

    color: #d1d1d1;

}

.search-input input[type=text], .search-input input[type=password], .search-input input[type=email],
.search-input input[type=url], .search-input input[type=time], .search-input input[type=date],
.search-input input[type=datetime-local], .search-input input[type=tel], .search-input
input[type=number], .search-input input[type=search] {

    display: block;

    border-bottom: 1px solid #4fc3f7;

    font-size: 28px;

    height: 60px;

    font-size: 22px;

    font-weight: 300;
```

```css
  width: calc(100% - 4rem);

  color: #fff;

}


.search-tabs-row {

  margin-bottom: 0;

  padding: 0 35.5px;

}


.search-tabs-container {

  margin-bottom: 0;

}


.search-results-container {

  padding: 25px!important;

}


.search-tabs {

  background: #fff;

}


.search-tabs-container .col:first-child {

  padding: 0!important;

}
```

```css
.search-tabs .tabs {

  background: transparent;

  box-shadow: none;

}


.search-tabs .tabs .tab a {

  font-size: 13px;

  color: rgba(0,0,0,0.6);

}


.search-tabs .tabs .tab a:hover,

.search-tabs .tabs .tab a.active {

  color: rgba(0,0,0,0.7);

}


.search-tabs .tabs .tab.disabled a {

  color: #b0bec5;

  cursor: default;

}


.search-tabs .tabs .indicator {

  background-color: #EE3182;

  height: 3px;

}
```

```css
.search-stats {

   height: 48px;

}


.search-stats span {

   font-size: 13px;

   line-height: 48px;

}


.search-stats span.secondary-stats {

   color: #B8C1C4;

}


.search-page-results #web .search-result a.search-result-title {

   font-size: 15px;

   display: block;

   font-weight: 400;

   margin-bottom: 3px;

}


.search-page-results #web .search-result a.search-result-link {

   font-size: 13px;

   color: #4caf50;

   display: block;
```

```css
    font-weight: 400;

    margin-bottom: 3px;

}


.search-results span {

    font-size: 14px;

}


.search-result .search-result-description {

    font-size: 13px;

}


.search-page-results #web .divider {

    margin: 20px 0;

}


.search-image-results img {

    margin-bottom: 20px;

}


.search-tabs-header .search-tabs-button {

    margin: 18px 0 0 0;

}


.search-tabs-header .search-tabs-button i {
```

```css
    vertical-align: top;

    font-size: 16px;

    line-height: 36px;

    margin-right: 5px;

}



/* Authentication */


.signin-page {

    height: 100%;

    width: 100%;

    background: url('../images/mountains2.jpg') no-repeat;

    background-size: cover;

}


.signup-page {

    background: url('../images/mountains3.png') no-repeat;

    background-size: cover;

}


.pattern-lock-screen {

    background: url('../images/mountains5.png') no-repeat;

    background-size: cover;

}
```

```css
.pattern-lock-screen .mn-content {

  background: rgba(0,0,0,0.54);

}


#patternContainer {

  background: transparent;

}


.patt-dots {

  box-shadow: 2px 2px 2px rgba(0, 0, 0, 0.3);

}


#time,

#date {

  text-shadow: 2px 2px 2px rgba(0, 0, 0, 0.3);

}


.lock-screen-image {

  margin: 0 auto 20px auto;

  display: block;

}



/* Contact */
```

```css
#contact-map-canvas {

    width: 100%;

    height: 300px;

}



/* Calendar */



.fc-content {

    padding: 10px;

    border-radius: 2px;

    background-color: #64b5f6;

    font-weight: 400;

    border: 0!important;

}



.fc-event {

    border: 0!important;

    background: none;

}



.fc button {

    background-image: none;

    border: 0;
```

```css
  box-shadow: none;

  background-color: transparent;

  color: #343434;

  cursor: pointer;

  -webkit-transition: all .3s;

  -moz-transition: all .3s;

  -o-transition: all .3s;

  transition: all .3s;

}


.fc button:hover {

  background-color: #f1f1f1;

}


.fc-toolbar h2 {

  font-size: 18px;

}


/* Mailbox */


body.mailbox .mn-inner {

  padding-top: 0!important;

  padding-bottom: 0!important;

  padding-right: 0!important;
```

```css
}


@media (min-width: 993px){

body.mailbox .mn-content.fixed-sidebar .mn-inner {

    padding-left: 221px;

    width: 100%;

  }

}


body.mailbox .page-footer {

  margin-top: 0;

}


.mailbox .mn-inner.hidden-fixed-sidebar {

  padding-left: 0px!important;

}


.mailbox .modal {

  width: 35%;

  background-color: #fff;

}


.mailbox .modal .modal-footer .btn-floating {

  float: right;

  margin: 6px 0;
```

```
}


.mailbox .modal-content > .row {

   margin: 0 -20px;

}


.mailbox .modal .modal-footer {

   padding: 12px 24px;

   height: 74px;

   z-index: 1;

}


.mailbox-content.card {

   margin: 0!important;

}


.card.mailbox-content {

   box-shadow: none;

}


.card.mailbox-content .card-content {

   padding: 0;

}


.mailbox-content .row {
```

```css
    margin-left: 0;

    margin-right: 0;

}


.mailbox-list {

    position: relative;

    margin: 0 -10.5px 0 -12px;

    overflow: auto;

    background-color: #fff;

    box-shadow: 0 2px 5px 0 rgba(0,0,0,0.16),0 2px 10px 0 rgba(0,0,0,0.12);

    max-height: 900px;

}


.mailbox-list ul {

    margin: 0;

}


.mailbox-list a {

    padding: 20px 20px 20px 50px;

    display: block;

    border-bottom: 1px solid #E0E0E0;

    color: #555555;

    font-size: 13px;

    position: relative;

    padding: 20px 20px 20px 51.5px;
```

```
}


.mailbox-list ul li:last-child a {

   border-bottom: none;

}


.mailbox-list a:hover {

   background: rgba(0,0,0,.05);

}


.mailbox-list a .mail-author {

   font-size: 13px;

   font-weight: 500;

   margin: 0 0 5px 0;

}


.mailbox-list a .mail-title {

   font-size: 15px;

   font-weight: 500;

   margin: 0 0 5px 0;

}


.mailbox-list a .mail-text {

   font-weight: 400;

   color: #a3a8a8;
```

```css
}


.mailbox-list a .mail-date {

   font-size: 11px;

   color: #969c9c;

}


.mailbox-list a .mail-attachment i {

   font-size: 18px;

   color: #969c9c;

}


.mailbox-list a .mail-checkbox {

   position: absolute;

   left: 16.5px;

   top: 50%;

   margin-top: -10px;

}


.mailbox-list a .mail-checkbox [type="checkbox"].filled-in:checked+label:before {

   width: 7px;

   height: 12px;

}


.mailbox-list a .mail-checkbox [type="checkbox"].filled-in:not(:checked)+label:after {
```

```css
  height: 18px;

  width: 18px;

}


.mailbox-list a .mail-checkbox [type="checkbox"].filled-in:checked+label:after {

  height: 18px;

  width: 18px;

}


.mailbox-list a .mail-checkbox [type="checkbox"].filled-in:checked+label:after {

  border: 2px solid #616161;

  background-color: #616161;

}


.mailbox-list a.mail-active {

  background: #fff8e1;

}


.mailbox-view {

  padding: 25px 25px 25px 25px;

  overflow: hidden;

}


.mailbox-view .mailbox-title {

  color: #313534;
```

```
    font-size: 17px;

    display: block;

    line-height: 1;

    margin-top: 8px;

    margin-bottom: 1px;

}


.mailbox-view .mailbox-author {

    color: #aaa;

    font-size: 12px;

    font-weight: 400;

}


.mailbox-options {

    display: block;

    margin: 0 -10.5px;

}


.mailbox-options ul {

    overflow: hidden;

    background: #f9f9f9;

    border-bottom: 1px solid #e0e0e0;

    margin: 0;

    padding-left: 20px;

}
```

```
.mailbox-options ul li {

    float: left;

}


.mailbox-options ul li a {

    display: block;

    font-size: 13px;

    padding: 12px 16px;

    color: rgba(0,0,0,.7);

}


.mailbox-text {

    clear: both;

}


.mailbox-profile-image {

    width: 50px;

    margin-right: 15px;

}


.mailbox-details {

    margin-bottom: 20px;

    width: 200px;

    font-size: 13px;
```

```css
}

.mailbox-details .first-col {

    padding-left: 0px;

}


.mailbox-details .first-col span {

    font-weight: bold;

    color: #333;

    display: block;

}


.mailbox .inner-sidebar {

    background: transparent;

    float: left;

}


.mailbox .middle-content {

    padding-top: 0;

    padding-right: 0;

}


.mailbox .mailbox-content {

    border-right: 1px solid #e0e0e0;

}
```

```css
.details-list {

   display: none;

   margin-top: 10px;

}


.mailbox-divider {

   margin-top: 25px;

   margin-bottom: 10px;

   display: block;

   float: none;

   clear: both;

}


.attachment-info {

   font-size: 13px;

}


.details-toggle,
.attachment-info a {

   font-weight: 400;

   font-size: 13px;

}


.attachment-info p {
```

```css
    color: rgba(0,0,0,0.65)!important;

}


.attachment-info i {

    font-size: 18px;

    vertical-align: top;

    margin-right: 5px;

}


.attachment-list li {

    position: relative;

    width: 200px;

    float: left;

    margin-right: 10px;

    margin-bottom: 15px;

}


.attachment-list li .attachment {

    display: block;

}


.attachment-list li .attachment img {

    display: block;

    width: 100%;

}
```

```css
.attachment-list li .attachment .attachment-info {

  padding: 10px;

}


.attachment-list li .attachment .attachment-info span {

  font-size: 11px;

  color: #aaa;

}


.mailbox-view-header {

  overflow: hidden;

  padding-left: 3px;

  padding-top: 1px;

}


.simditor,

.simditor .simditor-toolbar {

  border-color: #e0e0e0;

}


.simditor .simditor-body {

  min-height: 150px;

}
```

```css
.simditor .simditor-body,

.editor-style {

    line-height: 1.5;

    font-family: "Roboto", sans-serif;

    font-weight: normal;

    color: rgba(0,0,0,0.87);

    font-size: 14px;

}



/* File Manager */


.file-manager .inner-sidebar {

    width: 300px;

    height: 100%;

    position: fixed;

    right: 0;

    padding: 0;

}


.file-manager .middle-content {

    width: calc(100% - 300px)!important;

}


.file-manager .file-info-header {
```

```css
    height: 200px;

    width: 100%;

    position: relative;

    padding: 5px 25px 5px 25px;

}


.file-manager .file-info-header .file-name-container {

    position: absolute;

    bottom: 0;

    padding-bottom: 20px;

}


.file-manager .file-info-header .file-name-container span {

    clear: both;

    display: block;

}


/* Todo */


.todo-nav {

    overflow: hidden;

    display: block;

}
```

```css
.todo-nav li {

  float: left;

  margin: 0 10px;

}


@media only screen and (max-width: 525px) {

  .todo-nav li {

    float: none;

    margin: 10px 0;

  }

}


.todo-list.only-active .todo-item.complete {

  display: none;

}


.todo-list.only-active .todo-item:not(.complete) {

  display: block;

}


.todo-list.only-complete .todo-item:not(.complete) {

  display: none;

}


.todo-list.only-complete .todo-item.complete {
```

```css
    display: block;

}


.todo-list .todo-item.complete span {

    text-decoration: line-through;

}


.remove-todo-item {

    color: #ccc;

    visibility: hidden;

    float: right;

}


.remove-todo-item:hover {

    color: #5f5f5f;

}


.todo-item:hover .remove-todo-item {

    visibility: visible;

}


.todo-item {

    padding: 10px;

    border-bottom: 1px solid #f1f1f1;

}
```

```css
.all-check {

   padding: 20px 10px 10px 10px;

}



/* Footer */


.page-footer {

   margin-top: 25px;

   border-top: 1px solid #E0E0E0;

   clear: left;

   height: 96px;

   padding-left: 220px;

   position: relative;

   width: 100%;

   z-index: 0;

   -webkit-transition: padding-left 0.2s cubic-bezier(0.4, 0, 0.2, 1);

   -moz-transition: padding-left 0.2s cubic-bezier(0.4, 0, 0.2, 1);

   transition: padding-left 0.2s cubic-bezier(0.4, 0, 0.2, 1);

}


@media screen and (max-width: 1479px) {

.page-footer {

   padding-left: 0;
```

```css
    z-index: 0;

  }

}


.page-footer .footer-l {

    height: 100%;

    left: 0;

    position: absolute;

    top: 0;

    width: 50.1%;

    z-index: -1;

}


.page-footer .container .footer-grid-l {

    height: 100%;

    float: left;

    width: 50%;

}


.page-footer .footer-grid {

    height: 100%;

    z-index: 20;

}


.fixed-sidebar .page-footer .footer-grid.container {
```

```
    width: 100%!important;

    max-width: 100%!important;

}


.page-footer .footer-r {

    float: left;

    height: 100%;

    position: absolute;

    right: 0;

    top: 0;

    width: 50%;

    z-index: -1;

}


.page-footer .footer-grid .footer-grid-r {

    height: 100%;

    float: right;

    text-align: right;

    width: 50%;

}


.page-footer .footer-grid .footer-grid-l .footer-text {

    display: inline-block;

    font-size: 18px;

    font-weight: 500;
```

```
    -webkit-font-smoothing: antialiased;

    height: 100%;

    line-height: 24px;

    padding-top: 24px;

    width: 100%;

}


.page-footer .footer-grid .footer-grid-l .footer-text .arrow-l {

    float: left;

    margin-right: 10px;

    padding-top: 23px;

    width: 24px;

}


.page-footer .footer-grid .footer-grid-L .footer-text span {

    font-size: 15px;

    line-height: 18px;

    margin-bottom: 1px;

}


.page-footer .footer-grid .footer-grid-r .footer-text {

    display: inline-block;

    font-size: 18px;

    font-weight: 500;

    -webkit-font-smoothing: antialiased;
```

```css
    height: 100%;

    line-height: 24px;

    padding-top: 24px;

    width: 100%;

}


.page-footer .footer-grid .footer-grid-r .footer-text .arrow-r {

    float: right;

    margin-left: 10px;

    padding-top: 23px;

    width: 24px;

}


.page-footer .footer-grid .footer-text span {

    font-size: 14px;

    line-height: 18px;

    margin-bottom: 1px;

}


.footer-text {

    color: #455a64;

}


.footer-text span.direction {

    color: rgba(69,90,100,.55);
```

```
}
```

alpha.js:

```javascript
$( document ).ready(function() {



  if ($('.material-design-hamburger__icon').length === 1) {
    document.querySelector('.material-design-hamburger__icon').addEventListener(
      'click',
      function() {
        var child;
        document.body.classList.toggle('background--blur');
        this.parentNode.nextElementSibling.classList.toggle('menu--on');


        child = this.childNodes[1].classList;


        if (child.contains('material-design-hamburger__icon--to-arrow')) {
          child.remove('material-design-hamburger__icon--to-arrow');
          child.add('material-design-hamburger__icon--from-arrow');
        } else {
          child.remove('material-design-hamburger__icon--from-arrow');
          child.add('material-design-hamburger__icon--to-arrow');
        }
      }
    );
  }
```

```
$(".fixed-sidebar .navigation-toggle a").removeClass('button-collapse');

$(".fixed-sidebar .navigation-toggle a").addClass('reverse-icon');


    $(".fixed-sidebar .navigation-toggle a").click(function() {

        $('#slide-out').toggle();

        $('.mn-inner').toggleClass('hidden-fixed-sidebar');

        $('.mn-content').toggleClass('fixed-sidebar-on-hidden');

        $(document).trigger('fixedSidebarClick');

    });


if(($(window).width() < 993)&&(!$('.mn-content').hasClass('fixed-sidebar-on-hidden'))){

    $(".fixed-sidebar .navigation-toggle a").click();

    $('.fixed-sidebar .navigation-toggle a span').addClass('material-design-hamburger__icon--to-arrow');

};


// Menu

$('.sidebar-menu > li > a.collapsible-header').click(function() {

    $('.sidebar-menu > li > a.active:not(.collapsible-header)').parent().removeClass('active');

    $('.sidebar-menu > li > a.active:not(.collapsible-header)').removeClass('active');

});


// Search toggle

$('.search-toggle').click(function() {

    $('.search').removeClass('hide-on-small-and-down');
```

```javascript
    $('.search input').focus();

});


$('.close-search').click(function() {

    $('.search').addClass('hide-on-small-and-down');

});


// Search Results

$('.search-results').hide();

if(!$('body').hasClass('quick-results-off')) {

$(document).mouseup(function (e){

    var container = $(".search-results");

    var container2 = $(".search input#search");

    if (!container.is(e.target)

        && !container2.is(e.target)

        && container.has(e.target).length === 0

        && container2.has(e.target).length === 0)

    {

        container.fadeOut(300);

    }

});

$(document).keyup(function(e) {

    if (e.keyCode == 27) {

        $(".search-results").fadeOut(300);

        $(".search input#search").blur();
```

```javascript
    }   // esc

});


$('.search input#search').focus(function() {

   if($.trim($('.search input#search').val()).length != 0){

      $('.search-results').fadeIn(300);

   }

});


$(".search input#search").keypress(function(){

   $('.search-results').fadeIn(300);

});


$('.search-result-container').fadeOut();

var delay = (function(){

   var timer = 0;

   return function(callback, ms){

      clearTimeout (timer);

      timer = setTimeout(callback, ms);

   };

})();

$('.search-result-container').fadeOut(1);

$('.res-not-found').fadeOut(1);

$('.search input#search').on('input', function() {

   $('.search-result-container').fadeOut(1);
```

```javascript
    $('.res-not-found').fadeOut(1);

    delay(function(){

        if(!$.trim($('.search input#search').val()).length != 0) {

            $('.search-result-container').fadeOut(1);

            $('.res-not-found').fadeIn(1);

        } else {

            $('.search-result-container').fadeIn();

        }

    }, 500 );

    $('.search-text').text(this.value);

});

}

// Sidebar Account Settings

$('.sidebar-account-settings:not(.show)').fadeOut(0);

$('.account-settings-link').click(function() {

    if(!$('.sidebar-account-settings').hasClass('show')){

        $('.sidebar-account-settings').fadeIn(300);

        $('.sidebar-menu').fadeOut(0);

        $('.sidebar-account-settings').addClass('show');

    } else {

        $('.sidebar-account-settings').fadeOut(0);

        $('.sidebar-menu').fadeIn(300);

        $('.sidebar-account-settings').removeClass('show');

    }

});
```

```javascript
// Right Dropdown

$('.dropdown-right').dropdown({

    alignment: 'right' // Displays dropdown with edge aligned to the left of button

});


// Initialize collapse button

$('.button-collapse:not(.right-sidebar-button)').sideNav();

$('.button-collapse.right-sidebar-button').sideNav({

    edge: 'right'

});

$('.chat-button').sideNav({

    edge: 'right'

});

$('.chat-message-link').sideNav({

    menuWidth: 320,

    edge: 'right'

});

$('.chat-message').click(function() {

    $('.chat-message-link').click();

});


$('.collapsible').collapsible();

 $('.slider').slider({full_width: true});
```

```
$('.left-sidebar-hover').mouseover(function() {

    $('.button-collapse').click();

    $('.material-design-hamburger__layer').removeClass('material-design-hamburger__icon--from-arrow');

    $('.material-design-hamburger__layer').addClass('material-design-hamburger__icon--to-arrow');

    $('#slide-out').addClass('openOnHover');

  $('#slide-out').mouseleave(function() {

    if($(this).hasClass('openOnHover')){

    $('.button-collapse').click();

    $('.material-design-hamburger__layer').addClass('material-design-hamburger__icon--from-arrow');

    $('.material-design-hamburger__layer').removeClass('material-design-hamburger__icon--to-arrow');

    $('#slide-out').removeClass('openOnHover');}

  });


  });

  // Modal

  $('.modal-trigger').leanModal();


  // Select

  $('select').material_select();


  // Material Preloader
```

```javascript
preloader = new $.materialPreloader({

   position: 'top',

   height: '5px',

   col_1: '#159756',

   col_2: '#da4733',

   col_3: '#3b78e7',

   col_4: '#fdba2c',

   fadeIn: 200,

   fadeOut: 200

});

preloader.on();

$(window).load(function() {

   preloader.off();

});


// Element Blocking

function blockUI(item) {

   $(item).block({

      message: '',

      css: {

         border: 'none',

         padding: '0px',

         margin: '-20px 0 0 0',

         width: '100%',

         height: '100%',
```

```
        backgroundColor: 'transparent'

      },

      overlayCSS: {

        backgroundColor: '#fff',

        opacity: 0.6,

        cursor: 'wait'

      }

  });

}


function unblockUI(item) {

  $(item).unblock();

}


// Card Options
$('.card-refresh').click(function() {

  var el = $(this).closest('.card')

  blockUI(el);

  window.setTimeout(function () {

    unblockUI(el);

  }, 1000);

});


$('.card-remove').click(function() {

  $(this).closest('.card').fadeOut(300);
```

```javascript
  });


  window.onload = function() {

    setTimeout(function(){

      $('body').addClass('loaded');

    }, 1000);

    setTimeout(function(){

      $('.loader').fadeOut('400');

    }, 600);

  }


  $('input.expand-search').click(function(){

    $(this).addClass('open-search');

  });

  $('input.expand-search').blur(function(){

    $(this).removeClass('open-search');

  });

});
```

elms.sql:

```sql
-- phpMyAdmin SQL Dump

-- version 4.4.14

-- http://www.phpmyadmin.net

--

-- Host: 127.0.0.1

-- Generation Time: Dec 03, 2017 at 10:02 AM
```

-- Server version: 5.6.26

-- PHP Version: 5.5.28

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";

SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;

/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;

/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;

/*!40101 SET NAMES utf8mb4 */;

--

-- Database: `elms`

--

-- --

--

-- Table structure for table `admin`

--

CREATE TABLE IF NOT EXISTS `admin` (

  `id` int(11) NOT NULL,

  `UserName` varchar(100) NOT NULL,

```
  `Password` varchar(100) NOT NULL,

  `updationDate` timestamp NOT NULL DEFAULT '0000-00-00 00:00:00' ON UPDATE
CURRENT_TIMESTAMP

) ENGINE=InnoDB AUTO_INCREMENT=2 DEFAULT CHARSET=latin1;


--

-- Dumping data for table `admin`

--


INSERT INTO `admin` (`id`, `UserName`, `Password`, `updationDate`) VALUES

(1, 'admin', '5c428d8875d2948607f3e3fe134d71b4', '2017-10-30 11:42:58');


-- --------------------------------------------------------


--

-- Table structure for table `tbldepartments`

--


CREATE TABLE IF NOT EXISTS `tbldepartments` (

  `id` int(11) NOT NULL,

  `DepartmentName` varchar(150) DEFAULT NULL,

  `DepartmentShortName` varchar(100) NOT NULL,

  `DepartmentCode` varchar(50) DEFAULT NULL,

  `CreationDate` timestamp NULL DEFAULT CURRENT_TIMESTAMP

) ENGINE=InnoDB AUTO_INCREMENT=5 DEFAULT CHARSET=latin1;
```

--

-- Dumping data for table `tbldepartments`

--

INSERT INTO `tbldepartments` (`id`, `DepartmentName`, `DepartmentShortName`, `DepartmentCode`, `CreationDate`) VALUES

(1, 'Human Resource', 'HR', 'HR001', '2017-11-01 07:16:25'),

(2, 'Information Technology', 'IT', 'IT001', '2017-11-01 07:19:37'),

(3, 'Operations', 'OP', 'OP1', '2017-12-02 21:28:56');

-- --

--

-- Table structure for table `tblemployees`

--

CREATE TABLE IF NOT EXISTS `tblemployees` (

 `id` int(11) NOT NULL,

 `EmpId` varchar(100) NOT NULL,

 `FirstName` varchar(150) NOT NULL,

 `LastName` varchar(150) NOT NULL,

 `EmailId` varchar(200) NOT NULL,

 `Password` varchar(180) NOT NULL,

 `Gender` varchar(100) NOT NULL,

 `Dob` varchar(100) NOT NULL,

 `Department` varchar(255) NOT NULL,

`Address` varchar(255) NOT NULL,

`City` varchar(200) NOT NULL,

`Country` varchar(150) NOT NULL,

`Phonenumber` char(11) NOT NULL,

`Status` int(1) NOT NULL,

`RegDate` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP

) ENGINE=InnoDB AUTO_INCREMENT=3 DEFAULT CHARSET=latin1;

--

-- Dumping data for table `tblemployees`

--

INSERT INTO `tblemployees` (`id`, `EmpId`, `FirstName`, `LastName`, `EmailId`, `Password`, `Gender`, `Dob`, `Department`, `Address`, `City`, `Country`, `Phonenumber`, `Status`, `RegDate`) VALUES

(1, 'EMP10806121', 'Johnny', 'doe', 'johnny@gmail.com', 'f925916e2754e5e03f75dd58a5733251', 'Male', '3 February, 1990', 'Human Resource', 'N NEPO', 'NEPO', 'IRE', '9857555555', 1, '2017-11-10 11:29:59'),

(2, 'DEMP2132', 'James', 'doe', 'james@gmail.com', 'f925916e2754e5e03f75dd58a5733251', 'Male', '3 February, 1990', 'Information Technology', 'N NEPO', 'NEPO', 'IRE', '8587944255', 1, '2017-11-10 13:40:02');

-- --

--

-- Table structure for table `tblleaves`

--

CREATE TABLE IF NOT EXISTS `tblleaves` (

 `id` int(11) NOT NULL,

 `LeaveType` varchar(110) NOT NULL,

 `ToDate` varchar(120) NOT NULL,

 `FromDate` varchar(120) NOT NULL,

 `Description` mediumtext NOT NULL,

 `PostingDate` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP,

 `AdminRemark` mediumtext,

 `AdminRemarkDate` varchar(120) DEFAULT NULL,

 `Status` int(1) NOT NULL,

 `IsRead` int(1) NOT NULL,

 `empid` int(11) DEFAULT NULL

) ENGINE=InnoDB AUTO_INCREMENT=11 DEFAULT CHARSET=latin1;

--

-- Dumping data for table `tblleaves`

--

INSERT INTO `tblleaves` (`id`, `LeaveType`, `ToDate`, `FromDate`, `Description`, `PostingDate`, `AdminRemark`, `AdminRemarkDate`, `Status`, `IsRead`, `empid`) VALUES

(7, 'Casual Leave', '30/11/2017', '29/10/2017', 'test description test descriptiontest descriptiontest descriptiontest descriptiontest descriptiontest descriptiontest description', '2017-11-19 13:11:21', 'Lorem Ipsum is placeholder text commonly used in the graphic, print, and publishing industries for previewing layouts and visual mockups.\r\n', '2017-12-02 23:26:27 ', 2, 1, 1),

(8, 'Medical Leave test', '21/10/2017', '25/10/2017', 'test description test descriptiontest descriptiontest descriptiontest descriptiontest descriptiontest description', '2017-11-20 11:14:14', 'Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation

ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.', '2017-12-02 23:24:39 ', 1, 1, 1),

(9, 'Medical Leave test', '08/12/2017', '12/12/2017', 'Lorem Ipsum is placeholder text commonly used in the graphic, print, and publishing industries for previewing layouts and visual mockups.\r\n', '2017-12-02 18:26:01', NULL, NULL, 0, 1, 2),

(10, 'Restricted Holiday(RH)', '25/12/2017', '25/12/2017', 'Lorem Ipsum is placeholder text commonly used in the graphic, print, and publishing industries for previewing layouts and visual mockups.', '2017-12-03 08:29:07', 'Lorem Ipsum is placeholder text commonly used in the graphic, print, and publishing industries for previewing layouts and visual mockups.', '2017-12-03 14:06:12 ', 1, 1, 1);

-- --

--

-- Table structure for table `tblleavetype`

--

CREATE TABLE IF NOT EXISTS `tblleavetype` (

  `id` int(11) NOT NULL,

  `LeaveType` varchar(200) DEFAULT NULL,

  `Description` mediumtext,

  `CreationDate` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP

) ENGINE=InnoDB AUTO_INCREMENT=4 DEFAULT CHARSET=latin1;

--

-- Dumping data for table `tblleavetype`

--

INSERT INTO `tblleavetype` (`id`, `LeaveType`, `Description`, `CreationDate`) VALUES

(1, 'Casual Leave', 'Casual Leave ', '2017-11-01 12:07:56'),

(2, 'Medical Leave test', 'Medical Leave test', '2017-11-06 13:16:09'),

(3, 'Restricted Holiday(RH)', 'Restricted Holiday(RH)', '2017-11-06 13:16:38');

--

-- Indexes for dumped tables

--

--

-- Indexes for table `admin`

--

ALTER TABLE `admin`

  ADD PRIMARY KEY (`id`);

--

-- Indexes for table `tbldepartments`

--

ALTER TABLE `tbldepartments`

  ADD PRIMARY KEY (`id`);

--

-- Indexes for table `tblemployees`

--

```sql
ALTER TABLE `tblemployees`

  ADD PRIMARY KEY (`id`);


--

-- Indexes for table `tblleaves`

--

ALTER TABLE `tblleaves`

  ADD PRIMARY KEY (`id`),

  ADD KEY `UserEmail` (`empid`);


--

-- Indexes for table `tblleavetype`

--

ALTER TABLE `tblleavetype`

  ADD PRIMARY KEY (`id`);


--

-- AUTO_INCREMENT for dumped tables

--


--

-- AUTO_INCREMENT for table `admin`

--

ALTER TABLE `admin`

  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,AUTO_INCREMENT=2;
```

--

-- AUTO_INCREMENT for table `tbldepartments`

--

ALTER TABLE `tbldepartments`

  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,AUTO_INCREMENT=5;

--

-- AUTO_INCREMENT for table `tblemployees`

--

ALTER TABLE `tblemployees`

  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,AUTO_INCREMENT=3;

--

-- AUTO_INCREMENT for table `tblleaves`

--

ALTER TABLE `tblleaves`

  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,AUTO_INCREMENT=11;

--

-- AUTO_INCREMENT for table `tblleavetype`

--

ALTER TABLE `tblleavetype`

  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT,AUTO_INCREMENT=4;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;

/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;

/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;

apply-leave.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['emplogin'])==0)

   {

header('location:index.php');

}

else{

if(isset($_POST['apply']))

{

$empid=$_SESSION['eid'];

 $leavetype=$_POST['leavetype'];

$fromdate=$_POST['fromdate'];

$todate=$_POST['todate'];

$description=$_POST['description'];

$status=0;

$isread=0;

if($fromdate > $todate){

        $error=" ToDate should be greater than FromDate ";

    }

$sql="INSERT INTO tblleaves(LeaveType,ToDate,FromDate,Description,Status,IsRead,empid)
VALUES(:leavetype,:fromdate,:todate,:description,:status,:isread,:empid)";

$query = $dbh->prepare($sql);

$query->bindParam(':leavetype',$leavetype,PDO::PARAM_STR);
```

```php
$query->bindParam(':fromdate',$fromdate,PDO::PARAM_STR);

$query->bindParam(':todate',$todate,PDO::PARAM_STR);

$query->bindParam(':description',$description,PDO::PARAM_STR);

$query->bindParam(':status',$status,PDO::PARAM_STR);

$query->bindParam(':isread',$isread,PDO::PARAM_STR);

$query->bindParam(':empid',$empid,PDO::PARAM_STR);

$query->execute();

$lastInsertId = $dbh->lastInsertId();

if($lastInsertId)

{

$msg="Leave applied successfully";

}

else

{

$error="Something went wrong. Please try again";

}


}


    ?>


<!DOCTYPE html>

<html lang="en">

    <head>
```

```html
<!-- Title -->

<title>Employee | Apply Leave</title>


<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/>

<meta charset="UTF-8">

<meta name="description" content="Responsive Admin Dashboard Template" />

<meta name="keywords" content="admin,dashboard" />

<meta name="author" content="Steelcoders" />


<!-- Styles -->

<link type="text/css" rel="stylesheet" href="assets/plugins/materialize/css/materialize.min.css"/>

<link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

<link href="assets/plugins/material-preloader/css/materialPreloader.min.css" rel="stylesheet">

<link href="assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

<link href="assets/css/custom.css" rel="stylesheet" type="text/css"/>
<style>
    .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
```

```css
.succWrap{

    padding: 10px;

    margin: 0 0 20px 0;

    background: #fff;

    border-left: 4px solid #5cb85c;

    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}
```

```html
    </style>



  </head>

  <body>

<?php include('includes/header.php');?>



    <?php include('includes/sidebar.php');?>

  <main class="mn-inner">

        <div class="row">

          <div class="col s12">

             <div class="page-title">Apply for Leave</div>

          </div>

          <div class="col s12 m12 l8">

            <div class="card">

               <div class="card-content">
```

```html
<form id="example-form" method="post" name="addemp">

  <div>

    <h3>Apply for Leave</h3>

    <section>

      <div class="wizard-content">

        <div class="row">

          <div class="col m12">

            <div class="row">
```

```php
<?php if($error){?><div class="errorWrap"><strong>ERROR </strong>:<?php echo
htmlentities($error); ?> </div><?php }

        else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
```

```html
<div class="input-field col  s12">

<select  name="leavetype" autocomplete="off">

<option value="">Select leave type...</option>
```

```php
<?php $sql = "SELECT  LeaveType from tblleavetype";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{   ?>
```

```
<option value="<?php echo htmlentities($result->LeaveType);?>"><?php echo
htmlentities($result->LeaveType);?></option>

<?php }} ?>

</select>

</div>




<div class="input-field col m6 s12">

<label for="fromdate">From  Date</label>

<input placeholder="" id="mask1" name="fromdate" class="masked" type="text" data-
inputmask="'alias': 'date'" required>

</div>

<div class="input-field col m6 s12">

<label for="todate">To Date</label>

<input placeholder="" id="mask1" name="todate" class="masked" type="text" data-
inputmask="'alias': 'date'" required>

</div>

<div class="input-field col m12 s12">

<label for="birthdate">Description</label>


<textarea id="textarea1" name="description" class="materialize-textarea" length="500"
required></textarea>

</div>

</div>

    <button type="submit" name="apply" id="apply" class="waves-effect waves-light btn indigo
m-b-xs">Apply</button>
```

```
                    </div>

                </div>

            </section>




            </section>

          </div>

        </form>

      </div>

     </div>

   </div>

  </main>

</div>

<div class="left-sidebar-hover"></div>


<!-- Javascripts -->

<script src="assets/plugins/jquery/jquery-2.2.0.min.js"></script>

<script src="assets/plugins/materialize/js/materialize.min.js"></script>

<script src="assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

<script src="assets/plugins/jquery-blockui/jquery.blockui.js"></script>

<script src="assets/js/alpha.min.js"></script>

<script src="assets/js/pages/form_elements.js"></script>

 <script src="assets/js/pages/form-input-mask.js"></script>

    <script src="assets/plugins/jquery-inputmask/jquery.inputmask.bundle.js"></script>
```

```php
    </body>

</html>

<?php } ?>
```

chatwith-admin.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['emplogin'])==0)

  {

header('location:index.php');

}

else{


 ?>
```

```html
<!DOCTYPE html>

<html lang="en">

  <head>


    <!-- Title -->

    <title>Employee | Leave History</title>


    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

    <meta charset="UTF-8">

    <meta name="description" content="Responsive Admin Dashboard Template" />
```

```html
<meta name="keywords" content="admin,dashboard" />

<meta name="author" content="Steelcoders" />


<!-- Styles -->

<link type="text/css" rel="stylesheet"
href="assets/plugins/materialize/css/materialize.min.css"/>

<link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

<link href="assets/plugins/material-preloader/css/materialPreloader.min.css" rel="stylesheet">

<link href="assets/plugins/datatables/css/jquery.dataTables.min.css" rel="stylesheet">


<!-- Theme Styles -->

<link href="assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

<link href="assets/css/custom.css" rel="stylesheet" type="text/css"/>

<style>

    .errorWrap {

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #dd3d36;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

  padding: 10px;

  margin: 0 0 20px 0;
```

```
background: #fff;

border-left: 4px solid #5cb85c;

-webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

    </style>

  </head>

  <body>

    <?php include('includes/header.php');?>


    <?php include('includes/sidebar.php');?>

      <main class="mn-inner">

        <div class="row">

          <div class="col s12">

            <div class="page-title">Chat with admin</div>

          </div>



          <div class="col s12 m12 l12">

            <div class="card">

              <div class="card-content">



                <?php if($msg){?><div class="succWrap"><strong>SUCCESS</strong> :
<?php echo htmlentities($msg); ?> </div><?php }?>

  <aside>

        <p class="sidebar-chat-name">Tom Simpson<a href="#" data-activates="chat-messages"
class="chat-message-link"><i class="material-icons">keyboard_arrow_right</i></a></p>
```

```php
        <div class="messages-container">


            <?php
$eid=$_SESSION['emplogin'];

$sql = "SELECT * from  tblchating where empid=:eid";

$query = $dbh -> prepare($sql);

$query -> bindParam(':eid',$eid, PDO::PARAM_STR);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{           ?>

            <div class="message-wrapper them">

               <div >Me fgfdgdfgfd</div>

               <div class="text-wrapper"><?php echo htmlentities($result->chat);?></div>

            </div>

            <div class="message-wrapper me">

               <div class="circle-wrapper"><img src="assets/images/profile-image-3.jpg"
class="circle" alt=""></div>

               <div class="text-wrapper"><?php $st=$result->admin;

            // if($st==1){


               //  echo htmlentities($result->chat);
```

```
          // };?></div>

        </div>


      </div>

      <div class="message-compose-box">

        <div class="input-field">

          <input placeholder="Write message" id="message_compose" type="text">

        </div>

      </div>

      <?php }} ?>

    </aside>

              </div>

          </div>

        </div>

      </div>

    </main>


</div>

<div class="left-sidebar-hover"></div>


<!-- Javascripts -->

<script src="assets/plugins/jquery/jquery-2.2.0.min.js"></script>

<script src="assets/plugins/materialize/js/materialize.min.js"></script>

<script src="assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

<script src="assets/plugins/jquery-blockui/jquery.blockui.js"></script>
```

```php
<script src="assets/plugins/datatables/js/jquery.dataTables.min.js"></script>

<script src="assets/js/alpha.min.js"></script>

<script src="assets/js/pages/table-data.js"></script>


    </body>

</html>

<?php } ?>
```

emp-changepassword.php:

```php
<?php

session_start();

error_reporting(0);

include('includes/config.php');

if(strlen($_SESSION['emplogin'])==0)

    {

header('location:index.php');

}

else{

// Code for change password

if(isset($_POST['change']))

    {

$password=md5($_POST['password']);

$newpassword=md5($_POST['newpassword']);

$username=$_SESSION['emplogin'];

    $sql ="SELECT Password FROM tblemployees WHERE EmailId=:username and
Password=:password";

$query= $dbh -> prepare($sql);
```

```php
$query-> bindParam(':username', $username, PDO::PARAM_STR);

$query-> bindParam(':password', $password, PDO::PARAM_STR);

$query-> execute();

$results = $query -> fetchAll(PDO::FETCH_OBJ);

if($query -> rowCount() > 0)

{

$con="update tblemployees set Password=:newpassword where EmailId=:username";

$chngpwd1 = $dbh->prepare($con);

$chngpwd1-> bindParam(':username', $username, PDO::PARAM_STR);

$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM_STR);

$chngpwd1->execute();

$msg="Your Password succesfully changed";

}

else {

$error="Your current password is wrong";

}

}

?>


<!DOCTYPE html>

<html lang="en">

    <head>


        <!-- Title -->

        <title>Employee | Change Password</title>
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0,
user-scalable=no"/>

    <meta charset="UTF-8">

    <meta name="description" content="Responsive Admin Dashboard Template" />

    <meta name="keywords" content="admin,dashboard" />

    <meta name="author" content="Steelcoders" />


    <!-- Styles -->

    <link type="text/css" rel="stylesheet"
href="assets/plugins/materialize/css/materialize.min.css"/>

    <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

    <link href="assets/plugins/material-preloader/css/materialPreloader.min.css" rel="stylesheet">

    <link href="assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

    <link href="assets/css/custom.css" rel="stylesheet" type="text/css"/>

    <style>

    .errorWrap {

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #dd3d36;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

  padding: 10px;
```

333

```
    margin: 0 0 20px 0;

    background: #fff;

    border-left: 4px solid #5cb85c;

    -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

    box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

    </style>

</head>

<body>

<?php include('includes/header.php');?>


    <?php include('includes/sidebar.php');?>

      <main class="mn-inner">

        <div class="row">

          <div class="col s12">

            <div class="page-title">Change Password</div>

          </div>

          <div class="col s12 m12 l6">

            <div class="card">

              <div class="card-content">


                <div class="row">

                  <form class="col s12" name="chngpwd" method="post">

                    <?php if($error){?><div
class="errorWrap"><strong>ERROR</strong>:<?php echo htmlentities($error); ?> </div><?php }
```

else if($msg){?><div class="succWrap">SUCCESS:<?php echo htmlentities($msg); ?> </div><?php }?>

                                     <div class="row">

                                     <div class="input-field col s12">

<input id="password" type="password" class="validate" autocomplete="off" name="password" required>

                                      <label for="password">Current Password</label>

                                  </div>

 <div class="input-field col s12">

 <input id="password" type="password" name="newpassword" class="validate" autocomplete="off" required>

                                  <label for="password">New Password</label>

                                </div>

<div class="input-field col s12">

<input id="password" type="password" name="confirmpassword" class="validate" autocomplete="off" required>

 <label for="password">Confirm Password</label>

</div>

<div class="input-field col s12">

<button type="submit" name="change" class="waves-effect waves-light btn indigo m-b-xs" onclick="return valid();">Change</button>

</div>

```
                        </div>


                    </form>
                  </div>
                </div>
              </div>




              </div>



          </div>

      </main>


  </div>

  <div class="left-sidebar-hover"></div>


  <!-- Javascripts -->
  <script src="assets/plugins/jquery/jquery-2.2.0.min.js"></script>
  <script src="assets/plugins/materialize/js/materialize.min.js"></script>
  <script src="assets/plugins/material-preloader/js/materialPreloader.min.js"></script>
```

```
<script src="assets/plugins/jquery-blockui/jquery.blockui.js"></script>

<script src="assets/js/alpha.min.js"></script>

<script src="assets/js/pages/form_elements.js"></script>


   </body>

</html>

<?php } ?>
```

forgot-password.php:

```php
<?php
session_start();
error_reporting(0);
include('includes/config.php');
// Code for change password
if(isset($_POST['change']))

   {
$newpassword=md5($_POST['newpassword']);
$empid=$_SESSION['empid'];


$con="update tblemployees set Password=:newpassword where id=:empid";
$chngpwd1 = $dbh->prepare($con);
$chngpwd1-> bindParam(':empid', $empid, PDO::PARAM_STR);
$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM_STR);
$chngpwd1->execute();
$msg="Your Password succesfully changed";
```

}

?><!DOCTYPE html>

<html lang="en">

   <head>

      <!-- Title -->

      <title>ELMS | Password Recovery</title>

      <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/>

      <meta charset="UTF-8">

      <meta name="description" content="Responsive Admin Dashboard Template" />

      <meta name="keywords" content="admin,dashboard" />

      <meta name="author" content="Steelcoders" />

      <!-- Styles -->

      <link type="text/css" rel="stylesheet" href="assets/plugins/materialize/css/materialize.min.css"/>

      <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

      <link href="assets/plugins/material-preloader/css/materialPreloader.min.css" rel="stylesheet">

      <!-- Theme Styles -->

      <link href="assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

      <link href="assets/css/custom.css" rel="stylesheet" type="text/css"/>

338

```html
<style>

    .errorWrap {

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #dd3d36;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #5cb85c;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

    </style>


  </head>

  <body>

    <div class="loader-bg"></div>

    <div class="loader">

      <div class="preloader-wrapper big active">

        <div class="spinner-layer spinner-blue">
```

```html
<div class="circle-clipper left">

    <div class="circle"></div>

</div><div class="gap-patch">

    <div class="circle"></div>

</div><div class="circle-clipper right">

    <div class="circle"></div>

</div>

</div>

<div class="spinner-layer spinner-spinner-teal lighten-1">

    <div class="circle-clipper left">

        <div class="circle"></div>

    </div><div class="gap-patch">

        <div class="circle"></div>

    </div><div class="circle-clipper right">

        <div class="circle"></div>

    </div>

</div>

<div class="spinner-layer spinner-yellow">

    <div class="circle-clipper left">

        <div class="circle"></div>

    </div><div class="gap-patch">

        <div class="circle"></div>

    </div><div class="circle-clipper right">

        <div class="circle"></div>

    </div>
```

```html
      </div>

      <div class="spinner-layer spinner-green">

        <div class="circle-clipper left">

          <div class="circle"></div>

        </div><div class="gap-patch">

        <div class="circle"></div>

        </div><div class="circle-clipper right">

        <div class="circle"></div>

        </div>

      </div>

    </div>

  </div>

  <div class="mn-content fixed-sidebar">

    <header class="mn-header navbar-fixed">

      <nav class="cyan darken-1">

        <div class="nav-wrapper row">

          <section class="material-design-hamburger navigation-toggle">

            <a href="#" data-activates="slide-out" class="button-collapse show-on-large
material-design-hamburger__icon">

              <span class="material-design-hamburger__layer"></span>

            </a>

          </section>

          <div class="header-title col s3">

            <span class="chapter-title">ELMS | Employee Leave Management
System</span>

          </div>
```

```html
          </form>



        </div>

      </nav>

    </header>



    <aside id="slide-out" class="side-nav white fixed">

      <div class="side-nav-wrapper">



        <ul class="sidebar-menu collapsible collapsible-accordion" data-collapsible="accordion" style="">

          <li> </li>

          <li class="no-padding"><a class="waves-effect waves-grey" href="index.php"><i class="material-icons">account_box</i>Employe Login</a></li>

          <li class="no-padding"><a class="waves-effect waves-grey" href="forgot-password.php"><i class="material-icons">account_box</i>Emp Password Recovery</a></li>



          <li class="no-padding"><a class="waves-effect waves-grey" href="admin/"><i class="material-icons">account_box</i>Admin Login</a></li>



        </ul>
```

```
            </div>

         </aside>

         <main class="mn-inner">

            <div class="row">

               <div class="col s12">

                  <div class="page-title"><h4>Employee Password Recovery</h4></div>


                  <div class="col s12 m6 l8 offset-l2 offset-m3">

                     <div class="card white darken-1">


                        <div class="card-content ">

                           <span class="card-title" style="font-size:20px;">Employee details</span>

                              <?php if($msg){?><div class="succWrap"><strong>Success </strong> :
<?php echo htmlentities($msg); ?> </div><?php }?>

                           <div class="row">

                              <form class="col s12" name="signin" method="post">

                                 <div class="input-field col s12">

                                    <input id="empid" type="text" name="empid" class="validate"
autocomplete="off" required >

                                       <label for="email">Employee Id</label>

                                 </div>

                                 <div class="input-field col s12">

                                    <input id="password" type="text" class="validate" name="emailid"
autocomplete="off" required>

                                       <label for="password">Email id</label>

                                 </div>

                                 <div class="col s12 right-align m-t-sm">
```

```php
                                    <input type="submit" name="submit" value="Sign in"
class="waves-effect waves-light btn teal">

                        </div>

                    </form>

                </div>

            </div>

<?php if(isset($_POST['submit']))

{

$empid=$_POST['empid'];

$email=$_POST['emailid'];

$sql ="SELECT id FROM tblemployees WHERE EmailId=:email and EmpId=:empid";

$query= $dbh -> prepare($sql);

$query-> bindParam(':email', $email, PDO::PARAM_STR);

$query-> bindParam(':empid', $empid, PDO::PARAM_STR);

$query-> execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

if($query->rowCount() > 0)

{

foreach ($results as $result) {

  $_SESSION['empid']=$result->id;

 }

  ?>


 <div class="row">

      <span class="card-title" style="font-size:20px;">change your password </span>
```

```html
<form class="col s12" name="udatepwd" method="post">

<div class="input-field col s12">

<input id="password" type="password" name="newpassword" class="validate"
autocomplete="off" required>

<label for="password">New Password</label>
</div>



<div class="input-field col s12">

<input id="password" type="password" name="confirmpassword" class="validate"
autocomplete="off" required>

<label for="password">Confirm Password</label>

</div>



<div class="input-field col s12">

<button type="submit" name="change" class="waves-effect waves-light btn indigo m-b-xs"
onclick="return valid();">Change</button>



</div>

</div>

</form>

<?php } else{ ?>

<div class="errorWrap" style="margin-left: 2%; font-size:22px;">

<strong>ERROR</strong> : <?php echo htmlentities("Invalid details");

}?></div>

<?php } ?>
```

```
                    </div>

                </div>

            </div>

        </div>

      </main>


    </div>

    <div class="left-sidebar-hover"></div>


    <!-- Javascripts -->

    <script src="assets/plugins/jquery/jquery-2.2.0.min.js"></script>

    <script src="assets/plugins/materialize/js/materialize.min.js"></script>

    <script src="assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

    <script src="assets/plugins/jquery-blockui/jquery.blockui.js"></script>

    <script src="assets/js/alpha.min.js"></script>


  </body>

</html>
```

logout.php:

```php
<?php
session_start();
$_SESSION = array();
if (ini_get("session.use_cookies")) {
  $params = session_get_cookie_params();
  setcookie(session_name(), '', time() - 60*60,
    $params["path"], $params["domain"],
    $params["secure"], $params["httponly"]
  );
}
unset($_SESSION['alogin']);
session_destroy(); // destroy session
header("location:index.php");
?>
```

myprofile.php:

```php
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['emplogin'])==0)
  {
header('location:index.php');
}
else{
```

```php
$eid=$_SESSION['emplogin'];

if(isset($_POST['update']))

{


$fname=$_POST['firstName'];

$lname=$_POST['lastName'];

$gender=$_POST['gender'];

$dob=$_POST['dob'];

$department=$_POST['department'];

$address=$_POST['address'];

$city=$_POST['city'];

$country=$_POST['country'];

$mobileno=$_POST['mobileno'];

$sql="update tblemployees set
FirstName=:fname,LastName=:lname,Gender=:gender,Dob=:dob,Department=:department,Address
=:address,City=:city,Country=:country,Phonenumber=:mobileno where EmailId=:eid";

$query = $dbh->prepare($sql);

$query->bindParam(':fname',$fname,PDO::PARAM_STR);

$query->bindParam(':lname',$lname,PDO::PARAM_STR);

$query->bindParam(':gender',$gender,PDO::PARAM_STR);

$query->bindParam(':dob',$dob,PDO::PARAM_STR);

$query->bindParam(':department',$department,PDO::PARAM_STR);

$query->bindParam(':address',$address,PDO::PARAM_STR);

$query->bindParam(':city',$city,PDO::PARAM_STR);

$query->bindParam(':country',$country,PDO::PARAM_STR);

$query->bindParam(':mobileno',$mobileno,PDO::PARAM_STR);
```

```php
$query->bindParam(':eid',$eid,PDO::PARAM_STR);

$query->execute();

$msg="Employee record updated Successfully";

}


?>
```

```html
<!DOCTYPE html>
<html lang="en">
  <head>


    <!-- Title -->
    <title>Admin | Update Employee</title>


    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/>

    <meta charset="UTF-8">

    <meta name="description" content="Responsive Admin Dashboard Template" />

    <meta name="keywords" content="admin,dashboard" />

    <meta name="author" content="Steelcoders" />


    <!-- Styles -->
    <link type="text/css" rel="stylesheet" href="assets/plugins/materialize/css/materialize.min.css"/>

    <link href="http://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">

    <link href="assets/plugins/material-preloader/css/materialPreloader.min.css" rel="stylesheet">
```

```html
<link href="assets/css/alpha.min.css" rel="stylesheet" type="text/css"/>

<link href="assets/css/custom.css" rel="stylesheet" type="text/css"/>
<style>
    .errorWrap {
  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #dd3d36;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

.succWrap{

  padding: 10px;

  margin: 0 0 20px 0;

  background: #fff;

  border-left: 4px solid #5cb85c;

  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);

}

    </style>
```

```
        </head>

        <body>

    <?php include('includes/header.php');?>


        <?php include('includes/sidebar.php');?>

    <main class="mn-inner">

            <div class="row">

                <div class="col s12">

                    <div class="page-title">Update employee</div>

                </div>

                <div class="col s12 m12 l12">

                    <div class="card">

                        <div class="card-content">

                            <form id="example-form" method="post" name="updatemp">

                                <div>

                                    <h3>Update Employee Info</h3>

                                    <?php if($error){?><div
class="errorWrap"><strong>ERROR</strong>:<?php echo htmlentities($error); ?> </div><?php }

        else if($msg){?><div class="succWrap"><strong>SUCCESS</strong> : <?php echo
htmlentities($msg); ?> </div><?php }?>

                                    <section>

                                        <div class="wizard-content">

                                            <div class="row">

                                                <div class="col m6">

                                                    <div class="row">

<?php
```

```php
$eid=$_SESSION['emplogin'];

$sql = "SELECT * from  tblemployees where EmailId=:eid";

$query = $dbh -> prepare($sql);

$query -> bindParam(':eid',$eid, PDO::PARAM_STR);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $result)

{          ?>
```
```html
 <div class="input-field col  s12">

<label for="empcode">Employee Code</label>

<input  name="empcode" id="empcode" value="<?php echo htmlentities($result->EmpId);?>"
type="text" autocomplete="off" readonly required>

<span id="empid-availability" style="font-size:12px;"></span>

</div>




<div class="input-field col m6 s12">

<label for="firstName">First name</label>

<input id="firstName" name="firstName" value="<?php echo htmlentities($result->FirstName);?>"
type="text" required>

</div>




<div class="input-field col m6 s12">
```

```html
<label for="lastName">Last name </label>

<input id="lastName" name="lastName" value="<?php echo htmlentities($result->LastName);?>" type="text" autocomplete="off" required>

</div>


<div class="input-field col s12">

<label for="email">Email</label>

<input  name="email" type="email" id="email" value="<?php echo htmlentities($result->EmailId);?>" readonly autocomplete="off" required>

<span id="emailid-availability" style="font-size:12px;"></span>

</div>


<div class="input-field col s12">

<label for="phone">Mobile number</label>

<input id="phone" name="mobileno" type="tel" value="<?php echo htmlentities($result->Phonenumber);?>" maxlength="10" autocomplete="off" required>

 </div>


</div>

</div>


<div class="col m6">

<div class="row">

<div class="input-field col m6 s12">

<select  name="gender" autocomplete="off">

<option value="<?php echo htmlentities($result->Gender);?>"><?php echo htmlentities($result->Gender);?></option>
```

```php
<option value="Male">Male</option>

<option value="Female">Female</option>

<option value="Other">Other</option>

</select>

</div>

<label for="birthdate">Date of Birth</label>

<div class="input-field col m6 s12">


<input id="birthdate" name="dob"  class="datepicker" value="<?php echo htmlentities($result->Dob);?>" >

</div>




<div class="input-field col m6 s12">

<select  name="department" autocomplete="off">

<option value="<?php echo htmlentities($result->Department);?>"><?php echo htmlentities($result->Department);?></option>

<?php $sql = "SELECT DepartmentName from tbldepartments";

$query = $dbh -> prepare($sql);

$query->execute();

$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;

if($query->rowCount() > 0)

{

foreach($results as $resultt)
```

```php
{   ?>
```

```html
<option value="<?php echo htmlentities($resultt->DepartmentName);?>"><?php echo
htmlentities($resultt->DepartmentName);?></option>
```

```php
<?php }} ?>
```

```html
</select>

</div>


<div class="input-field col m6 s12">

<label for="address">Address</label>

<input id="address" name="address" type="text"   value="<?php echo htmlentities($result-
>Address);?>" autocomplete="off" required>

</div>


<div class="input-field col m6 s12">

<label for="city">City/Town</label>

<input id="city" name="city" type="text"   value="<?php echo htmlentities($result->City);?>"
autocomplete="off" required>

 </div>


<div class="input-field col m6 s12">

<label for="country">Country</label>

<input id="country" name="country" type="text"   value="<?php echo htmlentities($result-
>Country);?>" autocomplete="off" required>

</div>
```

```php
<?php }}?>
```

```html
<div class="input-field col s12">

<button type="submit" name="update"  id="update" class="waves-effect waves-light btn indigo m-
b-xs">UPDATE</button>


</div>


                          </div>
                        </div>
                      </div>
                    </div>
                  </section>



                  </section>
                </div>
              </form>
            </div>
          </div>
        </div>
      </div>
    </main>
  </div>
  <div class="left-sidebar-hover"></div>
```

```html
<!-- Javascripts -->

<script src="assets/plugins/jquery/jquery-2.2.0.min.js"></script>

<script src="assets/plugins/materialize/js/materialize.min.js"></script>

<script src="assets/plugins/material-preloader/js/materialPreloader.min.js"></script>

<script src="assets/plugins/jquery-blockui/jquery.blockui.js"></script>

<script src="assets/js/alpha.min.js"></script>

<script src="assets/js/pages/form_elements.js"></script>


  </body>

</html>

<?php } ?>
```

Chapter 5: TESTING

5.1 SOFTWARE TESTING

Software testing is a critical element of software quality assurance and represents the ultimate review of specification, design and code generation**.**

5.1.1 Testing Objectives

- To ensure that during operation the system will perform as per specification.
- TO make sure that system meets the user requirements during operation
- To make sure that during the operation, incorrect input, processing and output will be detected
- To see that when correct inputs are fed to the system the outputs are correct
- To verify that the controls incorporated in the same system as intended
- Testing is a process of executing a program with the intent of finding an error
- A good test case is one that has a high probability of finding an as yet undiscovered error.

The software developed has been tested successfully using the following testing strategies and any errors that are encountered are corrected and again the part of the program or the procedure or function is put to testing until all the errors are removed. A successful test is one that uncovers an as yet undiscovered error.

Note that the result of the system testing will prove that the system is working correctly. It will give confidence to system designer, users of the system, prevent frustration during implementation process etc.,

5.2 TEST CASE DESIGN:

5.2.1 White box testing

White box testing is a testing case design method that uses the control structure of the procedure design to derive test cases. All independents path in a module are exercised at least once, all logical decisions are exercised at once, execute all loops at boundaries and within their operational bounds exercise internal data structure to ensure their validity. Here the customer is given three chances to enter a valid choice out of the given menu. After which the control exits the current menu.

5.2.2 Black Box Testing

Black Box Testing attempts to find errors in following areas or categories, incorrect or missing functions, interface error, errors in data structures, performance error and initialization and termination error. Here all the input data must match the data type to become a valid entry.

The following are the different tests at various levels:

5.2.3 Unit Testing:

Unit testing is essentially for the verification of the code produced during the coding phase and the goal is test the internal logic of the module/program. In the Generic code project, the unit testing is done during coding phase of data entry forms whether the functions are working properly or not. In this phase all the drivers are tested they are rightly connected or not.

5.2.4 Integration Testing:

All the tested modules are combined into sub systems, which are then tested. The goal is to see if the modules are properly integrated, and the emphasis being on the testing interfaces between the modules. In the generic code integration testing is done mainly on table creation module and insertion module.

5.2.5 Validation Testing

This testing concentrates on confirming that the software is error-free in all respects. All the specified validations are verified and the software is subjected to hard-core testing. It also aims at determining the degree of deviation that exists in the software designed from the specification; they are listed out and are corrected.

5.2.6 System Testing

This testing is a series of different tests whose primary is to fully exercise the computer-based system. This involves:

- Implementing the system in a simulated production environment and testing it.
- Introducing errors and testing for error handling.

5.3 TEST CASES

5.3.1 Test Case 1:

Test case for Login form:

When a user tries to login by submitting an incorrect ID or an incorrect Password   then it displays an error message "NOT A VALID USER NAME".

5.3.2 Test Case 2:

Test case for User Registration form:

When a user enters user id to register and ID already exists, then this result in displaying error message "USER ID ALREADY EXISTS".

5.3.3 Test Case 3:

Test case for Change Password:

When the old password does not match with the new password, then this results in displaying an error message as "OLD PASSWORD DOES NOT MATCH WITH THE NEW PASSWORD".

Test case for Forget Password:

When a user forgets his password he is asked to enter Login name, ZIP code, Mobile number. If these are matched with the already stored ones then user will get his Original password.

Chapter 6: SCREEN SHOTS

Fig.6.1 Admin Dashboard

Fig.6.2 Admin Department List

Fig.6.3 Admin Leave History.

Fig.6.4 Admin Login.

Fig.6.5 Admin Manage Employees.

Fig.6.6 Admin Manage Leave Type.

Fig.6.7 Employee Apply Leave.

Fig. 6.8 Employee Dashboard.

Fig. 6.9 Employee Login Page

Fig. 7.0 Employee Password Recovery

Chapter 7: CONCLUSION

Leave Management System (LMS) is very useful for college to maintain the leave records of the students and employees. This system not only maintains the leave details of the staff, is also maintain the leave application of the staff and students.

The higher authorities may accept or reject the leave applications requested by the staff. Thus this system maintains the excess amount of job done by college to maintain the leaves.

Chapter 8: BIBILOGRAPHY

Books used for collecting the information are:

1) HTML & CSS: Design and Build Web Sites by Jon Duckett.
2) JavaScript and jQuery: Interactive Front-End Web Development by David McFarland

The following websites are used for collecting the information:

1) www.google.com
2) www.stackoverflow.com
3) www.quora.com
4) www.youtube.com